

QK
1
.5664
MSRL SI

Smithsonian Institution
Scholarly Press

SMITHSONIAN CONTRIBUTIONS TO BOTANY • NUMBER 97



Smithsonian Plant Collections, Guyana 1995–2004, H. David Clarke

*Carol L. Kelloff, Sara N. Alexander,
V. A. Funk, and H. David Clarke*

SERIES PUBLICATIONS OF THE SMITHSONIAN INSTITUTION

Emphasis upon publication as a means of “diffusing knowledge” was expressed by the first Secretary of the Smithsonian. In his formal plan for the Institution, Joseph Henry outlined a program that included the following statement: “It is proposed to publish a series of reports, giving an account of the new discoveries in science, and of the changes made from year to year in all branches of knowledge.” This theme of basic research has been adhered to through the years by thousands of titles issued in series publications under the Smithsonian imprint, commencing with Smithsonian Contributions to Knowledge in 1848 and continuing with the following active series:

Smithsonian Contributions to Anthropology
Smithsonian Contributions to Botany
Smithsonian Contributions to History and Technology
Smithsonian Contributions to the Marine Sciences
Smithsonian Contributions to Museum Conservation
Smithsonian Contributions to Paleobiology
Smithsonian Contributions to Zoology

In these series, the Institution publishes small papers and full-scale monographs that report on the research and collections of its various museums and bureaus. The Smithsonian Contributions Series are distributed via mailing lists to libraries, universities, and similar institutions throughout the world.

Manuscripts submitted for series publication are received by the Smithsonian Institution Scholarly Press from authors with direct affiliation with the various Smithsonian museums or bureaus and are subject to peer review and review for compliance with manuscript preparation guidelines. General requirements for manuscript preparation are on the inside back cover of printed volumes. For detailed submissions requirements and to review the “Manuscript Preparation and Style Guide for Authors,” visit the Submissions page at www.scholarlypress.si.edu.

SMITHSONIAN CONTRIBUTIONS TO BOTANY • NUMBER 97

Smithsonian Plant Collections, Guyana 1995–2004, H. David Clarke

*Carol L. Kelloff, Sara N. Alexander,
V. A. Funk, and H. David Clarke*



Smithsonian Institution
Scholarly Press

WASHINGTON D.C.
2011

Issued

JAN 11 2012

Smithsonian Institution

ABSTRACT

Carol L. Kelloff, Sara N. Alexander, V. A. Funk, and H. David Clarke. Smithsonian Plant Collections, Guyana: 1995–2004, H. David Clarke. *Smithsonian Contributions to Botany*, Number 97: viii + 307 pages, 18 figures, 4 plates, 11 maps, 2011.—Part I provides the collector's notes on trips with maps in chronological order. Part II lists collection localities, with collection number ranges, habitat descriptions, geographic coordinates, and assisting collectors. Part III lists collections in numerical order with identifications and authors. Part IV lists collections ordered by determined name.

Cover image: Central and eastern pinnacles of the Mount Wokomung Massif. Photograph by H. David Clarke.

All photographs by H. David Clarke, except as noted, courtesy of the Smithsonian Institution's Biological Diversity of the Guiana Shield Program.

Published by SMITHSONIAN INSTITUTION SCHOLARLY PRESS

P.O. Box 37012, MRC 957

Washington, D.C. 20013-7012

www.scholarlypress.si.edu

Text and images in this publication may be protected by copyright and other restrictions or owned by individuals and entities other than, and in addition to, the Smithsonian Institution. Fair use of copyrighted material includes the use of protected materials for personal, educational, or noncommercial purposes. Users must cite author and source of content, must not alter or modify content, and must comply with all other terms or restrictions that may be applicable.

Library of Congress Cataloging-in-Publication Data

Smithsonian plant collections, Guyana : 1995–2004, H. David Clarke / Carol L. Kelloff . . . [et al.].

p. cm. — (Smithsonian contributions to botany ; no. 97)

Includes bibliographical references.

1. Botany—Catalogs and collections—Guyana. 2. Plants—Guyana—Classification. 3. Plant collecting—Guyana. I. Kelloff, Carol Lynn, 1954– II. Clarke, H. D. III. Smithsonian Institution. Biological Diversity of the Guianas Program. IV. Series: Smithsonian contributions to botany ; no. 97.

QK267.S655 2012

581.9881074'753—dc23

20110270691

ISSN: (print) 0081-024X; (online) 1938-2812

∞ The paper used in this publication meets the minimum requirements of the American National Standard for Permanence of Paper for Printed Library Materials Z39.48–1992.

Contents

LIST OF FIGURES	v
LIST OF MAPS	vi
INTRODUCTION <i>by V. A. Funk and C. L. Kelloff</i>	1
The Biological Diversity of the Guiana Shield Program	1
H. David Clarke Biosketch	3
Format of Collection Information	5
References	6
Acknowledgments	7
Contributors of Identifications	7
Collections of Special Interest	11
I. EXPEDITION NARRATIVES AND MAPS	21
Trip 1: Iwokrama Rainforest Reserve	21
Trip 2: Iwokrama Rainforest Reserve	24
Trips 3–4: Mabura Hill; CEIBA Environmental Center	25
Trips 5–6: Paruima and Paramakatoi	25
Trip 7: Iwokrama International Rainforest Reserve	29
Trip 8: Eastern Kanuku Mountains	31
Trip 9: Kuyuwini River	31
Trip 10: Iwokrama International Rainforest Reserve	33
Trip 11: Gunn's Strip, Chodikar, Kamoia, and Upper Essequibo Rivers	35
Trip 12: Kwitaro and Upper Rewa Rivers	38
Trip 13: Iwokrama International Rainforest Reserve	41
Trip 14: Kuyuwini and Kassikaityu Rivers	41
Trip 15: Waukauyengtipu and Paruima	44
Trip 16: Kwitaro and Rewa Rivers and eastern Kanuku Mountains and Makarapan Mountain	46
Trip 17: Acarai Mountains–Sipu River	47
Trip 18: Wassari Mountains, Upper Takutu–Upper Essequibo Region (Region 9)	49

Trip 19: Mount Ayanganna, Potaro–Siparuni Region (Region 8)	51
Trip 20: Mount Wokomung, Potaro–Siparuni Region (Region 8)	54
Trip 21: Central Suriname Nature Reserve	57
Trips 22–23: Mount Maringma, Wayalayeng Village, Georgetown	60
II. COLLECTING LOCALITIES	61
Trip 1: Iwokrama Rainforest Reserve	61
Trip 2: Iwokrama Rainforest Reserve	62
Trips 3–4: Mabura Hill; CEIBA Environmental Center	64
Trips 5–6: Paruima and Paramakatoi	64
Trip 7: Iwokrama Rainforest Reserve	65
Trip 8: Eastern Kanuku Mountains	67
Trip 9: Kuyuwini River	68
Trip 10: Iwokrama	69
Trip 11: Gunn’s Strip, Chodikar, Kamoia, and Upper Essequibo Rivers	70
Trip 12: Kwitaro and Upper Rewa Rivers	72
Trip 13: Iwokrama	73
Trip 14: Kuyuwini and Kassikaityu Rivers	74
Trip 15: Waukauyengtipu and Paruima	75
Trip 16: Kwitaro and Rewa Rivers and Eastern Kanuku Mountains and Makarapan Mountain	77
Trip 17: Acarai Mountains–Sipu River	79
Trip 18: Wassari Mountains, Upper Takutu–Upper Essequibo Region (Region 9)	81
Trip 19: Mount Ayanganna, Potaro–Siparuni Region (Region 8)	83
Trip 20: Mount Wokomung, Potaro–Siparuni Region (Region 8)	84
Trip 21: Central Suriname Nature Reserve	86
Trips 22–23: Mount Maringma, Wayalayeng Village, Georgetown	88
Trip 23: Georgetown	90
III. COLLECTIONS BY NUMBER	91
IV. COLLECTIONS BY DETERMINED TAXA	253
PLATES	299
INDEX	303

Figures

Figure A. <i>Dilkea clarkei</i> Feuillet (Passifloraceae).	vii
Figure B. <i>Davilla kunthii</i> A. St. Hill (Dilleniaceae).	viii
1. The Guiana Shield.	2
2. H. David Clarke.	4
3. <i>Brassavola martiana</i> Lindl. (Orchidaceae), Clarke 1366.	30
4. <i>Brassavola</i> sp. (Orchidaceae), Clarke 2760.	35
5. Loading the Wai Wai dugout canoes at Gunn's Strip.	37
6. Marifa Waruwanaru and Wachana Yaymochi making paddles at Chodikar River camp.	38
7. <i>Hymenocallis tubiflora</i> Salisb. (Liliaceae), Clarke 3475.	39
8. <i>Mollia glabrescens</i> Benth. (Tiliaceae), Clarke 3572.	40
9. Miles (Wapishana) and Romeo Williams (Arawak), negotiating the rapids below the Great Falls of the Rewa River.	40
10. <i>Odontadenia geminata</i> (Hoffmanns. ex Roem. and Schult.) Müll. Arg. (Apocynaceae), Clarke 4411.	44
11. <i>Heliamphora nutans</i> Benth. (Sarraceniaceae).	46
12. Umana Yana (meeting house), Gunn's Strip.	49
13. <i>Lorostemon bombaciflorum</i> Ducke (Clusiaceae), Clarke 7160.	49
14. <i>Monstera adansonii</i> Schott (Araceae), Clarke 8425.	51
15. Kaieteur Falls from Johnson's View.	55
16. Stephen Stern, Josh Kelly, Claudius Perry, Diana Gittens, Erin Tripp, and David Clarke.	57

Maps

1. Collecting localities, Trips 1–3.	22
2. Collecting localities, Trips 4 and 23.	26
3. Collecting localities, Trips 5 and 15.	27
4. Collecting localities, Trips 6–7.	28
5. Collecting localities, Trips 8–9.	32
6. Collecting localities, Trips 10 and 13.	34
7. Collecting localities, Trips 11–12.	36
8. Collecting localities, Trips 14 and 16.	42
9. Collecting localities, Trips 17–18.	48
10. Collecting localities, Trips 19, 20, and 22.	52
11. Collecting localities, Trip 21.	58




FIGURE A. *Dilkea clarkei* Feuillet (Passifloraceae) from Feuillet, 2010. Illustrations by Alice Tangerini, Department of Botany, National Museum of Natural History, Smithsonian Institution.




FIGURE B. *Davilla kunthii* A. St. Hill (Dilleniaceae), prepared for the Aymard and Kelloff, manuscript, *Dilleniaceae. Flora of the Guianas*. Illustrations by Alice Tangerini, Department of Botany, National Museum of Natural History, Smithsonian Institution.

Smithsonian Plant Collections, Guyana: 1995–2004, H. David Clarke

INTRODUCTION

V. A. Funk and C. L. Kelloff

THE BIOLOGICAL DIVERSITY OF THE GUIANA SHIELD PROGRAM

The Biological Diversity of the Guiana Shield (BDG) program is a field-oriented program of the Smithsonian Institution's (SI) National Museum of Natural History. The goal of the BDG is to study, document, and preserve the biological diversity of the Guiana Shield (Figure 1), which includes Guyana, Suriname, French Guiana, the Venezuelan states of Amazonas, Bolívar, and Delta Amacuro, and parts of southern Colombia and northern Brazil. The BDG program has been operating since 1983. Originally confined to botany, it now covers all aspects of biodiversity. Data gathering and analyses of diversity are focused on the natural unit of the Guiana Shield (*Escudo de Guayana* in Spanish) rather than on political units.

The Guiana Shield is a biologically diverse area defined by a distinct, ancient geologic formation that is roughly bounded by the Atlantic Ocean to the east, the Orinoco River to the north and west, the Río Negro, a major tributary of the Amazon River, to the southwest, and the Amazon River to the south (Gibbs and Barron, 1993). The Orinoco and Río Negro Rivers are connected by the substantial Rio Casiquiare, making much of this geologic area an island. The Guiana Shield contains many isolated steep-sided mountains of sandstone (tepui) and granite (inselbergs), which, together with an assortment of habitats that includes tropical savannas, lowland and montane forests, and montane scrub, help to account for the high diversity and endemism of the flora and fauna (Berry et al., 1995). Unlike many other tropical regions, 60%–70% of the natural habitat of the Guiana Shield remains pristine. In the three Guianas (Guyana, Suriname, and French Guiana) in particular, because national governments own most of the land and the population is concentrated along the coast

Carol L. Kelloff, Sara N. Alexander, and V. A. Funk, Department of Botany, National Museum of Natural History, Smithsonian Institution, P.O. Box 37012, MRC 166, Washington, D.C. 20013-7012, USA; H. David Clarke, Department of Biology, University of North Carolina, 311 Zeis Hall, Asheville, North Carolina 28804 USA. Correspondence: kelloffc@si.edu. Manuscript received and accepted 26 May 2011.




FIGURE 1. The Guiana Shield. Boundaries are adapted from Gibbs and Barron (1993). The dashed boundary includes isolated outliers of similar geologic composition that are sometimes included in the Shield.

and major rivers, destructive development of the interior has been kept to a minimum.

Conservation efforts vary within the region. In parts of Suriname and the Venezuelan Guayana, large tracts of extremely interesting forest and their accompanying biota have already been designated for conservation. In contrast, in Guyana the process of establishing protected areas is in its early stages. Many natural areas in both Guyana and the Venezuelan Guayana are designated as concessions and are therefore seriously threatened by resource extraction activities as practiced by multinational logging and mining companies. Each country has suffered severe degradation in certain areas due to gold miners, both legal and illegal, from inside and outside of the country. It is important that we gain an understanding of the flora and fauna of the Guiana Shield to make informed decisions concerning critical areas that have high priority for conservation and to guide the collection of data from

areas that might ultimately become degraded. In addition, because this region has been long neglected by biologists, it is often an area of "insufficient information" for analyses of many biological groups. The BDG program aims to fill these gaps by providing specimens and data to address biodiversity questions about many groups of organisms and to assist a variety of research and conservation projects. This new information is now being used to produce checklists and vegetation maps, and in floristic and faunistic studies. In addition, the BDG program is exploring uses of these data that will lead to a synthesis of information addressing a broader understanding of biodiversity issues (Funk and Richardson, 2002; Kelloff, 2003; Kelloff and Funk, 2004; Funk et al., 2005; Hollowell and Reynolds, 2005; Hollowell, 2009; Vari et al., 2009).

Prior to the BDG's work Guyana was poorly known biologically, with sparse documentation of the composition and distribution of its biota. After 24 years of

collecting the BDG program has produced many works important to understanding Guyana's biological diversity and to assisting Guyana with conservation efforts.

The BDG program has published a vegetation map of Guyana (Huber et al., 1995), as well as plant checklists for the Guianas (Boggan et al., 1997), the Guiana Shield (Hollowell et al., 2001; Funk et al. 2007), the Iwokrama area (Clarke et al., 2001), and Kaieteur National Park (Kelloff and Funk, 1998). The program has also published the *Field Checklist of the Birds of Guyana* (Braun et al., 2000, 2007). Data from the BDG program have been used in many publications. A complete list can be found on the program's website at <http://botany.si.edu/bdg/index.htm>; most are available as PDFs (Engstrom and Lim, 2001–present; Reynolds et al., 2001–present; Hollowell and Reynolds, 2005; Funk et al., 2007; Vari et al. 2009).

The *Checklist of the Terrestrial Vertebrates of the Guiana Shield* was published in 2005 (Hollowell and Reynolds, 2005). The checklist contains all known non-fish vertebrates (and their distribution on the Shield) and includes chapters on birds, mammals, amphibians, and reptiles by authors from Canada, Venezuela, Brazil, and the USA. The *Checklist of the Fishes of the Guiana Shield* (Vari et al., 2009) was published as a companion to the terrestrial vertebrate checklist. These two works represent the most current knowledge of the diversity and distribution of vertebrates of the Guiana Shield. The checklist of fishes known from the freshwater systems of the Guiana Shield includes 1,173 species, representing approximately 23% of the freshwater fish species from the vast expanse between southern South America and the southern border of Mexico (Reis et al., 2003). The checklist also accounts for more than 4% of the 28,400 fish species recently estimated to be present in all marine and freshwater systems worldwide (Nelson, 2006; Funk and Kelloff, 2009).

The *Checklist of the Plants of the Guiana Shield* (Funk et al., 2007) covers all vascular plants known to occur in the Guiana Shield region of northeastern South America and includes a forward by Dr. Peter H. Raven, President Emeritus at the Missouri Botanical Garden. This checklist, together with the publications on terrestrial vertebrates and freshwater fishes, represents a new research and conservation resource that highlights three critical facets of taxonomic work: expeditions, collections, and research.

The BDG fulfills the mission of the Smithsonian Institution—the increase and diffusion of knowledge—by gathering and distributing new information. The program encourages production of floras and faunas of poorly known areas, participates in training students and professionals from the host countries, supplies data for identification

and preservation of biologically diverse areas, and supports interdisciplinary research. Although the program operates out of the Smithsonian Institution, it depends on the collaboration of specialists worldwide and a steady source of funding to accomplish its goals. Currently, more than 800 scientists and collaborators have produced more than 500 publications (the BDG website lists collaborators and other information: <http://botany.si.edu/bdg/index.html>).

From 1986 to 2000 the BDG program maintained either a full-time or a part-time resident collector in Guyana. Since 2000 regular expeditions are sent to various places across the Shield. Most of the expeditions collect plants but some have collected butterflies and moths, ants, and birds. Botanical specimens collected through the program are distributed to a network of experts for identification. Specimens from all expeditions are deposited at the Centre for the Study of Biological Diversity (CSBD) at the University of Guyana in Georgetown, as well as at the Smithsonian Institution in Washington and at other museums worldwide. At the time of publication the BDG program has produced approximately 55,000 collection numbers, representing more than 263,000 individual specimens. The CSBD herbarium in Georgetown currently holds over 45,000 mounted plant specimens and the zoological collection has over 10,000 vertebrate specimens and 22,000 insect specimens

H. DAVID CLARKE BIOSKETCH

H. David Clarke was the eighth and last full-time resident plant collector (1995–1997) to participate in the BDG program (Figure 2). After his time in Guyana, Clarke spent three years at the Smithsonian Institution as a postdoctoral fellow, then accepted a position at the University of North Carolina at Asheville (UNCA). As associate professor in the department of biology, Clarke teaches introductory and advanced botany courses in plant systematics, field botany, plant anatomy and morphology, economic botany, tropical biology, and the humanities. Until recently much of Clarke's time, when not at UNCA, was spent in the rainforests of Guyana, where he was often accompanied by one or more students involved in undergraduate research. Between 1994 and 2004 Clarke spent more than 20 months in Guyana in the field and collected nearly 12,300 plant numbers. These specimens were processed first at the CSBD in Georgetown and then by the U.S. National Herbarium at the Smithsonian Institution. At the time of publication, just over 78% of these collections have been identified to species. The determinations show that Clarke collected more than 3,015 taxa in



FIGURE 2. H. David Clarke. Photo by E. Tripp. Used with permission.

1,060 genera. Copies of his field notebooks and mounted vouchers for these collections are now in the Guyana National Herbarium, housed at the CSBD, and at the U.S. National Herbarium in Washington. Partial sets of the collections are housed at several other institutions.

As a resident botanist Clarke played an informal but important role in outreach to the general population in Guyana. The Smithsonian collectors lived in Georgetown neighborhoods and endured the same irregularities in services as their fellow Georgetown residents. Clarke customarily traveled about the city on foot or by bicycle and minibus, shopped in the street markets and bakeries, and commuted to the university in public minivans. After conducting several extended field trips, Clarke presented public talks on plant diversity and expeditions in downtown Georgetown and at the University of Guyana highlighting Guyana's amazing flora and fauna on the tepuis; these talks generally drew large audiences.

The BDG's resident plant collector also provided an active link between the Smithsonian's research efforts and the

programs of other institutions. For example, Clarke maintained friendships and frequently discussed fieldwork with researchers such as John Wurdack, Larry Skog, and other curators from the Smithsonian, Scott Mori of the New York Botanical Garden, and zoologists from the Royal Ontario Museum. The resident botanists thus played a greater role in the Smithsonian mission than merely planning field expeditions and collecting plant specimens. They were active, dedicated, and, not insignificantly, apolitical outreach persons who represented the amiable, pro-conservation and pro-education interests of the United States scientific community. Each resident collector was the key person in the country who kept the collaborative relationship active over the months and years. In addition, many of the BDG's collectors, Clarke included, used their experience in Guyana to gain hands-on knowledge of tropical biology and to build on it to enhance their careers as professional botanists. During Clarke's stay in Guyana, he was accompanied in the field by several Guyanese biology students, foresters, and botanists. From the University of Guyana Herbarium, co-collectors included Tsitsi McPherson, Keith David, Diana Gittens, and Christopher Chin; these individuals also participated in some of the collecting trips with other Smithsonian botanists and zoologists. With this experience they were able to develop their own research interests and went on to pursue graduate studies. Many other Guyanese, including Amerindians (Claudius Perry and Romeo Williams) and other residents of interior towns and settlements, participated in collecting trips with Clarke. The collecting teams normally included two to six local men who served as guides, shared the backpacking of supplies and specimens, and set up camps in remote areas. These hired workers were paid by the day for the extent of the trip, with food provided from the stocks the collector brought from Georgetown. Strong friendships often developed between the resident botanist and the Guyanese members of the team as they shared the challenges of travel and botanical fieldwork under difficult circumstances and in inclement weather. Among the Guyanese members of teams who also assisted Clarke with collecting, as recorded on the specimen labels, were Calvin Bernard and Cynthia Watson from the University of Guyana.

Scientists from several countries sometimes participated in field trips organized by Clarke. For instance, Clarke conducted field expeditions with American botanists, lichenologists, and graduate students, including Scott Mori and Scott Heald (New York Botanical Garden), Pedro Acevedo and Paula DePriest (Smithsonian Institution), Erin Tripp, Josh Kelly, and Stephen Stern (University of North Carolina at Asheville), and international botanists

Ted Ahti (Helsinki), Jeanne Florschütz-de Waard (State University of Utrecht Herbarium, Netherlands), Henricus Sipman (Botanischer Garten und Botanisches Museum Berlin–Dahlem, Germany), and former resident collector Bruce Hoffman (now in the Netherlands).

Clarke's first collecting trip in Guyana was to Iwokrama International Centre for Rainforest Conservation and Development to fulfill a contract between the Smithsonian Institution and the Iwokrama Rainforest Programme to document the plant diversity of the reserve (Clarke et al., 2001). An important practice of the BDG program was to have resident collectors overlap both in the field and in Georgetown. Clarke did not have the advantage of an overlap with previous resident collectors, but the infrastructure was well established and the first expedition into Iwokrama allowed him to become familiar with field work in Guyana. After his term as a collector with BDG, Clarke made yearly expeditions in Guyana, bringing students to collect plants in the higher elevations of the Pakaraima Mountains. These students were Erin Tripp and Josh Kelly to Mount Ayanganna (2001); Erin Tripp, Josh Kelly, Diana Gittens, and Stephen Stern to Mount Wokomung (2003); Jay Rhodes to the Central Suriname Nature Reserve in Suriname (2004); and Erin Tripp, Stephen Stern, and Diana Gittens to Mount Maringma (2004).

In addition to his fieldwork on the Guiana Shield, Clarke's experience included work in Central America, Mexico, and the Caribbean, producing collections from Mexico, Costa Rica, Puerto Rico, and the Dominican Republic. To advance his fieldwork Clarke continues to seek funding and in recent years has received grants from the Smithsonian Institution, Conservation International, the National Geographic Society, and *Geo Magazine*. Although Clarke still participates in field trips to Guyana, his research interests in biodiversity studies now extend beyond the flora of the Guiana Shield. His latest research project is the classification and evolution of *Acacia* (Fabaceae: Mimosoideae) and related tropical legumes. He is currently examining the evolution and biogeography of *Acacia* based on molecular sequence data. Clarke has published in several leading journals, including *Proceedings of the Academy of Natural Sciences*, *Systematic Botany*, and *American Journal of Botany*, the popular publication *Orchid Digest*, and several monographs. His publications include articles about using checklists and collections data to investigate plant diversity (Clarke and Funk, 2000, 2005; Clarke et al., 2001) and the analysis of the plant diversity of the Iwokrama forest, Guyana (Clarke and Funk, 1998), and several articles on *Acacia* (Ebinger et al., 2000; Clarke et al., 1989, 2000).

FORMAT OF COLLECTION INFORMATION

More than 150 taxonomic specialists and other botanical professionals have participated in identifying plants collected by Clarke. Now that more than 78% of these collections have been identified, this publication makes the results of his fieldwork widely available in print and electronically to the botanical and conservation communities. This publication also serves as a resource for many herbaria that have received duplicates of these collections because, as with such endeavors, specialists may revise the determinations of specimens and data errors are discovered and corrected over time. These data will be periodically updated on the "Expeditions" page on the BDG website (<http://botany.si.edu/bdg/index.html>). The BDG website also provides information about expeditions conducted by the program, including trip reports, lists of collections, images showing different aspects of field work, and collection localities (using Google Maps as a mapping application).

This publication is divided into four parts. Part I contains narratives prepared by Clarke about the localities, habitats, people, and events of the collecting trips. Maps are included that show each collecting trip, along with some of the place names mentioned in the trip narratives. The maps were produced using ArcMap 8 (ESRI, 2002) with basemap coverages produced through the BDG's collaboration with the CSBD at the University of Guyana. Part II is a detailed account of the localities where Clarke made his collections for the BDG program; these are listed chronologically and grouped by trip. The range of collection numbers for each trip is indicated, as are the dates of the trip. Within each trip, specific localities, as provided by the collector, are listed with their collection number ranges, the date for those collections, latitude and longitude coordinates, elevation ranges in meters, habitat descriptions, and co-collectors. Latitude and longitude are given in degree (°), minute ('), and second (") format and were taken using a Global Positioning System (GPS).

Part III lists Clarke's collections in numerical order. Each collection number is followed by the determined plant family, the plant name and any infraspecific names that have been provided, and authors of the name. The plant name information may be checked against the synonymy provided in the *Checklist of the Plants of the Guiana Shield* (Funk et al., 2007) available online at <http://botany.si.edu/bdg/plants.html>. The authors of plant names conform to standard abbreviations (Brummitt and Powell, 1992).

Part IV lists collections by determined name sorted by division, family, genus, and specific epithets, followed by collection numbers for each name. Specimens not

determined to genus are the first listed for each family, and specimens not determined to species are the first listed for each genus. This section is provided to facilitate the location of specimens of interest to specialists. In addition, there are color plates located at the end of the book.

The first set of all Clarke collections has been distributed to the Guyana National Herbarium at CSBD and a second sheet has been deposited at Smithsonian's U.S. National Herbarium in Washington. Additional duplicates have been distributed to herbaria in the Americas and Europe as part of ongoing exchange programs. Anyone requiring additional information about these specimens or about the specialists and other individuals who participated in determination of specimens may contact the BDG Program at the U.S. National Herbarium, Botany, MRC 166, P.O. Box 37012, Smithsonian Institution, Washington DC, 20013-7012 USA.

This is the fourth publication by the BDG detailing the collections of the program's resident plant collectors. The first publication covered the collections of John J. Pipoly from 1987 to 1988 (Hollowell et al., 2000), the second covered the collections of Lynn J. Gillespie from 1989 to 1991 (Hollowell et al., 2003), and the third covered the collections of Tim McDowell from 1990–1991 (Hollowell et al., 2004). As identification of specimens collected by other BDG botanists approaches at least 75%–80% completion additional publications will be issued in this series. This is publication number 160 in the Smithsonian's Biological Diversity of the Guiana Shield Program publication series.

REFERENCES

- Berry, P. E., B. K. Holst, and K. Yatskievych, eds. 1995. *Flora of the Venezuelan Guayana. Volume 1: Introduction*. J. A. Steyermark, Paul E. Berry, and B. K. Holst, general eds. Missouri Botanical Garden, St. Louis.
- Boggan, J., V. Funk, C. Kelloff, M. Hoff, G. Cremers, and C. Feuillet. 1997. *Checklist of the Plants of the Guianas, 2nd edition*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C.
- Braun, M. J., D. W. Finch, M. B. Robbins, and B. K. Schmidt. 2000. *A Field Checklist of the Birds of Guyana*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C.
- Braun, M. J., D. W. Finch, M. B. Robbins, and B. K. Schmidt. 2007. *A Field Checklist of the Birds of Guyana, 2nd edition*. Biological Diversity of the Guiana Shield Program, Smithsonian Institution, Washington, D.C.
- Brummitt, R. K., and C. E. Powell, eds. 1992. *Authors of Plant Names*. Royal Botanic Gardens, Kew, Richmond, Surrey, UK.
- Clarke, H. D. and V. A. Funk. 1998. *A Preliminary Analysis of the Plant Diversity of the Iwokrama Forest, Guyana*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C.
- Clarke, H. D. and V. A. Funk. 2000. Analyzing Checklists and Using Collections Data to Investigate Plant Diversity: An Examination of Five Florulas from Northeastern South America. *Am. J. Bot.* 87: 119.
- Clarke, H. D. and V. A. Funk. 2005. Using Checklists and Collections Data to Investigate Plant Diversity. II. An Analysis of Five Florulas from Northeastern South America. *Proceedings of the Academy of Natural Sciences of Philadelphia* 154: 29–37. doi:10.1635/0097-3157(2004)154[0029:UCA CDT]2.0.CO;2.
- Clarke, H. D., S. R. Downie, and D. S. Seigler. 2000. Implications of Chloroplast DNA Restriction Site Variation for Systematics of *Acacia* (Fabaceae: Mimosoideae). *Syst. Botany* 25: 618–632. doi:10.2307/2666724.
- Clarke, H. D., V. Funk, and T. Hollowell. 2001. Using Checklists and Collections Data to Investigate Plant Diversity. I: A Comparative Checklist of the Plant Diversity of the Iwokrama Forest, Guyana. *Sida Botanical Miscellany* 21, 86 pp.
- Clarke, H. D., D. S. Seigler, and J. E. Ebinger. 1989. *Acacia farnesiana* and Related Species from Mexico, the Southwestern U.S., and the Caribbean. *Syst. Botany* 14: 549–564. doi:10.2307/2419000.
- Ebinger, J. E., D. S. Seigler, and H. D. Clarke. 2000. Taxonomic Revision of South American Species of the Genus *Acacia* Subgenus *Acacia* (Fabaceae: Mimosoideae). *Syst. Botany* 25: 588–617. doi:10.2307/2666723.
- Engstrom, M. and B. Lim. 2001–present. *Checklist of the Mammals of Guyana*. Biological Diversity of the Guiana Shield Program, Smithsonian Institution. <http://botany.si.edu/bdg/guyspecies.html>.
- ESRI. 2002. *ArcMap 8.3*. Environmental Systems Research Institute, Redlands, CA.
- Feuillet, C. 2010. Folia Taxonomica, 17. *Dilkea* (Passifloraceae) 2. Conspectus of the species of the Guianas with three new species. *Journal of the Botanical Research Institute of Texas*, 4(1): 55–62 (Figure 1).
- Funk, V., T. Hollowell, P. Berry, C. Kelloff and S. N. Alexander. 2007. Checklist of the Plants of the Guiana Shield (Venezuela: Amazonas, Bolivar, Delta Amacuro; Guyana, Suriname, French Guiana). *Contributions from the United States National Herbarium* 55: 1–584.
- Funk, V. A., and C. L. Kelloff. 2009. Introduction. In “Checklist of the Freshwater Fishes of the Guiana Shield,” ed. R. P. Vari, C. J. Ferraris, Jr., A. Radosavljevic, and V. A. Funk. *Bulletin of the Biological Society of Washington*, no. 17: 1–93. doi:10.2988/0097-0298-17.1.i.
- Funk, V. A. and K. Richardson. 2002. Systematic Data in Biodiversity Studies: Use It or Lose It. *Syst. Biology* 51 (2): 303–316. doi:10.1080/10635150252899789.
- Funk, V. A., K. S. Richardson, and S. Ferrier. 2005. Survey-Gap Analysis in Expeditionary Research: Where Do We Go from Here? *Biological Journal of the Linnean Society* 85: 549–567. doi:10.1111/j.1095-8312.2005.00520.x.
- Gibbs, A. K., and C. N. Barron. 1993. *The Geology of the Guiana Shield*. Oxford University Press, New York.
- Hollowell, T. H. 2009. Plant Community Structure, Fire Disturbance, and Recovery in Mangrove Swamps of the Waini

- Peninsula, Guyana. *Contributions to the Study of Biological Diversity* 3:1–166.
- Hollowell, T., P. Berry, V. Funk, and C. Kelloff. 2001. *Preliminary Checklist of the Plants of the Guiana Shield (Venezuela: Amazonas, Bolivar, Delta Amacuro; Guyana; Suriname; French Guiana). Volume 1: Acanthaceae-Lythraceae*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, DC.
- Hollowell, T., V. A. Funk, C. L. Kelloff, and G. Gharbarran. 2000. *Smithsonian Plant Collections, Guyana: 1986–1987, John J. Pipoly III*. Biological Diversity of the Guianas Program, Smithsonian Institution Washington, DC.
- Hollowell, T., L. J. Gillespie, V. A. Funk, and C. L. Kelloff. 2003. *Smithsonian Plant Collections, Guyana: 1989–1991, Lynn J. Gillespie. Contributions from the United States National Herbarium* 44: 1–104.
- Hollowell, T., T. McDowell, V. A. Funk, C. L. Kelloff, and D. Gopaul. 2004. *Smithsonian Plant Collections, Guyana: 1990–1991, Tim McDowell. Contributions from the United States National Herbarium* 50: 1–150.
- Hollowell, T., and R. P. Reynolds, eds. 2005. Checklist of the Terrestrial Vertebrates of the Guiana Shield. *Bulletin of the Biological Society of Washington*, no. 13. doi:10.2988/0097-0298(2005)13[1:1]2.0.CO;2.
- Huber, O., G. Gharbarran, and V. A. Funk. 1995. *Preliminary Vegetation Map of Guyana*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, DC.
- IUCN. 2001. *IUCN Red List Categories and Criteria : Version 3.1*. IUCN Species Survival Commission. International Union for Conservation of Nature, Gland, Switzerland and Cambridge, UK.
- Kelloff, C. L. 2003. The Use of Biodiversity Data in Developing Kaieteur National Park, Guyana for Ecotourism and Conservation. *Contributions to the Study of Biological Diversity* 1: 1–44. University of Guyana.
- Kelloff, C. L. and V. A. Funk. 1998. *Preliminary Checklist of the Plants of Kaieteur National Park, Guyana*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, DC.
- Kelloff, C. L. and V. A. Funk. 2004. Phytogeography of the Kaieteur Falls, Potaro Plateau, Guyana: Floral Distributions and Affinities. *J. Biogeogr.* 31: 501–513. doi:10.1046/j.0305-0270.2003.01038.x.
- Mori, S. A., G. Cremers, C. A. Gracie, J.-J. d. Grandville, M. Hoff and J. D. Mitchell. 1997. Guide to the Vascular Plants of Central French Guiana: Part 1. Pteridophytes, Gymnosperms, and Monocotyledons. *Memoirs of the New York Botanical Garden* 76(1): 1–422.
- Mori, S. A., G. Cremers, C. A. Gracie, J. J. d. Granville, S. V. Heald, M. Hoff and J. D. Mitchell. 2002. Guide to the Vascular Plants of Central French Guiana: Part 2. Dicotyledons. *Memoirs of the New York Botanical Garden* 76(2): 1–776.
- Nelson, J. S. 2006. *Fishes of the World*. 4th Edition. John Wiley and Sons, Hoboken, New Jersey, 624 pp.
- Reis, R. E., S. O. Kullander, and C. J. Ferraris, Jr. (eds). 2003. *Checklist of the Freshwater Fishes of South and Central America*. Edipucrs, Porto Alegre, Brazil, 729 pp.
- Reynolds, R., R. MacCulloch, M. Tamessaar, C. Watson, C. J. Cole, and C. Townsend. 2001–present. *Preliminary Checklist of the Herpetofauna of Guyana*. Biological Diversity of the Guiana Shield Program, Smithsonian Institution. <http://botany.si.edu/bdg/guyspecies.html>.
- Vari, R. P., C. J. Ferraris, Jr., A. Radosavljevic, and V.A. Funk. 2009. Checklist of the Freshwater Fishes of the Guiana Shield. *Bulletin of the Biological Society of Washington*, no. 17: 1–93. doi:10.2988/0097-0298-17.1.i.

ACKNOWLEDGMENTS

Compilation of this collection summary would not have been possible without the work of many people who have assisted the BDG program over the years, both at the Smithsonian and in Guyana. Among these people are Tom Hollowell, Margaret and Malcolm Chan-A-Sue, Phillip daSilva, Michael Tamessar, and Marilyn Hansel. We also thank Erin Tripp and Karen Redden for suggestions on the manuscript. The multitude of specialists, both past and present, who have helped in the determination of H. David Clarke's specimens from Guyana, are acknowledged below. Expeditions in Guyana are not possible without the assistance of many local counterparts and Amerindians. We thank the many individuals who participated in Clarke's expeditions: S. Adkins, C. Bernard, C. Chin, J. Clarke, K. David, D. Gittens, S. Grose, S. Heald, B. Hoffman, T. Hollowell, K. Hurtubise, J. Kelly, T. McPherson, S. Mori, P. Mutchnick, T. Pennington, C. Perry, J. Rhodes, S. Stern, E. Tripp, C. Watson, R. Williams, and many others (see Part I: Narratives of Expeditions).

CONTRIBUTORS OF IDENTIFICATIONS

Fungi

Lichenized basidiomycete: T. Ahti
 Polyporaceae: T. W. Henkel
 Xylariaceae: T. W. Henkel

Bryophytes

Funariaceae: A. Newton

Lichen

Arthoniaceae: T. Ahti
 Bacidiaceae: T. Ahti, J. C. Lendemer
 Cladoniaceae: T. Ahti, J. C. Lendemer
 Coccocarpiaceae: T. Ahti
 Collemataceae: T. Ahti, J. C. Lendemer
 Graphidaceae: T. Ahti, J. C. Lendemer
 Gyalectaceae: T. Ahti, J. C. Lendemer

Lobariaceae: T. Ahti, J. C. Lendemer
 Parmeliaceae: T. Ahti, J. C. Lendemer
 Physciaceae: T. Ahti
 Ramalinaceae: T. Ahti

Lycophytes

Lycopodiaceae: H. D. Clarke, C. L. Kelloff, D. B. Lellinger, G. S. McKee
 Selaginellaceae: D. B. Lellinger, G. S. McKee

Pteridophytes

Adiantaceae: M. Boudrie, D. B. Lellinger, G. S. McKee
 Aspleniaceae: D. B. Lellinger, G. S. McKee
 Blechnaceae: G. S. McKee
 Cyatheaceae: G. S. McKee
 Dennstaedtiaceae: C. L. Kelloff, D. B. Lellinger, G. S. McKee
 Dryopteridaceae: D. B. Lellinger, G. S. McKee
 Gleicheniaceae: G. S. McKee
 Grammitidaceae: C. L. Kelloff, D. B. Lellinger, G. S. McKee
 Hymenophyllaceae: H. D. Clarke, D. B. Lellinger, G. S. McKee
 Lomariopsidaceae: G. S. McKee
 Lygodiaceae: C. L. Kelloff, G. S. McKee
 Marattiaceae: D. B. Lellinger, G. S. McKee
 Metaxyaceae: H. D. Clarke, B. Leon, G. S. McKee
 Oleandraceae: G. S. McKee
 Polypodiaceae: H. D. Clarke, D. B. Lellinger, G. S. McKee
 Pteridaceae: G. S. McKee
 Salviniaceae: D. B. Lellinger
 Schizaeaceae: C. L. Kelloff, D. B. Lellinger, G. S. McKee
 Tectariaceae: D. B. Lellinger, G. S. McKee
 Thelypteridaceae: D. B. Lellinger, G. S. McKee
 Vittariaceae: H. D. Clarke, C. L. Kelloff, D. B. Lellinger, G. S. McKee
 Woodsiaceae: G. S. McKee

Gymnosperms

Gnetaceae: H. D. Clarke, S. Stern, S. Stuber
 Podocarpaceae: H. D. Clarke, J. Kelly, E. A. Tripp

Dicots

Acanthaceae: E. A. Tripp, D. Wasshausen
 Amaranthaceae: R. DeFilipps

Anacardiaceae: H. D. Clarke, J. D. Mitchell, J. Rhodes
 Annonaceae: H. L. de Boo, L. W. Chatrou, H. D. Clarke, H. Maas, P. J. M. Maas, C. Orava, H. Rainer, U. Scharf, M. Sewell, M. van der Zee
 Apocynaceae: L. Allorge, H. D. Clarke, T. Hollowell, M. J. Jansen-Jacobs, J. Kelly, J. F. Morales, M. Sewell, J. Rhodes, E. A. Tripp
 Aquifoliaceae: H. D. Clarke, J. Kelly, R. L. Liesner, P. A. Loizeau, M. Sewell, E. A. Tripp
 Araliaceae: H. D. Clarke, J. Kelly, E. A. Tripp
 Aristolochiaceae: C. Feuillet, F. González
 Asclepiadaceae: J. C. Lindeman
 Balanophoraceae: H. D. Clarke, T. Hollowell, C. L. Kelloff
 Balsaminaceae: H. D. Clarke
 Begoniaceae: H. D. Clarke, S. F. Smith, E. A. Tripp
 Bignoniaceae: S. N. Alexander, G. Aymard, H. D. Clarke, M. Goklany, S. O. Grose, M. T. Strong
 Bixaceae: G. Aymard, H. D. Clarke, R. L. Liesner, M. Sewell
 Bombacaceae: H. D. Clarke, L. J. Dorr, M. Goklany, E. A. Tripp
 Bonnetiaceae: H. D. Clarke, M. Sewell, A. L. Weitzman
 Boraginaceae: H. D. Clarke, C. Feuillet, J. S. Miller, M. Sewell
 Burseraceae: D. Daly, T. D. Pennington
 Cactaceae: B. Capel, H. D. Clarke, B. Crozier, B. E. Leuenberger, J. Rhodes, R. Testerman
 Campanulaceae: H. D. Clarke, C. L. Kelloff
 Capparaceae: J. Kelly, J. C. Lindeman, R. DeFilipps
 Caprifoliaceae: M. Sewell, R. L. Liesner
 Caricaceae: H. D. Clarke
 Caryocaraceae: H. D. Clarke, G. T. Prance, J. Rhodes, B. Capel, R. Testerman
 Cecropiaceae: C. C. Berg, T. Hollowell
 Celastraceae: H. D. Clarke, M. Goklany, J. C. Lindeman, R. L. Liesner, M. Sewell
 Chloranthaceae: H. D. Clarke, J. Rhodes, S. Stern, J. Kelly, M. Sewell
 Chrysobalanaceae: G. T. Prance, J. C. Lindeman, H. D. Clarke, M. Goklany, J. Kelly, J. Rhodes, B. Capel, R. Testerman, M. Sewell, R. L. Liesner, S. Stern
 Clusiaceae: B. K. Holst, C. L. Kelloff, E. A. Tripp, H. D. Clarke, M. Goklany, J. J. Pipoly, M. Sewell, N. Robson
 Combretaceae: A. M. W. Mennega, C. A. Stace, H. D. Clarke, M. Goklany, M. Sewell, R. L. Liesner
 Compositae: H. Robinson, H. D. Clarke, V. A. Funk, W. C. Holmes
 Connaraceae: C. L. Kelloff, E. A. Tripp, J. Rhodes, S. Stern, H. D. Clarke, M. Sewell, R. L. Liesner

- Convolvulaceae: D. F. Austin, P. E. Berry, R. L. Liesner, S. Stuber, T. Hollowell
 Cucurbitaceae: H. D. Clarke, R. Testerman, M. Nee, J. Pruski, R. L. Liesner
 Cunoniaceae: J. Kelly, H. D. Clarke, E. A. Tripp, J. Rhodes, S. Stern, R. DeFilipps
 Cyrillaceae: H. D. Clarke, S. Stern, J. Rhodes, J. Kelly, J. Cislinski-Yesilyurt, M. Sewell
 Dichapetalaceae: E. A. Tripp, H. D. Clarke, G. T. Prance, J. C. Lindeman, M. Sewell
 Dilleniaceae: C. L. Kelloff, G. Aymard, H. D. Clarke
 Droseraceae: C. L. Kelloff
 Ebenaceae: B. Wallnöfer, P. E. Berry
 Elaeocarpaceae: H. D. Clarke, J. Kelly, E. A. Tripp
 Ericaceae: H. D. Clarke, J. L. Luteyn, J. Kelly, E. A. Tripp, M. Sewell
 Erythroxylaceae: H. D. Clarke, E. A. Tripp, M. I. B. Loiola, P. E. Berry
 Euphorbiaceae: K. Wurdack, E. A. Tripp, H. D. Clarke, G. L. Webster, J. Murillo, M. Goklany, H.-J. Esser, L. J. Gillespie, P. E. Berry, M. Sewell, R. L. Liesner, S. M. Hayden, W. J. Hayden, W. Punt
 Euphroniaceae: M. Sewell
 Flacourtiaceae: E. A. Tripp, H. D. Clarke, L. J. Dorr, M. Sewell, M. H. Alford, M. J. Jansen-Jacobs, R. L. Liesner
 Gentianaceae: C. L. Kelloff, H. Maas, P. J. M. Maas, H. D. Clarke, E. A. Tripp, J. Kelly, S. Stern, J. Rhodes, J. E. Simonis, J. R. Grant, K. B. Lepis, L. Cobb, L. Struwe, M. Sewell, M. J. Jansen-Jacobs, R. L. Liesner
 Gesneriaceae: C. M. Taylor, H. D. Clarke, C. Feuillet, L. E. Skog
 Hernandiaceae: J. Rhodes, H. D. Clarke, S. Stern, J. C. Lindeman
 Hippocrateaceae: A. M. W. Mennega, A. R. A. Görts-van Rijn, H. D. Clarke, J. A. Lombardi, M. J. Jansen-Jacobs, P. E. Berry
 Hugoniaceae: A. Jardim, R. L. Liesner
 Humiriaceae: E. A. Tripp, H. D. Clarke, O. Huber, R. L. Liesner, M. Sewell
 Icacinaceae: A. C. de Roon, M. Sewell, R. L. Liesner
 Ixonanthaceae: M. Sewell
 Krameriaceae: A. Jacobs-Brouwer
 Lacistemataceae: C. L. Kelloff, E. A. Tripp, H. D. Clarke, J. Kelly, J. C. Lindeman, R. L. Liesner
 Lamiaceae: H. D. Clarke, M. J. Jansen-Jacobs, R. M. Harley
 Lauraceae: A. Chanderbali, C. L. Kelloff, H. van der Werff, H. D. Clarke, S. Stern, J. Kelly, J. Rhodes, J. Rohwer, M. Sewell
 Lecythidaceae: H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, S. A. Mori, C. L. Kelloff, Y.-Y. Huang
 Leguminosae-Caesalpinioideae: D. Daly, E. A. Tripp, G. P. Lewis, R. C. Barneby, J. Kelly, K. M. Redden, L. Rico, C. L. Kelloff, H. D. Clarke, R. L. Liesner, S. Price
 Leguminosae-Faboideae: A. M. de Carvalho, B. M. Torke, C. L. Kelloff, G. P. Lewis, H. D. Clarke, R. C. Barneby, J. Kelly, K. M. Redden, L. Rico, M. Sewell, O. Poncy
 Leguminosae-Mimosoideae: E. A. Tripp, H. D. Clarke, J. Rhodes, S. Stern, J. Kelly, O. Poncy, R. C. Barneby
 Lentibulariaceae: C. Panfet, E. A. Tripp, H. D. Clarke, P. Taylor
 Lissocarpaceae: P. E. Berry
 Loganiaceae: C. L. Kelloff, E. A. Tripp, R. L. Liesner, F. J. Fernández Casas, H. D. Clarke, T. Hollowell
 Loranthaceae: J. Kuijt, M. Sewell
 Lythraceae: A. Lourteig
 Magnoliaceae: M. Sewell
 Malpighiaceae: H. D. Clarke, C. Anderson, W. R. Anderson, M. Sewell
 Malvaceae: H. D. Clarke, L. J. Dorr, J. Kelly
 Marcgraviaceae: C. L. Kelloff, S. Stuber, E. A. Tripp, H. D. Clarke, J. Kelly, S. Stern, R. Testerman, T. Hollowell
 Melastomataceae: E. A. Tripp, H. D. Clarke, J. Kelly, C. Martin, F. A. Michelangeli, F. Almeda, D. Penneys, M. Sewell, R. L. Liesner, T. Morley
 Meliaceae: D. Daly, H. D. Clarke, S. Stern, J. D. Mitchell, M. Nee, M. Sewell, R. L. Liesner, T. D. Pennington, P.-M. Forget, O. Poncy, D. Kenfack
 Mendonciaceae: D. Wasshausen
 Menispermaceae: C. L. Kelloff, J. C. Lindeman, P. Hiepko, R. L. Liesner, T. Hollowell
 Molluginaceae: R. DeFilipps
 Monimiaceae: J. Kelly, M. Sewell, P. J. M. Maas, S. S. Renner
 Monotaceae: M. Sewell
 Moraceae: H. D. Clarke, M. Goklany, C. C. Berg, J. Pruski, M. Sewell, T. Hollowell
 Myristicaceae: M. Sewell, P. Muriel M.
 Myrsinaceae: H. D. Clarke, E. A. Tripp, J. Kelly, J. J. Pipoly, M. Sewell, S. Stern, J. Rhodes
 Myrtaceae: B. K. Holst, F. F. Mazine, H. D. Clarke, L. R. Landrum, R. L. Liesner
 Nyctaginaceae: C. L. Kelloff, H. D. Clarke, E. A. Tripp, J. Kelly, M. Sewell
 Nymphaeaceae: J. Rhodes, B. Capel, R. Testerman

- Ochnaceae: J. Kelly, E. Tripp, H. D. Clarke, C. Sastre, M. Sewell, R. L. Liesner
- Olacaceae: A. Goldberg, H. D. Clarke, P. Hiepkko, J. Rhodes, B. Capel, R. Testerman, M. Sewell, P. J. M. Maas, R. L. Liesner, S. Stern
- Onagraceae: H. D. Clarke, B. Capel, R. Testerman, J. Rhodes, R. L. Liesner, E. Zardini
- Oxalidaceae: A. Lourteig
- Passifloraceae: H. D. Clarke, C. Feuillet
- Phytolaccaceae: C. L. Kelloff, H. D. Clarke, R. DeFilipps, J. C. Lindeman
- Picramniaceae: E. A. Tripp, H. D. Clarke, M. Sewell, R. L. Liesner, W. W. Thomas
- Piperaceae: A. R. A. Görts-van Rijn, M. J. M. Christenhusz, R. C. Ek, H. D. Clarke, M. A. Jaramillo, G. Mathieu, R. Callejas
- Podostemaceae: C. L. Kelloff, H. D. Clarke
- Polygalaceae: A. Jacobs-Brouwer, H. D. Clarke, E. A. Tripp, J. Kelly, M. J. Jansen-Jacobs, P. J. M. Maas, S. Stern, J. Rhodes
- Polygonaceae: H. D. Clarke, J. Brandbyge, R. L. Liesner
- Portulacaceae: R. DeFilipps, M. Sewell
- Proteaceae: K. S. Edwards, V. Plana, G. T. Prance, M. Sewell
- Quiinaceae: H. D. Clarke, R. B. Carter
- Rafflesiaceae: H. D. Clarke
- Rhabdodendraceae: J. C. Lindeman, R. L. Liesner
- Rhamnaceae: H. D. Clarke, M. Sewell
- Rhizophoraceae: B. K. Holst, H. D. Clarke, J. J. Pipoly, T. Hollowell
- Rosaceae: H. D. Clarke, M. Sewell
- Rubiaceae: A. Vicentini, C. B. Costa, C. M. Taylor, P. G. Delprete, D. Zappi, H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, J. H. Kirkbride, J. L. Clark, M. Sewell, R. Barbosa, R. Cortés, S. A. Khan
- Rutaceae: H. D. Clarke, J. Kallunki, P. E. Berry, R. L. Liesner, S. F. Smith
- Sabiaceae: M. Sewell
- Santalaceae: R. L. Liesner
- Sapindaceae: D. Daly, G. V. Somner, H. D. Clarke, J. Rhodes, P. Acevedo-Rdgz., T. D. Pennington
- Sapotaceae: E. A. Tripp, H. D. Clarke, J. Kelly, M. Sewell, T. D. Pennington
- Sarraceniaceae: H. D. Clarke, M. Sewell
- Scrophulariaceae: H. D. Clarke, M. J. Jansen-Jacobs, M. T. Strong, N. H. Holmgren, P. J. M. Maas, S. F. Smith
- Simaroubaceae: R. L. Liesner, W. W. Thomas
- Siparunaceae: C. L. Kelloff, H. D. Clarke, S. S. Renner, M. Sewell, R. B. Carter
- Solanaceae: M. Nee, S. Knapp
- Sphenocleaceae: M. Sewell
- Sterculiaceae: H. D. Clarke, L. J. Dorr, Y. Saunders
- Styracaceae: H. D. Clarke, L. J. Dorr, R. L. Liesner
- Ternstroemiaceae: A. Weitzman
- Theophrastaceae: H. D. Clarke, J. C. Lindeman
- Tiliaceae: H. D. Clarke, S. Stern, L. J. Dorr, M. Goklany
- Trigoniaceae: C. L. Kelloff, M. Sewell
- Turneraceae: C. Feuillet, H. D. Clarke, J. Rhodes, M. Sewell, R. L. Liesner
- Ulmaceae: H. D. Clarke
- Urticaceae: H. D. Clarke, E. A. Tripp, J. Kelly
- Verbenaceae: C. L. Kelloff, D. Wasshausen, H. van der Werff, H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, M. Sewell, M. J. Jansen-Jacobs, R. L. Liesner, R. M. Harley, S. F. Smith
- Violaceae: H. D. Clarke, W. H. A. Hekking, J. Rhodes, B. Capel, H. D. Clarke, M. Sewell, J. Stern, M. J. Jansen-Jacobs, H. E. Ballard, R. L. Liesner, S. F. Smith
- Viscaceae: J. Kuijt
- Vitaceae: H. D. Clarke, M. Goklany, J. Rhodes, B. Capel, R. Testerman, R. L. Liesner, T. Hollowell
- Vochysiaceae: C. L. Kelloff, E. A. Tripp, H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, M. J. Jansen-Jacobs
- Winteraceae: M. Sewell

Monocots

- Agavaceae: H. D. Clarke
- Alismataceae: C. N. Horn, C. L. Kelloff
- Araceae: H. D. Clarke, T. B. Croat, D. H. Nicolson
- Arecaceae: A. Henderson, B. Capel, H. D. Clarke, M. Goklany, J. Rhodes, E. A. Tripp, R. Testerman
- Bromeliaceae: H. D. Clarke, E. J. Gouda, B. K. Holst, H. E. Luther, J. Rhodes, M. Sewell
- Burmanniaceae: H. D. Clarke, C. L. Kelloff, H. Maas, P. J. M. Maas, M. T. Strong
- Commelinaceae: H. D. Clarke, R. B. Faden, J. Kelly, E. A. Tripp
- Costaceae: H. D. Clarke, R. L. Liesner, H. Maas, P. J. M. Maas, M. Sewell, C. D. Specht
- Cyclanthaceae: H. D. Clarke, R. L. Liesner, S. Stern, E. A. Tripp
- Cyperaceae: G. C. Tucker, J. E. Simonis, K. Camelbeke, M. T. Strong, M. Alves, P. J. M. Maas
- Dioscoreaceae: C. L. Kelloff, E. A. Tripp, H. D. Clarke, J. C. Lindeman
- Eriocaulaceae: A. Diaz, C. L. Kelloff, M. Hakki, M. M. Unwin, M. T. Strong

- Haemodoraceae: M. Sewell
 Heliconiaceae: C. D. Specht, P. J. M. Maas, W. J. Kress
 Liliaceae: H. D. Clarke, E. A. Tripp, J. Kelly, M. Sewell,
 M. T. Strong, R. DeFilipps
 Marantaceae: H. Kennedy, H. H. C. Raijmakers,
 K. Hoenselaar, P. J. M. Maas
 Mayacaceae: H. D. Clarke, M. Goklany
 Orchidaceae: E. A. Christenson, G. Carnevali,
 G. Gerlach, G. A. Romero, H. D. Clarke, J. Rhodes,
 P. Ormerod, W. Forster
 Poaceae: C. L. Kelloff, H. D. Clarke, E. J. Judziewicz
 Pontederiaceae: C. N. Horn
 Rapateaceae: C. L. Kelloff, H. D. Clarke, P. E. Berry
 Smilacaceae: J. R. Botina-P., R. DeFilipps, R. L. Liesner
 Strelitziaceae: H. D. Clarke, C. L. Kelloff
 Thurniaceae: P. E. Berry
 Triuridaceae: C. L. Kelloff
 Xyridaceae: H. D. Clarke, C. L. Kelloff, E. A. Tripp,
 J. Kelly, R. Kral, M. Sewell, M. T. Strong, P. E. Berry
 Zingiberaceae: C. D. Specht, P. J. M. Maas

COLLECTIONS OF SPECIAL INTEREST

- | | | | |
|------|------------------|--|---|
| 331 | Sapotaceae | <i>Pradosia ptychandra</i> (Eyma) T. D. Penn.; det. T. D. Pennington, 1998 | First record for Guyana |
| 365 | Meliaceae | <i>Carapa akuri</i> Poncy, Forget and Kenfack; det. Forget et al, 2009 | Specimen examined for new species description |
| 384 | Orchidaceae | <i>Caularthron</i> cf. <i>bilamellatum</i> (Rchb. f.) R. E. Schult.; det. E. A. Christenson, 1997 | First record for the Guianas |
| 469 | Polygonaceae | <i>Coccoloba</i> cf. <i>padiformis</i> Meisn.; det. J. Brandbyge, 1998 | First record for the Guianas, if confirmed |
| 519 | Aristolochiaceae | <i>Aristolochia cornuta</i> Mast.; det. C. Feuillet, 2000 | First record for the Guianas |
| 622 | Euphorbiaceae | <i>Plukenetia supraglandulosa</i> L. J. Gillespie; det. L. J. Gillespie, 2004 | First record for Guyana |
| 629 | Araceae | <i>Philodendron</i> cf. <i>placidum</i> Schott; det. D. H. Nicolson, 1998 | First record for Guyana, if confirmed |
| 647b | Lauraceae | <i>Rhodostemonodaphne scandens</i> Madriñán; det. H. van der Werff, 1996 | First record for the Guianas |
| 660 | Malpighiaceae | <i>Hiraea graciana</i> W. R. Anderson; det. W. R. Anderson, 1996 | First record for Guyana |
| 753 | Leg.-Caesalp. | <i>Elizabetha durissima</i> Ducke; det. K. Redden, X 2001 | First record for the Guianas |
| 791 | Rubiaceae | <i>Palicourea riparia</i> Benth.; det. C. M. Taylor, 1997 | First record for the Guianas |
| 815 | Apocynaceae | <i>Mandevilla vanheurckii</i> (Müll. Arg.) Markgr.; det. L. Allorge, 1997 | First certain record for the Guianas |
| 862 | Viscaceae | <i>Phoradendron pellucidulum</i> Eichler; det. J. Kuijt, 2004 | First record for Guyana? |
| 923 | Cyperaceae | <i>Rhynchospora brachychaeta</i> C. Wright; det. M. T. Strong, 1998 | First record for the Guianas |
| 999 | Santalaceae | <i>Thesium tepuiense</i> Steyerf.; det. R. Liesner, 1998 | First record of this family for the Guianas |
| 1011 | Bromeliaceae | <i>Lindmania guianensis</i> (Beer) Mez var. <i>vestita</i> (L. B. Sm.) L. B. Sm.; det. B. K. Holst, 1997 | First record for Guyana |
| 1042 | Marcgraviaceae | <i>Sarcopera flammifera</i> de Roon and Bedell; det. S. Stuber, VII 2005 | First record for the Guianas |
| 1057 | Compositae | <i>Baccharis nitida</i> (Ruiz and Pav.) Pers.; det. V. A. Funk, 2000 | First record for the Guianas |
| 1066 | Ericaceae | <i>Orthaea crinita</i> A. C. Sm.; det. J. Luteyn, 1999 | First record for the Guianas |

1096	Capparaceae	<i>Cleome viridiflora</i> Schreb.; det. J. Kelly, XI 2003	First record for Guyana
1119	Cucurbitaceae	<i>Gurania subumbellata</i> (Miq.) Cogn.; det. M. Nee, 1997	Rare collection
1197	Rubiaceae	<i>Rudgea fissistipula</i> Müll. Arg.; det. C. M. Taylor, 1998	First record for the Guianas
1221	Orchidaceae	<i>Corymborkis</i> sp.; det. E. A. Christenson, 1997	First certain record of this genus for the Guianas
1222	Orchidaceae	<i>Pelexia laxa</i> (Poepp. and Endl.) Lindl.; det. E. A. Christenson, 1997	First record for Guyana, first certain record for the Guianas
1304	Meliaceae	<i>Carapa akuri</i> Poncy, Forget and Kenfack; det. Forget et al, 2009	Specimen examined for new species description
1384	Myrtaceae	<i>Eugenia</i> cf. <i>cribrata</i> McVaugh; det. B. K. Holst, 1997	First record for the Guianas, if confirmed
1386	Rubiaceae	<i>Chomelia obtusa</i> Cham. and Schtdl.; det. P. Delprete, 2004	First record for Guyana?
1533	Leg.-Faboideae	<i>Machaerium leiophyllum</i> (DC.) Benth. var. <i>crista-castrense</i> (Mart. ex Benth.) Rudd; det. A. M. Carvalho, 1997	First record for the Guianas
1535	Rubiaceae	<i>Palicourea riparia</i> Benth.; det. C. M. Taylor, 1997	Second record for the Guianas
1540	Rutaceae	<i>Zanthoxylum compactum</i> (Huber ex Albuquerque) P. G. Waterman; det. J. Kallunki, 1998	First record for the Guianas
1541	Malpighiaceae	<i>Heteropterys velutina</i> W. R. Anderson; det. W. R. Anderson, 1997	TYPE
1848	Passifloraceae	<i>Dilkea clarkei</i> Feuillet; det. C. Feuillet, 2010	PARATYPE, new species to science and the Guianas
1855	Aristolochiaceae	<i>Aristolochia kanukuensis</i> Feuillet; det. F. González, 2008	PARATYPE, new species to science and the Guianas
1644	Loranthaceae	<i>Struthanthus elegans</i> Mart.; det. J. Kuijt, 1998	First record for the Guianas
1702	Leg.-Faboideae	<i>Tephrosia purpurea</i> (L.) Pers.; det. R. C. Barneby, 1997	First record for Guyana
1812	Bignoniaceae	<i>Tabebuia obscura</i> (Bureau and K. Schum.) Sandwith; det. S. O. Grose, 2005	First record for the Guianas
1831	Schizaeaceae	<i>Anemia pastinacaria</i> Moritz ex Prantl; det. G. S. McKee, 2000	First record for Guyana
2083	Bignoniaceae	<i>Tabebuia obscura</i> (Bureau and K. Schum.) Sandwith; det. S. O. Grose, 2005	First record for the Guianas
2123a	Loranthaceae	<i>Struthanthus phyllyraeoides</i> (Kunth) Blume; det. J. Kuijt, 1998	First record for the Guianas
2169	Euphorbiaceae	<i>Plukenetia loretensis</i> Ule; det. L. J. Gillespie, 2004	Second record for the Guianas and Guyana
2192	Moraceae	<i>Perebea guianensis</i> Aubl. ssp. <i>guianensis</i> ; det. C. C. Berg, 1998	First record for Guyana
2208	Leg.-Caesalp.	<i>Senna pendula</i> (Humb. and Bonpl. ex Willd.) H. S. Irwin and Barneby var. <i>tenuifolia</i> (Benth.) H. S. Irwin and Barneby; det. R. C. Barneby, 1997	First record of this variety for the Guianas
2250	Caryocaraceae	<i>Caryocar pallidum</i> A. C. Sm.; det. G. T. Prance, 1998	First record for Guyana, first certain record for the Guianas

2434	Poaceae	<i>Panicum pyrularium</i> Hitchc. and Chase; det. E. Judziewicz, 1998	First record for Guyana
2438	Cyperaceae	<i>Rhynchospora sanariapensis</i> Steyerl.; det. M. T. Strong, 1997	First record for the Guianas
2529	Cyperaceae	<i>Mapania surinamensis</i> Uittien; det. M. T. Strong, 1997	First record for Guyana
2568	Clusiaceae	<i>Tovomita carinata</i> Eyma; det. J. J. Pipoly, 1999	First record for Guyana?
2639	Orchidaceae	<i>Maxillaria venezuelana</i> (C. Schweinf.) Carnevali; det. E. A. Christenson, 1997	First record for the Guianas
2689	Lauraceae	<i>Rhodostemonodaphne morii</i> Madriñán; det. H. van der Werff, 1997	First record for Guyana
2713	Sapotaceae	<i>Pouteria</i> cf. <i>rigidopsis</i> (Monach.) T. D. Penn.; det. T. D. Pennington, 1997	First record for the Guianas, if confirmed
2805	Piperaceae	<i>Piper liesneri</i> Steyerl.; det. A. R. A. Görts-van Rijn and M. J. M. Christenhusz, 2002	First record for the Guianas?
2858	Melastomataceae	<i>Mouriri collocarpa</i> Ducke; det. F. Almeda and D. Penneys, 2002	First record for Guyana
2862	Melastomataceae	<i>Miconia platypoda</i> Gleason; det. F. Almeda and D. Penneys, 2005	First record for Guyana
2925	Orchidaceae	<i>Platystele</i> sp.; det. E. A. Christenson, 1997	First record for Guyana
2977	Ochnaceae	<i>Elvasia schomburgkii</i> Tiegh.; det. R. L. Liesner, 2003 (ex photo)	First record for the Guianas?
2987	Passifloraceae	<i>Dilkea clarkei</i> Feuillet; det. C. Feuillet, 2010	HOLOTYPE
2993	Cyperaceae	<i>Rhynchospora rupicola</i> M. T. Strong; det. M. T. Strong, 1999	PARATYPE, new species to science and the Guianas
3125	Moraceae	<i>Brosimum melanopotamicum</i> C. C. Berg; det. C. C. Berg, 1998	First record for the Guianas
3128	Lauraceae	<i>Aiouea longipetiolata</i> van der Werff; det. H. van der Werff, 1997	First record for Guyana
3174	Euphorbiaceae	<i>Conceveiba hostmannii</i> Benth.; det. W. Punt, 1998	First record for this species
3176	Euphorbiaceae	<i>Hevea guianensis</i> Aubl.; det. W. Punt, 1998	First certain record for Guyana
3183	Dioscoreaceae	<i>Dioscorea</i> aff. <i>quinquefoliolata</i> R. Knuth; det. J. C. Lindeman, 1998	Second record of this species; known only from type and this specimen
3222	Clusiaceae	<i>Vismia</i> cf. <i>schultesii</i> N. Robson; det. J. J. Pipoly, 1999	First record for the Guianas, if confirmed
3258	Malpighiaceae	<i>Byrsonima altissima</i> DC.; det. W. R. Anderson, 1998	First record for Guyana
3327	Sapotaceae	<i>Pouteria</i> aff. <i>rostrata</i> (Huber) Baehni; det. T. D. Pennington, 1997	First record for the Guianas, if confirmed
3572	Tiliaceae	<i>Mollia glabrescens</i> Benth.; det. L. J. Dorr, 1997	First record since Type, and first record with fruit
3605	Myrtaceae	<i>Marlierea umbraticola</i> (Kunth) O. Berg; det. B. K. Holst, 1998	First record for Guyana
3621	Rubiaceae	<i>Psychotria</i> cf. <i>podocephala</i> (Müll. Arg.) Standl.; det. C. M. Taylor, 1997	First record for Guyana, if confirmed

3676	Cyperaceae	<i>Rhynchospora rupicola</i> M. T. Strong; det. M. T. Strong, 1999	PARATYPE, new species to science and the Guianas
3705	Orchidaceae	<i>Zygosepalum lindeniae</i> (Rolfe) Garay and Dunst.; det. E. A. Christenson, 1997	First record for Guyana
3838	Leg.-Faboideae	<i>Swartzia reticulata</i> Ducke; det. R. C. Barneby, 1997	First record for Guyana?
3862	Rubiaceae	<i>Borreria ovalifolia</i> M. Martens and Galeotti; det. C. M. Taylor, 1997	First record for the Guianas
3913	Hippocrateaceae	<i>Cheiloclinium brevipetiolatum</i> Lombardi; det. J. A. Lombardi, 2010	PARATYPE, new species to science and the Guianas
3970	Malpighiaceae	<i>Excentradenia propinqua</i> (W. R. Anderson) W. R. Anderson; det. W. R. Anderson, 1998	First record for the Guianas
4070	Lecythidaceae	<i>Eschweilera boltenii</i> S. A. Mori; det. S. A. Mori, 1998	First record for Guyana
4121	Myrtaceae	<i>Calycorectes bergii</i> Sandwith; det. B. K. Holst, 1998	First record for Guyana
4133	Burseraceae	<i>Protium opacum</i> Swart ssp. <i>opacum</i> ; det. D. Daly, 1997	First record of this subspecies for the Guianas
4138	Rubiaceae	<i>Psychotria microbotrys</i> Ruiz ex Standl.; det. C. M. Taylor, 1997	First record for Guyana
4214	Gesneriaceae	<i>Episcia xantha</i> Leeuwenb.; det. C. Feuillet, 1998	First record for Guyana
4216	Leg.-Faboideae	<i>Dioclea megacarpa</i> Rolfe; det. R. C. Barneby, 1997	First record for Guyana
4230	Theophrastaceae	<i>Claviija lancifolia</i> Desf. ssp. <i>lancifolia</i> ; det. J. C. Lindeman, 1997	First record for this subspecies for Guyana
4239	Sapindaceae	<i>Paullinia rugosa</i> Benth. ex Radlk.; det. P. Acevedo-Rdgz., 2005	First record for Guyana
4274	Poaceae	<i>Ichnanthus leiocarpus</i> (Spreng.) Kunth; det. E. Judziewicz, 1998	Second record for Guyana
4385	Piperaceae	<i>Piper duckei</i> C. DC.; det. A. R. A. Görts-van Rijn, 2001	First record for Guyana, third collection known to Görts-van Rijn
4391	Piperaceae	<i>Piper hirtilimum</i> Trel. and Yunck.; det. R. Callejas, 2000	Second known collection, fide A. R. A. Görts-van Rijn, 2001
4409	Araceae	<i>Philodendron placidum</i> Schott; det. D. H. Nicolson, 1998	First certain record for Guyana
4467	Marantaceae	<i>Ischnosiphon hirsutus</i> Petersen; det. H. Kennedy, 1999	First record for the Guianas
4592	Siparunaceae	<i>Siparuna reginae</i> (Tul.) A. DC.; det. S. S. Renner, 1997	First record for the Guianas
4594	Meliaceae	<i>Guarea velutina</i> A. Juss.; det. T. D. Pennington, 1998	First record for the Guianas
4633	Annonaceae	<i>Duguetia latifolia</i> R. E. Fr.; det. P. Maas, 1999	First record for the Guianas
4651	Sapindaceae	<i>Serjania clematidifolia</i> Camb.; det. P. Acevedo-Rdgz., 2007	First record for Guyana
4663	Myrtaceae	<i>Eugenia trinervia</i> Vahl; det. B. K. Holst, 1998	First certain record for Guyana
4718	Melastomataceae	<i>Miconia crassinervia</i> Cogn.; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
4730	Burseraceae	<i>Protium polybotryum</i> (Turcz.) Engl. ssp. <i>blackii</i> (Swart) Daly; det. D. Daly, 1998	First record for this subspecies in the Guianas

4762	Sapotaceae	<i>Pouteria plicata</i> T. D. Penn.; det. T. D. Pennington, 1999	First record for the Guianas
4822	Hippocrateaceae	<i>Tontelea mauritioides</i> (A. C. Sm.) A. C. Sm.; det. A. M. W. Mennega, 1999	First record for the Guianas
4837	Dilleniaceae	<i>Doliocarpus</i> sp.; det. C. L. Kelloff, 1999	Possibly first record for the Guianas
4852	Sapindaceae	<i>Paullinia</i> cf. <i>tricornis</i> Radlk.; det. P. Acevedo-Rdgz., 1998	First record for Guyana, if confirmed
4928	Rubiaceae	<i>Coussarea machadoana</i> Standl.; det. C. M. Taylor, 2004	First record for Guyana
4945	Orchidaceae	<i>Kefersteimia</i> sp.; det. E. A. Christenson, 1997	First record of this genus for Guyana
4957	Rubiaceae	<i>Kutchubaea neblinensis</i> Steyerl.; det. C. M. Taylor, 1998	First record for the Guianas
4967	Orchidaceae	<i>Encyclia fragrans</i> (Sw.) Lemée; det. E. A. Christenson, 1997	First true record for <i>E. fragrans</i> in Guyana
5225	Onagraceae	<i>Ludwigia quadrangularis</i> (Micheli) H. Hara; det. E. Zardini, 1998	First record for the Guianas
5240	Hymenophyllaceae	<i>Hymenophyllum</i> aff. <i>sericeum</i> (Sw.) Sw.; det. G. McKee, 1999	First record for the Guianas, if confirmed
5261	Cladoniaceae	<i>Cladonia</i> s.l. <i>rotundata</i> (Ahti) Ahti; det. T. Ahti, 1998	First record for the Guianas?
5262	Cladoniaceae	<i>Cladonia subreticulata</i> Ahti; det. T. Ahti, 1997	First record for the Guianas
5410	Orchidaceae	<i>Epidendrum paruimense</i> G. A. Romero and Carnevali; det. G. A. Romero and G. Carnevali	TYPE
5533	Rubiaceae	<i>Psychotria parvibractea</i> Steyerl.; det. C. M. Taylor, 2003	First record for the Guianas?
5534	Orchidaceae	<i>Dichaea venezuelensis</i> Carnevali and I. Ramírez; det. G. Carnevali, 2004	First record for the Guianas
5537	Melastomataceae	<i>Miconia pseudocapsularis</i> Wurdack; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
5567	Orchidaceae	<i>Epidendrum urichianum</i> Carnevali, Foldats and I. Ramírez; det. G. Carnevali, 2004	First record for the Guianas
5595	Orchidaceae	<i>Epidendrum urichianum</i> Carnevali, Foldats and I. Ramírez; det. E. A. Christenson, 1999	Second record for the Guianas
5599	Piperaceae	<i>Peperomia tenella</i> (Sw.) A. Dietr.; det. R. Callejas, 2000	First record for the Guianas
5615	Rubiaceae	<i>Psychotria ceratantha</i> Standl.; det. C. M. Taylor, 2003	First record for the Guianas
5625	Rubiaceae	<i>Psychotria ceratantha</i> Standl.; det. C. M. Taylor, 2003	Second record for the Guianas
5666	Rubiaceae	<i>Malanea gabrielensis</i> Müll. Arg.; det. C. M. Taylor, 1998	Second record for the Guianas
5676	Orchidaceae	<i>Maxillaria meridensis</i> Lindl.; det. E. A. Christenson, 1999	First record for the Guianas
5711	Rubiaceae	<i>Palicourea wurdackiana</i> J. H. Kirkbr.; det. C. M. Taylor, 2003	First record for the Guianas?
5713	Thelypteridaceae	<i>Thelypteris kunthii</i> (Desv.) C. V. Morton; det. G. McKee, 1999	First record for the Guianas, if confirmed

5727	Grammitidaceae	<i>Enterosora campbellii</i> Baker; det. G. McKee, 1999	First certain record for Guyana
5730	Gentianaceae	<i>Chorisepalum carnosum</i> Ewan; det. M. J. Jansen-Jacobs, 1998	First record for the Guianas
5736	Cunoniaceae	<i>Weinmannia</i> aff. <i>balbisiana</i> Kunth; det. J. Kelly, J. Rhodes, and S. Stern, V 2003	First record for the Guianas if confirmed
5758	Orchidaceae	<i>Epidendrum vincentinum</i> Lindl.; det. G. Carnevali, XII 2002	First record for the Guianas
5759	Orchidaceae	<i>Epidendrum pachyphyton</i> Garay; det. G. Carnevali, XII 2002	First record for the Guianas
5776	Viscaceae	<i>Dendrophthora tepuiana</i> (Steayerm.) Kuijt; det. J. Kuijt, 1998	First certain record for Guyana
5777	Rubiaceae	<i>Platycarpum rugosum</i> Steayerm.; det. C. M. Taylor, 2002	First record for the Guianas
5803	Cyatheaceae	<i>Cyathea</i> aff. <i>simplex</i> R. M. Tryon; det. G. S. McKee, VI 2000	First record for the Guianas, if confirmed
5834	Melastomataceae	<i>Tococa bolivarensis</i> Gleason ssp. <i>bolivarensis</i> ; det. E. Tripp, H. D. Clarke, and J. Kelly, III 2002	First record for Guyana
5838	Cladoniaceae	<i>Cladonia vareschii</i> Ahti; det. T. Ahti, 1998	First record for the Guianas
5840	Cyperaceae	<i>Everardia glaucifolia</i> Gilly; det. M. T. Strong, 1998	First record for the Guianas
5853	Orchidaceae	<i>Maxillaria alticola</i> C. Schweinf.; det. E. A. Christenson, 1999	First record for the Guianas
5924	Orchidaceae	<i>Maxillaria meridensis</i> Lindl.; det. E. A. Christenson, 1999	First record for the Guianas
6013	Begoniaceae	<i>Begonia glabra</i> Aubl.; det. S. F. Smith, 1998	First record for Guyana
6054	Moraceae	<i>Ficus piresiana</i> Vázq. Avila and C. C. Berg; det. C. C. Berg, 1998	First record for Guyana
6074	Woodsiaceae	<i>Diplazium riedelianum</i> Kunze; det. G. McKee, 2000	First record for the Guianas and northern South America (known from southern Brazil)
6271	Clusiaceae	<i>Garcinia martinii</i> (Maguire) Pipoly ined.; det. J. J. Pipoly, 1999	First record for Guyana
6391	Rubiaceae	<i>Malanea sipapoensis</i> Steayerm.; det. C. M. Taylor, 2002	First record for the Guianas if confirmed
6789	Burseraceae	<i>Protium llanorum</i> Cuatrec.; det. D. Daly, 2000	First record for the Guianas
6938	Rubiaceae	<i>Geophila gracilis</i> (Ruiz and Pav.) DC.; det. C. M. Taylor, 1998	First certain record for the Guianas
6984	Apocynaceae	<i>Mandevilla lasiocarpa</i> (A. DC.) Malme; det. J. F. Morales, IV 2003	First record for the Guianas?
7029	Loranthaceae	<i>Psittacanthus robustus</i> (Mart.) Mart.; det. J. Kuijt, 1998	First record for the Guianas
7099	Euphorbiaceae	<i>Acidoton nicaraguensis</i> (Hemsl.) G. L. Webster; det. W. Punt, XI 2001	First record for the Guianas
7104	Annonaceae	<i>Xylopia calophylla</i> R. E. Fr.; det. P. Maas, 1999	First record for the Guianas

7130	Violaceae	<i>Leonia cymosa</i> Mart.; det. R. Liesner, 2000	First record for the Guianas
7151	Melastomataceae	<i>Miconia diaphanea</i> Gleason; det. F. Almeda and D. Penneys, V 2005	First record for Guyana
7163	Melastomataceae	<i>Miconia dolichorrhyncha</i> Naudin; det. F. Almeda and D. Penneys, V 2005	First record for the Guianas
7172	Sabiaceae	<i>Meliosma herbertii</i> Rolfe; det. M. Sewell, 2005	First record for the Guianas
7188	Sabiaceae	<i>Meliosma herbertii</i> Rolfe; det. M. Sewell, 2005	Second record for the Guianas
7196	Melastomataceae	<i>Miconia longispicata</i> Triana; det. F. Almeda and D. Penneys, V 2005	First record for Guyana
7230	Passifloraceae	<i>Passiflora arta</i> Feuillet; det. C. Feuillet, 2007	New species
7242	Lauraceae	<i>Licaria aureosericea</i> van der Werff; det. H. van der Werff, 2000	PARATYPE, new species to science and the Guianas
7489	Rubiaceae	<i>Coussarea micrococca</i> Bremek.; det. C. M. Taylor, 2001	First record for Guyana
7496	Orchidaceae	<i>Habenaria alterosula</i> Snuv. and Westra; det. G. Carnevali, XII 2002	First record for Guyana
7602	Lauraceae	<i>Licaria aureosericea</i> van der Werff; det. H. van der Werff, 2000	PARATYPE, new species to science and the Guianas
7717	Burseraceae	<i>Dacryodes chimantensis</i> Steyerf. and Maguire; det. D. Daly, 1999	First record for the Guianas
7765	Hippocrateaceae	<i>Cheiloclinium brevipetiolatum</i> Lombardi; det. J. A. Lombardi, cited 2010	PARATYPE, new species to science and the Guianas
7825	Lauraceae	<i>Licaria aureosericea</i> van der Werff; det. H. van der Werff, 2000	PARATYPE, new species to science and the Guianas
7915	Melastomataceae	<i>Miconia impetiolaris</i> (Sw.) D. Don ex DC. var. <i>spruceanum</i> Cogn.; det. F. Almeda and D. Penneys, V 2005	First record for the Guianas
7994	Orchidaceae	<i>Masdevallia vargasii</i> C. Schweinf.; det. G. A. Romero and G. Carnevali, 2004	First record for the Guiana Shield
8061	Malpighiaceae	<i>Mascagnia poeppigiana</i> (A. Juss.) W. R. Anderson; det. W. R. Anderson, 2000	First record for the Guianas
8107	Hippocrateaceae	<i>Salacia cordata</i> (Miers) Mennega; det. A. M. W. Mennega, V 2000	First record for Guyana (the Guianas?)
8239	Solanaceae	<i>Solandra longiflora</i> Tussac; det. M. Nee, 2000	First record for Guyana
8245	Orchidaceae	<i>Isochilus linearis</i> (Jacq.) R. Br.; det. E. A. Christenson, 2001	Second collection for the Guiana Shield
8353	Orchidaceae	<i>Masdevallia vargasii</i> C. Schweinf.; det. G. Carnevali, 2003	Second collection for the Guiana Shield
8397	Lauraceae	<i>Endlicheria</i> aff. <i>szyszlowiczii</i> Mez; det. A. Chanderbali	First record for the Guianas, if confirmed
8443	Rubiaceae	<i>Coussarea</i> cf. <i>mapourioides</i> Bremek.; det. C. M. Taylor, 2001	First record for Guyana, if confirmed
8520	Passifloraceae	<i>Passiflora candida</i> (Poepp. and Endl.) Mast.; det. C. Feuillet, 2000	First record for Guyana

8561	Lauraceae	<i>Aniba cylindriflora</i> Kosterm.; det. H. van der Werff, 2000	First record for the Guianas
8564	Gesneriaceae	<i>Nautilocalyx fasciculatus</i> L. E. Skog and Steyerm.; det. C. Feuillet	First record for Guyana
8566	Piperaceae	<i>Peperomia rhombea</i> Ruiz and Pav.; det. R. Callejas, IV 2000; !G. Mathieu, XI 2005	First record for the Guianas
8586	Hippocrateaceae	<i>Salacia cordata</i> (Miers) Mennega; det. A. M. W. Mennega, 2000	Second collection for Guyana
8595	Melastomataceae	<i>Miconia brachybotrya</i> Triana; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
8597	Melastomataceae	<i>Miconia abbreviata</i> Markgr.; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
8624	Bromeliaceae	<i>Guzmania retusa</i> L. B. Sm.; det. E. J. Gouda, III 2002	First record for the Guianas
8638	Pteridaceae	<i>Pteris pearcei</i> Baker; det. G. McKee, VII 2000	First record for the Guianas
8720	Rutaceae	<i>Zanthoxylum ekmanii</i> (Urb.) Alain; det. J. Kallunki, 2000	First record for Guyana
8768	Rubiaceae	<i>Coussarea hirticalyx</i> Standl. var. <i>glabrior</i> Steyerm.; det. C. M. Taylor, 2001	First record for the Guianas
8856	Bombacaceae	<i>Ochroma pyramidale</i> (Cav. ex Lam.) Urb.; det. H. D. Clarke, 1999	First record for Guyana
8897	Gesneriaceae	<i>Lampadaria rupestris</i> Feuillet and L. E. Skog; det. C. Feuillet, 2002	Monotypic Guyana endemic
8899	Melastomataceae	<i>Leandra micropetala</i> (Naudin) Cogn.; det. F. Almeda and D. Penneys, VI 2002	First record for Guyana
9073	Podocarpaceae	<i>Podocarpus steyermarkii</i> J. Buchholz and N. E. Gray; det. H. D. Clarke, and J. Kelly, X 2002	First record for the Guianas
9107	Cyperaceae	<i>Mapania</i> sp.; det. M. T. Strong (US), 2001	Possibly first record for the Guianas
9157	Piperaceae	<i>Piper inaequale</i> C. DC.; det. A. R. A. Görts-van Rijn, 2002	First record for Guyana?
9165	Boraginaceae	<i>Cordia fanchoniae</i> Feuillet; det. James S. Miller, 2006	First record for Guyana
9184	Orchidaceae	<i>Epidendrum pseudoramosum</i> Schltr.; det. G. Carnevali, X 2003	First record for the Guianas
9227	Orchidaceae	<i>Elleanthus arpophyllostachys</i> (Rchb. f.) Rchb. f.; det. G. Carnevali, X 2003	First record for the Guianas
9269	Rapateaceae	<i>Stegolepis ayangannae</i> P. E. Berry, sp. nov. ined.; det. P. E. Berry, 2003	Possibly to become a paratype
9314	Orchidaceae	<i>Pleurothallis tepuiensis</i> Carnevali and I. Ramírez; det. G. Carnevali, X 2003	First record for the Guianas
9320	Erythroxylaceae	<i>Erythroxylum oreophilum</i> (O. E. Schulz ex Pilg.) Steyerm. and Maguire; det. P. E. Berry, 2003	First record for the Guianas
9362	Araliaceae	<i>Schefflera</i> cf. <i>marahuacensis</i> (Maguire, Steyerm. and Frodin) Frodin; det. J. Kelly, H. D. Clarke, E. Tripp, X 2002	First record for the Guianas, if confirmed
9368	Adiantaceae	<i>Pterozonium terrestre</i> Lellinger; det. G. S. McKee, VIII 2002	First record for the Guianas
9383	Elaeocarpaceae	<i>Sloanea crassifolia</i> Earle Sm.; det. H. D. Clarke, J. Kelly, and E. Tripp, X 2002	First record for the Guianas
9394	Aquifoliaceae	<i>Ilex theezans</i> Mart.; det. J. Kelly, H. D. Clarke, and E. Tripp, X 2002	First record for the Guianas

9395	Melastomataceae	<i>Blakea/Topobea</i> sp.; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas, but flowers needed for determination
9405	Poaceae	<i>Chusquea linearis</i> N. E. Br.; det. E. Judziewicz, 2004	Second record for the Guianas
9413	Xyridaceae	<i>Orectanthe</i> sp.; det. C. L. Kelloff, XI 2002	Possibly a new species
9421	Chloranthaceae	<i>Hedyosmum</i> cf. <i>intermedium</i> Todzia; det. H. D. Clarke, J. Rhodes, S. Stern and J. Kelly, V 2003	First record for the Guianas, if confirmed
9447	Orchidaceae	<i>Brachionidium longicaudatum</i> Ames and C. Schweinf.; det. G. Carnevali, X 2003	First record for the Guianas
9457	Orchidaceae	<i>Epidendrum alsum</i> Ridl. ex Thurn; det. G. Carnevali, X 2003	First record for the Guianas
9464	Poaceae	<i>Myriocladus distantiflorus</i> Swallen; det. E. Judziewicz, 2004	Second record for the Guianas
9488	Blechnaceae	<i>Blechnum atropurpureum</i> A. R. Sm.; det. G. S. McKee, VIII 2002	First record for the Guianas
9507	Rubiaceae	<i>Psychotria concinna</i> Oliv.; det. C. M. Taylor, 2003	First certain record for the Guianas
9516	Erythroxylaceae	<i>Erythroxylum oreophilum</i> (O. E. Schulz ex Pilg.) Steyer. and Maguire; det. P. E. Berry, 2003	Second record for the Guianas
9519	Myrsinaceae	<i>Myrsine minima</i> (Steyer.) Pipoly; det. H. D. Clarke, E. Tripp, and J. Kelly, 2002	First record for the Guianas
9523	Aquifoliaceae	<i>Ilex</i> aff. <i>amazonensis</i> Edwin; det. J. Kelly and H. D. Clarke, 2002	First record for the Guianas, if confirmed
9568	Scrophulariaceae	<i>Vellosiella spathacea</i> (Oliv.) Melch.; det. S. F. Smith, 2002	First record for Guyana (previously Venezuelan Roraima)
9569	Orchidaceae	<i>Octomeria cordilabia</i> C. Schweinf.; det. G. Carnevali, X 2003	First record for the Guianas
9606	Orchidaceae	<i>Psilochilus dusenianus</i> Kraenzl. ex Garay and Dunst.; det. G. Carnevali, XII 2002	First record for the Guianas
9623	Rapateaceae	<i>Epidryos guayanensis</i> Maguire; det. P. E. Berry, 2003	Rare species
9629	Orchidaceae	<i>Aspidogyne robusta</i> (C. Schweinf.) Garay; det. G. Carnevali, XII 2002	First record for the Guianas
9650	Lomariopsidaceae	<i>Elaphoglossum horridulum</i> (Kaulf.) J. Sm.; det. G. S. McKee, IV 2002	First record for the Guianas
9668	Melastomataceae	<i>Maguireanthus ayangannae</i> Wurdack; det. H. D. Clarke, 2001	Monotypic tepui species
9714	Rapateaceae	<i>Epidryos guayanensis</i> Maguire; det. P. E. Berry, 2003	Rare species
9716	Malpighiaceae	<i>Byrsonima krukoffii</i> W. R. Anderson; det. W. R. Anderson, 2003	First record for the Guianas
9736	Rubiaceae	<i>Notopleura guadalupensis</i> (DC.) C. M. Taylor; det. C. M. Taylor, 2003	First record for the Guianas?
9739	Orchidaceae	<i>Cryptocentrum dunstervilleorum</i> Carnevali and G. A. Romero; det. G. Carnevali, XII 2002	First record for the Guianas
9747	Orchidaceae	<i>Cryptocentrum dunstervilleorum</i> Carnevali and G. A. Romero; det. G. Carnevali, XII 2002	Second record for the Guianas
9791	Sapotaceae	<i>Micropholis venulosa</i> (Mart. and Eichler) Pierre; det. T. D. Pennington, 2004	First record for the Guianas (former records erroneous)

9819	Annonaceae	<i>Guatteria ayangannae</i> U. Scharf and Maas; det. U. Scharf and Maas, 2004	ISOTYPE
9825	Euphorbiaceae	<i>Conceveiba ptariana</i> (Steierm.) Jabl. det. K. J. Wurdack, 2011	New record for Guyana, tepui endemic
9865	Orchidaceae	<i>Octomeria lancipetala</i> C. Schweinf.; det. G. Carnevali, X 2003	First record for the Guianas
9874	Poaceae	<i>Paspalum</i> cf. <i>pilosum</i> Lam.; det. E. Judziewicz, 2004	Second collection for Guyana, if confirmed
10311	Melastomataceae	<i>Macrocentrum stipulaceum</i> Wurdack; det. F. Almeda and D. Penneys, V 2005	First known record after the Type
10333	Melastomataceae	<i>Macrocentrum stipulaceum</i> Wurdack; det. F. Almeda and D. Penneys, V 2005	Second known record after the Type
10672	Verbenaceae	<i>Aegiphila venezuelensis</i> Moldenke var. <i>serrata</i> Moldenke	First record for the Guianas?
10764	Ochnaceae	<i>Tyleria phelpsiana</i> Maguire and Steierm.; det. M. Sewell, 2005	First record of <i>Tyleria</i> for the Guianas
10808	Poaceae	<i>Aulonemia nitida</i> Judz.; det. E. Judziewicz, 2004	PARATYPE, new species to science and the Guianas
10854	Rhizophoraceae	<i>Sterigmatopetalum resinolum</i> Steierm. and Liesner; det. T. Hollowell, 2005	First record for the Guianas
10977	Bignoniaceae	<i>Tabebuia obscura</i> (Bureau and K. Schum.) Sandwith; det. S. O. Grose, 2005	Second record for the Guianas
11017	Lycopodiaceae	<i>Huperzia linifolia</i> (L.) Trevis.; det. G. S. McKee, 2004	First record for Guyana
11159	Malpighiaceae	<i>Tetrapterys glabrifolia</i> (Griseb.) Small; det. W. R. Anderson, 2004	First record for Suriname
11363	Chrysobalanaceae	<i>Acioa guianensis</i> Aubl.; det. M. Sewell, 2005	First record for Suriname
11528	Cyperaceae	<i>Mapania</i> sp.; det. M. T. Strong, 2004	Probably a new species, fide Strong, 2004
11688	Ericaceae	<i>Ledothamnus sessiliflorus</i> N. E. Br.; det. M. Sewell, 2004	First record for Guyana, second collection after the type
11852	Magnoliaceae	<i>Dugandiodendron ptaritepuianum</i> (Steierm.) Lozano; det. M. Sewell, 2004	First record of genus for the Guianas
11920	Bromeliaceae	<i>Vriesea duidae</i> (L. B. Sm.) Gouda; det. E. J. Gouda, 2005	First record for the Guianas
12040	Rhizophoraceae	<i>Sterigmatopetalum resinolum</i> Steierm. and Liesner; det. T. Hollowell, 2005	Second record for the Guianas

I. Expedition Narratives and Maps

(For detailed collection localities and collection numbers, see Part II: Collecting Localities)


During an expedition the goal is to document the botanical diversity of a georeferenced collecting locality chosen by the expedition members. In each locality attempts are made to collect plants of as many different growth habits and types as possible, ranging from submerged aquatic vegetation to emergent aquatics and rheophytic vegetation, seasonally flooded forest, herbs, vines, lianas, and herbaceous plants growing at the river's edge, and, in terra firme forest, understory herbs and shrubs, midstory trees and palms, canopy trees and lianas, epiphytes, and canopy-emergent trees. Members of Clarke's expeditions were able to climb trees up to about 80 cm in diameter and to collect in the canopy by using tree-climbing spikes and extendible aluminum clipper poles. Climbing trees takes a great deal of time but these collections of epiphytes, lianas, and large canopy trees are the most valuable because they are the most poorly known and least well represented in herbaria.

The difficulties of identifying material from neotropical forests necessitates that plants for the most part be fertile (flowering or fruiting). A pressed, dried herbarium specimen must be made so that identification can be made in the herbarium with full use of reference collections, botanical literature, and dissecting microscopes. The herbarium specimens that result constitute a record of the expedition that, if properly maintained, will remain in good condition for hundreds of years. The trip narratives that follow are extracts from the expedition reports of H. David Clarke.

TRIP 1: IWOKRAMA RAINFOREST RESERVE

17 SEPTEMBER TO 9 OCTOBER 1995 (MAP 1)

The purpose of this collecting expedition was to continue to document the flora of the Iwokrama Rainforest Reserve and to produce a checklist to fulfill a contract between the Smithsonian Institution and the Iwokrama program. The work was intended to extend and complement the work done by previous collectors: Bruce Hoffman, Toby Pennington, and Patrice Mutchnick. Collecting



MAP 1. Collecting localities of H. D. Clarke, Trips 1-3.

efforts were concentrated along rivers and machete-cut transect lines with the goal of sampling across a number of the different land systems described in the Iwokrama Phase 1 report. The collecting was expected to help to achieve a refined understanding of these land systems and the vegetation they support. During the expedition, Iwokrama personnel abandoned mapping the reserve on the basis of Iwokrama Phase 1 land systems in favor of a map delineating more detailed vegetation types (à la Fanshawe). No matter which system is used, the collecting serves to validate maps constructed largely from aerial photographs and knowledge of soils, topography, and geology.

We arrived in Annai by twin-engine Islander aircraft flown by Malcolm Chan-A-Sue and were met at the airstrip by Fred Allicock, the Iwokrama site manager, and a crew of Macushi workers from Surama. We traveled to Kurupukari field station by Land Rover and on to the Turtle Mountain transect on the Essequibo River by boat.

We began collecting along the transect with the help of one guide (Daniel Allicock), the boat captain, and two workers. The transect began in alluvial *Mora* forest and moved up into upland forest on brown sands. We also collected along the river on the way back to the field station and along the entrance road to the field station from the Kurupukari–Annai Road.

On 20 September we made a day trip to collect along the A–B transect, which begins at the Kurupukari–Annai Road and heads in an easterly direction. The area was dominated by *Mora* forest and mixed forest on white sand. The next day we made another day trip to collect along the C–D transect, which begins at the Kurupukari–Annai road and heads in a nearly westerly direction 5 km to the Burro-Burro River and then extends another 9 km beyond the river. Collections were made between the road and the river in *Rapatea* swamp forest and in mixed forest and wallaba (*Eperua* spp.) forest on white sands. During our second day trip to the A–B transect on 22 September we were filmed by a Canadian film crew.

The expedition next collected along the first 4 km of the Kuratoka Rapids transect, which begins at the Essequibo River and heads 9 km in a westerly direction to very nearly meet the A–B transect. The forest was relatively disturbed (reportedly by fire) and contained a good deal of secondary growth species not common elsewhere (*Acacia*, *Triplaris*, etc.).

After a day of plant processing and preparation, we traveled by boat (a very inefficient 25 hp motor that used 25 gallons of gas on this trip) from Kurupukari to the camp at the head of Post Arinda Inlet on the Essequibo River. We began collecting along a 4 km transect

that started at Post Arinda Inlet and ended at Burro-Burro River above its confluence with the Siparuni River. This transect included varied topography with *Mora* forest, *Mauritia* swamp forest, and upland forest on a series of low ridges that paralleled the two rivers. Labaria (*Bothrops atrox*) and spider- (*Ateles* sp.) and howler-monkeys (*Alouatta* spp.) were seen along the transect, and tapirs were seen near camp at night.

After finishing collecting along the Post Arinda Inlet transect with two workers, we were met by our guide and boat captain at the end of the transect on the Burro-Burro River. We traveled by boat up the Burro-Burro River to camp at the intersection of the C–D transect with the river. A jaguar was spotted swimming across the river. Collections were made along a 9 km extension of the C–D transect on the northern side of the Burro-Burro River. Most of the length of this transect was mixed forest on white sand, but the transect ended in a *Humiria* (*muri*) savanna with a low (5 m) canopy, presumably created by edaphic conditions leading to poor drainage in the wet season. We also collected along the Burro-Burro River, between the C–D transect above Dunari Rapids and the confluence with the Siparuni River before our return to Kurupukari to process plants.

The expedition made some last riparian collections along the Essequibo River north of Kurupukari. We then traveled by boat with a 25 hp motor with the crew (guide, boat captain, two workers) to camp at the head of Akromukru transect. As we collected along the 5 km long transect we saw several red brocket deer. The transect was dominated mostly by mixed forest on white sands, but numerous small canopy gaps added diversity (*Ochroma*, e.g.). *Caryocar nuciferum* L. is common near the Essequibo.

Continuing along the Essequibo River at the southern boundary of the reserve, we collected along 5 km of the Ladysmith Creek transect. The *Mora excelsa* Benth. forest near the river changes to *Chlorocardium* with *Mora gongrippii* (Kleinhoonte) Sandwith forest away from the river. The striking orange bird, Cock of the Rock (*Rupicola rupicola*), was seen along this transect. After collecting along the Essequibo between Ladysmith Creek and Pisham Pisham Rapids, we collected along the 5 km long Pisham Pisham transect. *Mora* forest near the river gives way abruptly to hill forest as the transect crosses a ridge that slopes gently on the side facing the river and drops abruptly on the side away from the river. Extensive rock outcroppings on this ridge provide habitat for terrestrial bromeliads (*Ananas*) and epilithic ferns. Further riparian collections between Pisham Pisham Rapids and Gold Falls found rheophytic *Mourera fluviatilis* Aubl. blooming in the rapids.

Finally, we returned to Kurupukari to process plants before our return to Georgetown in the Skyvan transport aircraft.

TRIP 2: IWOKRAMA RAINFOREST RESERVE

4 NOVEMBER 1995 TO 2 DECEMBER 1995 (MAP 1)

This was the second trip I made to the Iwokrama Rainforest Reserve as part of an ongoing effort to produce a checklist of its flora to fulfill an agreement between the management of the reserve and the Smithsonian Institution. The previous trip, made in September and October 1995, concentrated on collecting along transects starting along the Kurupukari–Annai road and along the Essequibo and Burro-Burro Rivers. Collecting on this trip concentrated on areas not visited earlier, including the Pakutau Hills along the Siparuni River, the Iwokrama Mountains, and a new transect along the Burro-Burro River. A new vegetation map of the reserve made by Ivan Anderson was used to help direct collecting efforts and, in turn, it was hoped that information from this trip could help to refine the map by providing information about previously unvisited areas. Throughout this trip, Bruce Hoffman was an accompanying botanist, recording data in 0.1 ha plots in an effort to assess a- and b-levels of plant species diversity.

Bruce Hoffman and I flew from Georgetown to Annai where we were met by Fred Allicock and workers. We moved to the field station at Kurupukari and made preparations for a week-long trip to the Siparuni River.

On 6 November we traveled by boat with a 40 hp engine to Pakutau Falls on the Siparuni River. The Siparuni River is occupied by several gold mining dredge operations between Pakutau Falls and its confluence with the Essequibo River. It is otherwise uninhabited and undisturbed, aside from where it is crossed by the old Mahdia–Sandstone road, which is now very overgrown. Malaria is common in this area. There the geology is characterized by doleritic intrusions that are slightly more basic than the granites that characterize most of the rest of the reserve. Although both Bruce Hoffman and Patrice Mutchnick have collected in this area previously, further collections were made in an effort to assess whether differences in geology between this and other areas in the reserve correspond to differences in vegetation. My preliminary assessment would be that, if these differences exist, they would be more quantitative than qualitative in nature, the mixed forest found on these hills being similar to mixed forest found on brown sands or in the Iwokrama Mountains.

The expedition walked to the end of a 5 km long transect that started at Pakutau Falls on the Siparuni River, proceeded in a southerly direction, ended near the highest point in the Pakutau Hills (~400 m elevation), and began collecting along the most distant portion of the transect. The next day we collected along the part of the transect closest to the Siparuni River. We then made riparian collections in the area surrounding Pakutau Falls and upstream as far as Ireng Creek, finding typical rheophytic and riparian vegetation such as *Mourera fluviatilis*, *Psidium*, and *Coccoloba*. Finally, we made riparian collections along the Siparuni River from Pakutau Falls downstream as far as Levai Falls before our return to Kurupukari to process plants and to work on identifications.

On 14 November we collected in the interior of a *Mora* forest adjacent to Kurupukari–Annai road, 22 km southwest of Kurupukari. We then traveled by boat to a new transect along the Burro-Burro River (approximately 1 km upstream from Duckla Falls). The transect was 5 km long and proceeded in a westerly direction. The terrain was quite flat, the soils were brown sands, and the vegetation varied between seasonally flooded palm swamp forest (*Mauritia*, *Oenocarpus*, and *Jessenia*) and mixed forest. During the next two days we collected along the farthest portion and in the near portion of the transect, where a tayra (*Eira barbata*) was seen. At night a labaria (*Bothrops atrox*) interrupted the Amerindians' card game under the tarp and was quickly dispatched.

A limited fuel supply forced us to abandon a plan to collect along the partially completed transect near Sandstone on the upper Burro-Burro River. Low fuel supplies at base camp limited all further collections in areas accessible by road, but collections were made near camp before our return to Kurupukari to process plants.

The following day the expedition made collections approximately 8 km from Kurupukari along the Kurupukari–Annai Road. We then traveled by Land Cruiser 34 km along the Kurupukari–Annai Road to set up camp at the head of a transect leading 4.5 km to the base of the Iwokrama Mountains. This transect travels around the periphery of *Humiria-Clusia* scrub and passes through palm swamp and *Mora* forest. We walked approximately 0.5 km over crude machete-cut trail up drainage into the Iwokrama Mountains and ascended the 800 m peak south of camp. No significant elevational gradient in floristic composition was detected. The forest is a mixed forest on brown sandy loam with numerous rock outcroppings. Black and red poison arrow frogs (cf. *Phylllobates*) were seen in the forest.

Further collections were made along the machete-cut trail and in a creek bed 0–3 km east-southeast of base

camp. *Licania*, *Clathrotropis*, *Swartzia*, and *Cassia* were common canopy elements in the first 2 km of the creek, whereas the midstory was dominated by unknown Meliaceae. Near the top of the drainage, 2–3 km east-southeast of camp, the canopy elements of the forest did not appear to differ greatly from those in lowland mixed forest in other parts of the reserve or throughout the areas visited in the Iwokrama Mountains and particularly in the gorge of the unnamed creek adjacent to camp. However, the understory, herbaceous, and epiphytic elements did appear to be characteristic of a distinctly more mesic forest than other parts of the reserve. Plants such as *Cephaelis* and other Rubiaceae, *Sinningia* and other Gesneriaceae, aroids, orchids, tree ferns and filmy ferns were encountered commonly here that were not seen elsewhere in the reserve. We examined and photographed petroglyphs newly discovered by Daniel Allicock, Baptist James, and crew.

On the highest peak in the Iwokrama Mountains (1,000 m) we saw a labarria guarding a petroglyph rock (because this snake is highly poisonous it was quickly dispatched), and a harpy eagle near a porcupine it had killed, which we photographed. A cut trail from the summit to a large rock outcropping immediately below the summit affords a view of Makarapan Mountain, the Annai area, and the area extending to the Essequibo River.

We returned to Kurupukari by Land Rover on 27 November and collected along the road near base camp. Near the road we saw a tapir that apparently was unaccustomed to people and allowed us to approach closely. We then collected along the A–B transect starting at Kurupukari–Annai Road (4°35′11.6″N, 58°44′39.3″W) and heading in a 105 degree direction. The transect started in *Mora* forest (in which we made more collections), passed through mixed forest, and ended in *Eperua* forest on white sand.

Finally, we moved to Surama to collect in a savanna area, before our return to Georgetown. The next field trip to Iwokrama was planned to take advantage of the onset of the rainy season when more plants were expected to flower.

TRIPS 3–4: MABURA HILL; CEIBA ENVIRONMENTAL CENTER

30 DECEMBER 1995 TO 14 JANUARY 1996
(MAPS 1 AND 2)

This collecting trip began at Mabura Hill, located in Demerara Timbers Ltd. Forest. The expedition moved south on the Mabura Hill–Kurupukari Road and made collections in dense forest on white sand.

On 1 January we collected 3 km south of Tropenbos Field Station in disturbed open area on red gravelly clay. Collections were also made 20 km south of Mabura Hill on the Mabura Hill–Kurupukari Road, in dense forest on white sand, with *Eperua*, *Peltogyne*, and *Licaria*.

The team then moved to an area 32 km south on the Mabura Hill–Kurupukari Road where the environment changed to dense forest on brown sand. The next day more collections were made in the disturbed open areas of Tropenbos Field Station. The expedition then returned to an area 3 km south of Mabura Hill and proceeded 60 km north on the Mabura Hill–Linden Highway where we collected in disturbed roadside vegetation on white sand.


Final collections were made at the CEIBA (Conservation of Ecological Interactions and Biotic Associations) Research Centre, adjacent to the Soesdyke–Linden Highway. The Center was populated by Muri scrub (*Humiria*) vegetation on white sand and *Mauritia* swamp forest on white sand with *Mauritia*, *Pentaclethra*, and *Mora*.

TRIPS 5–6: PARUIMA AND PARAMAKATOI


22 JANUARY TO 27 FEBRUARY 1996 (MAPS 3 AND 4)

A month-long plant-collecting trip to Paruima in the northwestern Pakaraima Mountains was followed by a one-week trip to Paramakatoi in the southern Pakaraimas with a team of bryologists and lichenologists. In the past the Paruima area has been collected only by Tim McDowell and Adrian Thompson, and Paramakatoi only by Lynn Gillespie. Both of these areas offer access to large expanses of premontane and montane primary tropical forest. In addition, lowland shrub savanna is close to Paramakatoi in the direction of Kato and the Paruima area offers a large number of habitats associated with the summits of the tepuis that surround the village.


Logistics problems necessitated flying into Kamarang before being transported by boat upriver into Paruima. After gaining approval of local authorities and finding a guide, we planned to collect in the Kamarang area for two days. The first days were spent along the trail between Kamarang and Waramadon (upstream on the Kamarang River from its confluence with the Paruima River). The trail began in secondary forest and quickly passed into primary premontane forest dominated by *Mora gongrijppii*, *Licania*, *Caryocar*, and *Aparisthmium*. On the second day we collected along a trail 3 km north of Kamarang on the Mazaruni River. The trail passes primarily through primary forest, but also through areas of overgrown cassava plantations, and leads from the river to farms and small-scale mines.



MAP 2. Collecting localities of H. D. Clarke, Trips 4 and 23.



MAP 3. Collecting localities of H. D. Clarke, Trips 5 and 15.



MAP 4. Collecting localities of H. D. Clarke, Trips 6-7.

After two days of travel we reached Paruima. With James Chambers we collected along the trail across the Kamarang River from Paruima leading north to Warimatipu, Holitipu, and Kaikan. The trail ascends from the river through secondary and primary forest and leads to a number of small areas cleared for farming. Collections were made as far as the base of Warimatipu, which is covered by semi-open, naturally disturbed forest on unstable rock slopes.

With James Chambers and three other workers we traveled by dugout several kilometers upstream on the Kamarang River to a trail leading to the Utshi River and Venezuela. The trail follows the course of the Kamarang River through a canyon between two tepuis and crosses a number of side canyons, such as Kumarow, that are crossed by walking high above the river on very large boulders that fill the riverbed. The trail then passes abruptly from forest into savanna as the summit is reached. The trail is very beautiful and offers an excellent opportunity for development for ecotourism.

After ascending the trail to the Utshi River tepui summit, we camped in a gallery forest along the Utshi River and collected in the savanna and gallery forest near camp.

The next day we hiked from camp to a site several kilometers south near the Great Falls on the Kamarang River and collected in the savanna and gallery forest between there and camp. This area offers spectacular views of the waterfalls and high tepuis in the area, including Ilutipu, Waukauyengtipu, and, in good weather, Roraima.

We collected in a savanna, gallery forest, and seep area near the border of Venezuela along the trail and in the forest surrounding the first camp on the Kamarang River before returning to Paruima to process the plants.

The expedition then traveled to a large tepui area about 10 km north of Paruima called Waleliwatipu or Aymatoi, contiguous with Holitipu. We collected in savanna, gallery forest, and rock outcroppings between Uluk Creek near the southern edge of Waleliwatipu, and in gallery forest, savanna, and rock outcroppings near an airstrip built by a Canadian mining company in the vicinity of Mount Yuroban, a flat-topped forested promontory protruding above Holitipu. The gallery forest and rock outcroppings in the area of the airstrip provided a large number of unique plant species not seen elsewhere on this trip.

After another trip back to Paruima to process plants, we collected in premontane forest in the area between Paruima and Konuktipu (contiguous with Kolodokyengtipu). This area is dominated by dense primary forest interspersed with successional areas associated with cassava cultivation. It also has naturally disturbed areas and seeps at the base of cliffs with elements such as *Pothomorphe*, *Mucuna*,

Cissampelos, *Mendoncia*, and *Pavonia*. We then collected along the Kamarang River near Paruima, along the Paruima River upstream several kilometers to large rapids, and in the forest area between Paruima and Illubia Creek.

Aside from a giant anteater and the usual assortment of monkeys, we saw few mammals on this trip. The birdlife, however, was quite impressive, with a whole assortment of hummingbirds and many frugivorous (fruit-eating) birds such as trogons (bright red and green), bellbirds (white and brown with a wattle like a turkey and a call like a car horn that can be heard for kilometers), cotingas (iridescent blue and purple), Cock-of-the-Rock (day-glow orange), oropendulas (like orioles), and tanagers.

We returned to Georgetown, secured permits, hired workers, and traveled to Paramakatoi where we met with a team of lichenologists and bryologists, who had arrived from Kaieteur Falls: Paul DePriest (Smithsonian), Harry Sipman (Berlin), Angela Newton (Smithsonian), Solis Stenroos (Helsinki). Together we collected along the trail from Paramakatoi to Paramaktipu. The trail passes through disturbed vegetation into primary forest and climbs several hundred meters to the top of Paramaktipu. We also collected along the trail from Paramakatoi to Maikwak and Kowatipu, which passes through primary forest and occasional abandoned cassava plantations, and along the trail from Paramakatoi to Karibon Creek, which begins in secondary forest and descends a few hundred meters through primary forest, before returning by rough trail to Paramakatoi.

From Paramakatoi we collected along the trail to Yowang and Monkey Mountain. The trail descends several hundred meters, parallels a stream for several kilometers, and returns to Paramakatoi by a different route.

Finally, we collected along the trail between Paramakatoi and Kato. The forest savanna ecotone occurs about midway between the two villages. Collections were made in the forest near Paramakatoi. *Mora gongrijpii* dominates in low areas and premontane mixed forest with *Pouteria*, *Aspidosperma*, and *Licania* dominant in upland areas.

Because the short runway at Paramakatoi makes taking off with heavy payloads difficult, half the group had to walk to Kato, a distance of about 20 km by air, before the entire group was able to catch the flight to Georgetown.

TRIP 7: IWOKRAMA INTERNATIONAL RAINFOREST RESERVE

14 MARCH TO 16 APRIL 1996 (MAP 4)

This trip to the Iwokrama Rainforest Reserve was made as part of a continuing effort to document the flora of the area. Bruce Hoffman, who was researching

Heteropsis and its potential as a non-timber forest product, joined this trip. Emphasis was put on documenting phenology by re-collecting in areas previously inventoried; this allowed for collecting plants in flower that may have been collected on previous expeditions in fruit. Excursions were also made to previously uncollected areas, such as an outlier of the Iwokrama Mountains, Sandstone on the upper Burro-Burro River, and floodplain areas adjacent to the Essequibo River near Turtle Pond.

The trip began with a flight into Annai to meet with Fred Allicock. After a quick trip to Surama to collect field assistants, we traveled to Kurupukari by Land Rover. After preparing the boat with a 40 hp engine, food, and supplies, we proceeded upriver to Akromukru Falls on the Essequibo River. Plants were collected along the first half of the 5 km Akromukru transect perpendicular to the Essequibo River (Figure 3). The first 2 km from the river are dominated by *Mora* forest, the next 2 to 3 km are *Mora* and mixed forest occurring together with *Chlorocardium*, and the remainder of the transect is dominated by mixed forest with *Chlorocardium*. Two harpy eagles, an adult and a not fully fledged juvenile, were observed at km 2.3, indicating the presence of a nest nearby.



FIGURE 3. *Brassavola martiana* Lindl. (Orchidaceae), Clarke 1366.

The camp was moved to an area near Ladysmith Creek and collecting continued along the first 2 km of the transect. On the first half of this 5 km transect *Mora* occurs together with mixed forest with *Chlorocardium*, *Licania*, and others species. There is also a good deal of semi-disturbed "liana forest." After about a week in this area we returned to Kurupukari by boat and made preparations for a trip to Moco Moco II Creek.

Leaving the boats, we traveled by Land Rover to Moco Moco II Creek, 32 km southwest of Kurupukari along Kurupukari-Lethem Road. We set up camp and began collecting in and around the forest along the 3.7 km transect, beginning at the road near camp and ascending to the summit of an unnamed outlier of the Iwokrama Mountains. Most of the first part of this transect is dominated by areas of poorly drained white sand with *Mora*, *Phenakospermum*, *Eperua*, *Catostemma*, and a prominent palm mid-story with *Oenocarpus* and *Euterpe*. Along the steep rock slope that ascends the outcrop, *Pentaclethra*, *Symphonia*, *Chrysophyllum*, and *Parinari* dominate. The mixed forest on this mountain differs somewhat in composition from that found on brown sands in other parts of the reserve. The forest is slightly more open with a prominent palm (*Bactris* and *Scheelea*) understory. Bellbirds were heard here, the only place other than the Iwokrama Mountains proper where they have been heard in the reserve.

The expedition returned to Kurupukari and preparations were made for a second boat trip, this time to Turtle Pond on the Essequibo River and Sandstone on the upper Burro-Burro River. Collections were made along a transect to cover as much habitat over this 3.5 km section as possible. Most of the first 2 km of the transect was dominated by mixed forest on brown sand with *Mora*, *Carapa*, *Chlorocardium*, and *Licania*. Detours from the Turtle Pond transects were taken at km 2.4 and 0.9 km to smaller lakes between the transect and the Essequibo River. The lakes become channels of the Essequibo River during the rainy season and harbor a large number and diversity of fish, including arapaima. The forest adjacent to this area is of low stature and relatively low diversity and is adapted to flooding and siltation. *Gustavia*, *Symeria*, an *Eschweilera* species, and numerous species of Myrtaceae dominate.

We traveled by boat down the Essequibo River and up the Siparuni and Burro-Burro Rivers to Sandstone, the site of an abandoned gauging station and terminus of the abandoned Mahdia-Sandstone Road. We continued collecting along a 2.7 km transect beginning at Sandstone on the Burro-Burro River. The transect began in flat *Mora* forest on brown sand near the river and passed over several hills

with rock outcroppings with *Ananas*, *Heliconia*, and associated herbaceous vegetation. Most of the transect away from the river was dominated by mixed forest on brown sand, although the transect did cross the abandoned road where dense secondary forest dominates.

On 3 April we left the northern part of Iwokrama and returned to Surama. Two transects heading northwest and southeast from the Kurupukari–Lethem Road near the southwestern border of the reserve were our next areas to sample. The mixed forest in this part of the reserve had a somewhat different composition and perhaps a more seasonal character; it was dominated by *Gouppia*, *Vitex*, *Virola*, *Ceiba*, and *Cedrela*. Our final plant collecting for this trip was in the savannas near Surama. We then returned to Georgetown.

TRIP 8: EASTERN KANUKU MOUNTAINS

21 MAY TO 15 JUNE 1996 (MAP 5)

This trip to Dadanawa Ranch, the Rupununi River, and the Eastern Kanuku Mountains was made to help document this diverse and poorly known area. The South Rupununi and Kanuku Mountains offer a diversity of habitats for collecting, including gallery forest, savanna, bush islands, xeric scrub, epilithic vegetation, seasonal forest, and a number of types of high-canopy rainforest in and surrounding the mountains. Moisture gradients occur from north to south, with very mesic forest occurring on the northern slopes of the Kanuku Mountains and drier forest on the southern slopes. Elevation gradients occur over about 1,000 m of vertical relief in the mountains.

Rain was very heavy throughout this trip but did not impede collecting or travel. In fact travel on the Rupununi River south of Sand Creek Village is possible only during the rainy season.

The trip began with travel by Guyana Airways Corporation (GAC) Twin Otter from Timehri to Lethem, where we were met by Duane DeFreitas, and we moved on into Dadanawa Ranch by Land Rover. Our first collections were made in savanna and gallery forest near the ranch compound.

Over the next few days we collected in gallery forest along the Rupununi River and in Natun Bush Island. Plant diversity in the South Rupununi Savanna consists of a heterogeneity of habitats including savanna proper, gallery forest, granite domes, and bush islands. Bush islands are areas of high-canopy evergreen forest surrounded by savanna, the presence of trees attributable to local edaphic conditions that allow for roots to penetrate the hardpan.

We also collected on Tautowan Mountain, a granite dome with xeric vegetation on exposed granite (*Cnidoscylus* and *Melocactus*, e.g.) and dry forest vegetation at the base (*Fagara*, *Cochlospermum*, and *Lippia*, e.g.).

On 26 May we traveled to Sand Creek by aluminum boat. We collected in savanna and savanna–forest mosaic north of Sand Creek Village (although heavy rains during this period resulted in extensive flooding in the savanna surrounding the village), and in savanna, dry forest, and evergreen forest to the east of the village.

From Sand Creek Village we traveled by boat north along the Rupununi River to Crabwood Creek. Walking from camp, we reached an unnamed peak of the Kanuku Mountains 10 km to the east and collected on the summit and slopes of the mountain.

On 31 May we traveled by boat south along the Rupununi River to the westernmost extension of Makawatta massif. We cut a trail to the top of the mountain and collected among scrub vegetation at its summit and closed canopy forest on its slopes. We then collected near the camp in forest near Crabwood Creek that was soon to be inundated by rising water levels; *Mora*, *Ceiba*, and *Astrocaryum* were dominant.


Traveling about 15 km up the Maparri River to the base of a waterfall, we made camp and collected along the river. The forest on the south bank of the Maparri above the waterfall is particularly mesic, with an abundance of epiphytic filmy ferns, orchids, and bromeliads. For the next three days we continued to collect along the Maparri River as far as 10 km west and 8 km east of camp. We cut trails to the tops of two unnamed peaks, 3 km north and 2 km south of camp, and collected on the summits and slopes.

On 9 June malaria forced the group to begin returning to Dadanawa Ranch. Because of engine problems and the very strong current of the Rupununi River in flood stage, the trip back to Crabwood Creek took 24 hours of uninterrupted travel. Engine repairs at dawn allowed for good progress to be made thereafter. After a rest at Crabwood Creek, the group progressed to Dadanawa by boat, to Lethem by Land Rover, and back to Georgetown by GAC Twin Otter. Plants and goods were sent back to Georgetown by truck.

TRIP 9: KUYUWINI RIVER

29 JUNE TO 30 JULY 1996 (MAP 5)

On this trip to the Kuyuwini River in southern Guyana, I was accompanied by two students, Sally Adkins from the Smithsonian Institution and Calvin Bernard from the



MAP 5. Collecting localities of H. D. Clarke, Trips 8-9.

University of Guyana. Also included were Regis James from Aishalton and Claudius Perry from Marunawa, two Wapishana workers skilled in all aspects of plant collecting, and several other workers from Aishalton. The Kuyuwini River area is of interest because it is part of the poorly known and scarcely collected southern Guyana forest. Access to the forests of southern Guyana is difficult because the area is essentially unpopulated. The only starting points are at Gunn's Strip and several points on the South Rupununi savanna. Travel from the South Rupununi is the less expensive option, but is more arduous because extensive walking is required. On this trip, rations, supplies, fuel, and the outboard (~680 kg) were carried by people or by bullock from Aishalton over Marudi Mountain to the landing on the Kuyuwini River, after which the group travelled by dugout. The trail from Aishalton to Kuyuwini Landing is an old established trail that was also used by Richard Schomburgk in the 1840s. It begins in the savanna, passes through the savanna-forest ecotone "bush mouth" about 16 km southeast of Aishalton, and continues another 48 km through high-quality primary tropical forest for another 48 km before reaching the Kuyuwini River. It passes over Marudi Mountain and within 8 km of Bat Mountain, an eroded granite-dome inselberg with bare rock on top and scrub vegetation at its base. To find our position and successfully cut trail to the mountain, we used a combination of GPS, which necessitated climbing trees to get a signal, and orienteering with 1:50,000 series topographic maps and compass.

The trip began with a GAC Twin Otter flight from Timehri to Lethem. High water prevented travel in or out of Lethem and so over the next four days collections were made around Lethem in savanna and gallery forest of Takutu River. When Eddie Singh's truck arrived on 4 July the expedition proceeded to Dadanawa Ranch. High water levels in the Arakwai Creek prevented travel to Aishalton, so once again collections were made in the area: in savanna, gallery forest, and bush islands on the road from Dadanawa Ranch to Shea and near Natun Bush Island.

Aishalton was finally reached by tractor and arrangements were made to hire bullocks and workers in the village. The team walked from Aishalton to Regis James farms at bush mouth (~16 km) and from bush mouth to a point in the forest midway between Marudi Mountain and Kuyuwini Landing. Lack of forage for the bullocks in the forest impeded their progress, as did flooding in the *Euterpe* swamps. Kuyuwini Landing was finally reached on 13 July and collections were made near the landing and in forest along the trail to Marudi Mountain and Aishalton.

As further collections were made along the Kuyuwini River downstream (east) of the landing, the team repaired

the large and small dugouts and equipped the large dugout to accept a 15 hp engine. We then traveled in the two dugouts from Kuyuwini Landing upstream—the large dugout with engine carried equipment and supplies and towed the small dugout with passengers. Extensive flooding in the area made finding even a provisional camp difficult. Continued travel up the Kuyuwini was impeded by many treefalls and vegetation (*Inga* and *Astrocaryum*) blocking a narrow channel that was hard to distinguish from adjacent flooded forest. Camp was made at a high spot on the river bank at a giant river otter midden.

The expedition cut trail and collected in terra firme mixed forest 0–2 km northwest of camp and in riparian habitats along the Kuyuwini River 0–5 km west of camp. The camp was moved upstream to a landing at the terminus of a trail from Parabara Savanna and further collections were made near camp, in forest and isolated savanna areas 0–5 km north of camp, and along the river 0–3 km west of camp.


We returned by dugout to Kuyuwini Landing and proceeded on foot to a point in the forest several kilometers south of Marudi Mountain. There we cut a trail from camp to the foot of Bat Mountain and ascended to a point where the vegetation ended, where further progress was made impossible by blue-green algae on rocks made slippery by the rainy season. We collected in scrub and xeric vegetation (*Furcraea*, *Melocactus*, *Cnidoscylus*, *Clusia*, etc.) and enjoyed a spectacular view from horizon to horizon of uninterrupted, undisturbed, and uninhabited primary tropical rainforest.

Completing our work on Bat Mountain, we spent a long grueling day walking from the camp south of Marudi Mountain to bush mouth, approximately 32 km. Our return trip continued on foot to Aishalton, by tractor to Arakwai crossing, and to Dadanawa and Lethem by Land Rover. Plants and goods were left in Lethem to be transported by Eddie Singh's truck to Georgetown, while personnel returned to Georgetown by GAC Twin Otter.

TRIP 10: IWOKRAMA INTERNATIONAL RAINFOREST RESERVE

17 SEPTEMBER TO 5 OCTOBER 1996 (MAP 6)

This Iwokrama trip was specifically designed to collect in previously uncollected areas near the base camp and Turtle Mountain on the Essequibo River, and to collect intensively at higher elevations in the Iwokrama Mountains. Two newly cut transects were sampled, one near the base camp on the Kurupukari–Annai Road in mixed



MAP 6. Collecting localities of H. D. Clarke, Trips 10 and 13.

forest on undulating terrain, and one from the Essequibo River through forest prone to flooding and heavy siltation to an exposed area at the top of a cliff on Turtle Mountain. A camp established at the top of the drainage in the gorge between the highest peaks in the Iwokrama Mountains allowed more effective collecting. Carrying rations and equipment from the road to the base of the mountains and up the gorge is difficult, but the time needed to climb the mountains from the camp at the bottom of the gorge, three hours each way, was too long to allow for sufficient time to collect on the mountains. This work was carried out with the assistance of several Macushi and Wapishana workers from Surama and Kurupukari.

The trip began with a flight from Georgetown to Annai by GAC Twin Otter and travel by Land Rover to Kurupukari base camp, while rations and equipment was transported via Eddie Singh's Bedford truck. Our first collections were made along a transect beginning on the Kurupukari–Annai Road. The trail passes through terra firme mixed forest interrupted periodically by *Euterpe* swamp forest in depressions.

After travel by Land Cruiser to the head of a trail approximately 48 km southwest of Kurupukari, we made camp at the top of a gorge between the highest peaks of the Iwokrama Mountains. We collected in a streambed at the top of the gorge, climbing up over a series of waterfalls until the stream diminished into a number of seeps on the south-facing north slopes of the gorge on the peak. The gorge is very mesic and supports a high diversity of epiphytes and rheophytes.

On 23 and 24 September we climbed from camp at the top of the gorge (300 m) to collect on the summit of the highest unnamed peak in the Iwokrama Mountains (1,000 m). The vegetation on the summit is characterized by a higher number and diversity of epiphytes (Figure 4) and a more developed understory of palms and shrubs. The trees tend to be of lesser girth and somewhat lower stature than lower forests, but are otherwise similar to those found in mixed forests at lower elevations. Views are available from just below the summit of granite outcroppings of Makarapan Mountain and the twin peaks on the south side of the gorge on one side of the mountain, and the Essequibo River and Apoteri on the other side. For the next five days we cut a line up and collected on the twin peaks on the south side of the gorge. On 30 September we collected in *Humiria* (n.v. 'muri') scrub along the road at the beginning of the trail to the mountains 45 km southwest of Kurupukari before our return to Kurupukari by Land Cruiser.

The expedition then traveled by boat from base camp at Kurupukari to the beginning of a transect on the




FIGURE 4. *Brassavola* sp. (Orchidaceae), Clarke 2760.


Essequibo River that leads to the summit of Turtle Mountain. The trail ends at the summit in *Clusia/Erythroxylum* scrub forest on the top of a cliff that affords a view north and east across the Essequibo of Aikawan Mountain, the Canister Falls area, and other mountains. We collected in scrub forest on the summit, semi-disturbed "liana" forest on upper slopes, and along the river for several kilometers north of the beginning of the transect. We also collected on the lower slopes of Turtle Mountain in mixed forest, along the river between the beginning of the transect and base camp in seasonally inundated *Mora* forest, and in low-canopy seasonally flooded and siltated forest.

Finally, we collected along banks and on sand islands of the Essequibo River north of its confluence with Tiger Creek. This part of the river is characterized by having many rapids and channels. The islands that occur in this part of the river support a more open forest with more xeric vegetation than that found on lower parts of the Essequibo River. We prepared our plants and equipment for shipping by truck to Georgetown and traveled by Land Cruiser to Annai before the final trip by GAC scheduled Twin Otter service from Annai to Timehri.

TRIP 11: GUNN'S STRIP, CHODIKAR, KAMOA, AND UPPER ESSEQUIBO RIVERS

21 OCTOBER TO 26 NOVEMBER 1996 (MAP 7)

Floristically, the far southern area of Guyana south of Gunn's Strip is among the most poorly known, and general collecting in this area will help to augment our



MAP 7. Collecting localities of H. D. Clarke, Trips 11-12.

knowledge of many plant species. The vegetation map of Guyana produced by Smithsonian lists as “floristic composition unknown” both the lowland evergreen forest found in this area and the lower montane evergreen forests found in the Acarai, Kamoia, and Wassari Mountains on the Brazilian border. When working in this area, one notes a nearly complete turnover in species composition in these forests compared with forests in northern and central Guyana, in Iwokrama, for example. Thus, although forests in northern and central areas have a typical Guianan composition, the floristic affinities of those in the south are found in the eastern Amazon. What causes this difference in floristic composition is an interesting question. From Iwokrama, Mabura, Kartabo, and other areas in the north to the Brazilian border in the south there is an uninterrupted expanse of lowland evergreen forest with fairly uniform soils and geology and very uniform climate. Without any meaningful edaphic or climatic gradients, then, this marked difference in species composition must be attributed to historical factors.

Work in southern Guyana is made difficult by the remoteness of the area and difficult logistics. The only airstrip, and the only human habitation, is at the Wai Wai village of 200 people at Gunn’s Strip. Air charters are expensive because of the distance from Georgetown and the reduced payload needed to accommodate extra fuel (maximum weight for an Islander is 1,200 lb [544 kg] and this includes fuel, pilot, passengers, and cargo). This expedition was carried out in conjunction with a Royal Ontario Museum mammal collecting expedition staffed by Burton Lim, Eamon O’Toole, and Charles Robertson. In addition, George Simon of the Ministry of Amerindian Affairs accompanied SI and ROM personnel. The total weight of people and equipment was 1,678 kg; three Islander charters were needed traveling into Gunn’s Strip and two traveling out.

Assistance in plant collecting was provided by two continuing Wapishana workers, Regis James from Aishalton and Claudius Perry from Marunawa, and three Wai Wai workers, Marifa Marawanara, Wachana Yaymochi, and Mark Sose (Figure 5). Regis James and Claudius Perry are thoroughly trained in plant collecting and general bush skills and the Wai Wai workers are undoubtedly the best available people in Guyana for working in remote locations, having extraordinary bush skills and more indigenous knowledge about plants than any other Amerindian group in Guyana. Over the course of this five-week trip we made 607 plant collections, mostly in duplicates of six. The value of these collections is augmented by the fact that they were collected in very remote locations and because



FIGURE 5. Loading the Wai Wai dugout canoes at Gunn’s Strip.

a good deal of effort was expended in collecting taxa that are difficult to collect: canopy trees, lianas, and epiphytes.

By 24 October both the Royal Ontario Museum and the Smithsonian teams had been flown into Gunn’s Strip in two Guyana Defense Force (GDF) Islanders, splitting the cargo between the two planes. Arrangements and preparations were made for the trip to Chodikar River and Acarai Mountains, and the first collections of the trip were made in a forest on the east bank of the Essequibo River opposite Gunn’s Strip on the first kilometer of trail to New River. Fuel, rations, equipment, and nine people then traveled in two large dugouts, powered by 15 and 25 hp engines and owned by the village, from Gunn’s Strip upstream on the Essequibo River to its confluence with the Kamoia River. Travel continued upstream past the confluence of the Sipu and Watuwau Rivers to Chodikar River. Passage became increasingly difficult as the channel narrowed and became shallow. Treefalls about every 100 m were cleared with cutlasses and axes. Camp was made on Chodikar River several kilometers from the Brazilian border.

The expedition began to cut a line from camp into the Acarai Mountains with the objective of collecting on Chodikar Mountain, a granite inselberg likely to support a number of disjunct, xerophilous species. We collected as we cut the trail, mostly in *Euterpe* swamp forest, which is very characteristic of the extensive poorly drained areas of southern Guyana. On the third day we crossed a small creek and passed into terra firme forest and then into a semi-open forest on poorly drained white sandy clay with abundant Myrtaceae and Hymenophyllaceae. We moved our camp inland to a creek at the base of the Acarai Mountains to

give closer access to Chodikar Mountain and to avoid long, arduous travel through the *Euterpe* swamp forest.

We continued collecting and cutting a line in the direction of Chodikar Mountain. The line passed over a low ridge, crossed a creek, and climbed up very steeply onto a ridge that was partially covered with a *Clusia/Erythroxylum* scrub forest. As we continued we followed ridges as much as possible, but occasionally descended into ravines. More mesic elements such as ferns, gesneriads, and *Herzmania* are found in the ravines, whereas a somewhat less mesic mixed forest is found on slopes and ridges. The line passed through a low canopy scrub forest with *Erythroxylum* and Myrtaceae on a ridge with numerous epiphytic orchids and Ericaceae. Guianan Cock-of-the-Rock was observed and photographed near a cliff area in a ravine. As we cut a line toward Chodikar Mountain through similar ridge and ravine mixed forest habitat, progress was slowed by the time needed to walk over very difficult terrain to the point where line cutting ended the previous day. One Wai Wai worker, in bare feet, nearly stepped on a modestly sized bushmaster.

On 5 November we were within 2 km of Chodikar Mountain, which was clearly visible from several points as a half-forested and half-rock face mountain, but complete depletion of rations at our remote camp at the base of the Acarai Mountains forced a return to main camp. The entire party of botanists, Amerindians, and mammalogists traveled by dugout down the Chodikar and Essequibo Rivers to Marifa Marawanaru's abandoned farm on the Essequibo River between the confluences of the Sipu and Kamoia Rivers, paddling to conserve diminished fuel supplies. Travel upstream on the Kamoia River was impeded by many tree-falls across the channel. We made camp on the north bank of the river near an abandoned farm and relatively close to several outliers of the Kamoia Mountains.

From the new camp we cut a line to the summit of an unnamed outlier of the Kamoia Mountains 2 km north of camp (520 m elevation) and collected in scrub forest on granite outcroppings at the summit, in mixed forest on boulder-strewn slopes below the summit, and on slopes in both high-canopy dense forest and low-canopy *Clusia/Myrtaceae/Erythroxylum* scrub forest. The forest between camp and the unnamed outlier contains both Vochysiaceae-dominated high-canopy forest and semi-open forest on poorly drained white sand with *Mauritiella*, *Catostemma*, and Clusiaceae. We also collected in riparian vegetation along the Kamoia River 0–6 km west of camp and on the summits and slopes of two additional unnamed outliers of the Kamoia Mountains 2 km south of camp.

We traveled north on the Essequibo River to an area north of its confluence with the Onoro River, an abandoned Konashen village, and to Konashen Rapids due east of Zibingatzako Mountain, and made camp along the river. We cut a line and collected 0–3 km east of camp in the direction of Zibingatzako Mountain in dense forest on relatively flat terrain. Unlike the area between Chodikar River and the Acarai Mountains, this area is only dominated by *Euterpe* swamp forest in the immediate vicinity of streams. After our cut line reached the base of Zibingatzako Mountain, we climbed to one of the summits of the Zibingatzako massif and collected in *Clusia* scrub forest on rock outcroppings. We also collected in riparian vegetation along the Essequibo River several kilometers south of camp and 0–5 km north of camp, before returning to one of the summits of the Zibingatzako massif and collecting in scrub forest on granite outcroppings. Finally, we returned by dugout to Gunn's Strip (Figure 6) and transported all collections, equipment, and personnel to Georgetown by GDF air charter.

TRIP 12: KWITARO AND UPPER REWA RIVERS

2 FEBRUARY TO 7 MARCH 1997 (MAP 7)

Inspiration for this Kwitaro–Rewa trip came as a result of flying from Gunn's Strip to Georgetown and



FIGURE 6. Marifa Waruwanaru (left) and Wachana Yaymochi (right) at Chodikar River camp making the paddles that were needed to get back to Gunn's Strip with a broken outboard engine.

observing a number of rugged, highly eroded granite inselbergs between the Kwitaro and Rewa Rivers and between the Rewa and Essequibo Rivers at about the latitude of the Great Falls of the Rewa River in southern Guyana. These inselbergs appear to be the eastern remnants of the Kanuku Mountains. The fact that the inselbergs and the surrounding areas should support a number of highly diverse plant communities, that this area had not previously been collected, and that exploratory timber concessions have been granted to multinational logging companies covering this entire area argue strongly for expending serious effort to explore and document the plants of this part of Guyana. A Conservation International Rapid Assessment Program team made only a cursory investigation of the lower Rewa River, traveling by boat from the Rupununi River.

Access for this expedition was made from the South Rupununi Savanna via an established line that begins at Shea Village and ends at the Kwitaro River. Although traveling by boat from the Rupununi River would be easier, the lower Rewa River has a different character than the upper part because it passes through flat terrain and has many meanders and oxbow lakes. The Kwitaro and upper Rewa Rivers, on the other hand, provide more immediate access to the inselbergs and have straighter channels with many rapids and waterfalls. All fuel, rations, and equipment had to be carried by people or bullocks from Shea Village to the Kwitaro River, a distance of approximately 32 km. In addition, dugouts had to be lined through the rapids on both rivers, and the very heavy dugouts had to be portaged on newly cut lines around several sheer-drop waterfalls on the Rewa River. This area was visited regularly during the balata (*Manilkara*) bleeding (when latex is gathered from carefully placed slashes in the bark) era in the 1970s and has been prospected sporadically for gold in the past 10 years, but at this point it has no permanent human habitation and is too far from the villages on the South Rupununi Savanna or Rewa Village at the mouth of the Rewa River to be visited by Amerindians paddling canoes. These two rivers still have abundant populations of *Podocnemis* river turtles, arapaima and other highly desirable fish species, giant river otters, and perhaps a remnant population of the Amazonian manatee.

Assistance on this expedition was provided by Claudius Perry of Marunawa, Romeo Williams of the Bartica area, and four workers, all former balata bleeders, from Shea: Paulin Griffith, Myles David, Melchior Augustine, and Malkie Peters. Extra workers were needed for this expedition: seven people would be the minimum number needed to move a large dugout canoe across a portage, lines had

to be cut for portages and to gain access to the inselbergs, and the entire expedition (680 kg) had to be carried from Shea Village to the Kwitaro River. We made 701 collections of fertile taxa on this expedition, mostly in replicates of six. Many of these were collected from difficult to collect canopy trees, epiphytes, and lianas by a technique that combined the use of tree-climbing spikes with extendable clipper poles to reach and collect in the canopy.

Expedition members met in Dadanawa and went on to Shea Village where arrangements were made for more workers and eight bullocks to transport fuel, rations, and equipment to the Kwitaro River. We traveled by foot from Shea to the Kwitaro River over a well established line of somewhat less than 32 km that passes through savanna and forest over relatively flat terrain to a landing on the Kwitaro River. While repairs were being made to the dugouts and three workers returned to Shea for additional supplies, collections were made in the vicinity of Kwitaro Landing (Figure 7).

On 8 February the expedition party of seven left Kwitaro Landing in one large dugout, towing a smaller dugout with fuel and two people. The water level was higher than usual, allowing for fairly easy passage through rapids just downstream from the landing. There were no other rapids after the first set below the landing, but travel was slowed somewhat because the river has a very narrow and shallow channel and broad meanders. After camping near an eastern outlier of the mountains, travel continued downstream on the Kwitaro River to its confluence with the Rewa River (Figure 8) and then upstream on the Rewa River, which has a deep, clear channel. At the end of the day the boats were pulled through the Coruna Rapids using rope and we made camp on the east bank just below



FIGURE 7. *Hymenocallis tubiflora* Salisb. (Liliaceae), Clarke 3475.



FIGURE 8. *Mollia glabrescens* Benth. (Tiliaceae), Clarke 3572, second collection after type by Schomburgk, near the confluence of the Kwitaro and Rewa rivers.

the Great Falls, a complex series of rapids with several 2–3 m sheer-drop falls. We observed several large anacondas on the banks of the Kwitaro River.

Over the next few days we collected in the forest near camp, on rock outcroppings above and below the Great Falls (Figure 9), and on an island above the Falls. We also scouted the old 400 m long portage, used during the balata era, around the Falls starting on the west bank below the Class III rapids below the Falls. We cleared this line to carry rations, fuel, and equipment around the Falls, and cleared another shorter line above the rapids along which to haul the empty boats with the help of cut wooden rollers.

We traveled upstream through periodic stretches of rapids to Pacu (= katabak in Wapishana) Falls, which has a sheer drop of about 5 m and necessitated hauling all supplies over a sheer rock outcropping that would be inundated when water levels are high. We proceeded upstream through more rapids to just below Bamboo Falls, the largest falls on the Rewa River, which has a tiered set of sheer-drop falls totaling about 12 m. This old “balata era” portage starts on the west bank at the end of a set of Class III rapids about 200 m below the Falls. After once



FIGURE 9. Miles (Wapishana) and Romeo Williams (Arawak), negotiating rapids below the Great Falls of the Rewa River in the finest (and only) craft on the river.

again clearing the old portage and hauling our supplies, we made camp at the end of the portage above the Falls.

We collected on an island in the Rewa River above Bamboo Falls, approximately 16 km southeast of the Kwitaro River confluence. Before reaching our next collection point we had to portage around two sets of moderate rapids: Bush Cow Falls and Iguana Falls. At both portages we carried supplies over land and lined the empty boats through the rapids. It was then possible to travel upstream through calm water about 16 km to a point on the river with most direct access to several inselbergs between the Rewa and Kwitaro Rivers.

On 17 February we began cutting a trail and collecting in forest in the direction of an inselberg about 6 km due west of the river; we reached the summit two days later. Near the summit the forest changed abruptly from high-canopy dense forest to more or less open low-canopy scrub forest. A king vulture roost and a jaguar sleeping in a tree were observed on the summit.

Riparian collections were made along the Rewa River south of camp. A jaguar was observed on the riverbank and an abandoned porkknocker’s (goldminer) camp was found on the river. We also collected along a newly cut line 0–2 km west of camp along the river and along the river to the north of camp. We then returned downstream to the confluence of the Rewa and Kwitaro Rivers, where we made camp on a sandbank. We collected on a sand levee to sample a successional gradient, in forest east of the river, and along the Rewa River south of the confluence. A parrot snake (*Leptophis* sp.) was observed very close (2 ft [0.6 m] away at eye level!) in the forest east of camp. We collected on a small mountain near camp immediately east of the river and along the Rewa River north of camp

before returning upstream on the Kwitaro to the camp we had used on 8 February.

We continued upstream to Kwitaro Landing, collecting in the forest along the trail to Shea 0–1 km west of Kwitaro Landing and along the river north and south of the landing.

With the help of bullocks we returned to Shea Village where we could arrange transportation to Dadanawa, on to Lethem by truck, and back to Timehri by GAC scheduled interior air service.

TRIP 13: IWOKRAMA INTERNATIONAL RAINFOREST RESERVE

16 TO 30 MARCH 1997 (MAP 6)

This Iwokrama trip was the fifth expedition in a series to document the flora of the area. Scott Mori, a senior curator at the New York Botanical Garden, and his assistant, Scott Heald, provided additional expertise and enhanced collecting intensity. Scott Mori has completed a flora of Central French Guiana (Mori et al. 1997, 2002) and was able to provide important insights into the similarities and differences between the flora of French Guiana and of Iwokrama. Because only two weeks were available for this expedition we decided to concentrate on collecting in areas accessible from the road between Kurupukari and Annai, eliminating time-consuming travel by boat. In addition, a number of high-quality, diverse habitats are accessible from the road, in particular several areas in the Iwokrama Mountains at the end of trails to Mount Daniel and the gorge between the highest peaks in the mountains. These areas were found on previous expeditions to offer the highest levels of a- and b-diversity in the reserve and thus were thought to be the most productive areas for intensive collecting. Assistance was provided on this expedition by two workers with extensive experience in plant collecting, Romeo Williams from the Bartica area and Claudius Perry from Marunawa, South Rupununi Savanna. These two workers, with Scott Mori and me, expended a good deal of effort climbing trees to ensure that infrequently collected taxa were sampled. On this trip we made 272 collections of fertile taxa and many of these were from difficult to collect canopy trees, epiphytes, and lianas. In addition, Scott Mori and field assistants made 311 collections on this trip.

The seven members of our team flew from Timehri to Annai via GAC and then traveled from Annai to Kurupukari by Land Cruiser. We began collecting along a transect beginning on the Kurupukari–Annai Road 5 km southwest

of Kurupukari. The transect passes through terra firme mixed forest with greenheart reefs on brown sand over relatively flat terrain. Limited local relief accounts for the presence of *Euterpe* swamp forest in streambeds. We then traveled to Moco Moco II Creek 32 km southwest of Kurupukari on the Kurupukari–Annai Road where we rebuilt the camp and made several collections.

We walked northeast along the road for 2 km to a transect that passes through poorly drained forest on white sand with *Catostemma*, *Dimorphandra*, and *Euterpe*, crosses two small creeks, and abruptly ascends a gorge and then a ridge to the summit of a granitic outlier of the Iwokrama Mountains (“Mount Daniel”). Collections were made on the summit in mixed forest. We returned to Mount Daniel in subsequent days to collect just below the summit, on upper slopes, and on lower slopes in a gorge with granite boulders and semi-disturbed vegetation.


On 23 March we traveled from our camp at Moco Moco II Creek to the head of a transect leading to the Iwokrama Mountains, 45 km southwest of Kurupukari. The transect begins in *Humiria* scrub forest (n.v. ‘muri’), passes through swamp forest on brown sand, crosses two creeks, and ends at a camp next to a stream at the foot of the mountains. We collected in the gorge separating the highest peaks of the Iwokrama Mountains, 0–3 km southeast of camp. This gorge has a high diversity of plants due to the combination of rheophytic, epipetric, semi-disturbed, and terra firme elements in the same area. The gorge appears to be substantially more mesic than other parts of the reserve and we observed a higher diversity of epiphytes.

Finally, we collected along the transect leading from camp to the Kurupukari–Annai Road in mixed forest on brown sand with *Mora*, *Carapa*, and *Socratea*. We then packed our plants and supplies for transport to Georgetown via truck through Kurupukari and departed.

TRIP 14: KUYUWINI AND KASSIKAITYU RIVERS

27 APRIL TO 6 JUNE 1997 (MAP 8)

A plant collecting expedition was made in far southern Guyana to the Kuyuwini and Kassikaityu Rivers. This expedition was conceived with the original goal of reaching and collecting in the Wassari Mountains on the Brazilian border. These mountains can be reached via the South Kassikaityu River and offer 1,000 m of elevational relief within several kilometers of the river. These mountains and the entire upper Kassikaityu are virtually unknown. They have been surveyed by the Boundary Commission



MAP. 8. Collecting localities of H. D. Clarke, Trips 14 and 16.

and visited by Adrian Thompson, who collected a limited number of specimens on a trip that ascended the Kassikaityu River, crossed the Wassari Mountains, and descended the Anauá River in Brazil to Manaus. The only person now living who has traveled in the area is Marifa, a Wai Wai who traversed the mountains to visit relatives on the Anauá River in Brazil. The middle and lower Kassikaityu Rivers offer access to northern outliers of the Kamoia Mountains and, because the channel of the Kassikaityu River is more navigable than that of the Kamoia River, these mountains are best reached from the Kassikaityu River. Plant collecting in this area allows for a better understanding of the floristic composition of the southern highlands of Guyana, the least well known of all floristic regions in Guyana.

This trip was almost certainly the most arduous of all those I have carried out in two years of field work in Guyana. It was the rainy season and because we started from the Rupununi Savanna, we had to walk along two trails, 48 to 65 km long, to reach the Kassikaityu River. The effort expended in traveling also limited the collecting effort; although the trip was six weeks long, we had only a little more than two weeks for collecting. Travel from Karaudarnau on the Rupununi Savanna to the Kuyuwini River was facilitated by the use of two bullock carts to transport the 725 kg of food, fuel, and equipment at the start of the trip and the 318 kg of plants and equipment at the end. Travel from the Kuyuwini to the Kassikaityu River was more difficult because carts could not be used and everything had to be carried by people with backpacks or “warishis.” Much of the trail was flooded and stream crossings were difficult. It took nearly two weeks to reach the Kassikaityu River since it took three trips each way to move the entire expedition forward. Shortage of rations at that point forced the party to abandon travel to the headwaters of the Kassikaityu River. Instead we returned downstream to the confluence of the Kassikaityu with the Essequibo River, downstream on the Essequibo River to its confluence with the Kuyuwini River, upstream on the Kuyuwini to the landing at the end of the trail from Karaudarnau, and from there, with the assistance of two bullock carts, to Karaudarnau and Aishalton.

This expedition was staged from the Rupununi Savanna with the idea of economizing by transporting goods and personnel by Bedford truck and GAC scheduled interior air service rather than the more expensive alternative of using air charters. In retrospect, this expedition would have been only slightly more expensive if staged from Gunn’s Strip using air charters (approximately US\$7,000 vs. the US\$6,000 spent on this trip). The extra cost could

easily be justified by the extra time allowed for collecting and the more thorough access to the Wassari and Kamoia mountains. As with all trips in southern Guyana, considerable effort was expended in cutting trails to gain access to mountainous areas for collecting. The time, effort, and extra personnel committed to cutting trail is justified by the greater habitat diversity and unique collections encountered on these mountains. Romeo Williams from Bartica, Regis James from Aishalton, and Claudius Perry from Marunawa, skilled botanical field guides, provided valuable assistance on this trip. We also hired six Wai Wai workers who provided invaluable assistance. We made 813 collections of fertile taxa during this expedition.

Our expedition team met in Dadanawa and traveled by Eddie Singh’s truck to Karaudarnau via Aishalton. As we made arrangements for transportation from the village, the first heavy rains of the rainy season arrived and we saw the first mass synchronous flight of winged termites (large species). We continued on across Parabara Savanna, where high creeks made for difficult stream crossings, and arrived at a landing on the Kuyuwini River at the terminus of a trail from Karaudarnau. We sorted rations, supplies, and equipment for transportation or to cache near the landing and with the help of four newly arrived Wai Wai workers, we crossed the Kuyuwini River to the farm of Charlie Mingle and collected along a trail that leads from there to the Kassikaityu River. Much of the northern portion of this trail crosses seasonally flooded forest on white or brown sand. Dominants include *Catostemma*, *Oenocarpus*, *Euterpe*, and *Licania*. Additional collections were made 0–2 km north of the landing on the trail to Karaudarnau.

We arrived at Kassikaityu River camp on 19 May with all 10 members of the party and all supplies. Each day seven workers would return to the location of the previous camp to transport supplies, while the remaining three workers remained at the current camp to collect. At the second camp, Honey Creek (1°58’N, 59°09’W), collections were made in flooded and terra firme forest, 0–3 km south of camp (Figure 10). A large fer-de-lance swimming into camp was dispatched. A puma was observed on the trail between Honey Creek Camp and Anteater Head Creek Camp and a large jaguar visited the camp in the daytime. A large branch fell on the unoccupied camp, damaging a tarp. At the third camp, at Anteater Head Creek, collections were made in terra firme forest (*Bertholettia*, *Sloanea*, and *Maximiliana* dominant) near camp and 0–1 km to the south. A large tree fell on the camp in the night during a rain storm; only moderate injuries were sustained but the tarp was ruined. The workers were able to consume one



FIGURE 10. *Odontadenia geminata* (Hoffmanns. ex Roem. and Schult.) Müll. Arg. (Apocynaceae), Clarke 4411.

white-lipped peccary each day as they crossed this trail in addition to rations brought from Georgetown. At the fourth camp, at Kassikaityu River, collections were made in forest 0–4 km north of the river in flooded and terra firme forest, 0–4 km along the river west of the landing at the terminus of the trail from the Kuyuwini River, and 0–3 km east of the landing. Habitat diversity in this area is increased by the presence of scrub forest on rock outcroppings near the trail. Mark Sosé extracted two butterfly larvae from my head using *Hevea* latex. The carcass of a tapir regurgitated by an anaconda was observed in the river.

On 22 May two young Wai Wai workers began the return trip to Karaudarnau with plants and the remainder of the party traveled downstream in a large dugout, making camp on the Kassikaityu River 5 km north of an unnamed outlier of Kamoia Mountains (1°49'17"N, 58°44'06"W). We began cutting a line toward an outlier of the Kamoia Mountains and collected along this trail in heavy rain. Until 26 May the team collected on the summit and slopes of this mountain and in riparian vegetation 0–8 km east of the camp on the Kassikaityu River. We then traveled downstream on the Kassikaityu River to its confluence with the Essequibo River, and downstream on the Essequibo River to its confluence with the Kuyuwini River. Monkey Jump, on the Essequibo River at 2°07'53"N, 58°18'27"W, is a small gold-mining site at the confluence of the Essequibo River with an unnamed creek used by the Wai Wai people

to travel to New River; it is the only human habitation on the stretches of river traveled on this trip. We continued upstream on the Kuyuwini River, using low throttle to conserve fuel, cutting through *Astrocaryum* and *Inga* blocking the channel, until we reached the landing at the end of the trail from Karaudarnau. We collected in riparian vegetation along Kuyuwini River 0–5 km west of the landing.

We traveled from the landing to a camp at the northern edge of Parabara Savanna (2°11'58"N, 59°22'14"W) and collected in the savanna and forest edge. We then traveled from Parabara Savanna to Karaudarnau, then to Aishalton (approximately 65 km total), and on to Dadanawa. Our final collections were made on Tautowan Mountain, 10 km east of Dadanawa on the road to Shea Village. From Dadanawa we traveled by Land Rover to Lethem, and by GAC scheduled interior service from Lethem to Timehri. Plants and equipment were left at Savanna Inn in Lethem for transportation to Georgetown by Eddie Singh's Bedford truck.

TRIP 15: WAUKAUYENGTIPU AND PARUIMA

29 JUNE TO 29 JULY 1997 (MAP 3)

A plant collecting expedition was made in the northwestern Pakaraima Mountains of Guyana to Waukauyengtipu and Paruima Village. Paruima is an excellent base of operations for expeditions because it is surrounded by tepuis in all directions that offer a diversity of plant communities. Two of these tepuis, Holitipu to the north (1,250 m) and Utshi/Great Falls of the Kamarang River to the south (1,100 m), have been visited by plant collectors in the past (Tim McDowell and Ben ter Welle). These two tepuis offer tepui scrub, savanna, and bog communities on their summits and premontane rainforests on their slopes. Waukauyengtipu, the eastern edge of which lies about 15 km due west of the village, rises to about 1,800 m and is one of the highest mountains in Guyana. The Amerindian community in Paruima, a branch of the Pemón Venezuela, speak Arekuma. Their term "Waukauyengtipu" means "the mountain of the place of the butterfly." There are only a few other areas in Guyana that offer comparable or higher elevations: Roraima, mountains such as Maringma south of Phillipai that are associated with the Roraima massif, Ayanganna, Wokomung, and Kopinang. Most of the tepuis in Guyana are of medium or low elevation, but the vegetation of tepui summits is determined more by edaphic factors related to flat sandstone substrates rather than elevation per se, so the occurrence of genuine

high-elevation vegetation types, cloud forest in particular, is really quite limited. In Guyana it is restricted to the upper slopes of some of the higher tepuis having northern or eastern exposures that are able to collect moisture from prevailing trade winds. As expected, cloud forest vegetation was found on Waukauyengtipu on its upper slopes and at the summit near the eastern edge. Collections from these areas are expected to yield many new records for Guyana as well as many records of plants known previously in Guyana only from Mount Roraima. No person in the living memory of the villagers has ascended Waukauyengtipu.

An ascent of Waukauyengtipu is quite difficult for a number of reasons: (1) The trail from the village extends only about half the distance to the mountain, ending at Ararata scrub area; any further progress toward the mountain necessitates cutting trail. (2) There are no guides familiar with the terrain west of Ararata, meaning that the approach to and ascent of the mountain can be aided only by map, GPS, and compass. (3) Local people show a good deal of fear of the mountain and had to be convinced that it was safe. (4) The approach to the mountain from Ararata is over very difficult terrain, crossing steep ravines and ridges that are not indicated on the topographic map. (5) Most of the eastern face of the mountain is bordered by sheer 300 m cliffs; the only feasible route from Paruima is by a very steep cliff face more or less due west of Paruima. (6) The final ascent of the mountain climbs 1,500 vertical m over 2.5 km. The time and effort involved in this ascent means that thorough collecting on the summit can be accomplished only by moving a camp to the summit. Assistance was provided on this expedition by Tom Hollowell, data manager for the Smithsonian's Biological Diversity of the Guiana Shield Program; Christopher Chin and Keith David, two biology students from the University of Guyana; and Claudius Perry, a skilled Wapishana worker from Marunawa. We made 1,010 collections of fertile specimens on this expedition.

After initial preparations a party of 10 left Paruima Village with sufficient rations, supplies, and equipment for the first week of the trip. We made camp and collected in premontane forest on brown sand with *Mora gongrijppii*, *Sloanea*, and *Carapa* near the camp.

On 3 July our entire group moved to Ararata scrub area and established camp. We collected near the camp in scrub forest on white sand with *Clusia*, *Pagamea*, and *Humiria*. Over the next three days we collected in premontane forest on brown sand dominated by *Micrandra*, *Eperua*, and *Cassia* 0.2 to 0.5 km east of camp and in premontane forest 0.5 to 1.0 km east of camp.

We then began cutting a line west from camp in the direction of Waukauyengtipu and made collections in dense forest on white sand and sandstone dominated by *Dimorphandra*, *Eperua*, and *Dicymbe*. As we continued cutting the line, we made collections in montane forests over white sand and sandstone. We cut across a number of steep ravines and reached the lower slopes of the tepui, then moved our camp to the base of Waukauyengtipu and made more collections near camp.

As we cut a line to the summit of Waukauyengtipu, collecting on its middle and upper slopes, we crossed very steep terrain. The use of a rope was required over one pitch on a sandstone cliff. Canopy height was found to decrease toward the summit and bryophyte and epiphyte density to increase. Characteristic cloud forest elements were found beginning about 200 m below the summit, such as *Symbolanthus*, *Weinmannia*, *Podocarpus*, and *Tachia*. A large tropical rattlesnake (*Crotalus durissus*) was found and dispatched on the summit.

After moving supplies and equipment to the summit and dispatching workers to Paruima for resupply, we began collecting on Waukauyengtipu on 12 July and continued until 20 July (Figure 11). We collected in the cloud forest near the eastern edge of the mountain and cut a line to the top of a 300 m cliff on the eastern edge of the tepui to collect plants on the cliff face. A spectacular view was afforded from there of the entire upper Mazaruni valley, Roraima, Illutipu, and Great Falls of the Kamarang River, among others.

After more cloud forest collections, we cut a line due west from camp near the eastern edge of Waukauyengtipu toward a savanna 5 km west of camp. Progress was slowed by the difficulty of cutting through dense tepui scrub forest. The scrub forest varies in height from 4 m to about 15 m and is dominated by plants such as *Bonnetia*, *Clusia*, *Brocchinia*, *Cybianthus*, *Schefflera*, and *Mollinedia*. The workers who had gone to Paruima returned with supplies.

As we continued cutting our line west across Waukauyengtipu, we reached and made collections in very dense tepui scrub forest, *Euterpe* swamp forest, and finally wet savanna at the end of the day on 17 July. The wet savanna is a classic tepui bog community with *Heliamphora*, *Brocchinia*, *Xyris*, *Drosera*, *Cladonia*, *Utricularia*, and *Paepalanthus*. We also collected in bush islands adjacent to the savanna that had typical tepui scrub forest elements. The entire party then carried specimens and equipment from the camp on Waukauyengtipu to Ararata, where we observed a lek of the cotingid bird, Cock-of-the-Rock (*Rupicola rupicola*).



FIGURE 11. *Heliamphora nutans* Benth. (Sarraceniaceae) flowers, summit of Waukauyengtipu.

After a trip to Paruima we ascended and collected on two small tepuis: Konuktipu (690 m) 1.5 km south of Paruima and Warimatipu (880 m) 1.5 km north of the village.

Before we prepared to leave we collected on the trail to Illubia Creek, a tributary of the Kamarang River about 3 km south of the village, and in Auratoi savanna 5 km north of the village, passing through a farm on the Paruima River where a man was found who had been bitten by a fer-de-lance (*Bothrops* sp.) the previous night; the man died later that day.

Our last collecting trip before departing for Georgetown was made along the Paruima River 0–1 km north of its confluence with Kamarang River at Paruima Village.

Finally, we traveled by boat from Paruima to Kamarang and by air from Kamarang to Georgetown, a cheaper alternative to chartering a plane from Paruima to Georgetown.

TRIP 16: KWITARO AND REWA RIVERS AND EASTERN KANUKU MOUNTAINS AND MAKARAPAN MOUNTAIN

5 SEPTEMBER TO 6 OCTOBER 1997 (MAP 8)

This plant collecting expedition was carried out on the Kwitaro and Rewa Rivers in southern Guyana. These two rivers give access, via the North and South Rupununi Savannas, to a large portion of the pristine, uninhabited, and poorly collected forest of southern Guyana. Previous work on these rivers in February 1997 (Trip 12) concentrated on reaching the upper Rewa River through the arduous process of portaging dugout canoes and equipment around a series of falls. On this trip we concentrated on the lower Kwitaro and Rewa Rivers and the access they afford to the eastern Kanuku Mountains and Makarapan Mountain. This one-way trip began at Shea Village in the South Rupununi and ended at Annai in the North Rupununi Savanna. This one-way plan allowed for sampling over a large latitudinal gradient. It also provides the opportunity to observe changes in floristic composition of the forest from southern Guyana, with its floristic affinities to eastern Amazonia, to that of central Guyana, with its characteristic *Chlorocardium* and *Mora* forest. This expedition culminated a two-year collecting program in Guyana that, apart from three trips in the Pakaraima Mountains, concentrated on intensively collecting in forests from Iwokrama to the far southern border south of Gunn's Strip. Assistance was provided on this expedition by Cynthia Watson, a biology student from the University of Guyana, and two skilled plant collectors who have experience on numerous expeditions: Claudius Perry, a Wapishana worker from Marunawa, and Romeo Williams from Bartica. We made 874 collections of fertile taxa on this expedition; many of these were from difficult to collect canopy trees, epiphytes, and lianas using a tree climbing technique with climbing spikes and extendable clipper poles as described earlier.

The team flew from Timehri to Lethem in a GAC scheduled Twin Otter, where we were met by Justin De-Freitas. We continued by Land Rover to Dadanawa, then to Shea Village where 770 kg of rations, fuel, and equipment had been sent a week in advance in Eddie Singh's Bedford truck. We hired 13 bullocks and workers and made arrangements to transport our newly constructed dugout down-creek from the village to Kwitaro River (~32 km). We climbed out and collected on Shea Rock, a granite monolith 1 km north of the village (330 m elevation). Five workers transported the dugout down-creek to Kwitaro Landing to meet the main party, a task that required three

days because of low water levels that necessitated dragging the boat over many obstacles.

Between 10 and 12 September we collected in the forest near Kwitaro Landing, 0–1.5 km west of Kwitaro Landing on the trail to Shea Village, and along the Kwitaro River 0–2 km north of the Landing. The entire party of 11 people then traveled in three dugouts with all supplies and equipment down the Kwitaro River, lining the boats through a stretch of rapids several kilometers long immediately below the landing. We camped at the farm of a Wapishana man from Shea (Harold Paul); this is the only human habitation on either the Kwitaro or Rewa River. Continuing downstream we made camp at a point on the river due east of the Kanuku Mountains and began cutting a line due west from camp toward the Kanuku Mountains. We continued cutting line and collecting along the line in seasonally flooded forest until we reached the lower slopes of an unnamed mountain (summit at 3°11'22"N, 58°51'18"W). Ascending to the 560 m summit of this unnamed mountain we collected near its summit, which had inselberg scrub vegetation on granite outcrops with high epiphyte diversity. After we collected on the summit and upper slopes of this mountain, we continued to collect along the Kwitaro River 0–5 m north and 0–5 m south of camp.

On 19 September we traveled down the Kwitaro River and up the Rewa River and occupied an old camp (February 1997) on the west bank of the Rewa River immediately below the Great Falls. We collected along the Rewa River near the Great Falls and downstream 0–5 km north of camp below the Falls. We then traveled downstream to the confluence of the Rewa and Kwitaro Rivers. Four workers from Shea began a return trip to Shea, paddling and poling in one of the three dugouts. Our reduced party of seven traveled in two dugouts down most of the length of the Rewa River, making camp at a bend in the river about 10 km south of the confluence with the Rupununi River. The lower Rewa River is a classic lowland meandering river with healthy populations of black caymans, *Podocnemis* river turtles, iguanas, arapaima and other game fish species, and other sensitive species that are threatened elsewhere.

We cut a line from the river 1 km due south to an oxbow lake and collected in and around a *Mora* forest. We also collected along the Rewa River between camp and the confluence of the Rewa with the Rupununi River. We then traveled down the Rewa River and up the Rupununi River several kilometers to Rewa Village, where we visited with tuchau (Matthew Alvin) and recruited several Macushi workers for collecting on Makarapan Mountain. We continued upstream on the Rupununi River to

Kwattamang Landing (5 km from Annai). Our progress was slowed on the Rupununi River by low water levels and emergency repairs to the hull of the dugout broken by striking a sunken tree.

At Kwattamang Landing we were joined by an additional worker from Annai. We traveled to a point on the river due south of Makarapan Mountain and then carried our supplies 8 km north from the river to the base of the southern face of Makarapan Mountain. Camp was made next to a small creek in forest semi-disturbed by swidden fallow agriculture.


On 29 September we began cutting a line to the top of Makarapan Mountain, reaching the southern false summit. The false summit is a granite inselberg dominated by scrub elements such as *Clusia*, *Erythroxylum*, and epiphytic bromeliads. That day and the next we collected on the southern false summit, on the lower slopes, and near camp. Finally we ascended to collect on the true summit, which also has inselberg vegetation and, in addition, epiphytic elements more characteristic of cloud forest, such as *Utricularia*, bryophytes, and a number of orchid and bromeliad species. During the next few days we collected in forest, savanna, and scrub 0–2 km south of camp at the base of the mountain while continuing to collect on the middle slopes and upper slopes below the southern false summit.

We headed out on 4 October carrying the plants and equipment to Rupununi River and traveling up the Rupununi River to Kwattamang Landing and from there to Annai, where we flew via GAC scheduled Twin Otter service to Timehri. Plants and equipment were left in Annai for transportation by Eddie Singh's Bedford truck to Georgetown.

TRIP 17: ACARAI MOUNTAINS-SIPU RIVER

18 AUGUST TO 18 SEPTEMBER 1998 (MAP 9)

This trip up the Sipu River to the Acarai Mountains began at Gunn's Strip (Figure 12). The expedition collected in secondary forest and in semi-open land on gray sandy clay with *Oenocarpus*, *Macrolobium*, and *Licania*. After a few days of preparation we moved along the Sipu River toward the Acarai Mountains, collecting in dense seasonally flooded forest on gray sand and finding *Aspidosperma*, *Euterpe*, *Isertia*, *Oenocarpus*, *Duguetia*, *Eperua*, and *Clusia* in various locations. Reaching the lower slopes of the Acarai Mountains 4 km south of the Sipu River, the team ascended to the summit of an unnamed peak 6 km south of the river. The lower slopes of the mountain were



MAP. 9. Collecting localities of H. D. Clarke, Trips 17-18.



FIGURE 12. Umana Yana (meeting house), Gunn's Strip.

populated with dense forest on brown sand, including *Virola*, *Parkia*, and *Bactris*. Along the ascending ridge the habitat included *Aspidosperma*, *Bactris*, and *Swartzia*. At the summit the dense forest on brown sand included granite boulders, and the species *Sloanea*, *Palicourea*, *Oenocarpus*, and *Clusia* were apparent.

On 1 September the expedition reached the summit of the highest peak in the central Acarai Mountains 10 km south of the Sipu River and established camp at the base of this peak. On the summit the team found dense forest on brown sand and granite boulders with *Catostemma*, *Oenocarpus*, and *Bactris* (Figure 13). Another location on the summit was dominated by scrub forest on peat and granite with *Erythroxylum*, *Clusia*, and *Myrtaceae*. The area near this camp and around a creek at the base of the high peak was dominated by dense forest on brown sand and granite boulders, with *Eperua*, *Parkia*, and *Sloanea*.

Descending to a location 4 km south of the Sipu River, the expedition established a new camp in dense forest on brown sand. Common species in this forest included *Eperua*, *Sloanea*, *Oenocarpus*, *Pouteria*, *Bactris*, *Symphonia*, *Bertholettia*, and *Rinorea*. Traveling 0–5 km east of camp, the team made collections in dense seasonally flooded forest on gray sand, with *Eperua*, *Aspidosperma* and *Euterpe*. Farther to the east the area along the Sipu River included riparian vegetation and dense forest on poorly drained gray sandy clay, with *Symphonia*, *Euterpe*, and *Eperua*. To the west 0–3 km from camp, the river banks were covered with dense forest on poorly drained gray sandy clay, with *Eperua*, *Aparisthium*, and *Euterpe*.

Finally, the expedition returned to Gunn's Strip. The savanna surrounding the airstrip 2 km west of the village and the Essequibo River is located on poorly drained



FIGURE 13. *Lorostemon bombaciflorum* Ducke (Clusiaceae), Clarke 7160.

white sandy clay and supports *Brysonima*, *Trachypogon*, and *Tibouchina*.

TRIP 18: WASSARI MOUNTAINS, UPPER TAKUTU–UPPER ESSEQUIBO REGION (REGION 9)

18 AUGUST TO 28 SEPTEMBER 1999 (MAP 9)

A plant collecting expedition was made in southern Guyana into the Wassari Mountains in the headwaters of the South Kassikaityu River on the Brazilian border. This trip was designed as part of a series to sample vegetation of the highest elevations in southern Guyana. Collecting at higher elevations in this area is important for several reasons: (1) The difficulty of access in southern Guyana has restricted previous collectors to areas along rivers. (2) High-elevation collecting is necessary to test the extent to which vegetation changes with elevation in this area and to test the prevalent hypothesis that the mountains of southern Guyana are not high enough to have genuinely montane habitats. (3) Collecting in the highest elevational gradient in the area is likely to result in sampling more habitats, whether for elevational, edaphic, or other considerations,

and allows for collecting more species than collecting done exclusively at lower elevations. At 1,135 m the unnamed mountain ascended in this expedition is the highest elevation in Guyana south of Kowatipu, a sandstone tepui in the southern Pakaraima Mountains (1,295 m). The other areas in southern Guyana with elevations near or above 1,000 m include the Iwokrama Mountains, Makarapan Mountain, Acarai Mountains, Kanuku Mountains, Kamoia Mountains (see previous trip reports), and an isolated massif of the Acarai Mountains at the headwaters of the Muri River in the New River Triangle (where access is prohibited because of permit problems). The Wassari Mountains were an especially important focus for plant collecting. Results of the expedition would add to the data set of the mountains of southern Guyana, which are remarkably uniform regarding their abiotic environmental conditions (granitic geology, rainfall, temperature, elevation, etc.), and would allow for the attribution of observed floristic differences to historical rather than ecological factors.

Only one previous visit has been made to the Wassari Mountains. In 1970 Adrian Thompson skirted the southern and western parts of the area while making a traverse from the Kassikaityu River just above the landing of the trail from Kuyuwini River, across and up the Kamoia River, across to the Anauá River in Brazil, and from there to Manaus in Brazil. Several Brazilian gold miners were escorted up the South Kassikaityu River from Gunn's Strip by two Wai Wai men in June 1999, but they had to turn back a good distance from the Wassari Mountains because one of the Wai Wai guides died from malaria. The area has probably not been inhabited since the 1930s when the last of the Atorad Amerindians disappeared from this area. Access to the Wassari Mountains is best gained through the Wai Wai Amerindian village of Gunn's Strip on the upper Essequibo River, the only human habitation in the forests of southern Guyana, an expanse of some 7 million hectares. An attempt to reach the Wassari Mountains in July 1996 failed because the official 1:1,000,000 map of Guyana that was consulted in planning the expedition incorrectly places the mountains between the Kuyuwini and Kassikaityu Rivers (see previous trip reports). Subsequently, in May 1997 another attempt to reach the Wassari Mountains from the Rupununi Savanna failed due to shortage of rations and the time consumed in traversing the trail from the Kuyuwini River to the Kassikaityu River.

This expedition began at Gunn's Strip, which, although nearly 200 km by river from the Wassari Mountains, is still closer than the Rupununi Savanna and provided direct river access to the Kassikaityu River from its confluence with the Essequibo River.

The German magazine *Geo* wanted to feature a botanical expedition for their January 2000 issue and joined this expedition. Henry Tschinkel, former director of the Iwokrama International Rainforest Programme in Guyana, acted as liaison for the *Geo* group represented by the writer Johanna Wieland, photographer Mattias Klum, and his assistant Öla Högberg. Assistance on this expedition was provided by Claudius Perry of Marunawa, Romeo Williams of the Bartica area, Benny Cheong of Orinduik, and six workers from Gunn's Strip: Wachana Yaymochi, Yuphon Maruwanaru, Aaron Maruwanaru, Kayanama Ayaw, Thomas Andrew, and Bemner Sosé. We made 1,008 collections of fertile specimens on this expedition; many were from difficult to collect canopy trees, epiphytes, and lianas.

On 18 August the team congregated in Gunn's Strip. Permission was obtained and arrangements were made to hire workers, rent three dugout canoes, and purchase food supplies. The entire party of 14 left three days later and traveled north on the Essequibo River to its confluence with the Kassikaityu River (km 38.2). We then traveled upstream on the Kassikaityu River, making camps at km 71.2 and km 137.5 and on the South Kassikaityu River at km 184.5. High water levels and frequent rain during the four days of travel up the river were due to the late rainy season.

Continuing up the South Kassikaityu River, we made camp at the point giving most direct access to the highest point in the Wassari Mountains (km 192.8). Along the South Kassikaityu River we had to repeatedly use a chainsaw to clear the channel; at times the river narrowed to about 10 m in flood stage at the highest point. Beginning at the river and heading toward the Wassari Mountains, we cut a transect and made collections in flooded forest on gray sandy clay with abundant *Euterpe* and *Mauritiella* and in flooded swamp and liana forest along a creek between the two northern foothills of the Wassari Mountains. Camp was moved to the base of the mountains on 28 August and the next day we began cutting the line up and over an 840 m ridge south of camp, collecting on the ridge summit. Several hundred meters south of camp we discovered a one- or two-year-old trail with east-west heading, possibly coming from Brazil.

Our cut trail continued down the southern side of the 840 m ridge, reaching a creek at the base immediately north of the massif of the highest peak in the Wassari Mountains. We collected on the ridge summit, in a large treefall immediately below the summit, and in a ravine below the ridge. A jaguar was heard growling close to the collectors. Moving our camp over the ridge to the creek, we cut over the first and second summits to reach the highest peak in the Wassari Mountains. Collections were

made along the way (Figure 14): near camp in a flash-flood-prone bamboo (*Guadua*) forest; 0–0.5 km south of camp in dense forest with rock outcroppings; on middle slopes of the first summit 0.5–1.0 km south of camp; and on the summit of the 1,135 m peak in inselberg scrub forest on granite and *Sphagnum*. Soils in the area of the middle slopes were a deep red clay loam not seen in other areas. A large buttressed *Ficus* was the dominant emergent in this area. On the summit, Lauraceae (*Rhodostemonodaphne scandens*, e.g.), Clusiaceae, and Myrtaceae were dominant, with abundant epiphytes maintained by frequent cloud contact. At the summit we paused to consult with members of the *Geo* team about the story and to take photographs.

On 7 September we began cutting a trail east of camp to an unnamed 975 m mountain with a high-canopy high-diversity forest with abundant *Bertholettia*. *Apodanthes caseariae* Poit. (Rafflesiaceae) was common as well as *Casearia* on the upper slopes of this mountain. A jaguar



FIGURE 14. *Monstera adansonii* Schott (Araceae), Clarke 8425, collected in the Wassarai Mountains.

was sighted along the trail. This peak's summit is dominated by inselberg scrub forest and offers excellent views of the Acarai Mountains, Wassari Mountains, and into Brazil. We continued collecting for several more days on the summit of the 1,135 m peak and between the peak and camp. The first summit between camp and the 1,135 m peak is dominated by inselberg scrub forest with abundant *Guadua*, *Erythroxylum*, *Sphagnum*, and Myrtaceae. Epiphytes are not as common on the smaller peak, perhaps due to less frequent cloud contact.

Making our last collections near camp in a flash-flood-prone forest with *Guadua*, *Inga*, *Socratea*, and *Cecropia* dominant, we carried our equipment to a new camp on the South Kassikaityu River. From this camp we collected 0–0.8 km south of the South Kassikaityu River on a transect starting at 1°38'56.8"N 59°14'58.7"W and heading toward the Wassari Mountains and along the South Kassikaityu River 0–6 km northeast of camp and 0–2 km southwest of camp.


On 22 September we traveled by dugout canoe to a previous camp (22 August). Heavy rains and rising river levels made for efficient travel. The Wai Wai opted for a fishing day to take advantage of active feeding by *Haymara* (*Hoplyas macrophthalmus*) in response to rising water levels. We continued by dugout to Gunn's Strip, stopping to collect on an island above Baboon (Biloku) Rapids (shipukashi = howler monkey in Wai Wai). Finally, we weighed and packed plants, supplies, and equipment, carried goods from the village to the airstrip, and flew by twin engine Islander from Gunn's Strip to Ogle the next day.

TRIP 19: MOUNT AYANGANNA, POTARO-SIPARUNI REGION (REGION 8)

30 MAY TO 10 JULY 2001 (MAP 10)

A plant-collecting expedition was made to the summit of Mount Ayanganna from an unexplored route ascending the east face. Mount Ayanganna (2,040 m elevation) is the highest mountain wholly within Guyana; it is a tepui, or flat-topped mountain, and a member of the Roraima sandstone formation. Although Mount Ayanganna may be the outstanding topographic feature of Guyana (along with Mount Roraima), it has received little attention from previous plant collectors because it is difficult to access. Previous collectors include Bassett Maguire, Bruce Hoffman, Terry Henkel, John Pipoly, and Steve Tillett. The first documented ascent was by Adrian Thompson on Independence Day (26 May) in 1966.

All previous expeditions have been attempted from the western approach because Akawaio Amerindian guides



MAP 10. Collecting localities of H. D. Clarke, Trips 19–20 and 22.

live only on the western face in the Mazaruni drainage. The western approach requires air charters to Imbaimadai, boat travel to Chi Chi Falls upstream on the Mazaruni River from Imbaimadai, walking from Chi Chi Falls to Chinowieng Village (the last human habitation on the west slope in a savanna inclusion), and walking approximately 40 km from Chinowieng to Mount Ayanganna by passing northeast of the summit on the lower escarpment, gaining the ridge that ascends to the summit escarpment, and climbing to the summit from there. The eastern face and the Potaro River drainage are uninhabited from the summit down to Chinapau Village and Kaieteur Falls. Access from Chinapau would be impossible because the Patamona Amerindians who live there do not travel above the falls upstream on the Potaro River (the main falls, Kaieteur, is immediately downstream from Chinapau).

Before this expedition, the route to the summit established by Isaac Jerry (an Akawaio Amerindian) and Adrian Thompson was from Chinowieng. That route has been used by all other parties, including members of the Guyana Defense Force who make annual ascents on Independence Day. Like most tepuis, Mount Ayanganna consists of tiered escarpments, which are often quite sheer, separated by flat or gently sloping plateaus. The east face consists of four separate escarpments, whereas the west face has only the summit escarpment and the three lower escarpments combined into one steep, but passable, escarpment.

A primitive white sand airstrip was cleared by diamond miners on the upper Potaro River about 15 km southeast of the summit during the 1980s. This airstrip has since been abandoned but a group of Brazilian diamond miners have built an improved laterite airstrip lower on the Potaro River about 20 km southeast of the summit. We chose a route from the airstrip because, although pioneering this new route would involve extensive line cutting, the airstrip is much closer than the approach through Imbaimadai, Chi Chi, and Chinowieng. This eastern approach was also expected to yield many unique collections. The eastern face directly intercepts the northeast trade winds from the Atlantic and may thus have the highest rainfall and most wet, high-elevation cloud forest and scrub habitats on its slopes, areas that often harbor unusual endemic taxa.

We made 1,021 plant collections on this expedition. Collections were made thoroughly at all elevations, making this a representative, if not a complete, collection of the flora (representing the month of the year visited) of a previously undocumented and unexplored face of this important tepui. Poorly known canopy tree, epiphytes, and lianas were collected by extensive tree climbing using

tree-climbing grimpettes and extendible aluminum clipper poles, augmenting the collections' value.

Supplies for the trip included 1,200 lb (~550 kg) of rations packed in five-gallon buckets, including 135 kg of cassava farine; 550 kg of equipment and supplies, including 70 kg of newspaper and 15 gallons (~57 L) of alcohol for collecting plants; 12 gallons (~45 L) of gasoline and an 84 lb (38 kg) Yamaha 15 hp engine for travel on the Potaro River; a two-way radio, antenna, solar panels, and battery; and packframes, cutlasses (machetes), sleeping bags, warm clothes, trade items, and tents for the Patamona Amerindian workers. Romeo Williams and Claudius Perry (experienced Arawak and Wapishana parataxonomists, respectively), Josh Kelly and Erin Tripp (undergraduate students from the University of North Carolina at Asheville), and the I flew from Ogle Airport in Georgetown to Ayanganna. A flight diverted to Orinduik picked up four Patamona Amerindian workers: Leonard Williams, Colin Albin, Pedro Joseph, and Edward Joseph. The entire party moved rations and equipment from the airstrip about 1 km west to a landing on the Potaro River where a provisional camp was made for the night.

As rations and equipment moved upstream from the new airstrip to the old Ayanganna airstrip on an aluminum boat rented from Brazilian miners, the full complement of the expedition party formed as Charles and Milton Joseph and Moses Williams (Patamona Amerindians) joined the group after walking overland from Orinduik on the Brazilian border. The expedition party moved up the river with the last load to Terry Henkel's (mycologist and former BDG collector) camp on the Potaro River. All river travel above the old airstrip was by paddling in a dug-out canoe, because the dugout was too small to accept the outboard engine and the Brazilian aluminum boat was no longer available.

Expedition supplies were transported upstream on "whitewater river," an unnamed tributary of the Potaro that runs parallel to the eastern face of Mount Ayanganna. These supplies were to be stored at the site of the future "whitewater camp." Meanwhile, collections were made in the forest at the base of a laterite ridge along an affluent of the Potaro River 2 km south of Henkel's camp. From this camp a line was cut along a direct compass heading to the base of the toe slope of the first escarpment where more collections were made. Considerable diversity is present in this area, resulting from a mosaic of terra firme forest on laterite ridges with seasonally flooded forest on white sand. The expedition party moved along the cut line and then bushwacked east through forest to make camp at "whitewater camp" with the cache.

Six inches (152 mm) of rainfall (measured by a rain gauge in Henkel's camp) on the night of 5 June caused the river to rise 5 m or more. We were forced to evacuate whitewater camp to an impromptu camp on the first laterite ridge about 500 m west of the river. Ropes were needed to assist evacuation through flowing water in the flooded channel of the river and the move took three days.

We resumed collecting on a plateau edge above and on the summit of the first of four escarpments. On the top of the first summit (1,008 m elevation) soils changed from lateritic clay to white sand and gray sandy clay. The physiognomy of the forest of the first plateau differed from that of the base of the massif by having a lower (~15 vs. 20–30 m), non-stratified canopy with epiphytes at all levels and an abundant shrub and herb layer. Legumes were much less abundant and Clusiaceae, Myrsinaceae, Euphorbiaceae, and Melastomataceae became more abundant. Undated forest dominates due to limited slope and because the sandstone bedrock is close to soil surface.

The camp was moved to a position along the creek about 1 km from the summit of the first escarpment. Collections were made near camp and on plateaus 1–2 km north of camp as the team continuously cut a line toward Chinowieng summit. Camp was moved to the top of a waterfall on an affluent of whitewater river at the edge of the first plateau and was then moved immediately below the second escarpment. Collecting there found unique montane elements such as *Hedyosmum* (Chloranthaceae). Dense forest on the second escarpment opens into broken-canopy (~10–12 m) scrub forest on poorly drained white sand and sandstone on a plateau between the second and third escarpments, turning into dense cloud forest on the plateau above the second escarpment and on the third escarpment, and finally becoming tepui scrub and cloud forest with high-elevation endemics such as *Podocarpus*, *Weinmannia*, and Mutisieae–Asteraceae on the plateau above the third escarpment. On the fifth day the cut line reached an intersection with a trail from the west slope to Chinowieng, high on the summit escarpment, where collections were made in dense scrub forest with low (5 m) canopy. Camp moved to the base of the fourth summit escarpment at 1,545 m.

Edward Joseph's femur was badly bruised by a rock dislodged from an unstable slope during descent and he was carried into camp in a warishi (Amerindian backpack made from *Ischnosiphon* fibers). While five members of the party moved to a new camp at the summit, the remaining members stayed in the lower camp to provide logistical support and remain with Edward Joseph. The five at the summit made collections near the camp in sloping tepui bog dominated by *Brocchinia*, Rapateaceae, and Cyperaceae;

on the summit proper, a rock outcropping with epipetric and scrub vegetation; and on the east face near the edge of the summit plateau in tepui scrub forest. They then returned to the camp at the base of the summit escarpment and made more collections near the lower camp.

The expedition party moved to a camp at the top of a waterfall at the base of the second escarpment and made collections in nearby forest. Heavy rainfall that night destroyed the tarp over the hammocks, forcing evacuation to the camp at the base of the first escarpment. In forest near this camp the restricted endemic and monotypic *Mauguireanthus ayangannae* (Melastomataceae) was collected along the stream on a fallen log. Expedition members made additional collections in the forest 0.2–1 km south of camp along the trail to Henkel's camp. I encountered—and dispatched—a poisonous parrot snake (*Bothriopsis bilineata*) in a *Micrandra* tree (Euphorbiaceae).

On 2 July the expedition party moved to Terry Henkel's camp along the Potaro River. Collections were made near camp and in riparian vegetation along the Potaro River 0–2 km east and 0–2 km west of camp. We then moved to the old Ayanganna airstrip and from there to the new Ayanganna airstrip by aluminum boat with an outboard engine rented from Brazilian miners, making collections in both locations.

Departure was complicated when the pilot of the single Cessna 206 reported malfunction and loss of power, saying that only 400 lb (181 kg) of the anticipated 700 lb (317 kg) could be transported. Moreover, intense rain prevented diversion to Orinduik to return the Patamona workers to their home. Romeo and I boarded the aircraft with the plant collections; in blinding rain, the airplane barely cleared the trees at the end of the runway and was very slow to gain elevation needed to climb above the summit massif of Mount Ayanganna. The remaining expedition party made provisional camp at the airstrip. Once in Georgetown I urged the air charter company to evacuate the remaining personnel and equipment, which they did the next day. The Britten Norman (BN) Islander diverted twice to return the six Patamona workers to Orinduik but was forced by darkness to land at Timehri Airport with the 300 lb (136 kg) of equipment before continuing on to Ogle the next morning.

TRIP 20: MOUNT WOKOMUNG, POTARO-SIPARUNI REGION (REGION 8)

15 JUNE TO 23 JULY 2003 (MAP 10)

Mount Wokomung yielded 1,118 collections of plants over a five-and-a-half-week period in the summer of 2003.

This tepui (flat-topped, sheer-walled, sandstone mountain of the Guiana Highlands) attracted attention for several reasons: (1) Its elevation, at 1,660 m is the second-highest mountain after Mount Ayanganna (2,080 m) wholly within Guyana. (2) It lies at the southern end of a chain of tepuis that begins with Kamakusa (1,646 m) and Karanang (1,516 m) at the northern edge of the escarpment of the Pakaraima Mountains and passes south over Mount Ayanganna to Mount Wokomung, a distance of 120 km. (3) It has a northeast aspect, which, combined with its high elevation, directly intercepts moisture-laden trade winds from the Atlantic and creates genuine montane wet cloud forests, a habitat that occurs only in restricted areas in Guyana. (4) It forms, with Mount Ayanganna, the high-elevation headwaters of the Potaro River, the river that forms Kaieteur Falls some 60 km downstream. Kaieteur National Park is the cornerstone of Guyana's National Protected Areas System (Figure 15). Proposals to expand Kaieteur National Park have encompassed both Mount Wokomung and Mount Ayanganna, but, before my 2001 expedition to the summit of Mount Ayanganna from the eastern face, no botanical data were available for the higher elevations of the entire upper Potaro watershed. Furthermore, although environmental threats to the Park from mining and other activities along the Potaro River below the Falls are well known, diamond mining by Brazilians and Guyanese in and adjacent to the Potaro River above the Falls has increased due to the recent construction of a laterite airstrip that provides access to this area. Documenting the botanical diversity of this region as baseline data before additional disturbance is essential for adequate monitoring and land use planning. The rejection of Kaieteur National Park for inclusion in the World Heritage List (IUCN, 2001) was based largely on the lack of documented diversity and the small size of the park (42 km²) as it currently exists. Data from the Wokomung expedition can help to ameliorate this shortcoming for any future conservation proposals in the area.

Recent construction of a laterite airstrip in the Upper Potaro by Brazilians has made expeditions to the Wokomung/Ayanganna area feasible from an eastern approach. Mining operations provide the only infrastructure in this area because the upper Potaro River has no permanent human habitations above the Patamona Amerindian village of Chinapau, which is immediately adjacent to Kaieteur National Park. Earlier expeditions to Mount Wokomung were either from the village of Kopinang several kilometers south of Mount Wokomung (Brian Boom, New York Botanical Garden, 1987 and 1989) or from the upper Ireng River to the west (Terry Henkel, Smithsonian Institution,



FIGURE 15. Kaieteur Falls from Johnson's View.

1993). A white sand airstrip several kilometers upstream of the new airstrip functioned for several years in the 1980s, but was never safe for landings or takeoffs with anything other than very light payloads. My 2001 expedition took advantage of the eastern approach to Mount Ayanganna and yielded four species and one genus new to science in addition to many other valuable collections. As on Mount Ayanganna, once the difficulty of having to cut new trail from the river to the summit is overcome, the eastern approach offers the advantage of providing access to those parts of the massif with the largest surface areas above the first escarpment. These extensive genuinely montane habitats—the principal target of this expedition—are not often encountered in Guyana and are expected to harbor a high diversity of unique plant species. Given these considerations, the overall plan of the expedition was

straightforward: move from the New Ayanganna airstrip 24 km downstream on the Potaro River to a point that provides the most direct access to Mount Wokomung and then cut trail and collect along that trail to the summits of each of the three highest parts of the Mount Wokomung massif, returning by the same route.

Preparations for the Wokomung expedition began in earnest in March 2003 with the submission of a proposal to the Guyana Environmental Protection Agency for permission to carry out the work. I arrived in Guyana on 7 June 2003 with Josh Kelly and Erin Tripp (University of North Carolina at Asheville alumni and returning members of the 2001 Ayanganna expedition), and Stephen Stern (UNC-Asheville student). We spent one week preparing for the expedition, assembling a manifest that totaled 1,800 kg: 635 kg of rations (including 90 kg farine and 60 kg salt fish) and 400 kg of equipment, including two outboard engines, 150 kg gasoline, and 635 kg of personnel and gear.

On 15 June we flew from Ogle airstrip to the New Ayanganna airstrip with all supplies and equipment in two Islanders and one Cessna 206 airplane. We were met at the airstrip by five Patamona Amerindians from the upper Ireng village of Kaibarupai: Leonard and Moses Williams, Colin Albin, and Charles and Linus Joseph; all but Linus Joseph participated in the 2001 Ayanganna expedition. The group was joined later in the week by Romeo Williams and Claudius Perry, long-term Guyanese associates and parataxonomists who have accompanied many other scientific expeditions, and Diana Gittens, a student from the University of Guyana.

All supplies and equipment were carried from the airstrip about 500 m to the Bastos mining camp at the lower landing on the Potaro River and a wooden boat was rented for the length of the expedition. While supplies and equipment were moved several kilometers downstream to a camp at Malek Falls on the Potaro River, collections were made at the airstrip. The entire party moved to the new camp and collections were made in disturbed forest near Malek Falls while supplies and the workers were shuttled down the Potaro River.

As remaining personnel, supplies, and equipment traveled downstream from Malek Falls by boat, the stern wave of a passing boat transporting miners upstream flooded our bow, causing it to sink with the chain saw, tree climbing spikes, outboard, machetes, and aluminum clipper poles. All other supplies and equipment floated because they were secured in either plastic buckets or heavy plastic bags. Members of the expedition party swam to shore, collecting flotsam in the process, establishing once again and yet in a novel fashion that everything on a plant-collecting

expedition, including the botanists, is fully immersible. The miners transported the expedition party and equipment downstream to the river camp, where a provisional camp was made.

Radio communication was established with Georgetown by felling trees to erect the antenna and to allow for solar charging of the radio battery. The BDG had extra equipment in Georgetown so a radio message was sent to Terry Henkel, mycologist from Humboldt State University, California, to bring extra clipper poles and tree climbing spikes when he flew in the next day. Romeo Williams returned to the site of the sunken boat to retrieve the remaining expedition equipment left onshore, delivered the goods to the river camp, and left for the New Ayanganna airstrip to secure the services of a compressor, a floating river dredge, and a diver to retrieve the lost boat and equipment. He returned two days later with the tree climbing spikes, boat, and engine, but not the chain saw or clipper poles.

Collections were made around camp, principally epiphytes from trees felled for the radio, as David Clarke and the Patamona Amerindians began cutting a line toward the base of the first escarpment of Mount Wokomung. The next day Romeo Williams led the cutting party as the remainder of the expedition party hauled material to the end of the trail cut the previous day. Moving supplies continued to the site of a future camp at the base of the first of four escarpments. Plants were collected in the forest midway between the river and the mountain.

Noting that the river level had dropped since the boat overturned, Romeo and several of the party returned upstream to search for the clipper poles. They were unsuccessful, but returned with poles brought in by Terry Henkel.

On the 23 June the entire party moved camp to the base of Mount Wokomung, leaving a cache of specimens, rations, radio, and other equipment with the small land dredge operation on the opposite side of the river. The party made collections in the forest surrounding camp in both seasonally flooded and terra firme forest on steep lateritic slopes. Further collections were made on northeast facing slopes of the first escarpment in naturally disturbed forest on steep lateritic slopes.

As equipment and supplies were moved from the base of the first escarpment to a new camp on the plateau, a fixed line was necessary to help people up the slope immediately below the summit of the escarpment. The flat poorly drained terrain made finding a suitable stream for a water supply difficult in this area. Collections were made in semi-open, single-tiered canopy forest near camp and at the edge of the plateau, as line cutting proceeded to the summit of the easternmost pinnacle on the massif.

Line cutting, accompanied by collecting, proceeded toward the highest summit of the Mount Wokomung massif (Figure 16). The summit was reached on 5 July and collections were made in a tepui bog. The line cutting then began from a position below Little Ayanganna toward the summit of Mount Wokomung proper, the westernmost summit of the massif, via the second and third of four escarpments, 1.5 km northeast and 1 km northeast of Mount Wokomung. On 8 July we reached 1,490 m and camp was moved to a position immediately below the summit. The expedition party continued to collect on the summit, near camp, and around the previous camps as the party returned along the line. Final collections were made in forest near the previous Potaro River camp and along the river 0–2 km north of camp and 0–10 km south of camp.

After sending collections, supplies, and equipment upstream on the Potaro River, the entire expedition left the Potaro River camp in two boats, portaged around two falls, including Malek Falls, and arrived at the landing of the New Ayanganna airstrip. All collections, supplies, and equipment were moved from the landing and base camp to the airstrip. Finally, all plant collections, personnel, and equipment left for Ogle airport in a Cessna 206 and an Islander.

TRIP 21: CENTRAL SURINAME NATURE RESERVE

22 FEBRUARY TO 10 MARCH 2004 (MAP 11)


Collecting on this trip began along the Coppename River at Bureau Waterkracht Werken Camp, 500 m south of Tonckens Falls, and continued on to Tonckens Falls. From there we moved to collect along the Rechter Coppename River, near Bolletrie Falls, and along an unnamed tributary of the Rechter Coppename River. The headwaters



FIGURE 16. Stephen Stern, Josh Kelly, Claudius Perry, Diana Gittens, Erin Tripp, and David Clarke at the summit of Mount Wokomung, having cut trail and collected on three summits of the massif.

of the Rechter Coppename have their origin on the Tafelberg, the easternmost tepui in the Guiana Shield, which allows for representation of an ecological and elevational gradient otherwise not represented in Suriname. Classic examples of flooded forest, aquatic vegetation associated with periodically inundated rocks, herbaceous communities found on sandbars, and terra firme forest were observed. Although many of the plant species occur in other areas of the Guiana Shield, the assemblage of species that exists in the Rechter Coppename is unique. The river was found to be impressive in both basic botany and plant conservation, as described below. Terra firme forest in the Rechter Coppename was found close to the river, always less than 50 m and frequently only 10 m from the river. Typical examples of herbaceous plants, understory trees, palms, midstory trees, canopy trees, and canopy emergents were represented. Diversity at the species level in each of these major groups of plants was found to be moderately high. Flooded forest occupied a narrow band and was often on steep banks near the river. Typical genera such as *Psidium* and various other Myrtaceae were represented. The flooded forest, especially when subjected to siltation as occurred on river banks with low relief, had a non-stratified canopy 10–15 m high. Terra firme forest was quite stratified with canopy height approximately 30 m. Trees along the river bank and the banks themselves were covered by a dense assembly of vines, lianas, and herbaceous taxa including *Cydista*, *Ipomoea*, *Heliotropium*, *Sida*, *Mikania*, and other widespread taxa typical of low-elevation rivers of the Guiana Shield. Podostemaceae, *Solanum*, and *Psidium* often colonized rocks exposed to inundation. Soils were composed of brown sandy clays ultimately derived from granitic or doleritic substrates. The terra firme forest supported a high diversity of genera typically associated with these soils, namely *Pouteria*, *Inga*, and *Protium*. White sands and forest associated with them were not found, but further investigation of the upper Rechter Coppename River above Bolletrie Falls will be necessary to determine the boundaries of the psammophilous flora associated with the Tafelberg massif.

The expedition team included Claudius Perry, our Amerindian guide from many BDG expeditions, Erin Tripp and Stephen Stern again joined the expedition, and Diana Gittens from University of Guyana. We moved on to the confluence of the Midden and Linker Coppename Rivers. The Midden and Linker Coppename Rivers are significant, both biologically and from a conservation standpoint, because they drain the highest elevations in Suriname, the Wilhelmina Gebergte with Julianatop being the highest point at 1,400 m. The elevation gradient from



MAP 11. Collecting localities of H. D. Clarke, Trip 21.

the confluence of the Linker and Midden Coppename (at 100 m) to the summit of the Wilhemina Gebergte is expected to contain a significant percentage of the plant diversity present in Suriname. Preservation of this watershed is therefore highly important for conservation. Although only the lower reaches of both rivers was explored, the diversity documented was impressive and differed in a number of respects from that observed on the Rechter Coppename River. Forest bordering the perimeters of the Midden and Linker Coppename in all instances was formed on terraces, levees, and other features resulting

from river dynamics, whereas the Rechter Coppename was dominated by terra firme forest not affected by river dynamics quite close to the main channel. Successional gradients formed over long time periods in the absence of human disturbance allowed for establishment of wind-dispersed taxa with high light requirements in seedling stages, such as *Ceiba pentandra* and *Couratari*. Both of these species were found frequently as large, buttressed, canopy-emergent taxa with heights to 45 m along the river banks. Although these taxa grow in closed-canopy forest, their presence indicates significant disturbance at the time

of seedling establishment, in this case as a result of erosion from the shifting river channel. *Geonoma* and *Trichilia* were found to dominate river terraces, whereas levees and poorly drained forest behind levees were found to be quite diverse, with a complement of herbaceous taxa and small trees in the understory such as *Psychotria*, *Piper*, and *Rinorea*, a midstory dominated by *Astrocaryum*, *Euterpe*, and *Attalea*, and a canopy with no clear dominants but many elements typical of low-elevation forests such as *Inga*, *Eschweilera*, *Pouteria*, and *Licania*. Canopy height was approximately 30 m with emergents to 45 m. Soils were universally brown sandy clays and were often alluvial in origin. Relief near the river was often very limited but in a few cases amounted to 10–20 m. The plant diversity of this area was found to differ from that of the Rechter Coppename chiefly as a result of differences in the character of the river. Together, these areas represent a pristine and diverse example of the plant diversity of this part of northeastern South America. Continued preservation of this area in a state that is free from human disturbance will help in the conservation of biological diversity and the processes that produce and maintain this diversity. A high priority should be placed on sampling the upper reaches of these two rivers to document the extent to which diversity varies with elevation as the rivers descend from the Wilhelmina Gebergte.

After returning to the area around Bureau Waterkracht Werken Camp, the expedition moved on to Adampada Creek, an affluent of the Coppename River. The biological and conservation significance of the plant diversity of Adampada Creek may be explained largely as a function of the smaller size of the creek compared to the Coppename River and the differences in river dynamics and hydrologic cycles that result. The botanical work done in Adampada Creek revealed abundant evidence of areas near the river being subjected to stronger but shorter flooding cycles than those found along the Coppename River. As a result the vegetation near the creek showed a more compressed transition from submerged aquatic to terra firme forest than along the Coppename River. Plant communities were sampled on various topographies, including a waterfall, rocky islands in rapids, steep river banks, and poorly drained and well-drained terra firme forest. These habitats were found to be closer together than along the Coppename River, making the aquatic habitats smaller and probably more susceptible to perturbation. Conservation of this part of the reserve is of particular concern because most of the watershed lies outside the reserve boundaries and is threatened by large-scale bauxite extraction.

We spent the remainder of the trip along the main Coppename River, including the areas of Caiman Sula (= rapids), Sidonkroetoe Sula (= sit down meeting rapids), Driefoetoe Sula (= three-foot rapids), and unnamed tributaries and affluents of the Coppename River. Botanical sampling of the Coppename River below the confluence of the Rechter and Linker Coppename Rivers occurred in diverse habitats, including flooded forest on steep banks, rheophytic, emergent, and submerged aquatic vegetation, rocky islands, seasonally flooded forest behind levees, and relatively little genuine terra firme forest (although this may have been due more to limited relief and consequent poor drainage at the georeference localities than to river flooding per se). Vegetation differed qualitatively in these areas as a result of the more extensive and prolonged flooding on the larger section of the river. Flooded forest extended as much as 200 m behind the river bank. Although we found extensive evidence of vegetation affected by flooding, siltation, and formation of levees and berms, we found no evidence of successional gradients resulting from shifting river channels as we saw in the Linker Coppename River. Conservation of this part of the river will be best effected by protecting upstream parts of the river, which will preserve the hydrologic cycle and water characteristics.

All the sites visited on the Coppename River were found to be as pristine as any other site in the Neotropics. Because they are part of a very large protected area, the Central Suriname Nature Reserve, they may be expected to receive continued protection. In the absence of any human-induced disturbance of either aquatic or terrestrial vegetation, both species diversity and community dynamics are robust and, if afforded continued strong protection, will remain so in the future. The presence or absence of plant species in low-elevation forests of the Guiana Shield turn over more or less consistently as a function of distance, most likely as a result of an equilibrium established among speciation, dispersal, and extinction over very long time periods. The Coppename River provides an excellent example of the plant diversity that has evolved under these conditions and, given the large size of the reserve, the evolutionary and ecological dynamics needed to propagate these processes into the future will be maintained. The plant communities sampled were found to be composed of a unique assemblage of species, most of which have broader distributions in low-elevation areas of the Guiana Shield. The combination of species represented, however, is very unusual and the Coppename River, therefore, is an outstanding representative of the diversity of the Guiana Shield.

On this trip we were able to make 349 collections from the 24 georeference sites.

TRIPS 22–23: MOUNT MARINGMA, WAYALAYENG VILLAGE, GEORGETOWN

23 MAY TO 27 JULY 2004 (MAPS 10 AND 11)

This expedition, my 20th (and possibly last) in Guyana over a 10-year period, was a continuation of work done in 2001 on Mount Ayanganna, 2003 on Mount Wokomung, and 1997 on Waukauyengtipu. The focus of these expeditions to the Pakaraima Mountains was to sample every tepui higher than 1,450 m. After this trip the only tepui not sampled in Guyana was Tulameng, at 1,490 m elevation, located at the extreme northeastern edge of the Pakaraima Mountains, which remains a high priority for sampling. Mount Maringma is important because it is close to the Roraima massif. Given its location at the eastern terminus of the chain of tepuis along the Brazil–Guyana border, Mount Maringma was expected to harbor many plants previously known only as Roraima endemics, as confirmed by preliminary results from both the slopes and summit of Mount Maringma. Notable collections include those of *Magnolia*, *Drimys*, *Weinmannia*, *Rubus*, *Vellozia*, *Heliampora*, *Stenopadus*, *Stomatochaeta*, and *Gongylolepis*.

We approached the mountain from the Ataro River and the village of Wayalayeng, situated at the base of the mountain and next to the Falls of the Ataro River, where the river drops from 625 m to 490 m. Starting at Imbaimadai on the upper Mazaruni River, the expedition party descended the Mazaruni to its confluence with the Kukui River at Jawalla, ascended the Kukui River to the Ataro River confluence, and ascended the Ataro River to

Wayalayeng. We walked from there to the summit, cutting trail beyond the last farm from the village to the summit. The Ataro River section of the route lies within the Akawaio Amerindian village of Pipillipai. The western boundary of the village is formed by the Arabaru River, whose headwaters arise between Mount Maringma and an unnamed 1,830 m mountain south and west of Mount Maringma. Maringma itself, then, is not on village lands.

After collecting extensively along the southern slopes, summit, and a sub-summit plateau of Mount Maringma, the expedition, which included Jay Rhodes, returned along the Ataro River to Wayalayeng Village. Final collections were made at Imbaimadai near the airstrip; along the Mazaruni River 0–7 km above its confluence with the Karowrieng River; and in Georgetown at Bel Air Park.

The expedition to Mount Maringma (2,134 m) yielded 1,059 collections of plants over five weeks. The collections are noteworthy for several representatives of species collected by R. Schomburgk on Roraima in 1834 but not re-collected in the intervening 170 years. These collections came from a very small area of high-elevation cloud forest on the southern slope of Mount Maringma and, since Schomburgk's Roraima collections were made from a southern approach and were made mostly in Brazil and Venezuela, these collections may be the only genuine Guyana records for rare and endemic taxa such as *Magnolia ptaritepuianum*, *Drimys brasiliensis*, *Rubus guyanensis*, and *Ledothamnus sessiliflorus*. Detailed work on determinations, which is only now just beginning, is likely to extend this list significantly and also add a number of new species.

II. Collecting Localities

TRIP 1: IWOKRAMA RAINFOREST RESERVE

COLLECTIONS 154–400. 17 SEPTEMBER–9 OCTOBER 1995

Iwokrama Rainforest Reserve; transect from Essequibo River to Turtle Mountain, in SW direction. 18 September 1995.

4°42'20"N 58°42'36"W, elevation 60–150 m.

Collections: 154–165.

Iwokrama Rainforest Reserve; along Essequibo River between Turtle Mountain trail and Kurupukari Field Station. 18 September 1995.

4°41'N 58°42'W, elevation 60 m.

Collections: 166–170.

Iwokrama Rainforest Reserve; road from Kurupukari Field Station. to Kurupukari–Annai Road. 19 September 1995.

4°41'N 58°42'W, elevation 65 m.

Collections: 171–180.

Iwokrama Rainforest Reserve; head of A–B transect at Kurupukari–Annai Road. 20 September 1995.

4°35'12"N 58°44'39"W, elevation 75–100 m.

Collections: 181–189.

Chlorocardium-*Ocotea*-*Eperua* forest and inundated streamside vegetation.

Iwokrama Rainforest Reserve; Burro-Burro River, transect C–D from Kurupukari–Annai Road. 21 September 1995.

4°32'5"N 58°47'6"W, elevation 60–75 m.

Collections: 190–201.

Riverbank, palm swamp forest.

Iwokrama Rainforest Reserve; Essequibo River, Kuratoka Rapids. 23 September 1995.

4°35'0"N 58°37'30"W, elevation 60 m.

Collections: 202–216.

Eperua, *Vochysia*, *Mora*, *Chlorocardium* on white sand.

Iwokrama Rainforest Reserve; Essequibo River between Kurupukari and Post Arinda Inlet. 25 September 1995.

4°45'46"N 58°43'58"W, elevation 60–80 m.

Collections: 217–217.

Open riverside vegetation.

Iwokrama Rainforest Reserve; Post Arinda Inlet at Essequibo River and Burro-Burro River. 25 September 1995.

4°45'46"N 58°43'58"W, elevation 60–80 m.

Collections: 218–226.

Swamp with *Mauritia*, *Clusia*, Cyperaceae, *Chlorocardium*.

Iwokrama Rainforest Reserve; Post Arinda Inlet/Burro-Burro River transect, km 1.6–1.8. 26 September 1995.

4°45'46"N 58°48'0"W, elevation 60–80 m.

Collections: 227–235.

With *Mora*, *Pentaclethra*, *Inga*, and *Cecropia*; white sand with *Chlorocardium*.

Iwokrama Rainforest Reserve; N side of Burro-Burro River, C–D transect. 27 September 1995.

4°33'0"N 58°50'30"W, elevation 60–90 m.

Collections: 236–258.

Seasonally flooded white sand, now dry; *Humiria-Clusia* savanna; white sand forest with *Mauritia*; white sand with *Mora*, *Chlorocardium*, *Inga*, and *Eperua*.

Iwokrama Rainforest Reserve; Burro-Burro River between Dunari Rapids and confluence with Siparuni River.

4°32'N 58°50'W, elevation 60–65 m. 28 September 1995.

Collections: 259–291.

Riverside vegetation.

Iwokrama Rainforest Reserve; Essequibo River, 0–5 km S of Kurupukari Field Station. 30 September 1995.

4°40'33"N 58°40'58"W, elevation 60 m.

Collections: 292–311.

Riparian vegetation.

Riverbank and seasonally inundated rocks in the river.

Iwokrama Rainforest Reserve; Essequibo River, near Akromukru Falls, Akromukru transect, km 2.0–5.0. 3 October 1995.

4°20'N 58°30'W, elevation 70–90 m.

Collections: 312–327.

Seasonally flooded white sand with *Geonoma*, Marantaceae, *Chlorocardium*, and *Mora*.

Iwokrama Rainforest Reserve; Essequibo River, Ladysmith Creek transect. 4 October 1995.

4°17'2"N 58°30'29"W, elevation 75–100 m.

Collections: 328–339.

White sand and brown sand with *Mora*.

Iwokrama Rainforest Reserve; Essequibo River between Ladysmith Creek and Akromukru Rapids. 5 October 1995.

4°17'N 58°29'W, elevation 75 m.

Collections: 340–351.

Thicket of *Montrichardia* and Bamboo.

Iwokrama Rainforest Reserve; Essequibo River between Akromukru Channel and Pisham Pisham Falls. 5 October 1995.

4°21'N 58°29'W, elevation 75 m.

Collections: 352–364.

Iwokrama Rainforest Reserve; Essequibo River, Pisham Pisham transect.

4°26'9"N 58°29'7"W, elevation 70–80 m.

Collections: 365–378.

On white sand and on brown sand with rock outcroppings.

Iwokrama Rainforest Reserve; Essequibo River, between Pisham Pisham Falls and Tiger Creek. 7 October 1995.

4°27'N 58°28'W, elevation 60–65 m.

Collections: 379–389.

Riparian vegetation.

Iwokrama Rainforest Reserve; Essequibo River, between Tiger Creek and Kuratoka Rapids. 7 October 1995.

4°32'N 58°35'W, elevation 60 m.

Collections: 390–393.

Riparian vegetation.

Iwokrama Rainforest Reserve; Essequibo River, near Gold Falls. 7 October 1995.

4°38'N 58°38'W, elevation 60 m.

Collections: 394–400.

Riparian vegetation, seasonally submerged rocks (now exposed).

TRIP 2: IWOKRAMA RAINFOREST RESERVE

COLLECTIONS: 401–703.

4 NOVEMBER 1995–2 DECEMBER 1995

Iwokrama Rainforest Reserve. 6 November 1995.

4°40'31"N 58°40'59"W, elevation 65 m.

Collections: 401. Collected with B. Hoffman.

Mora forest on brown sand.

Iwokrama Rainforest Reserve, Pakutau Falls on Siparuni River, S to Pakutau hills. 7–8 November 1995.

4°45'17"N 59°1'28"W, elevation 75–400 m.
Collections: 402–435. Collected with B. Hoffman.
Dense forest on red, sandy clay.

Iwokrama Rainforest Reserve; between Pakutau Falls and Ireng Creek on Siparuni River. 9 November 1995.

4°45'N 59°1'W, elevation 75 m.
Collections: 436–469.
Riparian vegetation above falls.

Iwokrama Rainforest Reserve; between Pakutau Falls and Levi Falls on Siparuni River. 10 November 1995.

4°45'N 59°1'W, elevation 75 m.
Collections: 470–483.

Riparian vegetation and seasonally submerged, rocky sand island in river.

Iwokrama Rainforest Reserve; 14 mi from Kurupukari on the Kurupukari–Annai Road. 14 November 1995.

4°27'30"N 58°47'36"W, elevation 80 m.
Collections: 484–512. Collected with B. Hoffman.
Dense forest on brown sand with *Pentaclethra* and *Mora*; roadside vegetation with *Cecropia*, *Hamelia* and *Melastomataceae*.

Iwokrama Rainforest Reserve; Burro-Burro River, W along a 5 km long transect.

4°38'7"N 58°49'27"W, elevation 75 m.
Collections: 513–538. Collected with B. Hoffman.
16–17 November 1995.
Dense forest and swamp forest on brown sand.

Iwokrama Rainforest Reserve; Burro-Burro River, near head of river.

4°38'7"N 58°49'27"W, elevation 75 m.
Collections: 539–542. Collected with B. Hoffman.
18 November 1995.

Dense forest on brown sand; with *Mora*, *Pentaclethra*, *Couepia*, *Cassia* and *Clusiaceae*.

Iwokrama Rainforest Reserve; along Kurupukari–Annai Road, near head of A–B transect. 20 November 1995.

4°35'N 58°44'W, elevation 75 m.
Collections: 543–573.
In low wet areas and along bank of small stream.

Iwokrama Rainforest Reserve; Iwokrama Mountains, at and near summit of unnamed peak S of base camp. 22 November 1995.

4°20'48"N 58°50'55"W, elevation 600–800 m.
Collections: 574–588. Collected with B. Hoffman.

Dense forest on brown sandy loam; with *Symphonia*, *Caryocar*, *Lecythydaceae*, *Moronobea*, *Aspidosperma*, *Pouteria* and *Cordia nodosa*.

Iwokrama Rainforest Reserve; Iwokrama Mountains, near base camp. 22 November 1995.

4°20'48"N 58°50'55"W, elevation 70 m.
Collections: 589–591. Collected with B. Hoffman.

On treefall in canopy gap; dense forest on brown sand; with *Meliaceae* and *Catostemma*.

Iwokrama Rainforest Reserve; 0–2 km ESE of base camp. 23 November 1995.

4°20'27"N 58°48'33"W, elevation 70–150 m.
Collections: 592–623. Collected with B. Hoffman.

Dense forest on brown sand, numerous rock outcroppings; with *Licaria*, *Cassia* and *Meliaceae*.

Iwokrama Rainforest Reserve; 2–3 km ESE of base camp. 24 November 1995.

4°20'N 58°48'W, elevation 150–250 m.
Collections: 624–647. Collected with B. Hoffman.
Creekbed.

Iwokrama Rainforest Reserve; Iwokrama Mountains, near summit peak 3 km E of base camp. 25 November 1995.

4°20'46"N 58°46'46"W, elevation 800–1,000 m.
Collections: 648–652.

Dense forest on brown sand; with *Chlorocardium*, *Symphonia* and *Lecythis*.

Iwokrama Rainforest Reserve; Iwokrama Mountains, along Kurupukari–Annai Road. 26 November 1995.

4°20'47"N 58°50'55"W, elevation 75 m.
Collections: 653–659. Collected with B. Hoffman.
Disturbed roadside vegetation.

Iwokrama Rainforest Reserve; Iwokrama Mountains, Kurupukari base camp. 27 November 1995.

4°40'31"N 58°40'59"W, elevation 65 m.
Collections: 660–662 and 684–692. Collected with B. Hoffman.

Edge of dense forest on brown, alluvial sandy loam; with *Mora*, *Pentaclethra* and *Carapa*.

Iwokrama Rainforest Reserve; Iwokrama Mountains, 8 mi from Kurupukari along Kurupukari–Annai Road. 27 November 1995.

4°35'12"N 58°44'40"W, elevation 70 m.
Collections: 663–673. Collected with B. Hoffman.

Disturbed roadside vegetation, creekbeds with white and brown sand.

Iwokrama Rainforest Reserve; Iwokrama Mountains, along Kurupukari–Annai Road, km 0.2–1.5. 28 November 1995.

4°35'12"N 58°44'40"W, elevation 70–100 m.
Collections: 674–683. Collected with B. Hoffman.
Dense forest on brown sand.

Surama. 1 December 1995.
4°10'N 59°5'W, elevation 80 m.
Collections: 693–703.
Savanna vegetation.

TRIP 3–4: MABURA HILL; CEIBA ENVIRONMENTAL CENTER

COLLECTIONS: 704–785.
30 DECEMBER–14 JANUARY 1996

Mabura Hill, Demerara Timbers Ltd. Forest; S on Mabura Hill–Kurupukari Road. 30 December 1995.
5°11'39"N 58°42'15"W, elevation 60–80 m.
Collections: 704–726.
Dense forest on white sand.

Mabura Hill, Demerara Timbers Ltd. Forest; S on Mabura Hill–Kurupukari Road. 30 December 1995.
5°11'23"N 58°44'11"W, elevation 60–80 m.
Collections: 727–735.
Dense forest on white sand.

Tropenbos Field Station; 3 km S of Mabura Hill. 1 January 1996.
5°9'30"N 58°41'56" W.
Collections: 736–740.
Disturbed open area, red gravelly clay.

Tropenbos Field Station; 20 km S of Mabura Hill on Mabura Hill–Kurupukari Road. 1 January 1996.
5°9'40"N 58°44'51"W, elevation 70–100 m.
Collections: 741–751.
Dense forest on white sand; with *Eperua*, *Peltogyne* and *Licaria*.

Mabura Hill, 30–32 km S on Mabura Hill–Kurupukari Road. 2–3 January 1996.
5°5'55"N 58°44'58"W, elevation 75–85 m.
Collections: 752–759.
Dense forest on brown sand.

Tropenbos Field Station; 3 km South of Mabura Hill. 4 January 1996.
5°9'30"N 58°41'56" W.
Collections: 760–761.

Disturbed open area with red, gravelly clay; disturbed roadside vegetation on white sand.

Mabura Hill; 30 km N on Mabura Hill–Linden Highway. 4 January 1996.
5°30'N 58°35'W, elevation 60 m.
Collections: 762–767.
Disturbed roadside vegetation on white sand.

Mabura Hill; 60 km N on Mabura Hill–Linden Highway. 4 January 1996.
5°50'N 58°30'W, elevation 60 m.
Collections: 768–776.
Scrub vegetation on white sand.

CEIBA Environmental Center, adjacent to Soesdyke–Linden Highway, property of Godfrey Bourne. 14 January 1996.

6°29'50"N 58°13'9"W, elevation 3–4 m.
Collections: 777–785.

Moori scrub (*Humiria*) vegetation on white sand; *Mauritia* swamp forest on white sand with *Mauritia*, *Pentaclethra*, and *Mora*.

TRIP 5–6: PARUIMA AND PARAMAKATOI

COLLECTIONS: 786–1274.
22 JANUARY TO 27 FEBRUARY 1996

Kamarang to Waramadon Trail. 23 January 1996.
5°50'N 60°39'W, elevation 550–600 m.
Collections: 786–803.
Disturbed forest on brown sand.

Kuroba, E on the Mazaruni River; 3 km N of confluence of Kamarang River with Mazaruni River. 24 January 1996.
5°54'N 60°36'W, elevation 550–620 m.
Collections: 804–833.
Disturbed areas and dense forest on brown sand.

Paruima, 0–4 km N on trail N to Warimatipu, Holitipu and Kaikan. 27 January 1996.
5°50'N 61°4'W, elevation 490–690 m.
Collections: 834–858.
Disturbed scrub vegetation at edge of cassava field on alluvial soil; dense forest on brown sandy clay, with *Mora gonggrijpii* and *Carapa*; base of tepui.

Paruima–Utshi River trail to Venezuela junction. 29 January 1996.
5°41'11"N 61°7'6"W, elevation 1,000 m.
Collections: 859–872.

On white sand and sandstone, *Trachypogon* grassland and bush islands, with Clusiaceae and Humiriaceae.

Utshi River to Great Falls trail, on Kamarang River. 30 January 1996.

5°40'9"N 61°6'30"W, elevation 910 m.

Collections: 873–906.

Tepui grassland, with *Trachypogon*, *Pteridium* and *Drosera*.

Utshi River trail to Santa Elena, Venezuela. 31 January 1996.

5°39'38"N 61°9'43"W, elevation 980 m.

Collections: 907–943.

Gallery forest and steep area in savanna adjacent to small stream.

Kamarang River, camp on trail from Paruima to Utshi River and Venezuela. 1 February 1996.

5°43'40"N 61°6'3"W, elevation 560 m.

Collections: 944–964.

Dense forest on brown sand, with *Mora* and *Pentaclethra*.

Waleliwatipu (Aymatoi), N of Paruima; in vic. of camp. 5 February 1996.

5°53'41"N 61°1'13"W, elevation 1,090 m.

Collections: 965–1027.

Savanna and gallery forest vegetation, with *Trachypogon*, *Clusia* and *Humiria*.

Holitipu, trail between camp and airstrip and surrounding area. 7 February 1996.

5°59'19"N 61°3'36"W, elevation 1,100 m.

Collections: 1028–1075.

Tepui savannah and gallery forest.

Paruima to Konuktipu (Rain Mountain) trail. 11 February 1996.

5°48'N 61°3'W, elevation 600–620 m.

Collections: 1076–1107.

Disturbed forest on brown sandy clay, with *Licania*, *Mora gonggrijpii*, and *Pentaclethra*; dense secondary forest on rock slope, with *Heliconia*, *Piper*, *Cecropia* and *Bauhinia*, secondary growth on hillside with brown sandy clay; with *Trema*, *Cecropia* and *Piper*.

Paruima, vic.; along Kamarang and Paruima Rivers. 12 February 1996.

5°49'N 61°4'W, elevation 500 m.

Collections: 1108–1128.

Riparian vegetation.

Paruima to Illubia Creek trail; near Kamarang River. 13 February 1996.

5°47'N 61°3'W, elevation 500 m.

Collections: 1129–1156.

Sand along river and dense forest.

Paramakatoi, 2 km S; trail to Paramaktipu. 21 February 1996.

4°41'N 59°43'W, elevation 840–1,064 m.

Collections: 1157–1187. Collected with S. Grose.

Disturbed forest on brown sandy loam, with *Hamelia*, *Miconia* and *Licania*.

Paramakatoi, 0.5–4 km from; trail to Maikwak and Kowatipu. 22 February 1996.

4°43'N 59°42'W, elevation 680–760 m.

Collections: 1188–1234. Collected with S. Grose.

Dense forest on brown sand, with *Pentaclethra*, *Carapa*, *Lecythis*, *Eschweilera* and *Hymenolobium*.

Paramakatoi, 0.5–6 km from; trail to Youwang and Monkey Mountain. 24 February 1996.

4°41'N 59°42'W, elevation 460–840 m.

Collections: 1235–1264. Collected with S. Grose.

Disturbed secondary forest on brown sand with rock outcroppings, with *Pteridium*, *Eleusine* and *Tabebuia*.

Paramakatoi, 0.5–2 km from; trail to Kato. 25 February 1996.

4°42'N 59°44'W, elevation 685–790 m.

Collections: 1265–1274.

Dense forest on brown sand, with *Mora*, *Pentaclethra* and *Aspidosperma*.

TRIP 7: IWOKRAMA RAINFOREST RESERVE

COLLECTIONS: 1275–1638. 14 MARCH–16 APRIL 1996

Iwokrama Rainforest Reserve; Akromukru Transect at Akromukru Falls, Essequibo River. 17 March 1996.

4°20'N 58°30'W, elevation 70–90 m.

Collections: 1275–1308.

Dense forest and semi-disturbed “liana forest” (*Pinzona*, *Bauhinia*, *Mora*) on brown sand, and riparian vegetation near falls.

Iwokrama Rainforest Reserve; Akromukru Transect at Akromukru Falls, Essequibo River, km 3.0–5.0. 18 March 1996.

4°20'N 58°30'W, elevation 70–90 m.

Collections: 1309–1334.

Dense forest on brown sand, with *Chlorocardium*, *Carapa*, *Jessenia*, *Clathropis*, *Mora*, *Socratea*, and *Ischnosiphon*.

Iwokrama Rainforest Reserve; 5 km transect, near Ladysmith Creek, Essequibo River. 19 March 1996.

4°17'4"N 58°30'28"W, elevation 75–100 m.

Collections: 1335–1347.

Dense forest on brown sand with *Mora*, *Licana*, *Chlorocardium*, *Catostemma*, *Pinzona*, and *Bauhinia*.

Iwokrama Rainforest Reserve; Essequibo River, near Ladysmith Creek. 19–21 March 1996.

4°17'4"N 58°30'28"W, elevation 65 m.

Collections: 1348–1396.

Riparian vegetation and dense forest on brown sand (with *Mora*, *Clorocardium*, and *Catostemma*).

Iwokrama Rainforest Reserve; Moco Moco II Creek, 20 mi. SW of Kurupukari on Kurupukari–Annai Road, near camp. 23 March 1996.

4°25'N 58°50'W, elevation 60 m.

Collections: 1397–1408.

Forest edge and interior on brown sand, with *Mora*, *Pentaclethra*, and *Carapa*.

Iwokrama Rainforest Reserve; Moco Moco II Creek, 20 mi. SW of Kurupukari on Kurupukari–Annai Road, 1 km NE of camp. 23 March 1996.

4°25'30"N 58°49'0"W, elevation 65 m.

Collections: 1409–1436.

Roadside vegetation, rock slope, and seasonally flooded dense forest on white sand with *Mauritiella*, *Catostemma*, *Parinari*, *Symphonia*, *Oenocarpus*, and *Eperua*.

Iwokrama Rainforest Reserve; near summit of unnamed peak, 20 mi. SW of Kurupukari on Kurupukari–Annai Road. 24 March 1996.

4°25'N 58°49'W, elevation 300 m.

Collections: 1437–1443.

Dense forest on brown sandy clay, with *Symphonia* and *Chrysophyllum*.

Iwokrama Rainforest Reserve; Turtle Pond transect, Essequibo River, km 0.1–3.5. 27–28 March 1996.

4°45'30"N 58°45'0"W, elevation 60 m.

Collections: 1444–1470.

Dense forest on brown sand with *Mora*, *Licana*, *Pentaclethra*, *Carapa*, *Chlorocardium*; swamp forest on brown sand with *Mora*, *Carapa*, *Apeiba*.

Iwokrama Rainforest Reserve; Turtle Pond transect, 1 km E of 2.4 km transect point. 28 March 1996.

4°45'N 58°44'W, elevation 60 m.

Collections: 1471–1479.

Near lake, seasonally inundated forest on brown sand, with *Inga*, *Eschweilera*, *Peltogyne*.

Iwokrama Rainforest Reserve; Turtle Pond transect, 0.5 km E of 0.9 km transect point. 28 March 1996.

4°45'0"N 58°44'30"W, elevation 60 m.

Collections: 1480–1483.

Near lake, seasonally flooded swamp forest on brown sand with rock outcroppings, with *Eperua*, *Astrocaryum*, *Diospyros*.

Iwokrama Rainforest Reserve; Turtle Pond camp, Essequibo River. 28 March 1996.

4°45'0"N 58°44'30"W, elevation 60 m.

Collections: 1484–1485.

Dense forest on brown sand with *Mora* and *Aspidosperma*.

Iwokrama Rainforest Reserve; Burro-Burro River transect, km 0–1.0, Sandstone. 30 March 1996.

4°23'16"N 58°55'2"W, elevation 65 m.

Collections: 1486–1516.

Dense forest on brown sand with *Mora*, *Socratea*, *Chlorocardium* and *Nectandra*; disturbed forest on rock outcroppings with *Heliconia* and *Borreria*.

Iwokrama Rainforest Reserve; Burro-Burro River, between Sandstone and confluence of Sipariparu River. 31 March 1996.

4°23'16"N 58°55'2"W, elevation 65 m.

Collections: 1517–1558.

Riparian vegetation.

Iwokrama Rainforest Reserve; Surama, transect heading NW from Kurupukari–Annai road, km 0.1–0.8. 3 April 1996.

4°14'N 59°0'W, elevation 70 m.

Collections: 1559–1566.

Dense forest on brown sand with 'komakaballi,' *Atalea*, *Oenocarpus*; and disturbed roadside vegetation on laterite with *Cecropia*, *Heliconia*, and *Trema*.

Iwokrama Rainforest Reserve; Annai, transect heading SE from Kurupukari–Annai road, km 0.1–1.2.

4°14'N 59°0'W, elevation 70 m. 4 April 1996.

Collections: 1567–1575.

Dense forest on brown sand, with *Phenakospermum*, *Euterpe*, *Goupia*, *Cieba*, *Cedrela*.

Iwokrama Rainforest Reserve; Surama. 5 April 1996.

4°9'N 59°4'W, elevation 70 m.

Collections: 1576–1604.

Savanna vegetation, with *Trachypogon*, *Curatella*, *Byrsonima*.

Omai, Toolsie Persaud Forest Concession. 12 April 1996.

5°31'48"N 58°41'52"W, elevation 45 m.

Collections: 1605–1611.

Dense forest on brown sand, with *Peltogyne*, *Licania*, *Oenocarpus*.

Tamour, 18 mi from Toolsie Persaud Forest Headquarters, Essequibo River. 13 April 1996.

5°36'57"N 58°45'0"W, elevation 50 m.

Collections: 1612–1632.

Dense forest on brown sand, with *Eschweilera*, *Mora*, *Eperua*.

Mabura Hill Forest Reserve; 13 km S of Mabura Hill. 14 April 1996.

5°10'2"N 58°42'44"W, elevation 60 m.

Collections: 1633–1638.

Dense forest on white sand, with *Licania*, *Aspidosperma*, *Eperua*.

TRIP 8: EASTERN KANUKU MOUNTAINS

COLLECTIONS: 1639–2069. 21 MAY–15 JUNE 1996

Dadanawa Ranch, near Ranch Compound. 22 May 1996.

2°50'N 59°31'W, elevation 100–120 m.

Collections: 1639–1670. Collected with T. McPherson.

Savanna and gallery forest on sandy clay soil, with *Ziziphus*, *Anacardium* and *Trachypogon*.

Rupununi River landing, on trail from Dadanawa to Kotinarub Village. 23 May 1996.

2°50'N 59°31'W, elevation 100 m.

Collections: 1671–1704. Collected with T. McPherson.

Gallery forest, with *Cereus*, *Tabebuia* and *Astrocaryum*; savanna and bush islands, with *Curatella*, *Ruellia*, *Trachypogon*, *Byrsonima* and *Curatella*.

Sand Creek Village; savanna N of village. 27 May 1996.

2°59'46"N 59°31'18"W, elevation 100 m.

Collections: 1705–1760. Collected with T. McPherson.

Savanna vegetation on sandy clay soil with *Trachypogon*, *Curatella* and Cyperaceae; dense forest on brown sandy clay with *Bombax*, *Ficus* and *Aspidosperma*.

Sand Creek to Shea Village. 28 May 1996.

2°58'44"N 59°31'12"W, elevation 100 m.

Collections: 1761–1806. Collected with T. McPherson.

Savanna and scrub vegetation, with *Curatella*, *Cochlospermum* and *Vitex*.

Sand Creek (Katiwau Creek)–Rupununi River confluence. 29 May 1996.

2°58'N 59°31' W.

Collections: 1807–1812. Collected with T. McPherson. Gallery forest, with *Vitex*, *Astrocaryum* and *Inga*.

Rupununi River–Crabwood Creek confluence, 10 km E of camp, summit of unnamed peak. 30 May 1996.

3°10'N 59°24' W.

Collections: 1813–1842. Collected with T. McPherson.

Dense forest on brown sand, with *Clusia*, *Catostemma* and *Eschweilera*.

Makawatta massif, westernmost part. 31 May 1996.

3°5'24"N 59°26'43"W, elevation 250 m.

Collections: 1843–1864. Collected with T. McPherson.

Area at and summit of unnamed peak.

Rupununi River–Crabwood Creek confluence. 1 June 1996.

3°10'37"N 59°24'16"W, elevation 100 m.

Collections: 1865–1875. Collected with T. McPherson.

Area near camp.

Maparri River, at base of waterfall. 2 June 1996.

3°20'1.8"N 59°15'16.1" W.

Collections: 1876–1879. Collected with T. McPherson.

Dense forest on brown sand, with *Mora*, *Socratea* and *Licania*.

Maparri River, S bank, 0–6 km from camp at base of waterfall. 3 June 1996.

3°20'1.8"N 59°15'16.1" W.

Collections: 1880–1928. Collected with T. McPherson.

Dense forest and streamside vegetation on brown sand, with *Mora*, *Aspidosperma*, *Socratea* and *Euterpe*.

Maparri Creek, N side; opposite camp at base of waterfall. 4 June 1996.

3°20'1.8"N 59°15'16.1" W.

Collections: 1929–2012. Collected with T. McPherson.

Streamside vegetation and dense forest on brown sand, with *Ceiba*, *Virola* and *Aspidosperma*.

Maparri River, N side; 3–8 km ENE of camp at base of waterfall. 6 June 1996.

3°20'1.8"N 59°15'16.1" W.

Collections: 2013–2035. Collected with T. McPherson.

Dense forest on brown sand and laterite, with *Couratari*, *Manilkara* and *Parinari*.

Maparri River, peak 3 km N of camp at base of waterfall. 7 June 1996.

3°20'28.9"N 59°14'47.4" W.

Collections: 2036–2053. Collected with T. McPherson.

Dense forest on brown sand with rock outcroppings, with *Manilkara*, *Lecythis* and *Oenocarpus*.

Maparri River, Small Mountain, 2 km S of camp at base of waterfall. 8 June 1996.

3°20'1.8"N 59°15'16.1" W.

Collections: 2054–2068. Collected with T. McPherson.

Dense forest on brown sand, with *Socratea*, *Pouteria* and *Manilkara*.

Rupununi River, 5 km S of confluence with Maparri River. 9 June 1996.

3°20'1.8"N 59°15'16.1" W.

Collections: 2069–2069. Collected with T. McPherson.

Riparian vegetation, with *Inga*, *Astrocaryum* and *Montrichardia*.

TRIP 9: KUYUWINI RIVER

COLLECTIONS: 2070–2469. 29 JUNE–30 JULY 1996

Lethem, 1–2 km S, on road to Macushi Village and Dadanawa. 30 June 1996.

3°28'N 59°40'W, elevation 120 m.

Collections: 2070–2083. Collected with S. Adkins; C. Bernard.

Gallery forest and savanna, with *Trachypogon*, *Curatella*, *Zizyphus* and *Vitex*.

Lethem, 0–1 km SE. 2 July 1996.

3°28'N 59°40'W, elevation 120 m.

Collections: 2084–2111. Collected with S. Adkins; C. Bernard.

Savanna, with *Curatella*, *Trachypogon* and *Byrsonima*.

Dadanawa Ranch; road E to Shea, 0–2 km from ranch compound. 5 July 1996.

2°50'N 59°30'W, elevation 130 m.

Collections: 2112–2123. Collected with S. Adkins; C. Bernard.

Savanna vegetation, with *Trachypogon*, *Anacardium* and *Curatella*.

Dadanawa Ranch, near compound; Nantun Bush Island, 0.5 km W of Rupununi River. 7 July 1996.

2°48'40"N 59°32'6"W, elevation 130 m.

Collections: 2122–2155. Collected with S. Adkins; C. Bernard.

Dense forest on brown sand with *Centrolobium*, *Inga*, *Hymeneae* and *Acacia tenuifolia*; edge of bush island with *Bauhinia*, *Curatella* and *Lippia*.

Awarowau Creek, between Dadanawa and Aishalton. 8 July 1996.

2°40'N 59°20'W, elevation 140 m.

Collections: 2156–2159. Collected with S. Adkins; C. Bernard.

Savanna and gallery forest, with *Tibouchina*, *Vitex* and *Trachypogon*.

Dadanawa Ranch, Wariwau Outstation. 8 July 1996.

2°40'N 59°10'W, elevation 130 m.

Collections: 2160–2161. Collected with S. Adkins; C. Bernard.

Disturbed, open area near outstation buildings.

Aishalton, trail to Kuyuwini River, between Marudi Mountain and Bat Mountain. 8 July 1996.

2°15'N 59°9'W, elevation 240 m.

Collections: 2162–2163. Collected with S. Adkins; C. Bernard.

Aishalton, trail to Kuyuwini River landing. 8 July 1996.

2°4'4"N 59°4'33"W, elevation 230 m.

Collections: 2164–2187. Collected with S. Adkins; C. Bernard.

Secondary vegetation in cleared area along river, brown sandy soil with *Cynodon*, *Caladium* and *Borreria*.

Aishalton, trail to Kuyuwini River landing, 0–2 km from landing. 14 July 1996.

2°4'4"N 59°4'33"W, elevation 230 m.

Collections: 2188–2205. Collected with S. Adkins; C. Bernard.

Dense forest on brown sandy clay, with *Heteropsis*, *Bactris* and *Socratea*.

Kuyuwini River, 0–10 km from Kuyuwini Landing. 15 July 1996.

2°4'4"N 59°4'33"W, elevation 230 m.

Collections: 2206–2235. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Kuyuwini River, between Aishalton–Marudi Mountain Landing and Karaudarnau–Parabara Savanna Landing. 16 July 1996.

2°4'36"N 59°10'57"W, elevation 240 m.

Collections: 2236–2236. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Parabara Landing, toward camp. 17 July 1996.

2°5'57"N 59°14'16"W, elevation 240 m.

Collections: 2237–2240. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Kuyuwini River, 0–2 km NW of camp. 18 July 1996.
2°4'48"N 59°17'10"W, elevation 240 m.

Collections: 2241–2308. Collected with S. Adkins; C. Bernard.

Dense forest on brown sand, with *Socratea*, *Manilkara* and *Caryocar*.

Kuyuwini River, area near camp. 19 July 1996.
2°4'48"N 59°17'10"W, elevation 240 m.

Collections: 2309–2320. Collected with S. Adkins; C. Bernard.

Disturbed vegetation.

Kuyuwini River to Parabara Savanna trail; 0–5 km from camp. 20 July 1996.

2°5'21"N 59°17'12"W, elevation 250 m.

Collections: 2321–2329. Collected with S. Adkins; C. Bernard.

Dense forest on white sand, with *Euterpe*, *Phenakospermum* and *Manilkara*.

Kuyuwini River to Parabara Savanna trail. 20 July 1996.
2°5'54"N 59°17'15"W, elevation 250 m.

Collections: 2330–2389. Collected with S. Adkins; C. Bernard.

Savanna vegetation on white sandy soil, with *Mauritia*, *Trachypogon* and *Humiria*.

Kuyuwini River, 0–5 km W of camp. 20 July 1996.
2°5'21"N 59°17'12"W, elevation 240 m.

Collections: 2390–2409. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Kuyuwini Landing to Marudi Mountain. trail, 0–3 km from Kuyuwini Landing. 22 July 1996.

2°4'2"N 59°4'33"W, elevation 240 m.

Collections: 2410–2410. Collected with S. Adkins; C. Bernard.

Dense forest on white sand, with *Euterpe*, *Phenakospermum* and *Attalea*.

Marudi Mountain, camp along trail between Kuyu-
wini River and Marudi Mountain. 23 July 1996.

2°12'59"N 59°9'0"W, elevation 240 m.

Collections: 2411–2416. Collected with S. Adkins; C. Bernard.

Dense forest on brown sand, with *Manilkara*, *Carapa* and *Oenocarpus*.

Kuyuwini River to Marudi Mountain. trail; between
Bat Mountain and camp. 24 July 1996.

2°12'59"N 59°9'0"W, elevation 260 m.

Collections: 2417–2431. Collected with S. Adkins; C. Bernard.

Dense forest on brown and white sand, with *Euterpe*, *Schefflera* and *Phenakospermum*.

Bat Mountain. 25 July 1996.

2°10'41"N 59°10'30"W, elevation 450 m.

Collections: 2432–2467. Collected with S. Adkins; C. Bernard.

Scrub and epilithic vegetation on granitic outcrop-
pings, with *Clusia*, *Vitex* and *Melocactus*.

Marudi Mountain. to Aishalton trail, near Regis
James' farm. 27 July 1996.

2°23'0"N 59°15'30"W, elevation 180 m.

Collections: 2468–2469. Collected with S. Adkins; C. Bernard.

Ecotone between forest and savanna ("bush mouth").

Dadanawa Ranch, in compound. 29 July 1996.

2°50'N 59°31'W, elevation 180 m.

Collections: 2469–2469. Collected with S. Adkins; C. Bernard.

Savanna and gallery forest on sandy clay soil, with
Ziziphus, *Anacardium* and *Trachypogon*.

TRIP 10: IWOKRAMA

COLLECTIONS: 2470–2771.

17 SEPTEMBER–5 OCTOBER 1996

Iwokrama International Rainforest Reserve;
Karupukari–Annai Road. 19 September 1996.

4°37'35"N 58°43'0"W, elevation 70 m.

Collections: 2470–2484.

Dense forest on brown sand, with *Licania*, *Eschweilera* and *Chlorocardium*.

Iwokrama International Rainforest Reserve; Iwokrama
Mountains, 0–3 km NW and SE of camp. 22 September 1996.

4°19'47"N 58°47'44"W, elevation 270 m.

Collections: 2485–2526.

Streamside vegetation, with *Spathiphyllum*, *Gonzalagunia* and *Renealmia*.

Iwokrama International Rainforest Reserve; Iwokrama
Mountains, summit of highest peak. 23 September 1996.

4°20'17"N 58°46'50"W, elevation 1,000 m.

Collections: 2527–2562.

Dense forest on brown sand with *Cordia*, *Rinorea* and
Lecythis; edge of rock outcropping with *Clusia*, *Heliconia*
and *Cecropia*.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, near top of unnamed peak. 24 September 1996. 4°20'28"N 58°47'16"W, elevation 700 m.

Collections: 2563–2580.

Dense forest on brown sand, with *Aspidosperma*, *Caryocar* and *Pouteria*.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, summit of unnamed peak. 26 September 1996. 4°18'36"N 58°48'46"W, elevation 800 m.

Collections: 2581–2631.

Dense forest on brown sand, with *Aspidosperma*, *Moronebea*, *Scheelea*, *Cassia* and *Geonoma*.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, creek S of camp. 29 September 1996.

4°19'15"N 58°48'38"W, elevation 400 m.

Collections: 2632–2633.

Dense forest on brown sand, with *Mora*, *Carapa* and *Catostemma*.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, summit of unnamed peak. 29 September 1996. 4°18'36"N 58°48'46"W, elevation 800 m.

Collections: 2634–2651.

Dense forest on brown sand, with *Aspidosperma*, *Moronebea*, *Scheelea*, *Cassia* and *Geonoma*.

Kurupukari–Annai road, 28 miles from Kurupukari; Iwokrama International Rainforest Reserve. 30 September 1996.

4°20'32"N 58°50'57"W, elevation 60 m.

Collections: 2652–2671.

Scrub forest on white sand, with *Humiria*, *Pagamea* and *Xyridaceae*.

Turtle Mountain, summit; 3 km W of Essequibo River; Iwokrama International Rainforest Reserve. 1 October 1996.

4°43'55"N 58°44'2"W, elevation 270 m.

Collections: 2672–2689.

Scrub and epilithic vegetation on dolerite with *Passiflora*, *Myrtaceae* and *Clusia*; semi-disturbed "liana forest" on brown sand with *Bauhinia*, *Swartzia* and *Cassia*.

Iwokrama Rainforest Reserve; transect: Essequibo River–summit of Turtle Mountain, 2–2.5 km W. of Essequibo River. 1 October 1996.

4°43'59"N 58°42'43"W, elevation 150–200 m.

Collections: 2690–2722.

Riparian vegetation and dense forest on brown sand, with *Pausandra*, *Eperua* and *Parinari*.

Iwokrama Rainforest Reserve; transect: Essequibo River–summit of Turtle Mountain, 0.6–1.7 km W. of Essequibo River. 2 October 1996.

4°43'59"N 58°42'43"W, elevation 150 m.

Collections: 2723–2729.

Dense forest on brown sand, with *Carapa*, *Licania*, *Eperua*, *Mora* and *Pentaclethra*.

Iwokrama Rainforest Reserve; transect: Essequibo River–summit of Turtle Mountain, 0.4 km W. of Essequibo River. 2 October 1996.

4°43'59"N 58°42'43"W, elevation 150 m.

Collections: 2730–2732.

Seasonally inundated forest on brown sand, with *Carapa*, *Pentaclethra* and *Astrocaryum*.

Iwokrama International Rainforest Reserve; Essequibo River, at Turtle Mountain. 2 October 1996.

4°43'59"N 58°42'43"W, elevation 60 m.

Collections: 2733–2753.

Riparian vegetation.

Iwokrama International Rainforest Reserve; Essequibo River, 0–5 km N of Tiger Creek. 3 October 1996.

4°32'30"N 58°35'0"W, elevation 60 m.

Collections: 2754–2771.

Rocky island in river and riparian vegetation with *Myrcia*, *Astrocaryum* and *Psidium*.

TRIP 11: GUNN'S STRIP, CHODIKAR, KAMOA, AND UPPER ESSEQUIBO RIVERS

COLLECTIONS: 2772–3378.

21 OCTOBER–26 NOVEMBER 1996

Essequibo River, 1 km S of Gunn's Strip. 26 October 1996.

1°39'6"N 58°37'45"W, elevation 240 m.

Collections: 2772–2788.

Seasonally inundated forest along river, with *Inga*, *Astrocaryum*, and *Cassia*.

Chodikar River, 0–2 km SW of camp. 29 October 1996.

1°21'33"N 58°46'22"W, elevation 240 m.

Collections: 2789–2836.

Dense swamp forest on grey sandy clay, with *Euterpe*, *Scheelea*, and *Eperua*.

Chodikar River, W of river and E of Acarai Mountains. 31 October 1996.

1°20'56"N 58°48'12"W, elevation 250 m.

Collections: 2837–2858.

Dense swamp forest on brown sand, with *Euterpe*, *Eschweilera*, and *Eperua*.

Acarai Mountains. 2 November 1996.

1°20'44"N 58°48'51"W, elevation 300–600 m.

Collections: 2859–2901 and 3378.

Dense forest on brown sand, with *Eperua*, *Eschweilera*, and *Pithecellobium*.

Acarai Mountains. 3 November 1996.

1°20'13"N 58°50'4"W, elevation 530–610 m.

Collections: 2902–2936.

Dense forest on brown sand with *Socratea*, *Moronobea*, *Apeiba*, *Cassia*, and *Pithecellobium*; low canopy scrub forest on rock outcroppings (with *Erythroxylum*, Myrtaceae, and *Schefflera*).

Acarai Mountains, 0–1 km W of Chodikar Mountain. 4 November 1996.

1°20'13"N 58°50'55"W, elevation 530 m.

Collections: 2937–2972.

Dense forest on brown sand, with *Moronobea*, *Swartzia*, and *Socratea*.

Kamoa Mountains, 2 km N of camp on Kamoa River. 9 November 1996.

1°32'50"N 58°50'4"W, elevation 520 m.

Collections: 2973–3001.

Scrub forest on granitic outcroppings, with *Schefflera*, *Miconia*, and *Clusia*.

Kamoa River, 0–6 km W of camp. 9 November 1996.

1°31'50"N 58°49'40"W, elevation 270 m.

Collections: 3002–3040.

Riparian vegetation.

Kamoa Mountains, just below summit; 2 km N of camp on Kamoa River. 10 November 1996.

1°32'50"N 58°50'4"W, elevation 450 m.

Collections: 3041–3076.

Dense forest on brown sand and granitic boulders, with *Bactris*, Clusiaceae, and Myrtaceae.

Kamoa Mountains, 0–2 km N of camp on Kamoa River. 11 November 1996.

1°31'50"N 58°49'40"W, elevation 240 m.

Collections: 3077–3113.

Dense forest on brown sand with *Socratea*, Vochysiaceae, *Eschweilera*, *Bactris*, and *Eperua*; semi-open canopy forest on poorly drained white sand with *Mauritiella*, *Scheelea*, and Clusiaceae.

Kamoa Mountains, 2 km S of Kamoa River. 12 November 1996.

1°31'4"N 58°48'54"W, elevation 450 m.

Collections: 3114–3132.

Dense forest on brown sand and granitic boulders, with *Scheelea*, *Clusia*, and *Sloanea*.

Kamoa Mountains, 1.5 km S of Kamoa River. 12 November 1996.

1°31'8"N 58°49'45"W, elevation 400 m.

Collections: 3133–3183.

Dense forest on brown sand with rock outcroppings, with *Sloanea*, *Oenocarpus*, and *Phenakospermum*.

Kamoa Mountains, 2 km S of Kamoa River. 13 November 1996.

1°31'4"N 58°48'54"W, elevation 450 m.

Collections: 3184–3207.

Dense forest on brown sand and granitic boulders, with *Scheelea*, *Clusia*, and *Sloanea*.

Essequibo River, 4 km N of abandoned Konashen Village and Konashen Rapids and W of Mount Zibingatzako. 16 November 1996.

1°35'23"N 58°37'44"W, elevation 240 m.

Collections: 3208–3223.

Dense forest on brown sand, with *Oenocarpus*, *Sloanea*, and *Pithecellobium*.

Essequibo River, area 4 km N of Konashen Rapids and Mount Zibingatzako. 17 November 1996.

1°35'3"N 58°36'35"W, elevation 240–260 m.

Collections: 3224–3244.

Dense forest on brown sand, with *Pithecellobium*, and *Bactris*.

Onoro Mountains, 4 km SW of Mount Zibingatzako, summit of unnamed peak. 18 November 1996.

1°34'14"N 58°33'47"W, elevation 610 m.

Collections: 3245–3264.

Scrub forest on rock outcroppings, with *Clusia*, *Ouratea*, and *Vismia*.

Essequibo River, between camp (at confluence of Essequibo River and Onoro Creek) and Konashen Rapids. 18 November 1996.

1°35'23"N 58°37'44"W, elevation 240 m.

Collections: 3265–3312.

Riparian vegetation.

Essequibo River, 0–1 km E of camp on Essequibo, 4 km N of abandoned Konashen Village and Konashen Rapids. 19 November 1996.

1°35'23"N 58°37'44"W, elevation 250 m.

Collections: 3313–3367.

Riparian vegetation and dense forest on brown sand with *Ruizterania*, *Socratea*, and *Jacaranda*.

Onoro Mountains, 4 km SW of Zibingatzako Mountain, summit of unnamed peak. 20 November 1996.

1°34'2"N 58°33'53"W, elevation 610 m.

Collections: 3368–3377.

Scrub forest on granitic outcroppings, with *Clusia*, Myrtaceae, and *Scleria*.

TRIP 12: KWITARO AND UPPER REWA RIVERS

COLLECTIONS: 3379–4079.

2 FEBRUARY–7 MARCH 1997

Kwitaro River; landing at terminus of trail from Shea Village. 7 February 1997.

2°54'40"N 58°58'25"W, elevation 135 m.

Collections: 3379–3411.

Forest edge on brown alluvial sand; with *Baubinia*, *Licania* and *Costus*.

Rewa River; near camp at Great Falls. 10 February 1997.

3°10'40"N 58°40'25"W, elevation 90 m.

Collections: 3412–3467.

Dense forest on brown sandy clay; with *Ceiba*, *Maximiliana* and *Euterpe*.

Rewa River; gorge below Great Falls. 11 February 1997.

3°10'40"N 58°40'25"W, elevation 90 m.

Collections: 3468–3545.

Dense forest and riparian vegetation on brown sand with granite outcropping; with *Ceiba*, *Ananas* and *Combretum*.

Rewa River; area near Great Falls. 12 February 1997.

3°10'40"N 58°40'25"W, elevation 90 m.

Collections: 3546–3583.

Dense forest and riparian vegetation on brown sand and granite outcropping; with *Ceiba*, *Pachira* and *Psidium*.

Rewa River; island above Great Falls. 13 February 1997.

3°10'40"N 58°40'25"W, elevation 90 m.

Collections: 3584–3588.

Riparian vegetation on granitic outcroppings; with *Jacaranda*, *Psidium* and *Myrcia*.

Rewa River; area near Bamboo Falls. 15 February 1997.

3°9'3"N 58°37'31"W, elevation 120 m.

Collections: 3589–3599.

Dense forest and riparian vegetation on granite outcroppings and brown sand; with *Jacaranda*, *Pithecellobium* and *Ceiba*.

Rewa River; forest between camp and unnamed mountain. 5.6 km W of camp. 17 February 1997.

2°59'6"N 58°35'32"W, elevation 150 m.

Collections: 3600–3670.

Dense forest on brown sand; with *Mora*, *Carapa*, *Euterpe*, *Pithecellobium*, *Aspidosperma*, *Maximiliana* and *Ocotea*.

Rewa River; summit of unnamed peak, 5.6 km W of camp. 19 February 1997.

2°58'49"N 58°38'27"W, elevation 400 m.

Collections: 3671–3723.

Medium canopy semi-open forest on brown sand; and scrub forest on granite outcroppings.

Rewa River; forest 4 km W of camp, between camp and unnamed mountain. 20 February 1997.

2°59'6"N 58°35'32"W, elevation 180 m.

Collections: 3724–3726.

Dense forest on brown sand; with *Mora*, *Catostemma* and *Maximiliana*.

Rewa River; summit of unnamed mountain, 5.6 km W of camp. 20 February 1997.

2°58'49"N 58°38'27"W, elevation 180 m.

Collections: 3727–3738.

Scrub forest on granite, with *Clusia*, *Erythroxylum* and *Mimosa*.

Rewa River; 0–5 km S of camp. 20 February 1997.

2°59'6"N 58°35'32"W, elevation 150 m.

Collections: 3739–3769.

Riparian vegetation.

Rewa River; 0–2 km S of camp. 21 February 1997.

2°59'6"N 58°35'32"W, elevation 150 m.

Collections: 3770–3838.

Dense forest on brown sand; with *Mora*, *Carapa* and *Pithecellobium*.

Rewa River; Bush Cow Falls. 22 February 1997.

3°7'44"N 58°38'2"W, elevation 135 m.

Collections: 3839–3839.

Rheophytic and riparian vegetation; with *Mourera*, *Psidium* and *Jacaranda*.

Rewa River; Iguana Falls. 22 February 1997.

3°5'31"N 58°37'47"W, elevation 135 m.

Collections: 3840–3840.

Rheophytic and riparian vegetation; with *Mourera*, *Psidium* and *Jacaranda*.

Rewa River; Great Falls. 23 February 1997.

3°10'40"N 58°40'25"W, elevation 90 m.

Collections: 3841–3842.

Riparian vegetation; with *Ceiba*, *Inga* and *Jacaranda*.

Rewa River; at confluence of Kwitaro River. 25 February 1997.

3°17'22"N 58°45'7"W, elevation 90 m.

Collections: 3843–3899.

Successional gradient on sand levee along river and semi-disturbed "liana forest"; with *Acacia*, *Heliconia* and *Cecropia*.

Rewa River; 0–5 km S of confluence with Kwitaro River. 25 February 1997.

3°17'22"N 58°45'7"W, elevation 90 m.

Collections: 3900–3937.

Riparian vegetation.

Rewa River; 0–1 km E of camp at confluence of Kwitaro River. 26 February 1997.

3°17'22"N 58°45'7"W, elevation 90–150 m.

Collections: 3938–3959.

Dense forest on brown sand with granite boulders; with *Catostemma*, *Licania* and *Duguetia*.

Rewa River; 0–5 km N of confluence of Rewa and Kwitaro Rivers. 26 February 1997.

3°17'22"N 58°45'7"W, elevation 90 m.

Collections: 3960–3990.

Riparian vegetation.

Kwitaro River; 0–1 km W of landing at end of trail from Shea Village. 1 March 1997.

2°54'40"N 58°58'25"W, elevation 135 m.

Collections: 3991–4016.

Dense forest on brown sand; with *Mora*, *Eschweilera* and *Ceiba*.

Kwitaro River; 0–4 km W of landing at end of trail from Shea Village. 1 March 1997.

2°54'40"N 58°58'25"W, elevation 135 m.

Collections: 4017–4052.

Riparian vegetation.

Kwitaro River; 0–4 km S of landing at end of trail from Shea Village. 2 March 1997.

2°54'40"N 58°58'25"W, elevation 135 m.

Collections: 4053–4079.

Riparian vegetation.

TRIP 13: IWOKRAMA

COLLECTIONS: 4080–4351. 16–30 MARCH 1997

Iwokrama Rainforest Reserve. Karupukari, 3 miles SW on Karupukari–Annai Road, 5 km long transect. 17 March 1997.

4°37'35"N 58°43'0"W, elevation 70 m.

Collections: 4080–4090. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with *Chlorocardium*, *Eperua* and *Licania*.

Iwokrama Rainforest Reserve. Karupukari, 20 miles SW on Karupukari–Annai Road.

4°25'N 58°50'W, elevation 65 m.

Collections: 4091–4094. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with *Mora*, *Eschweilera* and *Pentaclethra*.

Iwokrama Rainforest Reserve. Karupukari–Annai Road, summit of unnamed peak at end of 5 km transect. 19 March 1997.

4°28'14"N 58°47'16"W, elevation 700 m.

Collections: 4095–4131. Collected with S. Mori; S. Heald.

Dense forest on brown sand with rock outcroppings; with *Chrysophyllum*, *Caryocar* and *Catostemma*.

Iwokrama Rainforest Reserve. Karupukari–Annai Road, below summit of unnamed peak. 20 March 1997.

4°28'14"N 58°47'16"W, elevation 500–600 m.

Collections: 4132–4182. Collected with S. Mori; S. Heald.

Dense forest on brown sand and laterite; with *Caryocar*, *Sloanea* and *Aparisthium*.

Iwokrama Rainforest Reserve. Karupukari–Annai Road, lower slopes of unnamed peak. 22 March 1997.

4°28'14"N 58°47'16"W, elevation 200–400 m.

Collections: 4183–4194. Collected with S. Mori; S. Heald.

Dense forest on brown sand, laterite, and granite boulders; with *Sloanea*, *Pentaclethra* and *Eschweilera*.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 0–1 km SE of camp at bottom of gorge. 24 March 1997.

4°20'15"N 58°48'37"W, elevation 75–150 m.

Collections: 4195–4239. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with *Mora*, *Chlorocardium* and *Trichilia*.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 1–2 km SE of camp at bottom of gorge. 25 March 1997. 4°20'15"N 58°48'37"W, elevation 150–200 m.

Collections: 4240–4284. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with *Mora*, *Eschweilera* and *Chlorocardium*.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 2–3 km SE of camp at bottom of gorge. 26 March 1997. 4°20'15"N 58°48'37"W, elevation 200–225 m.

Collections: 4285–4328. Collected with S. Mori; S. Heald.

Dense forest on brown sand and granitic boulders; with *Cassia*, *Carapa* and *Sloanea*.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 4.5 km transect from Karupukari–Annai Road to camp. 27 March 1997.

4°20'15"N 58°48'37"W, elevation 60 m.

Collections: 4329–4351. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with *Mora*, *Carapa* and *Socratea*.

TRIP 14: KUYUWINI AND KASSIKAITYU RIVERS

COLLECTIONS: 4352–5164. 27 APRIL–6 JUNE 1997

Parabara Savanna, S of Karaudarnau Village. 3 May 1997.

2°11'55"N 59°22'15"W, elevation 270 m.

Collections: 4352–4352.

Savanna vegetation on white sandy clay, with *Trachypogon*, *Paepalanthus* and Cyperaceae.

Kuyuwini River, C. Mingle farm near river landing, at end of trail from Parabara Savanna and Karaudarnau. 6 May 1997.

2°5'41"N 59°14'25"W, elevation 240 m.

Collections: 4353–4361.

Disturbed vegetation and secondary forest on brown sand, with *Cecropia*, *Trema* and *Solanum*.

Kuyuwini River, trail from river to Kassikaityu, 0–2 km S of Charlie Mingle farm. 6 May 1997.

2°5'41"N 59°14'25"W, elevation 240 m.

Collections: 4362–4400.

Dense forest on brown sand with *Oenocarpus*, *Licania* and *Maximiliana*; dense forest on white sand with *Catostemma*, *Socratea* and *Oenocarpus*.

Kuyuwini River, trail from river to Parabara Savanna and Karaudarnau Village, 0–2 km N of landing. 7 May 1997. 2°5'56"N 59°14'58"W, elevation 240 m.

Collections: 4401–4446.

Kuyuwini River, trail to Kassikaityu River, 0–1 km S of camp at Honey Creek. 10 May 1997.

1°58'N 59°9'W, elevation 260 m.

Collections: 4447–4475.

Dense swamp forest on white sand, with *Euterpe*, *Catostemma* and *Protium*.

Kuyuwini River, trail to Kassikaityu River, 1–2 km S of camp at Honey Creek. 11 May 1997.

1°58'N 59°9'W, elevation 260 m.

Collections: 4476–4500.

Kuyuwini River, trail to Kassikaityu River, 2–3 km S of camp at Honey Creek. 13 May 1997.

1°58'N 59°9'W, elevation 260 m.

Collections: 4501–4541.

Dense forest on brown sand, with *Sloanea*, *Maximiliana* and *Herrania*.

Kuyuwini River, trail to Kassikaityu River, area near camp at Anteater Head Creek. 15 May 1997.

1°55'39"N 59°6'58"W, elevation 260 m.

Collections: 4542–4581.

Dense forest on brown sand, with *Bertholettia*, *Sloanea* and *Maximiliana*.

Kuyuwini River, trail to Kassikaityu River, 0–1 km S of camp at Anteater Head Creek. 16 May 1997.

1°55'39"N 59°6'58"W, elevation 260 m.

Collections: 4582–4613.

Dense forest on brown sand, with *Euterpe*, *Sloanea* and *Bertholettia*.

Kassikaityu River, 0–1 km N of landing at terminus of trail from Kuyuwini River. 18 May 1997.

1°50'27"N 59°5'0"W, elevation 240 m.

Collections: 4614–4679.

Inundated forest with Myrtaceae, *Astrocaryum* and *Inga*; dense forest on brown sand with *Phenakospermum*, *Catostemma* and *Maximiliana*.

Kassikaityu River, 1–3 km N of landing at terminus of trail from Kuyuwini River. 19 May 1997.

1°50'27"N 59°5'0"W, elevation 240 m.

Collections: 4680–4721.

Inundated forest with *Astrocaryum*, *Pachira* and Myrtaceae; dense forest on brown sand with *Bertholettia*, *Eschweilera* and *Oenocarpus*.

Kassikaityu River, 3–4 km N of landing at terminus of trail from Kuyuwini River. 20 May 1997.

1°50'27"N 59°5'0"W, elevation 240 m.

Collections: 4722–4754.

Dense forest on brown sand with *Pouteria*, *Apeiba*, *Bertholettia* and *Oenocarpus*; scrub vegetation on granite with *Clusia*, *Ananas* and Myrtaceae.

Kassikaityu River, 0–4 km W of landing at terminus of trail from Kuyuwini River. 20 May 1997.

1°50'27"N 59°5'0"W, elevation 240 m.

Collections: 4755–4802.

Riparian vegetation.

Kassikaityu River, 3–4 km N of landing at terminus of trail from Kuyuwini River. 21 May 1997.

1°50'27"N 59°5'0"W, elevation 240 m.

Collections: 4803–4824.

Dense forest on brown sand with *Pouteria*, *Apeiba*, *Bertholettia* and *Oenocarpus*; scrub vegetation on granite with *Clusia*, *Ananas* and Myrtaceae.

Kassikaityu River, 0–3 km E of landing at terminus of trail from Kuyuwini River. 21 May 1997.

1°50'27"N 59°5'0"W, elevation 240 m.

Collections: 4825–4864.

Riparian vegetation.

Kassikaityu River, forest between camp and unnamed outlier of Kamoia Mountains, 5 km S of camp. 23 May 1997.

1°49'17"N 58°44'6"W, elevation 240 m.

Collections: 4865–4904.

Dense forest on brown sand, with *Inga*, *Eperua* and *Euterpe*.

Kamoia Mountains.; summit of unnamed outlier, 5 km S of camp on Kassikaityu River. 24 May 1997.

1°47'22"N 58°44'18"W, elevation 490 m.

Collections: 4905–4940.

Dense forest on brown sand and granite outcroppings, with *Aspidosperma*, *Erythroxylum* and *Symphonia*.

Kamoia Mountains.; near summit of unnamed outlier, 5 km S of camp on Kassikaityu River. 25 May 1997.

1°47'22"N 58°44'18"W, elevation 450–490 m.

Collections: 4941–4960.

Dense forest on brown sand and granite outcroppings, with *Aspidosperma*, *Erythroxylum* and *Symphonia*.

Kassikaityu River; 0–5 km E of camp. 26 May 1997.

1°49'17"N 58°44'6"W, elevation 240 m.

Collections: 4961–5002.

Riparian vegetation.

Kamoia Mountains.; N slopes of unnamed outlier, 5 km S of camp on Kassikaityu River. 26 May 1997.

1°47'22"N 58°44'18"W, elevation 300–450 m.

Collections: 5003–5022.

Dense forest on brown sand and granite boulders, with *Hevea*, *Bauhinia* and *Erythroxylum*.

Kassikaityu River, 1 km S of camp. 26 May 1997.

1°49'17"N 58°44'6"W, elevation 240 m.

Collections: 5023–5024.

Swamp forest with *Euterpe*, *Eschweilera* and *Bactris*; terre firme forest with *Eperua*, *Eschweilera* and *Bactris*.

Kassikaityu River; 5–8 km E of camp. 26 May 1997.

1°49'17"N 58°44'6"W, elevation 240 m.

Collections: 5025–5048.

Riparian vegetation.

Kuyuwini River; 0–5 km W of landing at terminus of trail from Karaudarnau and Parabara Savanna. 31 May 1997.

2°5'56"N 59°14'58"W, elevation 240 m.

Collections: 5049–5085.

Riparian vegetation.

Parabara Savanna; trail from Karaudarnau to Kuyuwini River. 1 June 1997.

2°11'58"N 59°22'14"W, elevation 270 m.

Collections: 5086–5131.

Dadanawa Ranch, in ranch compound. 4 June 1997.

2°49'31"N 59°31'31"W, elevation 120 m.

Collections: 5132–5133.

Tautowan Mountain.; base and slopes, 10 km E of Dadanawa Ranch Compound. 4 June 1997.

2°49'24"N 59°25'46"W, elevation 150–260 m.

Collections: 5134–5162.

Scrub forest on laterite and granite outcroppings, with *Zanthoxylum*, *Chochlopermum*, and *Cnidocolus*.

TRIP 15: WAUKAUYENGTIPU AND PARUIMA

COLLECTIONS: 5165–6174. 29 JUNE–29 JULY 1997

Paruima, 5 km W; near camp on trail to Ararata savanna. 2 July 1997.

5°48'25"N 61°6'6"W, elevation 685 m.

Collections: 5165–5228. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on brown sand, with *Mora gongrijppii*, *Sloanea* and *Carapa*.

Paruima, 9 km W; Ararata scrub area. 3 July 1997.
5°49'36"N 61°8'40"W, elevation 800 m.
Collections: 5229–5356. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Scrub forest on white sand, with *Clusia*, *Paepalanthus*, *Cladonia*, *Pagamea*, and *Humiria*.

Paruima, 9 km W; 0.2–0.5 km E of Ararata scrub area. 5 July 1997.

5°49'36"N 61°8'40"W, elevation 780 m.

Collections: 5357–5404. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense forest on brown sand, with *Micrandra*, *Eperua* and *Cassia*.

Paruima, 9 km W; 0.5–1.0 km E of Ararata scrub area. 6 July 1997.

5°49'36"N 61°8'40"W, elevation 780 m.

Collections: 5405–5453. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense forest on brown sand, with *Aspidosperma*, *Eperua* and *Licania*.

Paruima, 11 km W; between Ararata scrub area and Waukauyengtipu. 7 July 1997.

5°49'36"N 61°9'19"W, elevation 850 m.

Collections: 5454–5484. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense forest on white sand, with *Eperua*, *Dimorphandra* and *Dicymbe*.

Paruima, 12 km W; between Ararata scrub area and Waukauyengtipu. 8 July 1997.

5°49'30"N 61°10'0"W, elevation 850 m.

Collections: 5485–5513. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense forest on white sand, with *Sloanea*, *Eperua* and *Dicymbe*.

Waukauyengtipu; area near camp at base. 9 July 1997.

5°49'30"N 61°11'15"W, elevation 1,140 m.

Collections: 5514–5521. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense forest on white sand, with *Licania*, *Micrandra* and *Socratea*.

Waukauyengtipu, slope. 10 July 1997.

5°49'30"N 61°11'40"W, elevation 1,300 m.

Collections: 5522–5559. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Cloud forest on white sand and sandstone, with *Geonoma*, *Clusia* and *Catostemma*.

Waukauyengtipu, eastern summit. 10 July 1997.

5°49'44"N 61°11'43"W, elevation 1,570 m.

Collections: 5560–5583. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Cloud forest on white sand and sandstone, with *Weinmannia*, *Symbolanthus* and *Clusia*.

Paruima, 15 km W; camp near eastern summit of Waukauyengtipu. 12 July 1997.

5°49'57"N 61°12'0"W, elevation 1,525 m.

Collections: 5584–5589. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Cloud forest on sandstone and peat, with *Clusia*, *Schefflera* and *Bonnetia*.

Paruima, 15 km W; eastern edge of Waukauyengtipu. 12 July 1997.

5°49'44"N 61°11'43"W, elevation 1,570 m.

Collections: 5590–5690. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Cloud forest on sandstone and peat, with *Weinmannia*, *Bonnetia*, *Schefflera* and *Clusia*.

Paruima, 15 km W; 0.25 km W of camp near eastern summit of Waukauyengtipu. 15 July 1997.

5°49'57"N 61°12'0"W, elevation 1,525 m.

Collections: 5691–5730. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense tepui scrub forest on sandstone and peat, with *Euterpe*, *Clusia* and *Bonnetia*.

Paruima, 15 km W; 0.25 km E of camp near eastern summit of Waukauyengtipu. 15 July 1997.

5°49'57"N 61°12'0"W, elevation 1,525 m.

Collections: 5731–5739. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Cloud forest on peat and sandstone, with *Podocarpus*, *Euterpe* and *Sloanea*.

Paruima, 15 km W; 1.5 km W of camp near eastern summit of Waukauyengtipu. 16 July 1997.

5°49'57"N 61°12'0"W, elevation 1,525 m.

Collections: 5740–5767. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense tepui scrub forest on sandstone and peat, with *Clusia*, *Bonnetia* and *Schefflera*.

Paruima, 17 km W; 3 km W of eastern summit of Waukauyengtipu. 17 July 1997.

5°49'51"N 61°13'16"W, elevation 1,430 m.

Collections: 5768–5808. Collected with T. Hollowell;
K. David; C. Chin; C. Perry.

Dense tepui scrub forest on white sand and sandstone, with *Bonnetia*, *Clusia* and *Euterpe*.

Paruima, 20 km W; wet savanna on Waukauyengtipu. 17 July 1997.

5°49'58"N 61°14'5"W, elevation 1,430 m.

Collections: 5809–5927. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Savanna vegetation, with *Brocchinia*, *Heliophora* and *Xyris*.

Paruima, 2.5 km W of camp 17 km W of Paruima; near eastern summit of Waukauyengtipu. 18 July 1997.

5°49'51"N 61°13'16"W, elevation 1,430 m.

Collections: 5815–5815. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Tepui scrub vegetation, with *Bonnetia*, *Podocarpus* and *Clusia*.

Paruima, 1.5 km S; summit of Konuktipu. 22 July 1997.

5°48'4"N 61°3'25"W, elevation 690 m.

Collections: 5928–5965. Collected with K. David; C. Chin; C. Perry.

Dense forest on laterite, with *Pentaclethra*, *Aparisthium* and *Eperua*.

Paruima, 1.5 km N; summit of Warimatipu. 23 July 1997.

5°50'2"N 61°3'56"W, elevation 880 m.

Collections: 5966–5989. Collected with K. David; C. Chin; C. Perry.

Dense forest on laterite and granite outcroppings, with *Aspidosperma*, *Caryocar* and *Eperua*.

Paruima, 1.5 km N; slopes of Warimatipu below summit. 23 July 1997.

5°50'2"N 61°3'56"W, elevation 840 m.

Collections: 5990–6033. Collected with K. David; C. Chin; C. Perry.

Semi-disturbed forest on brown sand, with *Pentaclethra*, *Humiria* and *Cecropia*.

Paruima, 1–3 km S; Kamarang River, trail to Illubia Creek, near trail to Utshi Savanna and Venezuela. 24 July 1997.

5°47'49"N 61°3'57"W, elevation 500 m.

Collections: 6034–6051. Collected with K. David; C. Chin; C. Perry.

Dense forest on brown sand, with *Apeiba*, *Pentaclethra* and *Eschweilera*.

Paruima, 1–3 km S; Illubia Creek, 0.5 km E of confluence with Kamarang River. 24 July 1997.

5°47'49"N 61°3'57"W, elevation 500 m.

Collections: 6052–6088. Collected with K. David; C. Chin; C. Perry.

Dense forest on brown sand and granite outcroppings, with *Sloanea*, *Brownea* and *Pentaclethra*.

Paruima, 5 km N; Auratoi Savanna. 25 July 1997.

5°51'8"N 61°5'5"W, elevation 760 m.

Collections: 6089–6139. Collected with K. David; C. Chin; C. Perry.

Savanna vegetation on white sand and sandstone, with *Pteridium*, *Trachypogon* and *Brysonima*.

Paruima River, 0–1 km N of confluence with Kamarang River. 27 July 1997.

5°48'54"N 61°3'42"W, elevation 500 m.

Collections: 6140–6174. Collected with K. David; C. Chin; C. Perry.

Riparian vegetation.

TRIP 16: KWITARO AND REWA RIVERS AND EASTERN KANUKU MOUNTAINS AND MAKARAPAN MOUNTAIN

COLLECTIONS: 6175–7048.

5 SEPTEMBER–6 OCTOBER 1997

Shea Rock; 1 km N of Shea Village. 7 September 1997.

2°49'51"N 59°9'18"W, elevation 330 m.

Collections: 6175–6187. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Scrub vegetation on granite monolith, with *Cnidioscolus*, *Furcraea* and *Mimosa*.

Kwitaro Landing; at terminus of trail from Shea Village. 10 September 1997.

2°54'39"N 58°58'19"W, elevation 120 m.

Collections: 6188–6216. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest and disturbed vegetation on brown sand, with *Uncaria*, *Vitex* and *Ceiba*.

Kwitaro Landing; 0–0.5 km W. on trail to Shea Village. 11 September 1997.

2°54'39"N 58°58'19"W, elevation 120 m.

Collections: 6217–6233. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Ceiba*, *Maximiliana* and *Rinorea*.

Kwitaro Landing; 0.5–1.5 km W. on trail to Shea Village. 12 September 1997.

2°54'39"N 58°58'19"W, elevation 120 m.

Collections: 6234–6258. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Inga*, *Maximiliana* and *Ceiba*.

Kwitaro River; 0–2 km N of landing at terminus of trail from Shea Village. 12 September 1997.

2°54'39"N 58°58'19"W, elevation 120 m.

Collections: 6259–6282. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation.

Kwitaro River; 1–2 km W of camp. 15 September 1997.

3°10'18"N 58°49'44"W, elevation 90 m.

Collections: 6283–6328. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Catostemma*, *Ceiba* and *Clathrotropis*.

Kwitaro River; area between river and eastern Kanuku Mountains. 16 September 1997.

3°10'18"N 58°49'44"W, elevation 90 m.

Collections: 6329–6352. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Bertholettia*, *Maximiliana* and *Eschweilera*.

Eastern Kanuku Mountains, lower slopes of unnamed mountain. 16 September 1997.

3°11'22"N 58°51'18"W, elevation 200 m.

Collections: 6353–6364. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand and granite boulders, with *Sloanea*, *Eschweilera* and *Moronobea*.

Eastern Kanuku Mountains, 5 km W of Kwitaro River, below summit of unnamed mountain. 17 September 1997.

3°11'22"N 58°51'18"W, elevation 380 m.

Collections: 6365–6368. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand and granite boulders, with *Sloanea*, *Eschweilera* and *Moronobea*.

Eastern Kanuku Mountains, 5 km W of Kwitaro River, summit of unnamed mountain. 17 September 1997.

3°11'22"N 58°51'18"W, elevation 560 m.

Collections: 6369–6419. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Scrub forest on granite outcropping, with *Clusia*, *Erythroxylum* and *Sloanea*.

Kwitaro River, 0–5 km S of camp. 17 September 1997.

3°10'18"N 58°49'44"W, elevation 90 m.

Collections: 6420–6459. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation.

Eastern Kanuku Mountains, 5 km W of Kwitaro River, summit of unnamed peak. 18 September 1997.

3°11'22"N 58°51'18"W, elevation 560 m.

Collections: 6460–6492. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Kwitaro River, 0–5 km N of camp. 18 September 1997.

3°10'18"N 58°49'44"W, elevation 90 m.

Collections: 6493–6539. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation.

Rewa River, at Great Falls. 20 September 1997.

3°10'38"N 58°40'36"W, elevation 90 m.

Collections: 6540–6606. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation on granite outcroppings, with *Ceiba*, *Ananas*, and *Mourera*.

Rewa River, 0–5 km S of Great Falls. 20 September 1997.

3°10'38"N 58°40'36"W, elevation 90 m.

Collections: 6607–6671. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation.

Rewa River, 1 km S of camp. 24 September 1997.

3°48'35"N 58°46'20"W, elevation 75 m.

Collections: 6672–6696. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Seasonally flooded forest on brown sand, with *Mora*, *Maximiliana* and *Duguetia*.

Rewa River, between camp and confluence of Rewa with Rupununi River. 25 September 1997.

3°48'35"N 58°46'20"W, elevation 75 m.

Collections: 6697–6737. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation.

Rupununi River, between Kwattamang Landing and Rewa Village. 29 September 1997.

3°56'59"N 58°52'3"W, elevation 100 m.

Collections: 6738–6813. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Semi-disturbed forest on brown sand, with *Mora*, *Maximiliana* and *Cecropia*.

Makarapan Mountain, southern false summit. 29 September 1997.

3°57'55"N 58°51'58"W, elevation 870 m.

Collections: 6814–6904. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Scrub forest on granite outcroppings, with *Clusia*, *Erythroxylum* and Myrtaceae.

Makarapan Mountain, at base of southern side, 0–1 km S of camp. 29 September 1997.

3°56'59"N 58°52'3"W, elevation 100 m.

Collections: 6905–6962. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Semi-disturbed forest on brown sand with *Cecropia*, *Mora* and *Maximiliana*; savanna vegetation on white sandy clay with *Byrsonima*, *Curatella* and *Paepalanthus*.

Makarapan Mountain, upper slopes, below southern false summit. 2 October 1997.

3°57'55"N 58°51'58"W, elevation 760 m.

Collections: 6963–6983. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand and granite outcroppings, with *Sloanea*, *Manilkara* and *Moronobea*.

Makarapan Mountain, 1–2 km S of camp at base of southern side of mountain. 2 October 1997.

3°56'59"N 58°52'3"W, elevation 100 m.

Collections: 6984–7034. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Savanna and scrub vegetation on white sandy clay, with *Byrsonima*, *Curatella* and *Paepalanthus*.

Makarapan Mountain, upper slopes, below false summit. 3 October 1997.

3°57'55"N 58°51'58"W, elevation 450–550 m.

Collections: 7035–7048. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Savanna and scrub vegetation on white sandy clay, with *Byrsonima*, *Curatella* and *Paepalanthus*.

TRIP 17: ACARAI MOUNTAINS–SIPU RIVER

COLLECTIONS: 7049–7888.

18 AUGUST–18 SEPTEMBER 1998

Gunn's Strip. 18 August 1998.

1°39'6"N 58°37'41"W, elevation 240 m.

Collections: 7049–7068. Collected with R. Williams; C. Perry.

Secondary forest, semi-open on gray sandy clay, with *Oenocarpus*, *Macrobium* and *Licania*.

Sipu River, camp. 22 August 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7069–7081. Collected with R. Williams; C. Perry.

Dense, seasonally flooded forest on gray sand, with *Aspidosperma* and *Euterpe*.

Sipu River, between camp and Acarai Mountains. 23 August 1998.

1°24'34"N 58°57'0"W, elevation 245 m.

Collections: 7082–7113. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy soil, with *Isertia*, *Oenocarpus* and *Duguetia*.

Acarai Mountains, lower slopes, 4 km S of Sipu River. 24 August 1998.

1°23'14"N 58°56'45"W, elevation 290 m.

Collections: 7114–7130. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with *Virola*, *Parkia* and *Bactris*.

Sipu River, near camp. 25 August 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7131–7132. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy clay, with *Eperua*, *Clusia*, *Oenocarpus*, *Symphonia*, *Aparisthium* and *Euterpe*.

Acarai Mountains, ridge ascending to summit of unnamed peak, 6 km S of Sipu River. 26 August 1998.

1°22'24"N 58°56'52"W, elevation 700 m.

Collections: 7133–7153 and 7230–7249. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with *Aspidosperma*, *Bactris*, *Swartzia*, *Clusia*, *Oenocarpus* and *Palicourea*.

Acarai Mountains, summit of unnamed peak, 6 km S of Sipu River. 27 August 1998.

1°21'47"N 58°57'34"W, elevation 900 m.

Collections: 7154–7185. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with *Sloanea*, *Palicourea* and *Oenocarpus*.

Acarai Mountains, summit of unnamed peak, 5 km S of Sipu River. 29 August 1998.

1°21'47"N 58°57'34"W, elevation 900 m.

Collections: 7186–7227. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with *Sloanea*, *Clusia* and *Palicourea*.

Acarai Mountains, 8 km S of Sipu River, camp at base of highest peak in central Acarai Mountains. 1 September 1998.

1°21'19"N 58°57'25"W, elevation 610 m.

Collections: 7250–7254. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with *Catostemma*, *Oenocarpus* and *Bactris*.

Acarai Mountains, 10 km S of Sipu River, summit of highest peak in central Acarai Mountains. 1 September 1998.

1°19'58"N 58°57'54"W, elevation 1,100 m.

Collections: 7255–7334 and 7438–7482. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders with *Catostemma*, *Oenocarpus* and *Bactris*; scrub forest on peat and granite with *Erythroxylum*, *Clusia* and Myrtaceae.

Acarai Mountains, 8 km S of Sipu River, near camp and creek at base of highest peak in central Acarai Mountains. 2 September 1998.

1°21'19"N 58°57'25"W, elevation 610 m.

Collections: 7335–7437. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with *Catostemma*, *Oenocarpus*, *Bactris*, *Eperua*, *Parkia* and *Sloanea*.

Acarai Mountains, 10 km S of Sipu River, upper slopes of highest peak in central Acarai Mountains. 5 September 1998.

1°19'58"N 58°57'54"W, elevation 800–900 m.

Collections: 7483–7545. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with *Aparisthium*, *Parkia* and *Bactris*.

Acarai Mountains, 8 km S of Sipu River, creek at base of highest peak in central Acarai Mountains. 6 September 1998.

1°21'19"N 58°57'25"W, elevation 610 m.

Collections: 7546–7547. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with *Eperua*, *Parkia* and *Sloanea*.

Acarai Mountains, 4 km S of Sipu River, area near camp at base of Acarai Mountains. 7 September 1998.

1°23'11"N 58°56'47"W, elevation 245 m.

Collections: 7548–7686. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with *Eperua*, *Sloanea*, *Oenocarpus*, *Pouteria*, *Bertholettia*, *Rinorea*, *Bactris* and *Symphonia*.

Sipu River, area near camp. 11 September 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7687–7725. Collected with R. Williams; C. Perry.

Dense, seasonally flooded forest on gray sand with *Eperua*, *Aspidosperma* and *Euterpe*; dense forest on brown sand and laterite with *Eperua*, *Nectandra* and *Oenocarpus*.

Sipu River, 0–5 km E of camp. 11 September 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7726–7766. Collected with R. Williams; C. Perry.

Riparian vegetation.

Sipu River, near camp. 12 September 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7767–7789. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy clay, with *Eperua*, *Clusia*, *Oenocarpus*, *Symphonia*, *Aparisthium* and *Euterpe*.

Sipu River, 0–3 km W of camp. 12 September 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7790–7821. Collected with R. Williams; C. Perry.

Riparian vegetation.

Sipu River, near camp. 14 September 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7822–7842. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy clay, with *Eperua*, *Clusia*, *Oenocarpus*, *Symphonia*, *Aparisthium* and *Euterpe*.

Sipu River, 5–7 km E of camp. 14 September 1998.

1°25'17"N 58°57'7"W, elevation 240 m.

Collections: 7843–7866. Collected with R. Williams; C. Perry.

Riparian vegetation.

Gunn's Strip; airstrip 2 km W of village and Essequibo River. 18 September 1998.

1°39'5"N 58°38'50"W, elevation 240 m.

Collections: 7867–7888. Collected with R. Williams; C. Perry.

Savanna on poorly drained white sandy clay, with *Brysonima*, *Trachypogon* and *Tibouchina*.

**TRIP 18: WASSARI MOUNTAINS,
UPPER TAKUTU-UPPER ESSEQUIBO
REGION (REGION 9)**

COLLECTIONS: 7889–8896.
18 AUGUST–28 SEPTEMBER 1999

South Kassikaityu River, transect from S. Kassikaityu River to Wassari Mountains, 0–0.1 km S of river. 25 August 1999.

1°38'57"N 59°14'59"W, elevation 240 m.

Collections: 7889–7941. Collected with R. Williams; C. Perry.

Poorly drained forest on gray sandy clay, with *Catostemma*, *Euterpe* and *Oenocarpus*.

Wassari Mountains, trail heading from S. Kassikaityu River to Wassari Mountains, near N base of mountains. 26 August 1999.

1°36'42"N 59°14'26"W, elevation 260 m.

Collections: 7942–7976. Collected with R. Williams; C. Perry.

Poorly drained dense forest on gray sandy clay, with *Euterpe*, *Mauritiella* and *Eperua*.

Wassari Mountains, trail heading from S. Kassikaityu River to Wassari Mountains, near N. base of mountains. 26 August 1999.

1°36'8"N 59°14'20"W, elevation 260 m.

Collections: 7977–7991. Collected with R. Williams; C. Perry.

Poorly drained dense forest on gray sandy clay, with *Euterpe*, *Mauritiella* and *Eperua*.

Wassari Mountains, 0.2–0.5 km N of camp at base of mountains. 27 August 1999.

1°35'57"N 59°14'17"W, elevation 300 m.

Collections: 7992–8014. Collected with R. Williams; C. Perry.

Semi-disturbed forest at base of escarpment on brown sandy clay and boulders, with *Euterpe*, *Jacaratia* and *Cecropia*.

Wassari Mountains, base of N slope, 0–1.5 km S of camp. 29 August 1999.

1°35'57"N 59°14'17"W, elevation 300–680 m.

Collections: 8015–8036. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Pouteria*, *Inga* and *Schefflera*.

Wassari Mountains, summit of unnamed peak. 29 August 1999.

1°34'57"N 59°14'17" W.

Collections: 8037–8052. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Pouteria*, *Inga* and *Schefflera*.

Wassari Mountains, summit of unnamed peak, 8 km S of S. Kassikaityu River. 31 August 1999.

1°34'57"N 59°14'17"W, elevation 715 m.

Collections: 8053–8108. Collected with R. Williams; C. Perry.

Dense forest on reddish sandy clay, with *Couratari*, *Pouteria* and *Inga*.

Wassari Mountains, upper slopes of northern outlier, 0–0.5 km S of summit. 1 September 1999.

1°34'57"N 59°14'15"W, elevation 600–715 m.

Collections: 8109–8139. Collected with R. Williams; C. Perry.

Dense forest on red sandy clay and granite boulders, with *Ouratea*, *Pouteria* and *Inga*.

Wassari Mountains, camp along creek at base of highest peak in Wassari Mountains. 1 September 1999.

1°33'54"N 59°14'18"W, elevation 275 m.

Collections: 8140–8141. Collected with R. Williams; C. Perry.

Periodically inundated forest on gray sandy clay, with *Inga*, *Cecropia* and *Guadua*.

Wassari Mountains, lower slopes of highest peak (1,135 m), 0–0.5 km S of camp. 1 September 1999.

1°33'54"N 59°14'18"W, elevation 275–400 m.

Collections: 8142–8183. Collected with R. Williams; C. Perry.

Dense forest on reddish brown sandy clay, with *Tabebuia*, *Ficus* and *Guarea*.

Wassari Mountains, 0.5–1.0 km S of camp at base of highest peak (1,135 m). 1 September 1999.

1°33'54"N 59°14'18"W, elevation 400–540 m.

Collections: 8184–8225. Collected with R. Williams; C. Perry.

Dense forest on red sandy clay, with *Ficus*, *Sloanea* and *Oenocarpus*.

Wassari Mountains, summit of highest peak, 14 km S of S. Kassikaityu River. 1 September 1999.

1°31'43"N 59°14'23"W, elevation 1,135 m.

Collections: 8226–8286. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat with *Rhodostemonodaphne*, *Clusia*, *Sphagnum*, *Olyra* and

Myrtaceae; elfin forest on granite and peat with *Rhodostemonodaphne*, *Clusia* and *Sphagnum*.

Wassari Mountains, lower slopes of unnamed peak, 12 km S of S. Kassikaityu River, 0.0.5 km E of camp. 9 September 1999.

1°33'54"N 59°14'18"W, elevation 275–350 m.

Collections: 8287–8371. Collected with R. Williams; C. Perry.

Dense forest on reddish sandy clay, with *Pouteria*, *Bertholettia* and *Eschweilera*.

Wassari Mountains, summit of highest peak, 14 km S of S. Kassikaityu River. 10 September 1999.

1°31'43"N 59°14'23"W, elevation 1,135 m.

Collections: 8372–8423. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat with *Rhodostemonodaphne*, *Clusia*, *Sphagnum*, *Olyra* and Myrtaceae; elfin forest on granite and peat with *Rhodostemonodaphne*, *Clusia* and *Sphagnum*.

Wassari Mountains, slopes of unnamed peak, 12 km S of S. Kassikaityu River, 0.5–1.0 km E of camp. 11–12 September 1999.

1°33'54"N 59°14'18"W, elevation 350–500 m.

Collections: 8424–8519. Collected with R. Williams; C. Perry.

Dense forest on reddish, sandy clay and granite boulders, with *Viola*, *Ficus*, *Bertholettia*, *Pouteria* and *Rinorea*.

Wassari Mountains, summit of highest peak, 14 km S of S. Kassikaityu River. 13 September 1999.

1°31'43"N 59°14'23"W, elevation 1,135 m.

Collections: 8520–8560. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat with *Rhodostemonodaphne*, *Clusia*, *Sphagnum*, *Olyra* and Myrtaceae; elfin forest on granite and peat with *Rhodostemonodaphne*, *Clusia* and *Sphagnum*.

Wassari Mountains, summit of unnamed peak, 12.5 km S of S. Kassikaityu River. 14 September 1999.

1°32'19"N 59°15'4"W, elevation 915 m.

Collections: 8561–8608. Collected with R. Williams; C. Perry.

Dense forest on reddish sandy clay, with *Ficus*, *Ocotea* and *Myrcia*.

Wassari Mountains, summit of unnamed peak, 10.5 km S of S. Kassikaityu River. 15 September 1999.

1°33'10"N 59°14'35"W, elevation 900 m.

Collections: 8609–8660. Collected with R. Williams; C. Perry.

Dense forest and scrub forest on peat and granite, with *Tricholia*, *Ficus* and *Guadua*.

Wassari Mountains, W slope of unnamed peak, 12 km S of S. Kassikaityu River. 16 September 1999.

1°33'57"N 59°12'31"W, elevation 700 m.

Collections: 8661–8663. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Sloanea*, *Bertholettia* and *Rinorea*.

Wassari Mountains, summit of unnamed peak, 12 km S of S. Kassikaityu River. 16 September 1999.

1°33'43"N 59°12'31"W, elevation 975 m.

Collections: 8664–8703. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat, with *Clusia*, *Psammisia* and *Erythroxylum*.

Wassari Mountains, near camp, along creek at base of highest peak in Wassari Mountains. (1,135 m). 17 September 1999.

1°34'8"N 59°14'18"W, elevation 275 m.

Collections: 8704–8744. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Inga*, *Socratea* and *Cecropia*.

S. Kassikaityu River, 0–0.5 km S of river, heading toward Wassari Mountains. 20 September 1999.

1°38'57"N 59°14'59"W, elevation 240 m.

Collections: 8745–8794. Collected with R. Williams; C. Perry.

Poorly drained dense forest on gray sandy clay, with *Eperua*, *Euterpe* and *Inga*.

S. Kassikaityu River, 0–6 km N and E of camp. 20 September 1999.

1°39'11"N 59°14'59"W, elevation 240 m.

Collections: 8795–8823. Collected with R. Williams; C. Perry.

Riparian vegetation.

S. Kassikaityu River, 0.5–0.8 km S of river toward Wassari Mountains. 21 September 1999.

1°38'57"N 59°14'59"W, elevation 240 m.

Collections: 8824–8862. Collected with R. Williams; C. Perry.

Riparian vegetation.

S. Kassikaityu River, 0–2 km S and W of camp.
21 September 1999.

1°39'11"N 59°14'59"W, elevation 240 m.

Collections: 8863–8895. Collected with R. Williams;
C. Perry.

Riparian vegetation.

Essequibo River, island above Baboon (Biloku) Rapids.
25 September 1999.

1°45'58"N 58°34'14"W, elevation 240 m.

Collections: 8896–8896. Collected with R. Williams;
C. Perry.

Riparian vegetation, with *Eperua*, *Astrocaryum* and
Inga.

TRIP 19: MOUNT AYANGANNA, POTARO–SIPARUNI REGION (REGION 8)

COLLECTIONS: 8897–9917. 30 MAY–10 JULY 2001

Upper Potaro River, 2 km south of camp, along stream
(affluent of Potaro River). 3 June 2001.

5°18'5"N 59°54'40"W, elevation 650 m.

Collections: 8897–8936. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest and streamside vegetation, sandstone
and laterite with *Tococa*, *Tachigali* and *Psychotria*.

Mount Ayanganna, east face, base of first of three es-
carpments. 4 June 2001.

5°20'4"N 59°55'30"W, elevation 712 m.

Collections: 8937–8972. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest on brown sandy clay and laterite, with
Micrandra, *Dicymbe* and *Xylopia*.

Mount Ayanganna, east face, slopes of first of four es-
carpments. 9 June 2001.

5°19'58"N 59°56'4"W, elevation 810 m.

Collections: 8973–9020. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest on reddish brown clay, with *Cordia*,
Socratea and *Inga*.

Mount Ayanganna, east face, plateau above edge of
first of four escarpments. 10 June 2001.

5°20'2"N 59°56'53"W, elevation 1,008 m.

Collections: 9021–9049. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest on gray sandy clay and sandstone, with
Inga, *Socratea* and *Clusia*.

Mount Ayanganna, east face, camp above first of four es-
carpments. 12 June 2001.

5°20'19"N 59°56'46"W, elevation 1,070 m.

Collections: 9050–9100. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and peat, with *Inga*,
Sloanea and *Rapatea*.

Mount Ayanganna, east face, plateau above first es-
carpment, 1 km N of camp. 13 June 2001.

5°20'19"N 59°56'46"W, elevation 1,100 m.

Collections: 9101–9140. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest on white sand, sandstone, and peat; with
Euterpe, *Clusia*, and *Rapatea*.

Mount Ayanganna, east face, plateau above first es-
carpment, 2 km N of camp. 14 June 2001.

5°20'19"N 59°56'46"W, elevation 1,100 m.

Collections: 9141–9172. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest, on sandstone and peat, with *Socratea*,
Clusia, and *Ischnosiphon*.

Mount Ayanganna, east face, camp at base of second
of four escarpments. 16 June 2001.

5°22'22"N 59°57'34"W, elevation 1,120 m.

Collections: 9173–9256. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Dense forest, on sandstone and peat, and riparian
vegetation near waterfall, with *Protium*, *Socratea*, and
Clusia.

Mount Ayanganna, east face, plateau above second of
four escarpments. 17 June 2001.

5°22'37"N 59°58'21"W, elevation 1,380 m.

Collections: 9257–9349. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Scrub forest on sandstone and peat, with *Clusia*,
Pagamea, and *Sphagnum*.

Mount Ayanganna, east face, plateau above third of
four escarpments. 19 June 2001.

5°23'12"N 59°58'36"W, elevation 1,570 m.

Collections: 9350–9398. Collected with R. Williams;
C. Perry; E. Tripp; J. Kelly.

Tepui scrub forest on sandstone and peat, with *Podo-
carpus*, *Weinmannia*, and *Bonnetia*.

Mount Ayanganna, east face, fourth of four escarp-
ments. 21 June 2001.

5°23'23"N 59°58'35"W, elevation 1,580 m.

Collections: 9399–9444. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Scrub forest on sandstone and peat, with *Podocarpus*, *Clusia* and *Brocchinia*.

Mount Ayanganna, camp on summit plateau. 23 June 2001.

5°23'18"N 59°59'8"W, elevation 2,040 m.

Collections: 9445–9505. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Tepui bog on sandstone, with *Brocchinia*, *Podocarpus*, and *Bonnetia*.

Mount Ayanganna, summit. 23 June 2001.

5°23'2"N 59°59'24"W, elevation 2,080 m.

Collections: 9506–9512. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Mount Ayanganna, east face, edge of summit plateau. 24 June 2001.

5°23'18"N 59°58'56"W, elevation 2,000 m.

Collections: 9513–9550. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Tepui scrub forest on sandstone, with *Bonnetia*, *Clusia* and *Brocchinia*.

Mount Ayanganna, east face, area near camp at base of fourth of four escarpments. 26 June 2001.

5°23'5"N 59°58'33"W, elevation 1,545 m.

Collections: 9551–9602. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and peat, with *Euterpe*, *Clusia*, and *Brocchinia*.

Mount Ayanganna, east face, area near camp at base of second of four escarpments. 28 June 2001.

5°22'22"N 59°57'34"W, elevation 1,120 m.

Collections: 9603–9643. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and peat, with *Clusia*, *Euterpe*, and *Socratea*.

Mount Ayanganna, east face, camp at base of first of four escarpments. 30 June 2001.

5°20'4"N 59°55'30"W, elevation 712 m.

Collections: 9644–9705. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on brown sandy clay and laterite, with *Dicymbe*, *Pentaclethra*, and *Micrandra*.

Mount Ayanganna, east face, 0.2–1.0 km S of camp at base of first of four escarpments. 1 July 2001.

5°20'4"N 59°55'30"W, elevation 700 m.

Collections: 9706–9756. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on brown sandy clay and laterite, with *Dicymbe*, *Caryocar*, and *Inga*.

Upper Potaro River, near camp. 3 July 2001.

5°18'5"N 59°54'40"W, elevation 650 m.

Collections: 9757–9871. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on gray alluvial sand and laterite with *Dicymbe*, *Pentaclethra*, and *Socratea*; on gray sandy clay with *Dicymbe*, *Pentaclethra*, and *Clusia*.

Upper Potaro River, near old Ayanganna airstrip. 5 July 2001.

5°18'5"N 59°53'52"W, elevation 650 m.

Collections: 9872–9896. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Secondary vegetation on white sand and sandstone, with *Cecropia*, *Vismia*, and *Pteridium*.

Upper Potaro River, near new Ayanganna airstrip. 7 July 2001.

5°18'6"N 59°50'6"W, elevation 650 m.

Collections: 9897–9917. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and laterite, with *Dicymbe*, *Pentaclethra*, and *Rapatea*.

TRIP 20: MOUNT WOKOMUNG, POTARO-SIPARUNI REGION (REGION 8)

COLLECTIONS: 9918–11035. 15 JUNE–23 JULY 2003

New Ayanganna airstrip, vic. 16 June 2003.

5°18'5"N 59°49'51.8"W, elevation 640 m.

Collections: 9918–9945. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Disturbed vegetation, with *Tibouchina*, *Vismia* and *Borreria*.

Upper Potaro River, Malek Falls, below new Ayanganna airstrip. 17 June 2003.

5°16'56.7"N 59°49'25.7"W, elevation 625 m.

Collections: 9946–9989. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Secondary forest and open, disturbed areas around dredge pits, with *Cecropia*, *Vismia* and *Miconia*.

Upper Potaro River, 5.5 km NE of Mount Wokomung. 18 June 2003.

5°9'57.2"N 59°46'40.8"W, elevation 620 m.

Collections: 9990–10055. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Along river and in dense forest on laterite, with *Dicymbe*, *Xylopia* and *Bactris*.

Upper Potaro River, 3 km SSW of camp. 21 June 2003. 5°8'48.2"N 59°47'39.4"W, elevation 640 m.

Collections: 10056–10057. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with *Dicymbe*, *Mora* and *Clusia*.

Mount Wokomung, camp at base of first of four escarpments. 24 June 2003.

5°7'47.8"N 59°48'35.5"W, elevation 674 m.

Collections: 10058–10124. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite and gray sandy clay, with *Dicymbe*, *Protium* and *Oenocarpus*.

Mount Wokomung, NE facing slopes of first of four escarpments. 25 June 2003.

5°7'38.1"N 59°48'40.1"W, elevation 790 m.

Collections: 10125–10171. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Naturally disturbed forest on steep lateritic slopes, with *Heliconia*, *Ocotea* and *Cecropia*.

Mount Wokomung, plateau above first of four escarpments. 28 June 2003.

5°6'36.3"N 59°49'14.1"W, elevation 1,135 m.

Collections: 10172–10258. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense, single-tiered canopy forest on gray sandy clay, peat, and sandstone, with *Clusia*, *Moronobea* and *Euterpe*.

Mount Wokomung, edge of plateau above first of four escarpments. 29 June 2003.

5°6'57.2"N 59°48'46.9"W, elevation 1,070 m.

Collections: 10259–10308. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense, single-tiered canopy forest on gray sandy clay, with peat, sandstone, with *Clusia*, *Schefflera* and *Euterpe*.

Mount Wokomung, easternmost pinnacle of massif. 30 June 2003.

5°5'34.4"N 59°50'13.3"W, elevation 1,524 m.

Collections: 10309–10359. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Scrub forest on sandstone and peat, with *Guadua*, *Euterpe* and *Sphagnum*.

Mount Wokomung, NE facing slopes above second of four escarpments. 1 July 2003.

5°5'55.9"N 59°50'15.6"W, elevation 1,400 m.

Collections: 10360–10447. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on sandstone and peat, with *Guadua*, *Euterpe* and *Clusia*.

Mount Wokomung, base of fourth of four escarpments. 4 July 2003.

5°5'38.7"N 59°50'35.6"W, elevation 1,375 m.

Collections: 10448–10513. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Semi-open forest on peat and sandstone, with *Euterpe*, *Clusia* and *Licania*.

Mount Wokomung, Little Ayanganna, summit of highest point of Mount Wokomung massif. 5 July 2003.

5°4'53.1"N 59°50'26.1"W, elevation 1,660 m.

Collections: 10514–10530. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Tepui bog on sandstone and peat, with *Brocchinia*, *Bonnetia* and *Rapatea*.

Mount Wokomung, Little Ayanganna, upper slopes of highest point of Mount Wokomung massif. 5 July 2003.

5°5'8"N 59°50'32"W, elevation 1,525 m.

Collections: 10531–10575. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Tepui scrub forest on sandstone and peat, with *Schefflera*, *Clusia* and *Guadua*.

Mount Wokomung, Little Ayanganna, summit of highest point of Mount Wokomung massif. 6 July 2003.

5°4'53.1"N 59°50'26.1"W, elevation 1,660 m.

Collections: 10576–10629. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Tepui bog on sandstone and peat, with *Brocchinia*, *Bonnetia* and *Rapatea*.

Mount Wokomung, slopes above second of four escarpments, 1.5 km NE of Mount Wokomung. 7 July 2003.

5°4'46.9"N 59°51'4.2"W, elevation 1,450 m.

Collections: 10630–10658. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on sandstone and laterite, with *Clusia*, *Licania* and *Euterpe*.

Mount Wokomung, area above third of four escarpments, 1 km NE of Mount Wokomung. 8 July 2003.

5°4'30"N 59°51'15"W, elevation 1,490 m.

Collections: 10659–10692. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with *Clusia*, *Euterpe* and *Licania*.

Mount Wokomung, summit. 10 July 2003.

5°4'3.3"N 59°51'41.8"W, elevation 1,560 m.

Collections: 10693–10805. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Scrub forest on sandstone and peat, with *Clusia*, *Miconia* and *Euterpe*.

Mount Wokomung, sub-summit camp. 12 July 2003.

5°4'20"N 59°51'45"W, elevation 1,420 m.

Collections: 10806–10807. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with *Aspidosperma*, *Clusia* and *Euterpe*.

Mount Wokomung, easternmost pinnacle of massif. 13 July 2003.

5°5'34.4"N 59°50'13.3"W, elevation 1,524 m.

Collections: 10808–10853. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Scrub forest on sandstone and peat, with *Guadua*, *Euterpe* and *Sphagnum*.

Mount Wokomung, plateau above first of four escarpments. 14 July 2003.

5°6'36.3"N 59°49'14.1"W, elevation 1,135 m.

Collections: 10854–10884. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense, single-tiered canopy forest on gray sandy clay, peat, and sandstone, with *Clusia*, *Moronobea* and *Euterpe*.

Mount Wokomung, camp at base of first of four escarpments. 16 July 2003.

5°7'47.8"N 59°48'35.5"W, elevation 674 m.

Collections: 10885–10901. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite and gray sandy clay, with *Dicymbe*, *Protium* and *Oenocarpus*.

Upper Potaro River, 3 km SSW of camp. 17 July 2003.

5°8'48.2"N 59°47'39.4"W, elevation 640 m.

Collections: 10902. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with *Dicymbe*, *Mora* and *Clusia*.

Upper Potaro River, 0–2 km N of camp, NE of toe slope of Mount Wokomung. 18 July 2003.

5°9'57.2"N 59°46'40.8"W, elevation 620 m.

Collections: 10903–10931. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Riparian vegetation.

Upper Potaro River, camp, NE of toe slope of Mount Wokomung. 19 July 2003.

5°9'57.2"N 59°46'40.8"W, elevation 620 m.

Collections: 10932–10967. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with *Dicymbe*, *Xylopia* and *Bactris*.

Upper Potaro River, 0–2 km S of camp, NE of toe slope of Mount Wokomung. 19 July 2003.

5°9'57.2"N 59°46'40.8"W, elevation 620 m.

Collections: 10968–10985. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Riparian vegetation.

Upper Potaro River, 0–10 km S of camp, NE of toe slope of Mount Wokomung. 20 July 2003.

5°9'57.2"N 59°46'40.8"W, elevation 620 m.

Collections: 10986–11035. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Riparian vegetation.

TRIP 21: CENTRAL SURINAME NATURE RESERVE

COLLECTIONS: 11036–11384.

22 FEBRUARY–10 MARCH 2004

Central Suriname Nature Reserve, Coppename River, Bureau Waterkracht Werken Camp, 500 m S of Tonckens Falls. 22 February 2004.

4°25'15.5"N 56°31'13.7"W, elevation 50–75 m.

Collections: 11036–11050. Collected with J. Rhodes.

Riparian vegetation with *Jacaranda*, *Eschweilera*, and *Psidium*.

Central Suriname Nature Reserve, Coppename River, Tonckens Falls. 23 February 2004.

4°25'21.7"N 56°31'34.2"W, elevation 50–75 m.

Collections: 11051–11077. Collected with J. Rhodes.

Riparian vegetation with *Parinari*, *Cassia*, and *Mourera*.

Central Suriname Nature Reserve, Rechter Coppename River. 23 February 2004.

4°21'18.1"N 56°31'8.2"W, elevation 50–75 m.

Collections: 11078–11081. Collected with J. Rhodes.

Dense forest on brown sandy clay with *Astrocaryum*, *Eperua*, and *Attalea*.

Central Suriname Nature Reserve, lower Rechter Coppename River. 23 February 2004.

4°21'41.2"N 56°31'8.2"W, elevation 50–75 m.

Collections: 11082–11086. Collected with J. Rhodes.

Rapids, sandbars, and seasonally flooded forest on brown sandy clay with *Astrocaryum*, *Eperua*, and *Scleria*.

Central Suriname Nature Reserve, lower Rechter Coppename River. 24 February 2004.

4°18'9"N 56°27'13.7"W, elevation 50–75 m.

Collections: 11087–11099. Collected with J. Rhodes.

Riparian vegetation and terra firme forest on brown sandy clay with *Attalea*, *Lecythis*, and *Rinorea*.

Central Suriname Nature Reserve, lower Rechter Coppename River. 24 February 2004.

4°18'37.4"N 56°27'6.2"W, elevation 50–75 m.

Collections: 11100–11106. Collected with J. Rhodes.

Seasonally inundated and terra firme forest on brown sandy clay with *Astrocaryum*, *Eperua*, and *Rinorea*.

Central Suriname Nature Reserve, Rechter Coppename River, Bolletrie Falls. 25 February 2004.

4°16'51.1"N 56°25'32"W, elevation 80 m.

Collections: 11107–111028 and 11141–11151. Collected with J. Rhodes.

Scrub, seasonally inundated, and dense forest on brown sandy clay, sand and jasper with *Jacaranda*, *Psidium*, and *Mourera*.

Central Suriname Nature Reserve, unnamed tributary of Rechter Coppename River. 26 February 2004.

4°21'49.1"N 56°29'59.2"W, elevation 50–75 m.

Collections: 11129–11140. Collected with J. Rhodes.

Riparian vegetation with *Scleria*, *Inga*, and *Duroia*.

Central Suriname Nature Reserve, confluence of Midden and Linker Coppename River. 28 February 2004.

4°13'9"N 56°36'0"W, elevation 75–100 m.

Collections: 11152–11156. Collected with J. Rhodes.

Flooded forest on brown sandy clay with *Heisteria*, *Cecropia*, and *Attalea*.

Central Suriname Nature Reserve, unnamed tributary of upper Linker Coppename River. 29 February 2004.

4°3'55.6"N 56°41'6.8"W, elevation 75–100 m.

Collections: 11157–11177. Collected with J. Rhodes.

Riparian vegetation and flooded forest on brown sandy clay with *Sloanea*, *Inga*, and *Astrocaryum*.

Central Suriname Nature Reserve, Linker Coppename River "Kankantrie Sula" (= Ceiba rapids). 1 March 2004.

4°6'30.8"N 56°38'52.1"W, elevation 75–100 m.

Collections: 11178–11192. Collected with J. Rhodes.

Flooded and terra firme forest on brown sandy clay with *Phenakospermum*, *Astrocaryum*, and *Eperua*.

Central Suriname Nature Reserve, "Calliandra Sula," rapids on Linker Coppename River. 1 March 2004.

4°9'20.2"N 56°37'17.4"W, elevation 75–100 m.

Collections: 11193–11206. Collected with J. Rhodes.

Scrub forest on exposed rock and thin sandy soil with *Catopsis*, *Calliandra*, and *Psidium*.

Central Suriname Nature Reserve, Midden Coppename River, rapids 500 m upstream of confluence with Linker Coppename River. 2 March 2004.

4°12'53.3"N 56°35'54"W, elevation 75–100 m.

Collections: 11207–11215. Collected with J. Rhodes.

Dense forest on brown alluvial sandy clay with *Eschweilera*, *Trichilia*, and *Astrocaryum*.

Central Suriname Nature Reserve, 2 km below confluence of Linker and Midden Coppename River. 2 March 2004.

4°15'14.7"N 56°35'1.8"W, elevation 75–100 m.

Collections: 11216–11226. Collected with J. Rhodes.

Riparian vegetation and seasonally inundated forest on brown sandy clay, rock, and sand with *Psidium*, *Costus*, and *Eschweilera*.

Central Suriname Nature Reserve, Midden Coppename River, rapids 500 m upstream of confluence with Linker Coppename River. 3 March 2004.

4°12'53.3"N 56°35'54"W, elevation 75–100 m.

Collections: 11227. Collected with J. Rhodes.

Dense forest on brown alluvial sandy clay with *Eschweilera*, *Trichilia*, and *Astrocaryum*.

Central Nature Suriname Reserve, Midden Coppename River, rapids 500 m upstream of confluence with Linker Coppename River. 3 March 2004.

4°12'53.3"N 56°35'54"W, elevation 75–100 m.

Collections: 11228–11240. Collected with J. Rhodes.

Dense forest on brown alluvial sandy clay with *Eschweilera*, *Trichilia*, and *Astrocaryum*.

Central Suriname Nature Reserve, Coppename River, Bureau Waterkracht Werken Camp, 500 m S of Tonckens Falls. 5 March 2004.

4°25'15.5"N 56°31'13.7"W, elevation 50–75 m.

Collections: 11241–11241. Collected with J. Rhodes.

Riparian vegetation with *Jacaranda*, *Eschweilera*, and *Psidium*.

Central Suriname Nature Reserve, unnamed tributary of Linker Coppename River. 5 March 2004.

4°23'25.1"N 56°31'52.1"W, elevation 75–100 m.

Collections: 11243–11252. Collected with J. Rhodes.

Seasonally inundated forest on alluvial brown sandy clay with *Astrocaryum*, *Inga*, and *Eschweilera*.

Central Suriname Nature Reserve, Coppename River, Bureau Waterkracht Werken Camp, 500 m S of Tonckens Falls. 6 March 2004.

4°25'15.5"N 56°31'13.7"W, elevation 50–75 m.

Collections: 11253. Collected with J. Rhodes.

Riparian vegetation with *Jacaranda*, *Eschweilera*, and *Psidium*.

Central Suriname Nature Reserve, Adampada Creek, affluent of Coppename River, Caiman Sula (= rapids). 7 March 2004.

4°31'46.8"N 56°34'5.3"W, elevation 50–75 m.

Collections: 11254–11279. Collected with J. Rhodes.

Scrub forest on rock and sand with *Cecropia*, *Mourera*, and *Montrichardia*.

Central Suriname Nature Reserve, unnamed tributary of Adampada Creek, affluent of Coppename River. 7 March 2004.

4°31'55.4"N 56°32'54.1"W, elevation 50–75 m.

Collections: 11280–11294. Collected with J. Rhodes.

Dense forest on brown sandy clay with *Viola*, *Euterpe*, and *Ischnosiphon*.

Central Suriname Nature Reserve, Adampada Creek, affluent of Coppename River. 8 March 2004.

4°32'30"N 56°32'35"W, elevation 50–75 m.

Collections: 11295–11323. Collected with J. Rhodes.

Disturbed and dense forest on brown sandy clay with *Cecropia*, *Protium*, and *Inga*; seasonally inundated forest, creekbed, and poorly drained forest on brown sandy clay with *Swartzia*, *Eperua*, and *Astrocaryum*.

Central Suriname Nature Reserve, Coppename River, "Sidonkroetoe Sula" (= sit down meeting rapids). 9 March 2004.

4°31'50.9"N 56°30'56"W, elevation 50–75 m.

Collections: 11324–11331. Collected with J. Rhodes.

Dense forest on brown sandy clay and rocky islands and sandbars with *Couratari*, *Duroia*, and *Euterpe*.

Central Suriname Nature Reserve, back channel of Coppename River at "Sidonkroetoe Sula" (= sit down meeting rapids). 9 March 2004.

4°32'14.9"N 56°30'52.5"W, elevation 50–75 m.

Collections: 11332–11342. Collected with J. Rhodes.

Dense forest on brown sandy clay with *Eschweilera*, *Astrocaryum*, and *Rinorea*.

Central Suriname Nature Reserve, Coppename River, Driefoetoe Sula (= three-foot rapids). 10 March 2004.

4°36'41.9"N 56°30'24.6"W, elevation 50–75 m.

Collections: 11343–11370. Collected with J. Rhodes.

Dense forest on brown sandy clay and rocky islands with *Eschweilera*, *Astrocaryum*, and *Eperua*.

Central Suriname Nature Reserve, unnamed tributary of Coppename River 200 m South of Driefoetoe Sula (= three-foot rapids). 10 March 2004.

4°36'41.9"N 56°30'24.6"W, elevation 50–75 m.

Collections: 11371–11384. Collected with J. Rhodes.

Dense, seasonally inundated forest on brown sandy clay with *Jacaranda*, *Ischnosiphon*, and *Rinorea*.

TRIPS 22–23: MOUNT MARINGMA, WAYALAYENG VILLAGE

COLLECTIONS: 11385–12438.

23 MAY–11 JULY 2004

Wayalayeng Village, Falls of the Ataro River above first escarpment of Mount Maringma. 5 June 2004.

5°14'25.4"N 60°30'57.9"W, elevation 628 m.

Collections: 11385–11463. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest and scrub on white sand and sandstone with *Dimorphandra*, *Pteridium*, and *Cassia*.

Mount Maringma, camp at base of second escarpment. 8 June 2004.

5°12'38.2"N 60°34'0.4"W, elevation 1,065 m.

Collections: 11464–11494. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on brown sandy clay with *Euterpe*, *Inga*, and *Socratea*; dense forest on laterite and brown sandy clay with *Carapa*, *Eschweilera* and *Socratea*.

Mount Maringma, southern slopes near source of Arabaru River. 10 June 2004.

5°12'23.6"N 60°34'19.1"W, elevation 1,400 m.

Collections: 11495–11551. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on laterite and sandstone with *Socratea*, *Schefflera*, and *Inga*.

Mount Maringma, southern slopes of summit escarpment, Arabaru River. 11 June 2004.

5°12'16.6"N 60°34'35.9"W, elevation 1,360 m.

Collections: 11552–11581. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on sandstone and peat with *Weinmannia*, *Hedyosmum*, and *Miconia*; dense forest on peat, sandstone, and grey sandy clay with *Licania*, *Weinmannia* and *Euterpe*.

Mount Maringma, base of summit escarpment, Arabaru River. 12 June 2004.

- 5°12'9.9"N 60°34'55.7"W, elevation 1,370 m.
Collections: 11582–11620. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Dense forest on peat and sandstone with *Cecropia*,
Clusia, and *Euterpe*.
- Mount Maringma, slope of summit escarpment. 14
June 2004.
5°12'24.3"N 60°35'30.1"W, elevation 1,710 m.
Collections: 11621–11687. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Cloud forest on sandstone and peat with *Bonnetia*,
Euterpe, and *Clusia*.
- Mount Maringma, summit. 15 June 2004.
5°13'0.7"N 60°35'2.7"W, elevation 2,110 m.
Collections: 11688–11776. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Scrub forest and tepui bog on peat and sandstone with
Bonnetia, *Ilex*, and *Brocchinia*.
- Mount Maringma, slope of summit escarpment. 18
June 2004.
5°12'24.3"N 60°35'30.1"W, elevation 1,710 m.
Collections: 11777–11788 and 11964. Collected with
C. Perry; E. Tripp; S. Stern; D. Gittens.
Cloud forest on sandstone and peat with *Bonnetia*,
Euterpe, and *Clusia*.
- Mount Maringma, plateau below summit escarpment.
19 June 2004.
5°12'10.1"N 60°35'16.4" W, elevation 1,610 m.
Collections: 11789–11911. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Dense forest on sandstone and peat with *Vismia*, *Eu-*
terpe, and *Magnolia*.
- Mount Maringma, slope below sub-summit plateau.
22 June 2004.
5°12'16.6"N 60°34'35.9" W, elevation 1,490 m.
Collections: 11912–11960. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Dense forest on sandstone and peat with *Schefflera*,
Euterpe and *Licania*.
- Mount Maringma, southern slopes of summit escarp-
ment, Arabaru River. 23 June 2004.
5°12'16.6"N 60°34'35.9" W, elevation 1,360 m.
Collections: 11961–11963 and 11965–12007. Col-
lected with C. Perry; E. Tripp; S. Stern; D. Gittens.
Dense forest on sandstone and peat with *Weinman-*
nia, *Hedyosmum*, and *Miconia*; dense forest on peat,

sandstone, and grey sandy clay with *Licania*, *Weinmannia*
and *Euterpe*.

Mount Maringma, Arabaru River waterfall. 25 June
2004.

5°12'36.8"N 60°34'9.6" W, elevation 1,175 m.

Collections: 12008–12082. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.

Dense forest on brown sandy clay and laterite with
Inga, *Carapa*, and *Socratea*.

Mount Maringma, camp at base of second escarp-
ment. 26 June 2004.

5°12'38.2"N 60°34'0.4" W, elevation 1,065 m.

Collections: 12083–12122. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.

Dense forest on laterite and brown sandy clay with
Carapa, *Eschweilera* and *Socratea*.

Ataro River, landing below falls at Wayalayeng Vil-
lage. 28 June 2004.

5°14'7.9"N 60°30'37.1" W, elevation 488 m.

Collections: 12123–12225. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.

Dense primary and secondary forest on alluvial sandy
clay with *Vismia*, *Dicymbe*, and *Cecropia*.

Ataro River, below falls of Wayalayeng Village. 29
June 2004.

5°14'7.9"N 60°30'37.1" W, elevation 488 m.

Collections: 12226–12261. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.

Riparian vegetation with *Inga*, *Miconia*, and Myrtaceae.

Ataro River between falls and confluence with Kukui
River. 30 June 2004.

5°18'15"N 60°28'45" W, elevation 488 m.

Collections: 12262–12303. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.

Riparian vegetation with *Inga*, *Pentaclethra*, and
Myrtaceae.

Imbaimadai, savanna near airstrip. 2 July 2004.

5°42'30"N 60°18' W, elevation 500 m.

Collections: 12304–12399. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.

Savanna on white sand and sandstone with *Sauvage-*
sia, *Tibouchina*, and *Trachypogon*.

Along the Mazaruni River, 0–7 km above confluence
of Karowrieng River. 2 July 2004.

5°40'N 60°17' W, elevation 500 m.

Collections: 12400–12438. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Riparian vegetation.

6°48'31.4"N 58°8'21.4" W, elevation 2 m.
Collections: 12439–12443. Collected with C. Perry;
E. Tripp; S. Stern; D. Gittens.
Disturbed urban land on coastal plain clay.

TRIP 23: GEORGETOWN

COLLECTIONS: 12439–12443. 12–27 JULY 2004

Georgetown, 62 Zinnia Ave., Bel Air Park. 12 July
2004.

III. Collections by Number

Part III lists collections in numerical order with identifications and authors.

154. Gentianaceae: *Voyria corymbosa* Splitg.
155. Bromeliaceae: *Aechmea bromeliifolia* (Rudge) Baker
156. Violaceae: *Noisettia orchidiflora* (Rudge) Ging.
- 156a. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
157. Araceae: *Philodendron myrmecophilum* Engl.
158. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
159. Olacaceae: *Heisteria cauliflora* Sm.
160. Rubiaceae: *Psychotria polycephala* Benth.
161. Annonaceae: *Duguetia yeshidan* Sandwith
162. Apocynaceae: *Malouetia tamaquarina* (Aubl.) A. DC.
163. Costaceae: *Costus scaber* Ruiz and Pav.
164. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
165. Moraceae: *Clarisia ilicifolia* (Spreng.) Lanj. and Rossberg
166. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
167. Caryocaraceae: *Anthodiscus trifoliatus* G. Mey.
168. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth. var. *oxyphylla* (Harms) R. S. Cowan
169. Convolvulaceae: *Dicranostyles* cf. *ampla* Ducke var. *castanea* D. F. Austin
170. Menispermaceae: *Orthomene schomburgkii* (Miers) Barneby and Krukoff
171. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
172. Myrtaceae: *Eugenia cucullata* Amshoff
173. Boraginaceae: *Cordia nodosa* Lam.
174. Ulmaceae: *Trema micrantha* (L.) Blume
175. Rubiaceae: *Amaioua guianensis* Aubl.
176. Euphorbiaceae: *Dalechampia parvibracteata* Lanj.
177. Rubiaceae: *Psychotria gracilentia* Müll. Arg.
178. Piperaceae: *Piper trichoneuron* (Miq.) C. DC.
179. Siparunaceae: *Siparuna guianensis* Aubl.
180. Heliconiaceae: *Heliconia acuminata* Rich.
181. Areaceae: *Desmoncus polyacanthos* Mart.
182. Melastomataceae: *Clidemia* sp.
183. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze

184. Trigoniaceae: *Trigonia laevis* Aubl.
 185. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
 186. Lecythidaceae: *Eschweilera sagotiana* Miers
 187. Annonaceae: *Duguetia neglecta* Sandwith
 188. Lauraceae: *Chlorocardium rodiei* (R. H. Schomb.) Rohwer, H. G. Richt. and van der Werff
 189. Rubiaceae: *Duroia eriopila* L. f.
 190. Lecythidaceae: *Eschweilera* cf. *subglandulosa* (Steud. ex O. Berg) Miers
 191. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
 192. Annonaceae: *Duguetia calycina* Benoist
 193. Rubiaceae: *Duroia eriopila* L. f.
 194. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
 195. Sapotaceae: *Pouteria torta* (Mart.) Radlk. ssp. *glabra* T. D. Penn.
 196. Sapotaceae: *Ecclinusa guianensis* Eyma
 197. Chrysobalanaceae: *Couepia bracteosa* Benth.
 198. Chrysobalanaceae: *Couepia bracteosa* Benth.
 199. Violaceae: *Paypayrola longifolia* Tul.
 200. Flacourtiaceae: *Carpotroche surinamensis* Uittien
 201. Thurniaceae: *Thurnia sphaerocephala* (Rudge) Hook. f.
 202. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
 203. Sapindaceae: *Cupania hirsuta* Radlk.
 204. Violaceae: *Rinorea riana* Kuntze
 205. Rubiaceae: *Amaioua guianensis* Aubl.
 206. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 207. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 208. Verbenaceae: *Petrea macrostachya* Benth.
 209. Passifloraceae: *Passiflora glandulosa* Cav.
 210. Leguminosae-Mimosoideae: *Inga rubiginosa* (Rich.) DC.
 211. Zingiberaceae: *Renealmia floribunda* K. Schum.
 212. Siparunaceae: *Siparuna guianensis* Aubl.
 213. Sapotaceae: *Ecclinusa guianensis* Eyma
 214. Celastraceae: *Maytenus* sp.
 215. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyerm.
 216. Clusiaceae: *Clusia fockeana* Miq.
 217. Boraginaceae: *Cordia grandiflora* (Desv.) Kunth
 218. Cyperaceae: *Scleria flagellum-nigrorum* P. J. Bergius
 219. Chrysobalanaceae: *Hirtella* sp.
 220. Clusiaceae: *Clusia grandiflora* Splitg.
 221. Myrsinaceae: *Cybianthus fulvopulverulentus* (Mez) G. Agostini ssp. *fulvopulverulentus*
 222. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
 223. Melastomataceae: *Tococa aristata* Benth.
 224. Clusiaceae: *Clusia fockeana* Miq.
 225. Xyridaceae: *Abolboda grandis* Griseb. var. *rigida* Malme
 226. Humiriaceae: *Humiria balsamifera* Aubl.
 227. Ebenaceae: *Diospyros lissocarpoides* Sandwith
 228. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
 229. Annonaceae: *Duguetia yeshidan* Sandwith
 230. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
 231. Euphorbiaceae: *Sandwithia guyanensis* Lanj.
 232. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
 233. Annonaceae: *Trigynaea caudata* (R. E. Fr.) R. E. Fr.
 234. Boraginaceae: *Cordia exaltata* Lam.
 235. Rhizophoraceae: *Cassipourea lasiocalyx* Alston
 236. Chrysobalanaceae: *Licania incana* Aubl.
 237. Rubiaceae: *Pagamea capitata* Benth.
 238. Melastomataceae: *Comolia vernicosa* (Benth.) Triana
 239. Xyridaceae: *Xyris surinamensis* Spreng.
 240. Lentibulariaceae: Indet.
 241. Clusiaceae: *Clusia fockeana* Miq.
 242. Ternstroemiaceae: *Ternstroemia punctata* (Aubl.) Sw.
 243. Loranthaceae: *Phthirusa rufa* (Mart.) Eichler
 244. Cyperaceae: *Scleria macrogyne* C. B. Clarke
 245. Xyridaceae: *Xyris involucrata* Nees
 246. Orchidaceae: *Epidendrum orchidiflorum* Salzm.
 247. Ochnaceae: *Ouratea* sp.
 248. Xyridaceae: *Abolboda grandis* Griseb. var. *grandis*
 249. Orchidaceae: *Bifrenaria longicornis* Lindl.
 250. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
 251. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
 252. Lissocarpaceae: *Lissocarpa guianensis* Gleason
 253. Chrysobalanaceae: *Couepia bracteosa* Benth.
 254. Chrysobalanaceae: *Couepia bracteosa* Benth.
 255. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
 256. Gentianaceae: *Voyria corymbosa* Splitg.
 257. Passifloraceae: *Passiflora coccinea* Aubl.
 258. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
 259. Passifloraceae: *Passiflora capparidifolia* Killip
 260. Hippocrateaceae: *Hippocratea volubilis* L.

261. Leguminosae-Mimosoideae: *Inga disticha* Benth.
 262. Compositae: *Mikania congesta* DC.
 263. Araceae: *Montrichardia arborescens* (L.) Schott
 264a. Bignoniaceae: *Paragonia pyramidata* (Rich.)
 Bureau
 264b. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
 265. Leguminosae-Mimosoideae: *Zygia cataractae*
 (Kunth) L. Rico
 266. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
 267. Myrtaceae: *Eugenia* s.l. *florida* DC.
 268. Melastomataceae: *Miconia longifolia* (Aubl.) DC.
 269. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
 270. Lauraceae: *Nectandra amazonum* Nees
 271. Combretaceae: *Buchenavia* ? *macrophylla* Eichler
 272. Smilacaceae: *Smilax schomburgkiana* Kunth
 273. Lecythidaceae: *Eschweilera subglandulosa*
 (Steud. ex O. Berg) Miers
 274. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
 275. Rubiaceae: *Genipa spruceana* Steyerm.
 276. Bignoniaceae: *Adenocalymna inundatum* Mart.
 ex DC. var. *surinamense* Bureau and K. Schum.
 277. Leguminosae-Caesalpinioideae: *Tachigali*
paniculata Aubl.
 278. Leguminosae-Faboideae: *Ormosia coccinea*
 (Aubl.) Jacks.
 279. Leguminosae-Caesalpinioideae: *Campsiandra*
laurifolia Benth.
 280. Chrysobalanaceae: *Hirtella paniculata* Sw.
 281. Leguminosae-Caesalpinioideae: *Peltogyne venosa*
 (Vahl) Benth.
 282. Chrysobalanaceae: *Parinari campestris* Aubl.
 283. Vitaceae: *Cissus verticillata* (L.) Nicolson and
 C. E. Jarvis
 284. Myrtaceae: *Psidium acutangulum* DC.
 285. Combretaceae: *Combretum rotundifolium* Rich.
 286. Apocynaceae: Indet.
 287. Leguminosae-Faboideae: *Alexa* sp.
 288. Solanaceae: *Solanum pensile* Sendtn.
 289. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
 290. Leguminosae-Mimosoideae: *Inga sertulifera* DC.
 291. Vochysiaceae: *Vochysia tetraphylla* (G. Mey.) DC.
 292. Leguminosae-Caesalpinioideae: *Campsiandra* sp.
 293. Myrtaceae: *Psidium acutangulum* DC.
 294. Leguminosae-Caesalpinioideae: *Macrolobium* sp.
 295. Myrtaceae: *Psidium acutangulum* DC.
 296. Bignoniaceae: *Pleonotoma clematis* (Kunth) Miers
 297. Leguminosae-Mimosoideae: *Zygia cataractae*
 (Kunth) L. Rico
 298. Hippocrateaceae: *Hippocratea volubilis* L.
 299. Leguminosae-Caesalpinioideae: *Cynometra* sp.
 300. Vitaceae: *Cissus erosa* Rich.
 301. Sapindaceae: *Matayba macrostylis* Radlk.
 302. Melastomataceae: *Mouriri guianensis* Aubl.
 303. Leguminosae-Caesalpinioideae: *Crudia* sp.
 304. Boraginaceae: *Tournefortia hirsutissima* L.
 305. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
 306. Apocynaceae: *Prestonia acutifolia* (Benth. ex
 Müll. Arg.) K. Schum.
 307. Moraceae: *Brosimum lactescens* (S. Moore)
 C. C. Berg
 308. Myrtaceae: *Eugenia lambertiana* DC.
 309. Capparaceae: *Crateva tapia* L.
 310. Trigonaceae: *Trigonia hypoleuca* Griseb.
 311. Loranthaceae: *Oryctanthus alveolatus* (Kunth)
 Kuijt
 312. Chrysobalanaceae: *Licania persaudii* Fanshawe
 and Maguire
 313. Annonaceae: *Anaxagorea dolichocarpa* Sprague
 and Sandwith
 314. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
 and Sandwith
 315. Selaginellaceae: *Selaginella parkeri* (Hook. and
 Grev.) Spring
 316. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 317. Poaceae: *Olyra micrantha* Kunth
 318. Siparunaceae: *Siparuna cuspidata* (Tul.) A. DC.
 319. Gesneriaceae: *Codonanthe calcarata* (Miq.)
 Hanst.
 320. Hippocrateaceae: *Salacia maburensis* Mennega
 321. Apocynaceae: *Bonafousia undulata* (Vahl)
 A. DC.
 322. Heliconiaceae: *Heliconia acuminata* Rich.
 323. Rubiaceae: *Psychotria gracilentata* Müll. Arg.
 324. Violaceae: *Paypayrola* cf. *longifolia* Tul.
 325. Rubiaceae: *Palicourea guianensis* Aubl.
 326. Gentianaceae: *Voyria caerulea* Aubl.
 327. Caryocaraceae: *Caryocar nuciferum* L.
 328. Apocynaceae: *Bonafousia lorifera* (Miers)
 Boiteau and L. Allorge
 329. Euphorbiaceae: *Sagotia racemosa* Baill.
 330. Annonaceae: *Guatteria scandens* Ducke
 331. Sapotaceae: *Pradosia ptychandra* (Eyma) T. D.
 Penn.
 332. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
 and Sandwith
 333. Arecaceae: *Bactris oligoclada* Burret
 334. Sapindaceae: *Cupania hirsuta* Radlk.
 335. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.)
 A. Juss.
 336. Rubiaceae: *Amaioua guianensis* Aubl.

337. Rubiaceae: *Guettarda acreana* K. Krause
 338. Gentianaceae: *Voyriella parviflora* (Miq.) Miq.
 339. Gentianaceae: *Voyria aurantiaca* Splitg.
 340. Leguminosae-Faboideae: *Machaerium aristulatum* (Spruce ex Benth.) Ducke
 341. Cecropiaceae: *Coussapoa* ? *asperifolia* Trécul ssp. *magnifolia* (Trécul) Akkermans and C. C. Berg
 342. Myrtaceae: *Eugenia lambertiana* DC.
 343. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
 344. Leguminosae-Faboideae: *Vigna* sp.
 345. Leguminosae-Caesalpinioideae: *Cynometra* sp.
 346. Chrysobalanaceae: *Parinari campestris* Aubl.
 347. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
 348. Moraceae: *Ficus* sp.
 349. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
 350. Leguminosae-Caesalpinioideae: *Copaifera* sp.
 351. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
 352. Leguminosae-Faboideae: *Ormosia coccinea* (Aubl.) Jacks.
 353. Orchidaceae: *Brassavola martiana* Lindl.
 354. Orchidaceae: *Dimerandra* sp.
 355. Rubiaceae: *Genipa spruceana* Steyerem.
 356. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
 357. Combretaceae: *Combretum rotundifolium* Rich.
 358. Turneraceae: *Turnera aurantiaca* Benth.
 359. Orchidaceae: *Brassavola martiana* Lindl.
 360. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
 361. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees
 362. Oxalidaceae: *Oxalis frutescens* L.
 363. Leguminosae-Caesalpinioideae: *Campsiandra* sp.
 364. Ochnaceae: *Ouratea rupununiensis* Klotzsch ex Engl.
 365. Meliaceae: *Carapa akuri* Poncy, Forget and Kenfack
 366. Boraginaceae: *Cordia exaltata* Lam.
 367. Violaceae: *Paypayrola longifolia* Tul.
 368. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
 369. Quiinaceae: *Lacunaria crenata* (Tul.) A. C. Sm.
 370. Apocynaceae: *Couma guianensis* Aubl.
 371. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
 372. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
 373. Aspleniaceae: *Asplenium serratum* L.
 374. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
 375. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
 376. Bromeliaceae: *Ananas parguazensis* L. A. Camargo and L. B. Sm.
 377. Myrtaceae: *Eugenia tapacumensis* O. Berg
 378. Olacaceae: *Heisteria cauliflora* Sm.
 379. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
 380. Violaceae: *Corynostylis arborea* (L.) S. F. Blake
 381. Euphorbiaceae: *Micrandra elata* (Didr.) Müll. Arg.
 382. Amaranthaceae: *Pfaffia glomerata* (Spreng.) Pedersen var. *glomerata*
 383. Trigoniaceae: *Trigonia villosa* Aubl. var. *macrocarpa* (Benth.) Lleras
 384. Orchidaceae: *Caularthron* cf. *bilamellatum* (Rchb. f.) R. E. Schult.
 385. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
 386. Orchidaceae: *Brassavola martiana* Lindl.
 387. Sapindaceae: *Matayba camptoneura* Radlk.
 388. Ebenaceae: *Diospyros lissocarpoides* Sandwith
 389. Convolvulaceae: *Dicranostyles* ? *ampla* Ducke var. *castanea* D. F. Austin
 390. Clusiaceae: *Caraipa grandifolia* Mart.
 391. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 392. Polygalaceae: *Moutabea guianensis* Aubl.
 393. Leguminosae-Caesalpinioideae: *Eperua* sp.
 394. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
 395. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
 396. Podostemaceae: *Mourera fluviatilis* Aubl.
 397. Chrysobalanaceae: *Couepia comosa* Benth.
 398. Polygonaceae: *Coccoloba* cf. *ovata* Benth.
 399. Acanthaceae: *Justicia schomburgkiana* (Nees) V. A. W. Graham
 400. Polygalaceae: *Securidaca marginata* Benth.
 401. Annonaceae: *Guatteria scandens* Ducke
 402. Rutaceae: *Conchocarpus fanshawei* (Sandwith) Kallunki and Pirani
 403. Areaceae: *Geonoma maxima* (Poit.) Kunth ssp. *ambigua* (Spruce) A. J. Hend.
 404. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
 405. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
 406. Tiliaceae: *Apeiba petoumo* Aubl.
 407. Rubiaceae: *Rudgea stipulacea* (DC.) Steyerem.
 408. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 409. Siparunaceae: *Siparuna guianensis* Aubl.
 410. Passifloraceae: *Passiflora amoena* L. K. Escobar
 411. Rutaceae: *Ticorea foetida* Aubl.

412. Annonaceae: *Trigynaea caudata* (R. E. Fr.) R. E. Fr.
413. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
414. Euphorbiaceae: *Discocarpus essequeboensis* Klotzsch
415. Orchidaceae: *Scaphyglottis* sp.
416. Myrtaceae: *Eugenia* sp.
417. Rhizophoraceae: *Cassipourea guianensis* Aubl.
418. Violaceae: *Paypayrola hulkiiana* Pulle
419. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
420. Apocynaceae: *Aspidosperma vargasii* A. DC.
421. Orchidaceae: *Camaridium micranthum* M. A. Blanco
- 422a. Orchidaceae: *Maxillaria uncatata* Lindl.
- 422b. Orchidaceae: *Maxillaria brachybulbon* Schltr.
423. Violaceae: *Paypayrola hulkiiana* Pulle
424. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
425. Myrtaceae: *Eugenia* sp.
426. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
427. Bromeliaceae: *Guzmania lingulata* (L.) Mez
428. Turneraceae: *Turnera rupestris* Aubl.
429. Orchidaceae: *Epidendrum purpurascens* H. Focke
430. Boraginaceae: *Cordia nodosa* Lam.
431. Passifloraceae: *Passiflora coccinea* Aubl.
432. Leguminosae-Mimosoideae: *Acacia tenuifolia* (L.) Willd. var. *tenuifolia*
433. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
434. Piperaceae: *Piper trichoneuron* (Miq.) C. DC.
435. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
436. Pontederiaceae: *Eichbornia diversifolia* (Vahl) Urb.
437. Cyperaceae: *Rhynchospora reptans* (Rich.) Böck.
438. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
439. Vochysiaceae: *Vochysia tetraphylla* (G. Mey.) DC.
440. Leguminosae-Caesalpinioideae: *Macrolobium* cf. *bifolium* (Aubl.) Pers.
441. Leguminosae-Caesalpinioideae: *Campsiandra* sp.
442. Leguminosae-Caesalpinioideae: *Eperua* sp.
443. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
444. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
445. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
446. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
447. Leguminosae-Faboideae: *Ormosia coccinea* (Aubl.) Jacks.
448. Marcgraviaceae: *Souroubea guianensis* Aubl.
449. Hippocrateaceae: *Hippocratea volubilis* L.
450. Leguminosae-Faboideae: *Alexa* sp.
451. Leguminosae-Faboideae: *Machaerium floribundum* Benth. var. *floribundum*
452. Smilacaceae: *Smilax schomburgkiana* Kunth
453. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
454. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
455. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
456. Leguminosae-Faboideae: *Dalbergia riedelii* (Benth.) Sandwith
457. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
458. Commelinaceae: *Commelina* cf. *schomburgkiana* Klotzsch
459. Malvaceae: *Hibiscus bifurcatus* Cav.
460. Leguminosae-Faboideae: *Vigna* sp.
461. Malpighiaceae: *Tetrapteryx discolor* (G. Mey.) DC.
462. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
463. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
464. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
465. Vitaceae: *Cissus sicyoides* L.
466. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
467. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
468. Leguminosae-Caesalpinioideae: *Peltogyne venosa* (Vahl) Benth.
469. Polygonaceae: *Coccoloba* ? *padiformis* Meisn.
470. Rubiaceae: *Genipa spruceana* Steyererm.
471. Podostemaceae: *Mourera fluvialtilis* Aubl.
472. Cyperaceae: *Cyperus miliifolius* Poepp. and Kunth
473. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
474. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
475. Solanaceae: *Solanum monachophyllum* Dunal
476. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
477. Convolvulaceae: *Maripa scandens* Aubl.
478. Myrtaceae: *Psidium acutangulum* DC.
479. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg

480. Cyperaceae: *Hypolytrum longifolium* (Rich.)
Nees ssp. *longifolium*
481. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex
Roem. and Schult.
482. Hippocrateaceae: *Peritassa laevigata*
(Hoffmanns. ex Link) A. C. Sm.
483. Lauraceae: *Nectandra* cf. *globosa* (Aubl.) Mez
484. Rubiaceae: *Psychotria apoda* Steyerem.
485. Melastomataceae: *Maieta poeppigii* Mart. ex
Cogn.
486. Arecaceae: *Geonoma baculifera* (Poit.) Kunth
487. Arecaceae: *Bactris oligoclada* Burret
488. Rubiaceae: *Psychotria polycephala* Benth.
489. Melastomataceae: *Aciotis indecora* (Bonpl.)
Triana
490. Violaceae: *Paypayrola longifolia* Tul.
491. Cyperaceae: *Cyperus luzulae* (L.) Rottb. ex Retz.
492. Rubiaceae: *Isertia hypoleuca* Benth.
493. Rubiaceae: *Coccocypselum guianense* (Aubl.)
K. Schum.
494. Melastomataceae: *Pterolepis glomerata*
(Rottb.) Miq.
495. Melastomataceae: *Aciotis* sp.
496. Ochnaceae: *Sauvagesia erecta* L.
497. Leguminosae-Faboideae: *Desmodium* sp.
498. Xyridaceae: *Xyris jupicai* Rich.
499. Gentianaceae: *Coutoubea ramosa* Aubl. var.
ramosa
500. Compositae: *Eleutheranthera ruderalis* (Sw.)
Sch. Bip.
501. Rubiaceae: *Sabicea glabrescens* (K. Schum.)
Benth.
502. Leguminosae-Caesalpinioideae: *Chamaecrista*
nictitans (L.) Moench var. *disadena* (Steud.) H. S.
Irwin and Barneby
503. Clusiaceae: *Vismia Japurensis* Reichardt
504. Melastomataceae: *Macairea pachyphylla* Benth.
505. Gentianaceae: *Chelonanthus grandiflorus* (Aubl.)
Chodat and Hassl.
506. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.)
A. Juss.
507. Scrophulariaceae: *Stemodia pratensis* (Aubl.)
C. P. Cowan
508. Sterculiaceae: *Waltheria indica* L.
509. Bignoniaceae: *Distictella magnoliifolia* (Kunth)
Sandwith
510. Lamiaceae: *Hyptis lanceolata* Poir.
511. Leguminosae-Caesalpinioideae: *Senna*
quinquangulata (Rich.) H. S. Irwin and Barneby
512. Solanaceae: *Solanum coriaceum* Dunal
513. Araceae: *Philodendron fragrantissimum* (Hook.)
G. Don
514. Hippocrateaceae: *Tontelea attenuata* Miers
515. Marantaceae: *Ischnosiphon foliosus* Gleason
516. Boraginaceae: *Cordia sagotii* I. M. Johnst.
517. Violaceae: *Paypayrola longifolia* Tul.
518. Passifloraceae: *Passiflora glandulosa* Cav.
519. Aristolochiaceae: *Aristolochia cornuta* Mast.
520. Gentianaceae: *Voyria corymbosa* Splitg.
521. Melastomataceae: *Miconia serialis* DC.
522. Dichapetalaceae: *Tapura guianensis* Aubl.
523. Leguminosae-Faboideae: *Ormosia coutinboi*
Ducke
524. Chrysobalanaceae: *Licania longistyla* (Hook. f.)
Fritsch
525. Chrysobalanaceae: *Couepia bracteosa* Benth.
526. Annonaceae: *Duguetia calycina* Benoist
527. Arecaceae: *Bactris oligoclada* Burret
528. Hugoniaceae: *Roucheria schomburgkii* Planch.
529. Sapotaceae: *Ecclinusa guianensis* Eyma
530. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
531. Arecaceae: *Bactris* sp.
532. Chrysobalanaceae: *Licania boyanii* Tutin
533. Clusiaceae: *Clusia fockeana* Miq.
534. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
535. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
536. Sapotaceae: *Pradosia schomburgkiana* (A. DC.)
Cronquist
537. Leguminosae-Caesalpinioideae: *Chamaecrista*
adiantifolia (Spruce ex Benth.) H. S. Irwin and
Barneby var. *pteridophylla* (Sandwith) H. S.
Irwin and Barneby
538. Lauraceae: *Chlorocardium rodiei* (R. H.
Schomb.) Rohwer, H. G. Richt. and van der
Werff
539. Annonaceae: *Unonopsis guatterioides* (A. DC.)
R. E. Fr.
540. Leguminosae-Faboideae: *Swartzia xanthopetala*
Sandwith
541. Piperaceae: *Piper avellanum* (Miq.) C. DC.
542. Moraceae: *Ficus* sp.
543. Poaceae: *Panicum pilosum* Sw.
544. Clusiaceae: *Vismia guianensis* (Aubl.) Choisy
545. Annonaceae: *Annona sericea* Dunal
546. Boraginaceae: *Cordia exaltata* Lam.
547. Euphorbiaceae: *Pogonophora schomburgkiana*
Miers ex Benth.
548. Siparunaceae: *Siparuna guianensis* Aubl.
549. Verbenaceae: *Petrea macrostachya* Benth.
550. Cyperaceae: *Diplacrum capitatum* (Willd.) Böck.

551. Melastomataceae: *Comolia villosa* (Aubl.) Triana
552. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
553. Malpighiaceae: *Heteropterys nervosa* A. Juss.
554. Annonaceae: *Guatteria wachenheimi* Benoist
555. Araceae: *Urospatha sagittifolia* (Rudge) Schott
var. *sagittifolia*
556. Clusiaceae: *Vismia macrophylla* Kunth
557. Compositae: *Chromolaena squalida* (DC.) R. M.
King and H. Rob.
558. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
559. Piperaceae: *Peperomia macrostachya* (Vahl)
A. Dietr.
560. Dioscoreaceae: *Dioscorea amazonum* Mart. ex
Griseb.
561. Compositae: *Rolandra fruticosa* (L.) Kuntze
562. Passifloraceae: *Passiflora auriculata* Kunth
563. Cyperaceae: *Rhynchospora barbata* (Vahl) Kunth
564. Cyperaceae: *Bulbostylis juncooides* (Vahl) Kük. ex
Osten
565. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
566. Melastomataceae: *Tibouchina aspera* Aubl.
567. Cyperaceae: *Scleria cyperina* Willd. ex Kunth
568. Apocynaceae: *Allamanda* sp.
569. Leguminosae-Faboideae: *Aeschynomene* sp.
570. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
571. Leguminosae-Faboideae: *Eriosema* sp.
572. Lecythidaceae: *Eschweilera sagotiana* Miers
573. Trigonaceae: *Trigonia laevis* Aubl.
574. Solanaceae: *Markea sessiliflora* Ducke
575. Annonaceae: *Guatteria wachenheimi* Benoist
576. Flacourtiaceae: *Casearia singularis* Eichler
577. Euphorbiaceae: *Mabea* cf. *piriri* Aubl.
578. Loganiaceae: *Strychnos* cf. *cogens* Benth.
579. Caryocaraceae: *Caryocar montanum* Prance
580. Smilacaceae: *Smilax domingensis* Willd.
581. Rubiaceae: *Palicourea guianensis* Aubl.
582. Monimiaceae: *Mollinedia grazielae* Peixoto
583. Annonaceae: *Annona symphyocarpa* Sandwith
584. Rubiaceae: *Rudgea hostmanniana* Benth.
585. Lacistemataceae: *Lacistema aggregatum* (P. J.
Bergius) Rusby
586. Flacourtiaceae: *Casearia sylvestris* Sw.
587. Meliaceae: Indet.
588. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
and Sandwith
589. Orchidaceae: *Stelis* sp.
590. Rubiaceae: *Rudgea hostmanniana* Benth.
591. Dichapetalaceae: *Tapura guianensis* Aubl.
592. Annonaceae: *Anaxagorea dolichocarpa* Sprague
and Sandwith
593. Urticaceae: *Urera caracasana* (Jacq.) Gaudich. ex
Griseb.
594. Euphorbiaceae: *Pausandra* cf. *martinii* Baill.
595. Piperaceae: *Peperomia macrostachya* (Vahl)
A. Dietr.
596. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
and Sandwith
597. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
598. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
599. Gesneriaceae: *Codonanthe calcarata* (Miq.)
Hanst.
600. Melastomataceae: *Miconia nervosa* (Sm.) Triana
601. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
602. Passifloraceae: *Passiflora amoena* L. K. Escobar
603. Leguminosae-Faboideae: *Dioclea macrocarpa*
Huber
604. Polypodiaceae: *Niphidium crassifolium* (L.)
Lellinger
605. Rubiaceae: *Psychotria uliginosa* Sw.
606. Meliaceae: *Guarea pubescens* (Rich.) A. Juss.
607. Rubiaceae: *Psychotria irwinii* Steyererm.
608. Loganiaceae: *Spigelia multispica* Steud.
609. Acanthaceae: *Justicia calycina* (Nees) V. A. W.
Graham
610. Moraceae: *Ficus maxima* Mill.
611. Myrsinaceae: *Stylogyne orinocensis* (Kunth) Mez
612. Flacourtiaceae: *Casearia mariquitensis* Kunth
613. Rubiaceae: *Gonzalagunia dicocca* Cham. and
Schltdl.
614. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
615. Gesneriaceae: *Besleria laxiflora* Benth.
616. Sapindaceae: *Paullinia latifolia* Benth. ex Radlk.
617. Solanaceae: *Solanum leucocarpon* Dunal
618. Campanulaceae: *Centropogon cornutus* (L.)
Druce
619. Flacourtiaceae: *Casearia pitumba* Sleumer
620. Picramniaceae: *Picramnia latifolia* Tul.
621. Cucurbitaceae: *Gurania lobata* (L.) Pruski
622. Euphorbiaceae: *Plukenetia supraglandulosa* L. J.
Gillespie
623. Annonaceae: *Guatteria wachenheimi* Benoist
624. Solanaceae: *Solanum schlechtendalianum* Walp.
625. Picramniaceae: *Picramnia latifolia* Tul.
626. Solanaceae: *Markea camponoti* Ducke
627. Clusiaceae: *Clusia grandiflora* Splitg.
628. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
629. Araceae: *Philodendron* ? *placidum* Schott
630. Araceae: *Anthurium gracile* (Rudge) Schott
631. Melastomataceae: *Leandra divaricata* (Naudin)
Cogn.

632. Rafflesiaceae: Indet.
633. Araceae: *Spathiphyllum cuspidatum* Schott
634. Aspleniaceae: *Asplenium serratum* L.
635. Cyperaceae: *Mapania sylvatica* Aubl.
636. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
637. Rubiaceae: *Psychotria irwinii* Steyerl.
638. Gesneriaceae: *Paradrymonia densa* (C. H. Wright) Wiehler
639. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
640. Melastomataceae: *Miconia nervosa* (Sm.) Triana
641. Araceae: *Anthurium* ? *expansum* Gleason
642. Orchidaceae: *Cheiradenia cuspidata* Lindl.
643. Marantaceae: *Ischnosiphon foliosus* Gleason
644. Zingiberaceae: *Renealmia orinocensis* Rusby
645. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
646. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
- 647a. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 647b. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
648. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
649. Lauraceae: Indet.
650. Solanaceae: *Schwenckia* ? sp.
651. Orchidaceae: *Epidendrum ramosum* Jacq.
652. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
653. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
654. Melastomataceae: *Miconia ciliata* (Rich.) DC.
655. Malpighiaceae: *Banisteriopsis martiniana* (A. Juss.) Cuatrec. var. *martiniana*
656. Humiriaceae: *Humiria balsamifera* Aubl.
657. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
658. Costaceae: *Costus scaber* Ruiz and Pav.
659. Asclepiadaceae: *Matelea stenopetala* Sandwith
660. Malpighiaceae: *Hiraea graciana* W. R. Anderson
661. Burseraceae: *Protium* s.s. *guianense* (Aubl.) Marchand
662. Trigonaceae: *Trigonia laevis* Aubl. var. *microcarpa* (Sagot ex Warm.) Sagot
663. Polygonaceae: *Coccoloba ascendens* Duss ex Lindau
664. Verbenaceae: *Aegiphila villosa* (Aubl.) J. F. Gmel.
665. Leguminosae-Mimosoideae: *Mimosa pudica* L. var. *tetrandra* (Humb. and Bonpl. ex Willd.) DC.
666. Cecropiaceae: *Coussapoa* cf. *microcephala* Trécul
667. Asclepiadaceae: Indet.
668. Icacinaceae: *Emmotum fagifolium* Ham.
669. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
670. Annonaceae: *Guatteria citriodora* Ducke
671. Simaroubaceae: *Simaba cedron* Planch.
672. Cyperaceae: *Becquerelia cymosa* Brongn. ssp. *cymosa*
673. Lentibulariaceae: *Utricularia juncea* Vahl
674. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
675. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
676. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
677. Olacaceae: *Heisteria cauliflora* Sm.
678. Apocynaceae: *Aspidosperma excelsum* Benth.
679. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.
680. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
681. Smilacaceae: *Smilax syphilitica* Humb. and Bonpl. ex Willd.
682. Burmanniaceae: *Campylosiphon purpurascens* Benth.
683. Moraceae: *Ficus paraensis* (Miq.) Miq.
684. Oxalidaceae: *Oxalis frutescens* L.
685. Leguminosae-Caesalpinioideae: *Martiodendron excelsum* (Benth.) Gleason
686. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
687. Leguminosae-Faboideae: *Lonchocarpus* sp.
688. Chrysobalanaceae: *Couepia comosa* Benth.
689. Leguminosae-Mimosoideae: *Mimosa pellita* Humb. and Bonpl. ex Willd.
690. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
691. Bignoniaceae: *Pleonotoma clematis* (Kunth) Miers
692. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
693. Malvaceae: *Peltaea trinervis* (C. Presl) Krapov. and Cristóbal.
694. Cyperaceae: *Rhynchospora albomarginata* Kük.
695. Lythraceae: *Cuphea antisiphilitica* Kunth var. *acutifolia* Benth.
696. Rubiaceae: *Spermacoce verticillata* L.
697. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
698. Rubiaceae: *Sipanea galioides* Wernham

699. Melastomataceae: *Rhynchanthera grandiflora* (Aubl.) DC.
700. Polygalaceae: *Polygala adenophora* DC.
701. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
702. Melastomataceae: *Comolia villosa* (Aubl.) Triana
703. Lauraceae: *Cassytha filiformis* L.
704. Rubiaceae: *Isertia hypoleuca* Benth.
705. Ochnaceae: *Sauvagesia erecta* L. var. *erecta*
706. Rhabdodendraceae: *Rhabdodendron amazonicum* (Spruce ex Benth.) Huber
707. Dilleniaceae: *Tetracera volubilis* L. ssp. *volubilis*
708. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
709. Clusiaceae: *Vismia sessilifolia* (Aubl.) Choisy
710. Gleicheniaceae: *Dicranopteris flexuosa* (Schrad.) Underw.
711. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
712. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
713. Asclepiadaceae: Indet.
714. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
715. Flacourtiaceae: *Casearia commersoniana* Cambess.
716. Cyperaceae: *Cyperus ligularis* L.
717. Eriocaulaceae: *Eriocaulon* sp.
718. Blechnaceae: *Blechnum serrulatum* Rich.
719. Melastomataceae: *Clidemia conglomerata* DC.
720. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
721. Verbenaceae: *Petrea macrostachya* Benth.
722. Melastomataceae: *Clidemia conglomerata* DC.
723. Apocynaceae: *Anartia cerea* (Woodson) L. Allorge
724. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
725. Gesneriaceae: *Paradrymonia densa* (C. H. Wright) Wiehler
726. Rhizophoraceae: Indet.
727. Bignoniaceae: *Anemopaegma* sp.
728. Lauraceae: *Ocotea schomburgkiana* (Nees) Mez
729. Solanaceae: *Solanum costatum* M. Nee
730. Eriocaulaceae: *Paepalanthus bifidus* (Schrad.) Kunth
731. Oleandraceae: *Nephrolepis biserrata* (Sw.) Schott
732. Myrsinaceae: *Cybianthus venezuelanus* Mez
733. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyerl.
734. Poaceae: *Axonopus capillaris* (Lam.) Chase
735. Leguminosae-Faboideae: *Centrosema* sp.
736. Melastomataceae: *Nepsera aquatica* (Aubl.) Naudin
737. Dioscoreaceae: *Dioscorea* sp.
738. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
739. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
740. Leguminosae-Faboideae: *Zornia* sp.
741. Compositae: *Chromolaena odorata* (L.) R. M. King and H. Rob.
742. Poaceae: *Panicum pilosum* Sw.
743. Gentianaceae: *Chelonanthus grandiflorus* (Aubl.) Chodat and Hassl.
744. Araceae: *Philodendron callosum* K. Krause
745. Boraginaceae: *Cordia nodosa* Lam.
746. Verbenaceae: *Aegiphila macrantha* Ducke
747. Zingiberaceae: *Renealmia orinocensis* Rusby
748. Rubiaceae: *Coccocypselum guianense* (Aubl.) K. Schum.
749. Melastomataceae: *Aciotis purpurascens* (Aubl.) Triana
750. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
751. Dichapetalaceae: *Tapura* sp.
752. Flacourtiaceae: *Casearia rusbyana* Briq.
753. Leguminosae-Caesalpinioideae: *Elizabetha durissima* Ducke
754. Melastomataceae: *Henriettea ramiflora* (Sw.) DC.
755. Rubiaceae: *Palicourea guianensis* Aubl.
756. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
757. Loranthaceae: *Phthirusa stenophylla* Eichler
758. Euphorbiaceae: *Plukenetia lorentensis* Ule
759. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
760. Acanthaceae: *Asystasia gangetica* (L.) T. Anderson
761. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
762. Leguminosae-Caesalpinioideae: *Eperua* sp.
763. Sterculiaceae: *Waltheria s.l. indica* L.
764. Compositae: *Unxia camphorata* L. f.
765. Poaceae: *Eragrostis maypurensis* (Kunth) Steud.
766. Poaceae: *Paspalum melanospermum* Desv. ex Poir.
767. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
768. Marcgraviaceae: *Norantea guianensis* Aubl.
769. Rubiaceae: *Sipanea pratensis* Aubl.
770. Rubiaceae: *Palicourea guianensis* Aubl.
771. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
772. Rubiaceae: *Pagamea guianensis* Aubl.
773. Dilleniaceae: *Tetracera asperula* Miq.
774. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
775. Sapindaceae: *Matayba opaca* Radlk.

776. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
777. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
778. Cyperaceae: *Lagenocarpus verticillatus* (Spreng.) T. Koyama and Maguire
779. Compositae: *Wulffia baccata* (L.) Kuntze
780. Rubiaceae: *Pagamea guianensis* Aubl.
781. Erythroxylaceae: *Erythroxylum citrifolium* A. St.-Hil.
782. Bignoniaceae: *Arrabidaea candicans* (Rich.) DC.
783. Compositae: *Clibadium surinamense* L.
784. Orchidaceae: *Scaphyglottis* sp.
785. Aquifoliaceae: *Ilex martiniana* D. Don
786. Flacourtiaceae: *Banara guianensis* Aubl.
787. Melastomataceae: *Miconia* sp.
788. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
789. Rubiaceae: *Rudgea hostmanniana* Benth.
790. Violaceae: *Paypayrola longifolia* Tul.
791. Rubiaceae: *Palicourea riparia* Benth.
792. Rubiaceae: *Palicourea longistipulata* (Müll. Arg.) Standl. ssp. *chrysorrhachis* (Bremek.) Steyerem.
793. Leguminosae-Mimosoideae: *Mimosa rufescens* Benth. var. *rufescens*
794. Rubiaceae: *Manettia alba* (Aubl.) Wernham
795. Compositae: *Mikania psilostachya* DC.
796. Myrtaceae: *Myrcia fallax* (Rich.) DC.
797. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
798. Araceae: *Philodendron grandifolium* (Jacq.) Schott
799. Euphorbiaceae: *Aparisthium cordatum* (A. Juss.) Baill.
800. Rubiaceae: *Psychotria astrellantha* Wernham
801. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
802. Melastomataceae: *Tococa aristata* Benth.
803. Rubiaceae: *Psychotria gracilentia* Müll. Arg.
804. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
805. Ternstroemiaceae: *Ternstroemia* sp.
806. Icacinaceae: *Emmotum fagifolium* Ham.
807. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
808. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
809. Rubiaceae: *Pagamea capitata* Benth.
810. Araceae: *Philodendron callosum* K. Krause
811. Schizaeaceae: *Schizaea incurvata* Schkuhr
812. Lythraceae: *Cuphea* sp.
813. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
814. Rubiaceae: *Perama dichotoma* Poepp.
815. Apocynaceae: *Mandevilla vanheurckii* (Müll. Arg.) Markgr.
816. Euphorbiaceae: *Omphalea diandra* L.
817. Melastomataceae: *Miconia marginata* Triana
818. Violaceae: *Paypayrola longifolia* Tul.
819. Verbenaceae: *Aegiphila* sp.
820. Passifloraceae: *Passiflora coccinea* Aubl.
821. Bignoniaceae: *Schlegelia spruceana* K. Schum.
822. Rubiaceae: *Psychotria iodotricha* Müll. Arg.
823. Solanaceae: *Solanum rugosum* Dunal
824. Menispermaceae: Indet.
825. Rubiaceae: *Faramea maguirei* Steyerem.
826. Rubiaceae: *Psychotria apoda* Steyerem.
827. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
828. Melastomataceae: *Clidemia conglomerata* DC.
829. Ulmaceae: *Trema micrantha* (L.) Blume
830. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
831. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.
832. Melastomataceae: *Aciotis purpurascens* (Aubl.) Triana
833. Commelinaceae: *Tripogandra serrulata* (Vahl) Handlos
834. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
835. Heliconiaceae: *Heliconia acuminata* Rich.
836. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
837. Compositae: *Elephantopus mollis* Kunth
838. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
839. Melastomataceae: *Clidemia ostentata* Wurdack
840. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
841. Melastomataceae: *Clidemia involucreta* DC.
842. Dennstaedtiaceae: *Lindsaea ? lancea* (L.) Bedd. var. *lancea*
843. Cyatheaceae: *Cyathea surinamensis* (Miq.) Domin
844. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
845. Araceae: *Monstera adansonii* Schott
846. Rubiaceae: *Psychotria uliginosa* Sw.
847. Campanulaceae: *Centropogon cornutus* (L.) Druce
848. Leguminosae-Faboideae: *Dioclea reflexa* Hook. f.
849. Boraginaceae: *Cordia polycephala* (Lam.) I. M. Johnston.
850. Melastomataceae: *Clidemia octona* (Bonpl.) L. O. Williams ssp. *guayanensis* Wurdack
851. Verbenaceae: *Lantana camara* L.

852. Compositae: *Clibadium surinamense* L.
853. Thelypteridaceae: *Thelypteris pennata* (Poir.)
C. V. Morton
854. Leguminosae-Caesalpinioideae: *Brownea* sp.
855. Funariaceae: *Funaria hygrometrica* Hedw. var.
calvescens (Schwaegr.) Mont.
856. Gesneriaceae: *Nautilocalyx mimuloides* (Benth.)
C. V. Morton
857. Schizaeaceae: *Anemia phyllitidis* (L.) Sw.
858. Passifloraceae: *Passiflora rubra* L.
859. Melastomataceae: *Meriania urceolata* Triana
860. Clusiaceae: *Clusia schomburgkiana* (Planch. and
Triana) Benth. ex Engl.
861. Lythraceae: Indet.
862. Viscaceae: *Phoradendron pellucidulum* Eichler
863. Humiriaceae: *Humiria crassifolia* Mart. ex Urb.
864. Melastomataceae: *Macairea pachyphylla* Benth.
865. Schizaeaceae: *Actinostachys pennula* (Sw.)
Hook.
866. Compositae: *Chromolaena odorata* (L.) R. M.
King and H. Rob.
867. Ochnaceae: *Sauvagesia angustifolia* Ule
868. Humiriaceae: *Vantanea minor* Benth.
869. Gentianaceae: *Irlbachia nemorosa* (Willd. ex
Roem. and Schult.) Merr.
870. Flacourtiaceae: *Euceraea nitida* Mart.
871. Orchidaceae: *Epistephium subrepens* Hoehne
872. Orchidaceae: *Prosthechea calamaria* (Lindl.)
W. E. Higgins
873. Orchidaceae: *Catasetum discolor* (Lindl.) Lindl.
874. Araceae: *Philodendron callosum* K. Krause
875. Melastomataceae: *Tococa nitens* (Benth.) Triana
876. Rubiaceae: *Sipanea galioides* Wernham
877. Polygalaceae: *Polygala blakeana* Steyerl.
878. Compositae: *Praxelis karuaiensis* (V. M. Badillo)
R. M. King and H. Rob.
879. Compositae: *Conyza bonariensis* (L.) Cronquist
880. Chrysobalanaceae: *Hirtella bullata* Benth.
881. Apocynaceae: *Mandevilla benthamii* (A. DC.)
K. Schum.
882. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
883. Bromeliaceae: *Catopsis berteroniana* (Schult. and
Schult. f.) Mez
884. Aquifoliaceae: *Ilex* sp.
885. Humiriaceae: *Vantanea* cf. *minor* Benth.
886. Lentibulariaceae: *Utricularia hispida* Lam.
887. Rubiaceae: *Perama hirsuta* Aubl.
888. Polygalaceae: *Polygala* sp.
889. Melastomataceae: *Macairea lasiophylla* (Benth.)
Wurdack
890. Rubiaceae: *Retiniphyllum laxiflorum* (Benth.)
N. E. Br. var. *laxiflorum*
891. Ochnaceae: *Ouratea gillyana* (Dwyer) Sandwith
and Maguire
892. Orchidaceae: *Eriopsis biloba* Lindl.
893. Ericaceae: *Bejaria* cf. *aestuans* L.
894. Rubiaceae: *Pagamea capitata* Benth.
895. Viscaceae: *Dendrophthora elliptica* (Gardner)
Krug and Urb.
896. Orchidaceae: *Cyrtopodium parviflorum* Lindl.
897. Lentibulariaceae: *Utricularia juncea* Vahl
898. Clusiaceae: *Vismia guianensis* (Aubl.) Choisy
899. Clusiaceae: *Vismia guianensis* (Aubl.) Choisy
900. Melastomataceae: *Rhynchanthera grandiflora*
(Aubl.) DC.
901. Clusiaceae: *Clusia grandiflora* Splitg.
902. Chrysobalanaceae: *Licania lasseri* Maguire
903. Melastomataceae: *Tococa guianensis* Aubl.
904. Melastomataceae: *Siphanthera cordifolia*
(Benth.) Gleason
905. Polygalaceae: *Polygala* sp.
906. Lythraceae: Indet.
907. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
908. Compositae: *Calea oliveri* B. L. Rob. and Greenm.
909. Cyperaceae: *Hypolytrum pulchrum* (Rudge)
H. Pfeiff.
910. Compositae: *Orthopappus angustifolius* (Sw.)
Gleason
911. Melastomataceae: *Miconia alata* (Aubl.) DC.
912. Rubiaceae: *Sabicea velutina* Benth.
913. Loganiaceae: *Bonyunia minor* N. E. Br.
914. Bonnetiaceae: *Bonnetia sessilis* Benth.
915. Cyperaceae: *Hypolytrum pulchrum* (Rudge)
H. Pfeiff.
916. Melastomataceae: *Macairea lasiophylla* (Benth.)
Wurdack
917. Bonnetiaceae: *Bonnetia sessilis* Benth.
918. Rubiaceae: *Chalepophyllum guianense* Hook. f.
919. Passifloraceae: *Passiflora sclerophylla* Harms
920. Cyrillaceae: *Cyrilla racemiflora* L.
921. Melastomataceae: *Meriania sclerophylla*
(Naudin) Triana
922. Cyperaceae: *Lagenocarpus rigidus* (Kunth) Nees
ssp. *tremulus* (Nees) T. Koyama and Maguire
923. Cyperaceae: *Rhynchospora brachychaeta*
C. Wright
924. Droseraceae: *Drosera* sp.
925. Bignoniaceae: *Digomphia laurifolia* Benth.
926. Lentibulariaceae: *Utricularia subulata* L.
926a. Lentibulariaceae: *Utricularia juncea* Vahl

- 926b. Lentibulariaceae: *Utricularia adpressa* Salzm. ex A. St.-Hil. and Girard
927. Eriocaulaceae: *Syngonanthus xeranthemoides* (Bong.) Ruhland
928. Liliaceae: *Nietneria paniculata* Steyerm.
929. Xyridaceae: *Xyris guianensis* Steud.
930. Bromeliaceae: *Brocchinia reducta* Baker
931. Iridaceae: Indet.
932. Eriocaulaceae: Indet.
933. Eriocaulaceae: *Syngonanthus gracilis* (Bong.) Ruhland
934. Eriocaulaceae: *Syngonanthus longipes* Gleason
935. Xyridaceae: *Abolboda macrostachya* Spruce ex Malme var. *robustior* Steyerm.
936. Malpighiaceae: *Tetrapterys pusilla* Steyerm.
937. Gentianaceae: *Chelonanthus angustifolius* (Kunth) Gilg
938. Heliconiaceae: *Heliconia psittacorum* L. f.
939. Orchidaceae: *Epidendrum ibaguense* Kunth
940. Orchidaceae: *Epidendrum* sp.
941. Orchidaceae: *Koellensteinia* sp.
942. Orchidaceae: *Sobralia liliastrum* Lindl.
943. Orchidaceae: *Catasetum discolor* (Lindl.) Lindl.
944. Orchidaceae: *Scaphyglottis* sp.
945. Araceae: *Spathiphyllum cannifolium* (Dryand. ex Sims) Schott
946. Cyclanthaceae: *Dicranopygium angustissimum* (Sandwith) Harling
947. Orchidaceae: *Maxillaria parkeri* Hook.
948. Orchidaceae: *Maxillaria* cf. *discolor* (Lodd. ex Lindl.) Rehb. f.
949. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
950. Araceae: *Anthurium scandens* (Aubl.) Engl.
951. Polypodiaceae: *Polypodium caceresii* Sodiro
952. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
953. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn. var. *ceramicarpa*
954. Bromeliaceae: *Mezobromelia pleiosticha* (Griseb.) Utley and H. Luther
955. Ericaceae: *Sphyraspermum cordifolium* Benth.
956. Araceae: *Syngonium podophyllum* Schott
957. Araceae: *Anthurium clavigerum* Poepp.
958. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
959. Bignoniaceae: *Schlegelia spruceana* K. Schum.
960. Melastomataceae: *Maieta guianensis* Aubl.
961. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
962. Orchidaceae: *Maxillaria parkeri* Hook.
963. Marantaceae: *Ischnosiphon arouma* (Aubl.) Körn.
964. Piperaceae: *Piper demeraranum* (Miq.) C. DC.
965. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
966. Compositae: *Stomatochaeta condensata* (Baker) Maguire and Wurdack
967. Melastomataceae: *Tibouchina fraterna* N. E. Br.
968. Piperaceae: *Piper aduncum* L.
969. Orchidaceae: *Brassia bidens* Lindl.
970. Orchidaceae: *Epidendrum tumuc-humaciense* (Veyret) Carnevali and G. A. Romero
971. Orchidaceae: *Eriopsis biloba* Lindl.
972. Apocynaceae: *Mandevilla benthamii* (A. DC.) K. Schum.
973. Bignoniaceae: *Digomphia laurifolia* Benth.
974. Clusiaceae: *Clusia pusilla* Steyerm.
975. Bonnetiaceae: *Bonnetia sessilis* Benth.
976. Humiriaceae: *Humiria crassifolia* Mart. ex Urb.
977. Clusiaceae: *Clusia pusilla* Steyerm.
978. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
979. Compositae: *Gongylolepis benthamiana* R. H. Schomb.
980. Compositae: *Calea lucidivenia* Gleason and S. F. Blake var. *orientalis* (Maguire and Wurdack) Pruski
981. Ericaceae: *Bejaria sprucei* Meisn.
982. Dennstaedtiaceae: *Lindsaea pendula* Klotzsch
983. Leguminosae-Caesalpinioideae: *Chamaecrista desvauxii* (Collad.) Killip var. *mollissima* (Benth.) H. S. Irwin and Barneby
984. Ochnaceae: *Sauvagesia angustifolia* Ule
985. Melastomataceae: *Marcetia taxifolia* (A. St.-Hil.) DC.
986. Asclepiadaceae: Indet.
987. Melastomataceae: *Meriania sclerophylla* (Naudin) Triana
988. Gentianaceae: *Irlbachia nemorosa* (Willd. ex Roem. and Schult.) Merr.
989. Melastomataceae: *Comolia* sp.
990. Rubiaceae: *Perama hirsuta* Aubl.
991. Orchidaceae: *Epistephium subrepens* Hoehne
992. Ochnaceae: *Sauvagesia* sp.
993. Eriocaulaceae: *Syngonanthus xeranthemoides* (Bong.) Ruhland
994. Xyridaceae: Indet.
995. Aquifoliaceae: *Ilex* sp.
996. Loranthaceae: *Struthanthus gracilis* (Gleason) Steyerm. and Maguire

997. Sapotaceae: *Pradosia schomburgkiana* (A. DC.) Cronquist
998. Orchidaceae: *Cyrtopodium parviflorum* Lindl.
999. Santalaceae: *Thesium tepuiense* Steyererm.
1000. Lentibulariaceae: *Utricularia subulata* L.
1001. Lentibulariaceae: *Utricularia amethystina* Salzm. ex A. St.-Hil. and Girard
1002. Orchidaceae: *Epidendrum secundum* Jacq.
1003. Ericaceae: *Thibaudia* s.l. *nutans* Klotzsch ex Mansf.
1004. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
1005. Chrysobalanaceae: *Licania lasserii* Maguire
1006. Marcgraviaceae: *Sarcopera tepuiensis* (de Roon) Bedell ssp. *tepuiensis*
1007. Euphorbiaceae: *Phyllanthus vacciniifolius* (Müll. Arg.) Müll. Arg.
1008. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
1009. Malpighiaceae: *Blepharandra hypoleuca* (Benth.) Griseb.
1010. Blechnaceae: *Blechnum serrulatum* Rich.
1011. Bromeliaceae: *Lindmania guianensis* (Beer) Mez var. *vestita* (L. B. Sm.) L. B. Sm.
1012. Poaceae: *Panicum aequivaginatatum* Swallen
1013. Cyperaceae: *Mapania tepuiana* (Steyererm.) T. Koyama
1014. Xyridaceae: *Xyris involucrata* Nees
1015. Cyrillaceae: *Cyrilla racemiflora* L.
1016. Ericaceae: *Vaccinium puberulum* Klotzsch ex Meisn.
1017. Apocynaceae: *Mandevilla vanheurckii* (Müll. Arg.) Markgr.
1018. Compositae: *Stenopadus talaumifolius* S. F. Blake
1019. Melastomataceae: *Macairea pachyphylla* Benth.
1020. Orchidaceae: *Galeottia burkei* (Rchb. f.) Dressler and Christenson
1021. Ericaceae: *Vaccinium puberulum* Klotzsch ex Meisn.
1022. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
1023. Asclepiadaceae: Indet.
1024. Polygonaceae: *Coccoloba* ? sp. nov.
1025. Bignoniaceae: *Tabebuia* ? sp. nov.
1026. Burmanniaceae: *Burmannia bicolor* Mart.
1027. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
1028. Compositae: *Lepidaploa bolivarensis* (V. M. Badillo) H. Rob.
1029. Ochnaceae: *Ouratea gillyana* (Dwyer) Sandwith and Maguire
1030. Myrsinaceae: *Cybianthus fulvopulverulentus* (Mez) G. Agostini ssp. *magnoliifolius* (Mez) Pipoly
1031. Ochnaceae: Indet.
1032. Melastomataceae: *Tibouchina fraterna* N. E. Br.
1033. Orchidaceae: *Epidendrum* sp.
1034. Hymenophyllaceae: *Trichomanes crinitum* Sw.
1035. Sapindaceae: *Matayba ptariana* Steyererm.
1036. Polypodiaceae: *Polypodium triseriale* Sw.
1037. Orchidaceae: *Sobralia liliastrum* Lindl.
1038. Ternstroemiaceae: *Ternstroemia* cf. sp.
1039. Compositae: *Gamochaeta simplicicaulis* (Willd. ex Spreng.) Cabrera
1040. Apocynaceae: *Galactophora schomburgkiana* Woodson
1041. Ericaceae: *Vaccinium euryanthum* A. C. Sm.
1042. Marcgraviaceae: *Sarcopera flammifera* de Roon and Bedell
1043. Scrophulariaceae: *Buchnera rosea* Kunth
1044. Oleandraceae: *Nephrolepis cordifolia* (L.) C. Presl
1045. Orchidaceae: *Koellensteinia* sp.
1046. Lentibulariaceae: *Utricularia hispida* Lam.
1047. Rubiaceae: *Perama dichotoma* Poepp.
1048. Burmanniaceae: *Burmannia capitata* (Walter ex J. F. Gmel.) Mart.
1049. Lythraceae: *Cuphea* sp.
1050. Gentianaceae: *Chelonanthus viridiflorus* (Mart.) Gilg
1051. Orchidaceae: *Epidendrum orchidiflorum* Salzm.
1052. Compositae: *Unxia camphorata* L. f.
1053. Rubiaceae: *Sabicea velutina* Benth.
1054. Melastomataceae: *Clidemia capitata* Benth.
1055. Moraceae: Indet.
1056. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
1057. Compositae: *Baccharis nitida* (Ruiz and Pav.) Pers.
1058. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
1059. Cyperaceae: *Rhynchospora capillifolia* W. W. Thomas
1060. Melastomataceae: *Siphanthera cordifolia* (Benth.) Gleason
1061. Rubiaceae: *Psychotria crocochlamys* Sandwith
1062. Rubiaceae: *Psychotria hemicephaelis* Wernham
1063. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
1064. Hymenophyllaceae: *Trichomanes celluloseum* Klotzsch
1065. Bryophyte: Indet.
1066. Ericaceae: *Orthaea crinita* A. C. Sm.
1067. Sapotaceae: *Pradosia beardii* (Monach.) T. D. Penn.
1068. Orchidaceae: *Selenipedium steyermarkii* Foldats
1069. Rubiaceae: *Psychotria campylopoda* Standl.
1070. Euphorbiaceae: *Senefelderopsis croizatii* Steyererm.

1071. Rubiaceae: *Psychotria crocochlamys* Sandwith
1072. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
1073. Clusiaceae: *Vismia japurensis* Reichardt
1074. Flacourtiaceae: *Euceraea nitida* Mart.
1075. Malpighiaceae: *Byrsonima carraoana* Steyerem.
1076. Piperaceae: *Piper arboreum* Aubl.
1077. Cyclanthaceae: *Asplundia* sp.
1078. Violaceae: *Paypayrola longifolia* Tul.
1079. Marcgraviaceae: *Marcgravia coriacea* Vahl
1080. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth. var. *myriadenia*
1081. Orchidaceae: *Epidendrum orchidiflorum* Salzm.
1082. Orchidaceae: *Notylia* ? sp. nov.
1083. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
1084. Adiantaceae: *Adiantum phyllitidis* J. Sm.
1085. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schlttdl.
1086. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
1087. Annonaceae: *Guatteria wachenheimi* Benoist
1088. Cyperaceae: *Scleria latifolia* Sw.
1089. Cucurbitaceae: *Gurania subumbellata* (Miq.) Cogn.
1090. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
1091. Rhamnaceae: *Gouania* sp.
1092. Smilacaceae: *Smilax schomburgkiana* Kunth
1093. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
1094. Piperaceae: *Piper glabrescens* (Miq.) C. DC.
1095. Malvaceae: *Sida urens* L.
1096. Capparaceae: *Cleome viridiflora* Schreb.
1097. Orchidaceae: *Cyclopogon* sp.
1098. Malvaceae: *Pavonia fruticosa* (Mill.) Fawc. and Rendle
1099. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
1100. Woodsiaceae: *Diplazium cristatum* (Desr.) Alston
1101. Melastomataceae: *Aciotis* sp.
1102. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
1103. Piperaceae: *Lepianthes umbellatum* Raf.
1104. Menispermaceae: *Cissampelos pareira* L.
1105. Costaceae: *Costus scaber* Ruiz and Pav.
1106. Passifloraceae: *Passiflora rubra* L.
1107. Campanulaceae: *Centropogon cornutus* (L.) Druce
1108. Lauraceae: *Ocotea puberula* (Rich.) Nees
1109. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
1110. Clusiaceae: *Vismia japurensis* Reichardt
1111. Melastomataceae: *Miconia ampla* Triana
1112. Lauraceae: *Ocotea cernua* (Nees) Mez
1113. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
1114. Leguminosae-Caesalpinioideae: *Macrolobium bifolium* (Aubl.) Pers.
1115. Bombacaceae: *Pachira minor* (Sims) Hemsl.
1116. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
1117. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
1118. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
1119. Cucurbitaceae: *Gurania subumbellata* (Miq.) Cogn.
1120. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
1121. Bignoniaceae: *Tabebuia insignis* (Miq.) Sandwith var. *insignis*
1122. Clusiaceae: *Mahurea exstipulata* Benth.
1123. Orchidaceae: *Pleurothallis spiculifera* Lindl.
1124. Leguminosae-Mimosoideae: *Inga* sp.
1125. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
1126. Bignoniaceae: *Schlegelia* cf. *violacea* (Aubl.) Griseb.
1127. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
1128. Orchidaceae: *Epidendrum* aff. *nocturnum* Jacq.
1129. Siparunaceae: *Siparuna guianensis* Aubl.
1130. Lorantheae: *Oryctanthus alveolatus* (Kunth) Kuijt
1131. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
1132. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
1133. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
1134. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
1135. Poaceae: *Panicum pilosum* Sw.
1136. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *rubescens* (Huber ex C. B. Clarke) T. Koyama
1137. Begoniaceae: *Begonia heloisana* Brade
1138. Gesneriaceae: *Kohleria hirsuta* (Kunth) Regel
1139. Gentianaceae: *Voyria rosea* Aubl.
1140. Tiliaceae: *Apeiba petoumo* Aubl.
1141. Araceae: *Rhodospatha latifolia* Poepp.
1142. Tectariaceae: *Tectaria trifoliata* (L.) Cav.
1143. Woodsiaceae: *Diplazium cristatum* (Desr.) Alston

1144. Commelinaceae: *Tradescantia zanonía* (L.) Sw.
 1145. Leguminosae-Caesalpinioideae: *Brownea coccinea* Jacq. ssp. *capitella* (Jacq.) D. Velázquez and Agostini
 1146. Adiantaceae: *Adiantum latifolium* Lam.
 1147. Piperaceae: *Peperomia urocarpa* Fisch. and C. A. Mey.
 1148. Heliconiaceae: *Heliconia bihai* (L.) L.
 1149. Cyperaceae: *Scleria melaleuca* Rchb. ex Schldl. and Cham.
 1150. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
 1151. Araceae: *Syngonium podophyllum* Schott
 1152. Arecaceae: *Bactris maraja* Mart.
 1153. Orchidaceae: *Ligeophila clavigera* (Rchb. f.) Garay
 1154. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
 1155. Arecaceae: *Geonoma interrupta* (Ruiz and Pav.) Mart. var. *euspatha* (Burret) A. J. Hend.
 1156. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
 1157. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
 1158. Rubiaceae: *Ferdinandusa goudotiana* K. Schum.
 1159. Viscaceae: *Phoradendron bilineatum* Urb.
 1160. Lamiaceae: Indet.
 1161. Burseraceae: *Protium subserratum* (Engl.) Engl.
 1162. Passifloraceae: *Passiflora ascidia* Feuillet
 1163. Melastomataceae: *Meriania urceolata* Triana
 1164. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
 1165. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
 1166. Melastomataceae: *Tococa guianensis* Aubl.
 1167. Compositae: *Calea oliveri* B. L. Rob. and Greenm.
 1168. Elaeocarpaceae: *Sloanea* sp.
 1169. Euphorbiaceae: *Mabea rubicunda* Jabl.
 1170. Bromeliaceae: *Guzmania lingulata* (L.) Mez
 1171. Cyatheaceae: *Cyathea surinamensis* (Miq.) Domin
 1172. Orchidaceae: *Epidendrum ramosum* Jacq.
 1173. Melastomataceae: *Miconia mariae* Wurdack
 1174. Heliconiaceae: *Heliconia acuminata* Rich. ssp. *acuminata*
 1175. Piperaceae: *Peperomia pilicaulis* C. DC.
 1176. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 1177. Melastomataceae: *Adelobotrys adscendens* (Sw.) Triana
 1178. Bromeliaceae: *Werauhia viridiflora* (Regel) J. R. Grant
 1179. Orchidaceae: *Stenia pallida* Lindl.
 1180. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
 1181. Flacourtiaceae: *Casearia singularis* Eichler
 1182. Boraginaceae: *Cordia nodosa* Lam.
 1183. Araceae: *Philodendron pedatum* (Hook.) Kunth
 1184. Euphorbiaceae: *Pausandra martinii* Baill.
 1185. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
 1186. Leguminosae-Caesalpinioideae: *Senna bacillaris* (L. f.) H. S. Irwin and Barneby var. *bacillaris*
 1187. Annonaceae: *Annona symphyocarpa* Sandwith
 1188. Passifloraceae: *Passiflora coccinea* Aubl.
 1189. Incertae sedis: Indet.
 1190. Verbenaceae: *Petrea macrostachya* Benth.
 1191. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
 1192. Rubiaceae: *Psychotria uliginosa* Sw.
 1193. Thelypteridaceae: *Thelypteris tetragona* (Sw.) Small
 1194. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
 1195. Heliconiaceae: *Heliconia* sp.
 1196. Cyclanthaceae: *Asplundia* sp.
 1197. Rubiaceae: *Rudgea fissistipula* Müll. Arg.
 1198. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
 1199. Solanaceae: *Solanum costatum* M. Nee
 1200. Orchidaceae: *Catasetum* sp.
 1201. Piperaceae: *Peperomia urocarpa* Fisch. and C. A. Mey.
 1202. Cyperaceae: *Mapania sylvatica* Aubl.
 1203. Adiantaceae: *Adiantum phyllitidis* J. Sm.
 1204. Adiantaceae: *Adiantum olivaceum* Baker
 1205. Orchidaceae: *Isochilus linearis* (Jacq.) R. Br.
 1206. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
 1207. Sapotaceae: *Pouteria speciosa* (Ducke) Baehni
 1208. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
 1209. Gentianaceae: *Voyria corymbosa* Splitg.
 1210. Euphorbiaceae: *Croton matourensis* Aubl.
 1211. Incertae sedis: Indet.
 1212. Compositae: *Mikania banisteriae* DC.
 1213. Boraginaceae: *Tournefortia candidula* (Miers) I. M. Johnst.
 1214. Annonaceae: *Duguetia decurrens* R. E. Fr.
 1215. Annonaceae: *Duguetia decurrens* R. E. Fr.
 1216. Menispermaceae: *Abuta rufescens* Aubl.
 1217. Leguminosae-Faboideae: *Desmodium axillare* (Sw.) DC.

1218. Piperaceae: *Piper hispidum* Sw.
 1219. Piperaceae: *Piper arboreum* Aubl.
 1220. Schizaeaceae: *Anemia phyllitidis* (L.) Sw.
 1221. Orchidaceae: *Corymborkis* sp.
 1222. Orchidaceae: *Pelexia laxa* (Poepp. and Endl.) Lindl.
 1223. Zingiberaceae: *Renalmia guianensis* Maas
 1224. Orchidaceae: *Gongora maculata* Lindl.
 1225. Rubiaceae: *Psychotria deflexa* DC.
 1226. Rubiaceae: *Geophila cordifolia* Miq.
 1227. Leguminosae-Mimosoideae: *Pentaclethra maculosa* (Willd.) Kuntze
 1228. Poaceae: *Ichnanthus breviscrobis* Döll
 1229. Aquifoliaceae: *Ilex karuaiana* Steyererm.
 1230. Melastomataceae: *Miconia prasina* (Sw.) DC.
 1231. Chrysobalanaceae: *Licania apetala* (E. Mey.) Fritsch
 1232. Symplocaceae: *Symplocos* sp.
 1233. Chrysobalanaceae: *Hirtella paniculata* Sw.
 1234. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
 1235. Siparunaceae: *Siparuna guianensis* Aubl.
 1236. Compositae: *Chaptalia nutans* (L.) Pol.
 1237. Clusiaceae: *Vismia guianensis* (Aubl.) Choisy
 1238. Loganiaceae: *Bonyunia minor* N. E. Br.
 1239. Polygalaceae: *Polygala longicaulis* Kunth
 1240. Compositae: *Ichthyothere terminalis* (Spreng.) S. F. Blake
 1241. Euphorbiaceae: *Croton hostmannii* Miq. ex Schldl.
 1242. Symplocaceae: *Symplocos* sp.
 1243. Myrtaceae: *Eugenia puniceifolia* (Kunth) DC.
 1244. Compositae: *Chromolaena laevigata* (Lam.) R. M. King and H. Rob.
 1245. Myrtaceae: *Psidium guineense* Sw.
 1246. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
 1247. Malvaceae: *Sida* sp.
 1248. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
 1249. Convolvulaceae: Indet.
 1250. Malpighiaceae: *Tetrapteryx discolor* (G. Mey.) DC.
 1251. Sapindaceae: Indet.
 1252. Leguminosae-Mimosoideae: *Inga* sp.
 1253. Melastomataceae: *Miconia affinis* DC.
 1254. Sapindaceae: *Cardiospermum* sp.
 1255. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
 1256. Apocynaceae: *Aspidosperma sandwithianum* Markgr.
 1257. Leguminosae-Faboideae: *Rhynchosia phaseoloides* (Sw.) DC.
 1258. Heliconiaceae: *Heliconia densiflora* B. Verl. ssp. *densiflora*
 1259. Marantaceae: *Maranta gibba* Sm.
 1260. Sapotaceae: *Chrysophyllum argenteum* Jacq. ssp. *auratum* (Miq.) T. D. Penn.
 1261. Acanthaceae: *Trichanthera gigantea* (Bonpl.) Nees
 1262. Malvaceae: *Pavonia castaneifolia* A. St.-Hil. and Naudin
 1263. Ulmaceae: *Trema micrantha* (L.) Blume
 1264. Meliaceae: *Guarea guidonia* (L.) Sleumer
 1265. Rubiaceae: *Palicourea guianensis* Aubl.
 1266. Melastomataceae: *Miconia mariae* Wurdack
 1267. Myrsinaceae: *Cybianthus venezuelanus* Mez
 1268. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
 1269. Dichapetalaceae: *Tapura guianensis* Aubl.
 1270. Balsaminaceae: *Impatiens balsamina* L.
 1271. Compositae: *Neurolaena lobata* (L.) R. Br.
 1272. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
 1273. Chrysobalanaceae: *Licania silvae* Prance
 1274. Humiriaceae: *Sacoglottis guianensis* Benth.
 1275. Annonaceae: *Duguetia yeshidan* Sandwith
 1276. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
 1277. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
 1278. Flacourtiaceae: *Ryania pyrifera* (Rich.) Uittien and Sleumer
 1279. Leguminosae-Mimosoideae: *Inga thibaudiana* DC.
 1280. Gentianaceae: *Voyria corymbosa* Splitg.
 1281. Passifloraceae: *Passiflora glandulosa* Cav.
 1282. Passifloraceae: *Passiflora amoena* L. K. Escobar
 1283. Cyperaceae: *Diplasia karatifolia* Rich.
 1284. Arecaceae: *Euterpe oleracea* Mart.
 1285. Violaceae: *Rinorea flavescens* (Aubl.) Kuntze
 1286. Cactaceae: *Epiphyllum phyllanthus* (L.) Haw. var. *phyllanthus*
 1287. Bryophyte: Indet.
 1288. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 1289. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 1290. Violaceae: *Paypayrola longifolia* Tul.
 1291. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
 1292. Arecaceae: *Bactris* sp.
 1293. Apocynaceae: *Aspidosperma excelsum* Benth.
 1294. Gentianaceae: *Voyria corymbosa* Splitg.
 1295. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
 1296. Heliconiaceae: *Heliconia acuminata* Rich.
 1297. Gentianaceae: *Voyria rosea* Aubl.
 1298. Arecaceae: *Geonoma deversa* (Poit.) Kunth

1299. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
1300. Apocynaceae: *Tabernaemontana heterophylla* Vahl
1301. Poaceae: *Ichmanthus panicoides* P. Beauv.
1302. Cyperaceae: *Calyptrocarya poeppigiana* Kunth
1303. Lauraceae: *Chlorocardium rodiei* (R. H. Schomb.) Rohwer, H. G. Richt. and van der Werff
1304. Meliaceae: *Carapa akuri* Poncy, Forget and Kenfack
1305. Leguminosae-Faboideae: *Alexa imperatricis* (R. H. Schomb.) Baill.
1306. Hippocrateaceae: *Salacia maburensis* Mennega
1307. Orchidaceae: *Rodriguezia lanceolata* Ruiz and Pav.
1308. Sapindaceae: *Matayba camptoneura* Radlk.
1309. Arecaceae: *Bactris* sp.
1310. Rubiaceae: *Palicourea guianensis* Aubl.
1311. Costaceae: *Costus scaber* Ruiz and Pav.
1312. Sapotaceae: *Pouteria* cf. *torta* (Mart.) Radlk. ssp. *glabra* T. D. Penn.
1313. Piperaceae: *Piper demeraranum* (Miq.) C. DC.
1314. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
1315. Sapindaceae: *Paullinia* sp.
1316. Arecaceae: *Geonoma baculifera* (Poit.) Kunth
1317. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
1318. Verbenaceae: *Petrea macrostachya* Benth.
1319. Smilacaceae: *Smilax schomburgkiana* Kunth
1320. Arecaceae: *Socratea exorrhiza* (Mart.) H. Wendl.
1321. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
1322. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
1323. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
1324. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
1325. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
1326. Rubiaceae: *Rudgea crassiloba* (Benth.) B. L. Rob.
1327. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth.
1328. Compositae: *Mikania parviflora* (Aubl.) H. Karst.
1329. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
1330. Bignoniaceae: *Pleonotoma clematis* (Kunth) Miers
1331. Chrysobalanaceae: *Licania leptostachya* Benth.
1332. Leguminosae-Faboideae: *Etaballia dubia* (Kunth) Rudd
1333. Bombacaceae: *Pachira aquatica* Aubl.
1334. Connaraceae: *Connarus lambertii* (DC.) Sagot
1335. Annonaceae: *Guatteria scandens* Ducke
1336. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
1337. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
1338. Violaceae: *Paypayrola longifolia* Tul.
1339. Violaceae: *Rinorea riana* Kuntze
1340. Chrysobalanaceae: *Licania densiflora* Kleinhoonte
1341. Zingiberaceae: *Renalmia floribunda* K. Schum.
1342. Leguminosae-Mimosoideae: *Inga thibaudiana* DC.
1343. Bromeliaceae: *Aechmea tillandsioides* (Mart. ex Schult. f.) Baker
1344. Arecaceae: *Astrocaryum sciophilum* (Miq.) Pulle
1345. Verbenaceae: *Petrea macrostachya* Benth.
1346. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
1347. Rubiaceae: *Amaioua guianensis* Aubl.
1348. Apocynaceae: *Odontadenia macrantha* (Roem. and Schult.) Markgr.
1349. Leguminosae-Faboideae: *Machaerium* sp.
1350. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
1351. Leguminosae-Faboideae: *Machaerium ferox* (Mart. ex Benth.) Ducke
1352. Ebenaceae: *Diospyros lissocarpoides* Sandwith
1353. Leguminosae-Caesalpinioideae: *Eperua schomburgkiana* Benth.
1354. Onagraceae: *Ludwigia leptocarpa* (Nutt.) H. Hara
1355. Compositae: *Eclipta prostrata* (L.) L.
1356. Leguminosae-Faboideae: *Vigna* sp.
1357. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
1358. Leguminosae-Caesalpinioideae: *Martiodendron excelsum* (Benth.) Gleason
1359. Passifloraceae: *Passiflora capparidifolia* Killip
1360. Polygonaceae: *Symmeria paniculata* Benth.
1361. Hepaticae: Indet.
1362. Orchidaceae: *Epidendrum rigidum* Jacq.
1363. Turneraceae: *Turnera aurantiaca* Benth.
1364. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
1365. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
1366. Orchidaceae: *Brassavola martiana* Lindl.
1367. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
1368. Leguminosae-Faboideae: *Paramachaerium schomburgkii* (Benth.) Ducke
1369. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
1370. Chrysobalanaceae: *Licania apetala* (E. Mey.) Fritsch var. *apetala*

1371. Orchidaceae: *Rodriguezia lanceolata* Ruiz and Pav.
 1372. Araceae: *Philodendron muricatum* Willd. ex Schott
 1373. Leguminosae-Caesalpinioideae: *Macrobium acaciifolium* (Benth.) Benth.
 1374. Polygonaceae: *Symmeria paniculata* Benth.
 1375. Leguminosae-Mimosoideae: *Mimosa pellita* Humb. and Bonpl. ex Willd.
 1376. Boraginaceae: *Cordia grandiflora* (Desv.) Kunth
 1377. Cecropiaceae: *Coussapoa asperifolia* Trécul ssp. *magnifolia* (Trécul) Akkermans and C. C. Berg
 1378. Combretaceae: *Combretum rotundifolium* Rich.
 1379. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
 1380. Combretaceae: *Buchenavia megalophylla* van Heurck and Müll. Arg.
 1381. Myrtaceae: *Eugenia lambertiana* DC.
 1382. Convolvulaceae: *Ipomoea tiliacea* (Willd.) Choisy
 1383. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
 1384. Myrtaceae: *Eugenia* cf. *cribrata* McVaugh
 1385. Solanaceae: *Solanum monachophyllum* Dunal
 1386. Rubiaceae: *Chomelia obtusa* Cham. and Schltdl.
 1387. Malpighiaceae: *Heteropterys multiflora* (DC.) Hochr.
 1388. Myrtaceae: *Myrcia* aff. *quitarensis* (Benth.) Sagot
 1389. Leguminosae-Faboideae: *Aeschynomene* sp.
 1390. Myrtaceae: *Myrcia decorticans* DC.
 1391. Tiliaceae: *Vasivaea alchorneoides* Baill.
 1392. Leguminosae-Faboideae: *Dalbergia* sp.
 1393. Melastomataceae: *Tococa subciliata* (DC.) Triana
 1394. Rubiaceae: *Duroia genipoides* Hook. f. ex K. Schum.
 1395. Salviniaceae: *Salvinia radula* Baker
 1396. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
 1397. Cyperaceae: *Hypolytrum jenmanii* C. B. Clarke
 1398. Cyperaceae: *Fimbristylis complanata* (Retz.) Link
 1399. Leguminosae-Faboideae: *Aeschynomene* sp.
 1400. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
 1401. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth. var. *myriadenia*
 1402. Xyridaceae: *Xyris jupicai* Rich.
 1403. Malpighiaceae: *Byrsonima aerugo* Sagot
 1404. Bignoniaceae: *Distictella elongata* (Vahl) Urb.
 1405. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
 1406. Onagraceae: *Ludwigia rigida* (Miq.) Sandwith
 1407. Melastomataceae: *Tibouchina aspera* Aubl.
 1408. Solanaceae: *Solanum coriaceum* Dunal
 1409. Dilleniaceae: *Dolioscarpus spraguei* Cheesman
 1410. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
 1411. Rapateaceae: *Rapatea paludosa* Aubl.
 1412. Melastomataceae: *Henriettea multiflora* Naudin
 1413. Leguminosae-Caesalpinioideae: *Chamaecrista nictitans* (L.) Moench var. *disadena* (Steud.) H. S. Irwin and Barneby
 1414. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth. var. *myriadenia*
 1415. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
 1416. Annonaceae: *Duguetia neglecta* Sandwith
 1417. Annonaceae: *Xylophia benthamii* R. E. Fr.
 1418. Bryophyte: Indet.
 1419. Sapotaceae: *Ecclinusa guianensis* Eyma
 1420. Orchidaceae: *Maxillaria parkeri* Hook.
 1421. Burmanniaceae: *Gymnosiphon breviflorus* Gleason
 1422. Rubiaceae: *Psychotria apoda* Steyerl.
 1423. Marantaceae: *Ischnosiphon foliosus* Gleason
 1424. Strelitziaceae: *Phenakospermum guyannense* (Rich.) Endl. ex Miq.
 1425. Chrysobalanaceae: *Licania longistyla* (Hook. f.) Fritsch
 1426. Melastomataceae: *Tococa aristata* Benth.
 1427. Arecaceae: *Euterpe oleracea* Mart.
 1428. Bryophyte: Indet.
 1429. Annonaceae: *Guatteria wachenheimi* Benoist
 1430. Araceae: *Anthurium thrinax* Madison
 1431. Rubiaceae: *Rudgea hostmanniana* Benth.
 1432. Orchidaceae: *Wulfschlaegelia calcarata* Benth.
 1433. Rubiaceae: *Psychotria uliginosa* Sw.
 1434. Dennstaedtiaceae: *Saccoloma elegans* Kaulf. ssp. *chartaceum* Nair ex Cremers and K. U. Kramer
 1435. Rubiaceae: *Psychotria muscosa* (Jacq.) Steyerl.
 1436. Melastomataceae: *Miconia mariae* Wurdack
 1437. Piperaceae: *Peperomia ouabiana* C. DC.
 1438. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
 1439. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
 1440. Orchidaceae: *Elleanthus* sp.
 1441. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
 1442. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
 1443. Hippocrateaceae: *Salacia maburensis* Mennega
 1444. Olacaceae: *Heisteria cauliflora* Sm.
 1445. Euphorbiaceae: *Discocarpus essequeboensis* Klotzsch
 1446. Poaceae: *Olyra longifolia* Kunth

1447. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
1448. Annonaceae: *Duguetia paraensis* R. E. Fr.
1449. Leguminosae-Mimosoideae: *Zygia* sp.
1450. Ebenaceae: *Diospyros lissocarpoides* Sandwith
1451. Rubiaceae: *Psychotria apoda* Steyererm.
1452. Rubiaceae: *Psychotria polycephala* Benth.
1453. Flacourtiaceae: *Casearia singularis* Eichler
1454. Orchidaceae: *Wulfschlaegelia calcarata* Benth.
1455. Annonaceae: *Duguetia yeshidan* Sandwith
1456. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
1457. Elaeocarpaceae: *Sloanea garckeana* K. Schum.
1458. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
1459. Lecythidaceae: *Eschweilera simiorum* (Benoist) Eyma
1460. Meliaceae: *Guarea pubescens* (Rich.) A. Juss. ssp. *pubescens*
1461. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
1462. Verbenaceae: *Petrea macrostachya* Benth.
1463. Gentianaceae: *Voyria corymbosa* Splitg.
1464. Chrysobalanaceae: *Hirtella silicea* Griseb.
1465. Lauraceae: *Endlicheria chalisea* Chanderbali
1466. Annonaceae: *Unonopsis stipitata* Diels
1467. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
1468. Dichapetalaceae: *Tapura guianensis* Aubl.
1469. Boraginaceae: *Cordia nodosa* Lam.
1470. Vittariaceae: *Antrophyum guayanense* Hieron.
1471. Rubiaceae: *Faramea sessilifolia* (Kunth) DC.
1472. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
1473. Quinaceae: *Quiina rhytidopus* Tul.
1474. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
1475. Poaceae: *Panicum stoloniferum* Poir.
1476. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
1477. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
1478. Cyperaceae: *Rhynchospora amazonica* Poepp. and Kunth ssp. *amazonica*
1479. Salviniaceae: *Salvinia radula* Baker
1480. Bryophyte: Indet.
1481. Moraceae: *Ficus* sp.
1482. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
1483. Polygonaceae: *Symmeria paniculata* Benth.
1484. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyererm.
1485. Myrtaceae: *Myrciaria* cf. *dubia* (Kunth) McVaugh
1486. Polyodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
1487. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
1488. Hippocrateaceae: *Peritassa pruinosa* (Seem.) A. C. Sm.
1489. Araceae: *Heteropsis spruceana* Schott
1490. Areaceae: *Geonoma baculifera* (Poit.) Kunth
1491. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
1492. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
1493. Boraginaceae: *Cordia nodosa* Lam.
1494. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
1495. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
1496. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyererm.
1497. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
1498. Araceae: *Philodendron hylaeae* G. S. Bunting
1499. Flacourtiaceae: *Carpotroche surinamensis* Uittien
1500. Heliconiaceae: *Heliconia acuminata* Rich.
1501. Bixaceae: *Cochlospermum orinocense* (Kunth) Steud.
1502. Dioscoreaceae: *Dioscorea* sp.
1503. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
1504. Myrtaceae: *Myrciaria floribunda* (West ex Willd.) O. Berg
1505. Bromeliaceae: *Ananas parguazensis* L. A. Camargo and L. B. Sm.
1506. Rubiaceae: *Sipanea pratensis* Aubl.
1507. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
1508. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
1509. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
1510. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
1511. Araceae: *Philodendron rudgeanum* Schott
1512. Rutaceae: *Ertela trifolia* (L.) Kuntze
1513. Orchidaceae: *Campylocentrum fasciola* (Lindl.) Cogn.
1514. Orchidaceae: *Quekettia* sp.
1515. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
1516. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
1517. Polygonaceae: *Coccoloba densifrons* Mart. ex Meisn.
1518. Passifloraceae: *Passiflora vespertilio* L.

1519. Loranthaceae: *Phthirusa stelis* (L.) Kuijt
 1520. Flacourtiaceae: *Homalium racemosum* Jacq.
 1521. Leguminosae-Faboideae: *Etaballia dubia* (Kunth) Rudd
 1522. Passifloraceae: *Passiflora capparidifolia* Killip
 1523. Leguminosae-Faboideae: *Dioclea scabra* (Rich.) R. H. Maxwell
 1524. Leguminosae-Mimosoideae: *Macrosamanea pubiramea* (Steud.) Barneby and J. W. Grimes var. *pubiramea*
 1525. Orchidaceae: *Epidendrum* s.l. *nocturnum* Jacq.
 1526. Gnetaceae: *Gnetum nodiflorum* Brongn.
 1527. Leguminosae-Mimosoideae: *Zygia latifolia* (L.) Fawc. and Rendle var. *lasiopus* (Benth.) Barneby and J. W. Grimes
 1528. Sapindaceae: *Matayba camptoneura* Radlk.
 1529. Malpighiaceae: *Tetrapteryx discolor* (G. Mey.) DC.
 1530. Flacourtiaceae: *Casearia commersoniana* Cambess.
 1531. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
 1532. Clusiaceae: *Caraipa grandifolia* Mart.
 1533. Leguminosae-Faboideae: *Machaerium leiophyllum* (DC.) Benth. var. *crista-castrense* (Mart. ex Benth.) Rudd
 1534. Rubiaceae: *Posoqueria longiflora* Aubl.
 1535. Rubiaceae: *Palicourea riparia* Benth.
 1536. Leguminosae-Faboideae: *Dalbergia* sp.
 1537. Myrtaceae: *Myrcia inaequiloba* (DC.) D. Legrand
 1538. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
 1539. Myrtaceae: *Plinia* aff. *pinnata* L.
 1540. Rutaceae: *Zanthoxylum compactum* (Huber ex Albuq.) P. G. Waterman
 1541. Malpighiaceae: *Heteropteryx velutina* W. R. Anderson
 1542. Annonaceae: *Annona hypoglauca* Mart.
 1543. Sapindaceae: *Matayba macrostylis* Radlk.
 1544. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
 1545. Orchidaceae: *Epidendrum macrocarpum* Rich.
 1546. Lauraceae: *Nectandra amazonum* Nees
 1547. Araceae: *Anthurium gracile* (Rudge) Schott
 1548. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
 1549. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
 1550. Moraceae: *Ficus paraensis* (Miq.) Miq.
 1551. Leguminosae-Faboideae: *Mucuna* sp.
 1552. Solanaceae: *Solanum pensile* Sendtn.
 1553. Vitaceae: *Cissus verticillata* (L.) Nicolson and C. E. Jarvis
 1554. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
 1555. Sterculiaceae: *Herrania lemniscata* (M. R. Schomb.) R. E. Schult.
 1556. Bromeliaceae: *Aechmea tillandsioides* (Mart. ex Schult. f.) Baker
 1557. Lecythidaceae: *Gustavia augusta* L.
 1558. Annonaceae: *Xylopia discreta* (L. f.) Sprague and Hutch.
 1559. Melastomataceae: *Bellucia grossularioides* (L.) Triana
 1560. Annonaceae: *Unonopsis stipitata* Diels
 1561. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
 1562. Myristicaceae: *Viola surinamensis* (Rol. ex Rottb.) Warb.
 1563. Solanaceae: *Solanum crinitum* Lam.
 1564. Rhamnaceae: *Gouania blanchetiana* Miq.
 1565. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
 1566. Flacourtiaceae: *Casearia rusbyana* Briq.
 1567. Burseraceae: *Tetragastris altissima* (Aubl.) Swart
 1568. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
 1569. Verbenaceae: *Vitex stahelii* Moldenke
 1570. Chrysobalanaceae: *Licania majuscula* Sagot
 1571. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
 1572. Theophrastaceae: *Clavija lancifolia* Desf. ssp. *chermontiana* (Standl.) B. Ståhl
 1573. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
 1574. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
 1575. Orchidaceae: *Vanilla* sp.
 1576. Verbenaceae: *Stachytarpheta cayennensis* (Rich.) Vahl
 1577. Leguminosae-Faboideae: *Desmodium adscendens* (Sw.) DC.
 1578. Scrophulariaceae: *Buchnera rosea* Kunth
 1579. Convolvulaceae: *Merremia aturensis* (Kunth) Hallier f.
 1580. Leguminosae-Faboideae: *Galactia* sp.
 1581. Melastomataceae: *Tibouchina aspera* Aubl.
 1582. Leguminosae-Caesalpinioideae: *Chamaecrista hispidula* (Vahl) H. S. Irwin and Barneby
 1583. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
 1584. Melastomataceae: *Miconia macrothyrsa* Benth.
 1585. Cyperaceae: *Rhynchospora nervosa* (Vahl) Böck. ssp. *nervosa*
 1586. Solanaceae: *Solanum stramonifolium* Jacq.

1587. Leguminosae-Faboideae: *Zornia* sp.
1587b. Leguminosae-Caesalpinioideae: *Chamaecrista diphylla* (L.) Greene
1588. Malvaceae: *Sida cordifolia* L.
1589. Sterculiaceae: *Waltheria indica* L.
1590. Euphorbiaceae: *Croton trinitatis* Millsp.
1591. Turneraceae: *Turnera scabra* Millsp.
1592. Melastomataceae: *Clidemia novemnervia* (DC.) Triana
1593. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
1594. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
1595. Siparunaceae: *Siparuna guianensis* Aubl.
1596. Rubiaceae: *Isertia parviflora* Vahl
1597. Apocynaceae: *Tabernaemontana* cf. sp.
1598. Passifloraceae: *Passiflora* cf. *laurifolia* L.
1599. Convolvulaceae: *Merremia macrocalyx* (Ruiz and Pav.) O'Donell
1600. Apocynaceae: *Mandevilla hirsuta* (Rich.) K. Schum.
1601. Rubiaceae: *Borreria capitata* (Ruiz and Pav.) DC.
1602. Compositae: *Wulffia baccata* (L.) Kuntze
1603. Hippocrateaceae: *Prionostemma aspera* (Lam.) Miers
1604. Bignoniaceae: *Memora flavida* (DC.) Bureau and K. Schum.
1605. Lauraceae: *Chlorocardium rodiei* (R. H. Schomb.) Rohwer, H. G. Richt. and van der Werff
1606. Humiriaceae: *Humiria* sp.
1607. Sapotaceae: *Pouteria engleri* Eyma
1608. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
1609. Lacistmataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
1610. Anacardiaceae: *Tapirira guianensis* Aubl.
1611. Malpighiaceae: *Byrsonima aerugo* Sagot
1612. Convolvulaceae: *Maripa* sp.
1613. Moraceae: *Ficus* sp.
1614. Leguminosae-Mimosoideae: *Macrosamanea pubiramea* (Steud.) Barneby and J. W. Grimes var. *pubiramea*
1615. Cucurbitaceae: *Momordica charantia* L.
1616. Clusiaceae: *Vismia sessilifolia* (Aubl.) Choisy
1617. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
1618. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
1619. Melastomataceae: *Henriettea multiflora* Naudin
1620. Passifloraceae: *Passiflora foetida* L. var. *hispida* (DC.) Killip
1621. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
1622. Solanaceae: *Solanum stramoniiifolium* Jacq.
1623. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
1624. Bignoniaceae: *Anemopaegma oligoneuron* (Sprague and Sandwith) A. H. Gentry
1625. Solanaceae: *Solanum paludosum* Moric.
1626. Apocynaceae: *Himatanthus bracteatus* (A. DC.) Woodson
1627. Dioscoreaceae: *Dioscorea* sp.
1628. Leguminosae-Faboideae: *Clitoria* sp.
1629. Rubiaceae: *Psychotria anceps* Kunth
1630. Sapindaceae: *Cupania scrobiculata* Rich.
1631. Sapindaceae: *Serjania paucidentata* DC.
1632. Clavicipitaceae: *Cordyceps* sp.
1633. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
1634. Aristolochiaceae: *Aristolochia* sp.
1635. Orchidaceae: *Maxillaria uncatata* Lindl.
1636. Orchidaceae: *Maxillaria caespitifica* Rchb. f.
1637. Lauraceae: *Ocotea rhynchophylla* (Meisn.) Mez
1638. Myrtaceae: *Myrcia fallax* (Rich.) DC.
1639. Boraginaceae: *Cordia curassavica* (Jacq.) Roem. and Schult.
1640. Myrtaceae: *Psidium guineense* Sw.
1641. Oxalidaceae: *Oxalis frutescens* L.
1642. Convolvulaceae: *Evolvulus* sp.
1643. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
1644. Loranthaceae: *Struthanthus elegans* Mart.
1645. Erythroxylaceae: *Erythroxylum* sp.
1646. Chrysobalanaceae: *Couepia comosa* Benth.
1647. Sterculiaceae: *Helicteres guazumifolia* Kunth
1648. Connaraceae: *Rourea grosourdyana* Baill. var. *grosourdyana*
1649. Erythroxylaceae: *Erythroxylum* sp.
1650. Loranthaceae: *Psittacanthus cordatus* (Hoffmanns.) Blume
1651. Lythraceae: *Cuphea antisiphilitica* Kunth var. *acutifolia* Benth.
1652. Malvaceae: *Peltaea trinervis* (C. Presl) Krapov. and Cristóbal
1653. Malvaceae: *Sida cordifolia* L.
1654. Sterculiaceae: *Waltheria microphylla* Cav.
1655. Malvaceae: *Sida limifolia* Juss. ex Cav.
1656. Dilleniaceae: *Curatella americana* L.
1657. Turneraceae: *Turnera* sp.
1658. Combretaceae: *Combretum fruticosum* (Loefl.) Stuntz
1659. Melastomataceae: *Miconia pseudoaplostachya* Cogn.

1660. Melastomataceae: *Miconia prasina* (Sw.) DC.
 1661. Rubiaceae: *Genipa spruceana* Steyererm.
 1662. Scrophulariaceae: *Buchnera rosea* Kunth
 1663. Cyperaceae: *Bulbostylis lanata* (Kunth) Lindm.
 1664. Poaceae: *Trachypogon spicatus* (L. f.) Kuntze
 1665. Cyperaceae: *Lagenocarpus rigidus* (Kunth) Nees
 1666. Turneraceae: *Turnera* sp.
 1667. Rubiaceae: *Diodella apiculata* (Willd. ex Roem. and Schult.) Delprete
 1668. Melastomataceae: *Comolia villosa* (Aubl.) Triana
 1669. Ochnaceae: *Sauvagesia erecta* L. var. *erecta*
 1670. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
 1671. Leguminosae-Faboideae: *Swartzia latifolia* Benth.
 1672. Convolvulaceae: Indet.
 1673. Convolvulaceae: Indet.
 1674. Sterculiaceae: *Helicteres baruensis* Jacq.
 1675. Malpighiaceae: *Bunchosia mollis* Benth.
 1676. Incertae sedis: Indet.
 1677. Rutaceae: *Ertela trifolia* (L.) Kuntze
 1678. Bignoniaceae: *Cuspidaria* sp.
 1679. Leguminosae-Faboideae: *Dalbergia* sp.
 1680. Passifloraceae: *Passiflora foetida* L.
 1681. Bignoniaceae: *Arrabidaea mollissima* (Kunth) Bureau and K. Schum.
 1682. Sapindaceae: Indet.
 1683. Leguminosae-Faboideae: *Desmodium incanum* DC.
 1684. Polygalaceae: *Polygala violacea* Aubl., emend. Marques
 1685. Bixaceae: *Cochlospermum vitifolium* (Willd.) Spreng.
 1686. Sapindaceae: Indet.
 1687. Sapindaceae: *Paullinia verrucosa* Radlk.
 1688. Incertae sedis: Indet.
 1689. Euphorbiaceae: *Cnidioscolus urens* (L.) Arthur
 1690. Verbenaceae: *Lippia organoides* Kunth
 1691. Rubiaceae: *Tocoyena* sp.
 1692. Schizaeaceae: *Anemia villosa* Humb. and Bonpl. ex Willd.
 1693. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
 1694. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyererm.
 1695. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
 1696. Bixaceae: *Cochlospermum vitifolium* (Willd.) Spreng.
 1697. Adiantaceae: *Doryopteris conformis* K. U. Kramer and R. M. Tryon
 1698. Verbenaceae: *Vitex capitata* Vahl
 1699. Apocynaceae: *Himatanthus drasticus* (Mart.) Plumel
 1700. Cactaceae: *Melocactus smithii* (Alexander) Buining ex G. D. Rowley
 1701. Araceae: *Caladium bicolor* (Aiton) Vent.
 1702. Leguminosae-Faboideae: *Tephrosia purpurea* (L.) Pers.
 1703. Menispermaceae: *Cissampelos ovalifolia* DC.
 1704. Asclepiadaceae: Indet.
 1705. Xyridaceae: *Xyris paraensis* Poepp. ex Kunth var. *paraensis*
 1706. Scrophulariaceae: *Bacopa serpyllifolia* (Benth.) Pennell
 1707. Lythraceae: *Cuphea* sp.
 1708. Scrophulariaceae: *Anisantherina hispidula* (Mart.) Pennell
 1709. Rubiaceae: *Perama hirsuta* Aubl.
 1710. Polygalaceae: *Polygala blakeana* Steyererm.
 1711. Melastomataceae: *Comolia villosa* (Aubl.) Triana
 1712. Polygalaceae: Indet.
 1713. Ochnaceae: *Sauvagesia rubiginosa* A. St.-Hil.
 1714. Eriocaulaceae: *Paepalanthus* sp.
 1715. Sterculiaceae: *Byttneria genistella* Triana and Planch.
 1716. Scrophulariaceae: Indet.
 1717. Gentianaceae: *Coutoubea racemosa* G. Mey.
 1718. Linaceae: *Linum* cf. sp.
 1719. Leguminosae-Mimosoideae: *Mimosa pudica* L. var. *tetrandra* (Humb. and Bonpl. ex Willd.) DC.
 1720. Ochnaceae: *Ouratea angulata* Tiegh.
 1721. Boraginaceae: *Heliotropium filiforme* Lehm.
 1722. Leguminosae-Mimosoideae: *Neptunia plena* (L.) Benth.
 1723. Malvaceae: *Peltaea trinervis* (C. Presl) Krapov. and Cristóbal
 1724. Myrtaceae: *Psidium guineense* Sw.
 1725. Acanthaceae: *Ruellia geminiflora* Kunth var. *angustifolia* (Nees) Griseb.
 1726. Orchidaceae: *Galeandra stylomisantha* (Vell.) Hoehne
 1727. Sterculiaceae: *Melochia* s.l. *spicata* (L.) Fryxell
 1728. Malvaceae: *Pavonia angustifolia* Benth.
 1729. Leguminosae-Faboideae: *Aeschynomene paniculata* Willd. ex Vogel
 1730. Gentianaceae: *Schultesia brachyptera* Cham.
 1731. Liliaceae: *Zephyranthes puertoricensis* Traub
 1732. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
 1733. Apocynaceae: *Mandevilla hirsuta* (Rich.) K. Schum.
 1734. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
 1735. Compositae: *Wulffia baccata* (L.) Kuntze

1736. Marantaceae: *Calathea* cf. *mansonis* Körn.
 1737. Cyperaceae: *Bulbostylis paradoxa* (Spreng.) Lindm.
 1738. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
 1739. Araceae: *Monstera adansonii* Schott
 1740. Leguminosae-Faboideae: *Vigna* sp.
 1741. Rubiaceae: *Isertia parviflora* Vahl
 1742. Flacourtiaceae: *Casearia mariquitensis* Kunth
 1743. Zingiberaceae: *Renealmia aromatica* (Aubl.) Griseb.
 1744. Araceae: *Caladium bicolor* (Aiton) Vent.
 1745. Piperaceae: *Piper* sp.
 1746. Annonaceae: *Annona* sp.
 1747. Piperaceae: *Peperomia quadrangularis* (J. V. Thoms.) A. Dietr.
 1748. Turneraceae: *Turnera* sp.
 1749. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
 1750. Bixaceae: *Cochlospermum vitifolium* (Willd.) Spreng.
 1751. Menispermaceae: *Cissampelos pareira* L.
 1752. Lauraceae: *Endlicheria reflectens* (Nees) Mez
 1753. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyerem.
 1754. Costaceae: *Costus arabicus* L.
 1755. Rutaceae: *Ertela trifolia* (L.) Kuntze
 1756. Rubiaceae: *Isertia parviflora* Vahl
 1757. Passifloraceae: *Passiflora balbis* Feuillet
 1758. Passifloraceae: *Passiflora leptopoda* Harms
 1759. Costaceae: *Costus arabicus* L.
 1760. Rubiaceae: *Psychotria* (subg. *Psychotria*)
 1761. Verbenaceae: *Lantana camara* L.
 1762. Verbenaceae: *Lantana canescens* Kunth
 1763. Bignoniaceae: *Arrabidaea mollissima* (Kunth) Bureau and K. Schum.
 1764. Sapindaceae: Indet.
 1765. Tiliaceae: *Luehea alternifolia* (Mill.) Mabb.
 1766. Apocynaceae: *Stemmadenia grandiflora* (Jacq.) Miers
 1767. Apocynaceae: *Prestonia surinamensis* Müll. Arg.
 1768. Verbenaceae: *Vitex compressa* Turcz.
 1769. Bignoniaceae: *Macfadyena uncata* (T. F. Andrews) Sprague and Sandwith
 1770. Rubiaceae: *Mitracarpus frigidus* (Willd. ex Roem. and Schult.) K. Schum.
 1771. Combretaceae: *Combretum fruticosum* (Loefl.) Stuntz
 1772. Iridaceae: Indet.
 1773. Leguminosae-Faboideae: *Zornia latifolia* Sm.
 1774. Leguminosae-Faboideae: *Stylosanthes angustifolia* Vogel
 1775. Leguminosae-Faboideae: *Galactia jussiaeana* Kunth
 1776. Rhamnaceae: *Gouania* sp.
 1777. Myrtaceae: *Campomanesia grandiflora* (Aubl.) Sagot
 1778. Convolvulaceae: Indet.
 1779. Ulmaceae: *Trema micrantha* (L.) Blume
 1780. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
 1781. Rutaceae: *Zanthoxylum caribaeum* Lam.
 1782. Rubiaceae: *Wittmackanthus stanleyanus* (R. H. Schomb.) Kuntze
 1783. Apocynaceae: *Mandevilla scaberula* N. E. Br.
 1784. Malpighiaceae: *Bunchosia mollis* Benth.
 1785. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
 1786. Boraginaceae: *Cordia* sp.
 1787. Sapotaceae: *Pouteria surumuensis* Baehni
 1788. Apocynaceae: *Himatanthus drasticus* (Mart.) Plumel
 1789. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
 1790. Gesneriaceae: *Sinningia schomburgkiana* (Kunth and Bouché) Chautems
 1791. Sterculiaceae: *Helicteres baruensis* Jacq.
 1792. Rubiaceae: *Sipanea pratensis* Aubl.
 1793. Xyridaceae: *Abolboda pulchella* Bonpl.
 1794. Melastomataceae: *Comolia villosa* (Aubl.) Triana
 1795. Connaraceae: *Rourea grosourdyana* Baill. var. *grosourdyana*
 1796. Malpighiaceae: *Byrsonima coccolobifolia* Kunth
 1797. Rubiaceae: *Palicourea rigida* Kunth
 1798. Polygalaceae: Indet.
 1799. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
 1800. Malpighiaceae: Indet.
 1801. Menispermaceae: *Cissampelos ovalifolia* DC.
 1802. Asclepiadaceae: Indet.
 1803. Tiliaceae: Indet.
 1804. Cactaceae: *Pilosocereus oligolepis* (Vaupel) Byles and G. D. Rowley
 1805. Loganiaceae: *Antonia ovata* Pohl
 1806. Malpighiaceae: *Spachea elegans* (G. Mey.) A. Juss.
 1807. Euphorbiaceae: *Croton galeopsifolius* Lanj.
 1808. Euphorbiaceae: *Croton* aff. *galeopsifolius* Lanj.
 1809. Cyperaceae: *Cyperus simplex* Kunth
 1810. Malpighiaceae: *Heteropterys subhelicina* Nied.
 1811. Passifloraceae: *Passiflora capparidifolia* Killip
 1812. Bignoniaceae: *Tabebuia obscura* (Bureau and K. Schum.) Sandwith

1813. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
 1814. Areaceae: *Oenocarpus bacaba* Mart.
 1815. Leguminosae-Mimosoideae: *Inga* sp.
 1816. Lecythidaceae: *Lecythis chartacea* O. Berg
 1817. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
 1818. Tiliaceae: *Mollia globularis* Meijer
 1819. Melastomataceae: *Miconia lateriflora* Cogn. ssp. *monticellensis* Wurdack
 1820. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
 1821. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
 1822. Melastomataceae: *Clidemia hirta* (L.) D. Don
 1823. Bombacaceae: *Catostemma fragrans* Benth.
 1824. Violaceae: *Rinorea riana* Kuntze
 1825. Fungi-Incert. sed.: Indet.
 1826. Passifloraceae: *Passiflora* sp.
 1827. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
 1828. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
 1829. Humiriaceae: *Sacoglottis cydonioides* Cuatrec.
 1830. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
 1831. Schizaeaceae: *Anemia pastinacaria* Moritz ex Prantl
 1832. Bryophyte: Indet.
 1833. Ramalinaceae: *Ramalina anceps* Nyl.
 1834. Tiliaceae: *Apeiba schomburgkii* Szyszyl.
 1835. Rubiaceae: *Chomelia schomburgkii* Steyerl.
 1836. Polypodiaceae: *Polypodium polypodioides* (L.) Watt
 1837. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
 1838. Myrtaceae: *Eugenia coffeifolia* DC.
 1839. Leguminosae-Mimosoideae: *Zygia inaequalis* (Humb. and Bonpl. ex Willd.) Pittier
 1840. Pteridophyte: Indet.
 1841. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
 1842. Aspleniaceae: *Asplenium serratum* L.
 1843. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
 1844. Myrtaceae: Indet.
 1845. Sapotaceae: *Pouteria surumuensis* Baehni
 1846. Sapindaceae: *Paullinia verrucosa* Radlk.
 1847. Dilleniaceae: Indet.
 1848. Passifloraceae: *Dilkea clarkei* Feuillet
 1849. Connaraceae: *Connarus coriaceus* G. Schellenb.
 1850. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
 1851. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
 1852. Malpighiaceae: *Byrsonima spicata* (Cav.) DC.
 1853. Erythroxylaceae: *Erythroxylum lindemanii* Plowman
 1854. Trigoniaceae: *Trigonia* sp.
 1855. Aristolochiaceae: *Aristolochia kanukuensis* Feuillet
 1856. Cyperaceae: *Rhynchospora comata* (Link) Roem. and Schult.
 1857. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
 1858. Smilacaceae: *Smilax schomburgkiana* Kunth
 1859. Celastraceae: *Maytenus kanukuensis* A. C. Sm.
 1860. Vochysiaceae: Indet.
 1861. Rubiaceae: *Psychotria horizontalis* Sw.
 1862. Heliconiaceae: *Heliconia bihai* (L.) L.
 1863. Annonaceae: *Annona* sp.
 1864. Rubiaceae: *Duroia eriopila* L. f.
 1865. Orchidaceae: *Maxillaria uncatata* Lindl.
 1866. Orchidaceae: *Pleurothallis pruinosa* Lindl.
 1867. Orchidaceae: *Pleurothallis picta* Lindl.
 1868. Orchidaceae: *Maxillaria uncatata* Lindl.
 1869. Orchidaceae: *Stelis* sp.
 1870. Liliaceae: *Hymenocallis tubiflora* Salisb.
 1871. Araceae: *Monstera adansonii* Schott
 1872. Costaceae: *Costus scaber* Ruiz and Pav.
 1873. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
 1874. Phytolaccaceae: *Microtea maypurensis* (Kunth) G. Don
 1875. Portulacaceae: *Portulaca* cf. *pilosa* L.
 1876. Araceae: *Anthurium trinervium* Miq.
 1877. Myrsinaceae: *Ardisia guianensis* (Aubl.) Mez
 1878. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
 1879. Rubiaceae: *Sipanea hispida* Benth. ex Wernham
 1880. Bryophyte: Indet.
 1881. Leucobryaceae: *Leucobryum* cf. sp.
 1882. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
 1883. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
 1884. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
 1885. Gentianaceae: *Chelonanthus purpurascens* (Aubl.) Struwe, S. Nilsson and V. A. Albert
 1886. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
 1887. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.

1888. Orchidaceae: *Cheiradenia cuspidata* Lindl.
1889. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
1890. Rubiaceae: *Psychotria officinalis* (Aubl.)
Raeusch. ex Sandwith
1891. Loganiaceae: *Spigelia* sp.
1892. Annonaceae: *Cymbopetalum brasiliense* (Vell.)
Benth. ex Baill.
1893. Acanthaceae: *Polylychnis radicans* (Nees) Wassh.
1894. Vittariaceae: *Ananthacorus angustifolius* (Sw.)
Underw. and Maxon
1895. Heliconiaceae: *Heliconia acuminata* Rich.
1896. Flacourtiaceae: *Carpotroche surinamensis* Uittien
1897. Arecaceae: *Bactris elegans* Barb. Rodr.
1897a. Arecaceae: *Astrocaryum gynacanthum* Mart.
1898. Arecaceae: *Bactris ptariana* Steyerem.
1899. Arecaceae: *Geonoma maxima* (Poit.) Kunth var.
ambigua (Spruce) A. J. Hend.
1900. Monimiaceae: *Mollinedia* sp.
1901. Connaraceae: *Connarus perrottetii* (DC.) Planch.
var. *rufus* Forero
1902. Annonaceae: *Duguetia neglecta* Sandwith
1903. Hymenophyllaceae: *Trichomanes pinnatum*
Hedw.
1904. Tectariaceae: *Triplophyllum dicksonioides* (Fée)
Holttum
1905. Aspleniaceae: *Asplenium angustum* Sw.
1906. Lygodiaceae: *Lygodium volubile* Sw.
1907. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
1908. Aspleniaceae: *Asplenium juglandifolium* Lam.
1909. Cyperaceae: *Hypolytrum jenmanii* C. B. Clarke
1910. Triuridaceae: *Sciaphila purpurea* Benth.
1911. Cyperaceae: *Mapania macrophylla* (Böck.)
H. Pfeiff.
1912. Acanthaceae: *Justicia wurdackii* Leonard
1913. Melastomataceae: *Aciotis laxa* (DC.) Cogn.
1914. Rubiaceae: *Psychotria apoda* Steyerem.
1915. Orchidaceae: *Maxillaria porrecta* Lindl.
1916. Leguminosae-Mimosoideae: *Calliandra coriacea*
(Humb. and Bonpl. ex Willd.) Benth.
1917. Adiantaceae: *Adiantum cajennense* Willd. ex
Klotzsch
1918. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
1919. Lomariopsidaceae: *Lomariopsis japurensis*
(Mart.) J. Sm.
1920. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.)
Dryand.
1921. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd.
var. *lancea*
1922. Ochnaceae: *Sauvagesia angustifolia* Ule
1923. Orchidaceae: *Sobralia* sp.
1924. Orchidaceae: *Epidendrum carpophorum* Barb.
Rodr.
1925. Cyatheaceae: *Cyathea cyatheoides* (Desv.) K. U.
Kramer
1926. Dryopteridaceae: *Cyclodium meniscioides*
(Willd.) C. Presl
1927. Araceae: *Rhodospatha oblongata* Poepp.
1928. Gesneriaceae: *Paradrymonia maculata* (Hook. f.)
Wiehler
1929. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
1930. Rubiaceae: *Psychotria racemosa* Rich.
1931. Euphorbiaceae: *Acidoton nicaraguensis* (Hemsl.)
G. L. Webster
1932. Bromeliaceae: *Tillandsia anceps* Lodd.
1933. Aspleniaceae: *Asplenium serratum* L.
1934. Rubiaceae: *Gonzalagunia dicocca* Cham. and
Schltdl.
1935. Melastomataceae: *Leandra solenifera* Cogn.
1936. Incertae sedis: Indet.
1937. Adiantaceae: *Adiantum asperum* (Poir.) Desv.
1938. Fungi-Incert. sed.: Indet.
1939. Hippocrateaceae: Indet.
1940. Polypodiaceae: *Polypodium polypodioides* (L.)
Watt
1941. Araceae: *Philodendron ? placidum* Schott
1942. Selaginellaceae: *Selaginella epirrhizos* Spring
1943. Cyperaceae: *Scleria latifolia* Sw.
1944. Myrtaceae: Indet.
1945. Tectariaceae: *Tectaria cf. plantaginea* (Jacq.)
Maxon
1946. Loganiaceae: *Spigelia hamelioides* Kunth
1947. Rubiaceae: *Psychotria uliginosa* Sw.
1948. Orchidaceae: *Cheiradenia cuspidata* Lindl.
1949. Lomariopsidaceae: *Elaphoglossum luridum* (Fée)
H. Christ
1950. Melastomataceae: *Miconia gratissima* Benth. ex
Triana
1951. Bromeliaceae: *Tillandsia monadelphæ* (E.
Morren) Baker
1952. Bromeliaceae: *Araeococcus micranthus* Brongn.
1953. Orchidaceae: *Dichaea* sp.
1954. Solanaceae: *Solanum stramonifolium* Jacq. var.
inerme (Dunal) Whalen
1955. Araceae: *Heteropsis flexuosa* (Kunth) G. S.
Bunting
1956. Zingiberaceae: *Renealmia guianensis* Maas
1957. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
1958. Orchidaceae: *Epidendrum compressum* Griseb.
1959. Gesneriaceae: *Codonanthe crassifolia* (H. Focke)
C. V. Morton

1960. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
1961. Leguminosae-Faboideae: *Mucuna* sp.
1962. Rubiaceae: *Psychotria lupulina* Benth.
1963. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
1964. Sapindaceae: Indet.
1965. Myrsinaceae: *Stylogyne orinocensis* (Kunth) Mez
1966. Melastomataceae: *Henriettea* sp.
1967. Lecythydaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
1968. Myrtaceae: *Psidium* cf. *acutangulum* DC.
1969. Myrsinaceae: *Ardisia guianensis* (Aubl.) Mez
1970. Chrysobalanaceae: *Licania leptostachya* Benth.
1971. Araceae: *Philodendron hederaceum* (Jacq.) Schott
1972. Cucurbitaceae: *Cayaponia cruegeri* (Naudin) Cogn.
1973. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
1974. Euphorbiaceae: *Croton cuneatus* Klotzsch
1975. Vitaceae: *Cissus erosa* Rich.
1976. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
1977. Solanaceae: *Solanum monachophyllum* Dunal
1978. Poaceae: *Acroceras zizanioides* (Kunth) Dandy
1979. Myrtaceae: *Psidium* cf. *striatulum* DC.
1980. Vitaceae: *Cissus* sp.
1981. Smilacaceae: *Smilax schomburgkiana* Kunth
1982. Lecythydaceae: *Gustavia augusta* L.
1983. Verbenaceae: *Petrea macrostachya* Benth.
1984. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
1985. Annonaceae: *Duguetia calycina* Benoist
1986. Myrtaceae: *Eugenia coffeifolia* DC.
1987. Sapindaceae: Indet.
1988. Chrysobalanaceae: *Licania majuscula* Sagot
1989. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
1990. Leguminosae-Mimosoideae: *Inga alata* Benoist
1991. Parmeliaceae: *Parmotrema* sp.
1992. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
1993. Sapotaceae: *Ecclinusa guianensis* Eyma
1994. Leguminosae-Mimosoideae: *Acacia tenuifolia* (L.) Willd.
1995. Dilleniaceae: *Doliocarpus dentatus* (Aubl.) Standl. ssp. *dentatus*
1996. Rubiaceae: *Amaioua corymbosa* Kunth
1997. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
1998. Amaranthaceae: *Alternanthera brasiliana* (L.) Kuntze
1999. Meliaceae: *Trichilia martiana* C. DC.
2000. Bromeliaceae: *Tillandsia anceps* Lodd.
- 2000a. Marantaceae: Indet.
2001. Moraceae: *Ficus insipida* Willd. ssp. *scabra* C. C. Berg
2002. Boraginaceae: *Tournefortia cuspidata* Kunth
2003. Elaeocarpaceae: *Sloanea grandiflora* Sm.
2004. Malpighiaceae: *Tetrapteryx discolor* (G. Mey.) DC.
2005. Meliaceae: *Guarea* ? *pubescens* (Rich.) A. Juss.
2006. Araceae: *Anthurium gracile* (Rudge) Schott
2007. Araceae: *Anthurium trinervium* Miq.
2008. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
2009. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
2010. Araceae: *Syngonium podophyllum* Schott
2011. Annonaceae: *Annona hypoglaucata* Mart.
2012. Leguminosae-Mimosoideae: *Inga meissneriana* Miq.
2013. Sterculiaceae: *Theobroma subincanum* Mart.
2014. Adiantaceae: *Adiantum leprieurii* Hook.
2015. Sapindaceae: *Talisia hemidasys* Radlk.
2016. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
2017. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
2018. Monimiaceae: *Mollinedia* sp.
2019. Chrysobalanaceae: *Hirtella silicea* Griseb.
2020. Orchidaceae: *Cheiradenia cuspidata* Lindl.
2021. Orchidaceae: *Dichaea* sp.
2022. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
2023. Rubiaceae: *Coutarea hexandra* (Jacq.) K. Schum.
2024. Moraceae: *Ficus paraensis* (Miq.) Miq.
2025. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
2026. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
2027. Bryophyte: Indet.
2028. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
2029. Orchidaceae: *Maxillaria acutifolia* Lindl.
2030. Myrtaceae: *Eugenia cucullata* Amshoff
2031. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
2032. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
2033. Malpighiaceae: *Byrsonima aerugo* Sagot
2034. Violaceae: *Rinorea riana* Kuntze

2035. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 2036. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
 2037. Apocynaceae: *Anartia olivacea* (Müll. Arg.) Markgr.
 2038. Boraginaceae: *Cordia nodosa* Lam.
 2039. Quiinaceae: Indet.
 2040. Burmanniaceae: *Gymnosiphon breviflorus* Gleason
 2041. Rubiaceae: *Ferdinandusa goudotiana* K. Schum.
 2042. Melastomataceae: *Mouriri* sp.
 2043. Leguminosae-Faboideae: *Ormosia* sp.
 2044. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
 2045. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
 2046. Meliaceae: *Guarea* ? *pubescens* (Rich.) A. Juss.
 2047. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
 2048. Humiriaceae: Indet.
 2049. Bryophyte: Indet.
 2050. Lauraceae: *Licaria debilis* (Mez) Kosterm.
 2051. Araceae: *Xanthosoma belophyllum* (Willd.) Schott
 2052. Lecythidaceae: *Gustavia hexapetala* (Aubl.) Sm.
 2053. Arecaceae: *Astrocaryum* sp.
 2054. Annonaceae: *Duguetia calycina* Benoist
 2055. Burseraceae: *Tetragastris panamensis* (Engl.) Kuntze
 2056. Lauraceae: Indet.
 2057. Bombacaceae: *Pachira aquatica* Aubl.
 2058. Flacourtiaceae: *Casearia singularis* Eichler
 2059. Sterculiaceae: Indet.
 2060. Rubiaceae: *Posoqueria panamensis* (Walp. and Duchass.) Walp.
 2061. Myrsinaceae: *Ardisia guianensis* (Aubl.) Mez
 2062. Lauraceae: *Licaria debilis* (Mez) Kosterm.
 2063. Clusiaceae: *Chrysochlamys weberbaueri* Engl.
 2064. Marantaceae: Indet.
 2065. Sapotaceae: Indet.
 2066. Tectariaceae: *Tectaria trifoliata* (L.) Cav.
 2067. Not Sapotaceae: Indet.
 2068. Bromeliaceae: *Tillandsia bulbosa* Hook.
 2069. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
 2070. Rhamnaceae: Indet.
 2071. Lecythidaceae: *Lecythis brancoensis* (R. Knuth) S. A. Mori
 2072. Verbenaceae: *Vitex compressa* Turcz.
 2073. Malvaceae: *Sida* sp.
 2074. Erythroxylaceae: *Erythroxylum* sp.
 2075. Rubiaceae: *Diodella teres* (Walter) Small
 2076. Leguminosae-Faboideae: *Desmodium canum* (J. F. Gmel.) Schinz and Thell.
 2077. Dioscoreaceae: *Dioscorea* sp.
 2078. Oxalidaceae: *Oxalis frutescens* L.
 2079. Lythraceae: *Cuphea carthagenensis* (Jacq.) J. F. Macbr.
 2080. Apocynaceae: *Rauwolfia* sp.
 2081. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
 2082. Leguminosae-Caesalpinioideae: *Cassia moschata* Kunth
 2083. Bignoniaceae: *Tabebuia obscura* (Bureau and K. Schum.) Sandwith
 2084. Rubiaceae: *Palicourea rigida* Kunth
 2085. Poaceae: *Trachypogon spicatus* (L. f.) Kuntze
 2086. Cyperaceae: *Bulbostylis conifera* (Kunth) C. B. Clarke
 2087. Cuscutaceae: *Cuscuta* sp.
 2088. Malpighiaceae: *Byrsonima coccolobifolia* Kunth
 2089. Erythroxylaceae: *Erythroxylum suberosum* A. St.-Hil.
 2090. Myrtaceae: *Eugenia puniceifolia* (Kunth) DC.
 2091. Polygalaceae: *Polygala longicaulis* Kunth
 2092. Polygalaceae: *Polygala longicaulis* Kunth
 2093. Connaraceae: *Connarus incomptus* Planch.
 2094. Myrtaceae: *Psidium guineense* Sw.
 2095. Krameriaceae: *Krameria ixine* Loefl.
 2096. Aquifoliaceae: *Ilex* sp.
 2097. Leguminosae: Indet.
 2098. Rubiaceae: *Diodella apiculata* (Willd. ex Roem. and Schult.) Delprete
 2099. Leguminosae-Faboideae: *Galactia jussiaeana* Kunth
 2100. Portulacaceae: *Talinum fruticosum* (L.) Juss.
 2101. Verbenaceae: *Lippia alba* (Mill.) N. E. Br.
 2102. Lamiaceae: *Marsypianthes chamaedrys* (Vahl) Kuntze
 2103. Leguminosae-Caesalpinioideae: *Peltophorum dubium* (Spreng.) Taub.
 2104. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
 2105. Chrysobalanaceae: *Hirtella racemosa* Lam.
 2106. Trigoniaceae: *Trigonia villosa* Aubl.
 2107. Sterculiaceae: *Helicteres guazumifolia* Kunth
 2108. Malpighiaceae: *Bunchosia mollis* Benth.
 2109. Melastomataceae: *Clidemia sericea* D. Don
 2110. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyerem.
 2111. Vitaceae: *Cissus erosa* Rich.
 2112. Ochnaceae: *Ouratea superba* Engl.
 2113. Rubiaceae: *Chomelia tenuiflora* Benth.
 2114. Malpighiaceae: *Heteropterys subhelicina* Nied.

2115. Poaceae: *Panicum polycomum* Trin.
 2116. Turneraceae: *Piriqueta cistoides* (L.) Griseb. var. *cistoides*
 2117. Leguminosae-Faboideae: *Crotalaria maypurensis* Kunth
 2118. Convolvulaceae: *Evolvulus* sp.
 2119. Lythraceae: *Cuphea antisiphilitica* Kunth var. *acutifolia* Benth.
 2120. Melastomataceae: *Miconia pseudoaplostachya* Cogn.
 2121. Rubiaceae: *Faramea crassifolia* Benth.
 2122a. Ochnaceae: *Sauvagesia sprengelii* A. St.-Hil.
 2122b. Malpighiaceae: *Bunchosia mollis* Benth.
 2123a. Loranthaceae: *Struthanthus phylliraeoides* (Kunth) Blume
 2123b. Rutaceae: *Ertela trifolia* (L.) Kuntze
 2124. Poaceae: *Panicum pilosum* Sw.
 2125. Annonaceae: *Annona* sp.
 2126. Tiliaceae: Indet.
 2127. Bryophyte: Indet.
 2128. Poaceae: *Olyra latifolia* L.
 2129. Bryophyte: Indet.
 2130. Tiliaceae: *Luehea alternifolia* (Mill.) Mabb.
 2131. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
 2132. Meliaceae: *Trichilia pallida* Sw.
 2133. Sterculiaceae: *Helicteres baruensis* Jacq.
 2134. Flacourtiaceae: *Casearia spinescens* (Sw.) Griseb.
 2135. Erythroxylaceae: *Erythroxylum suberosum* A. St.-Hil.
 2136. Malpighiaceae: *Byrsonima coccolobifolia* Kunth
 2137. Orchidaceae: *Habenaria* sp.
 2138. Marantaceae: *Maranta arundinacea* L.
 2139. Cyperaceae: *Rhynchospora ciliata* (Vahl) Kük.
 2140. Leguminosae-Faboideae: *Bowdichia virgilioides* Kunth
 2141. Rubiaceae: *Guettarda argentea* Lam.
 2142. Violaceae: *Hybanthus calceolaria* (L.) Schulze-Menz
 2143. Boraginaceae: *Cordia alliodora* (Ruiz and Pav.) Oken
 2144. Leguminosae-Mimosoideae: *Acacia tenuifolia* (L.) Willd.
 2145. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
 2146. Myrtaceae: *Psidium guineense* Sw.
 2147. Compositae: *Wulffia baccata* (L.) Kuntze
 2148. Asclepiadaceae: Indet.
 2149. Tiliaceae: *Apeiba schomburgkii* Szyszyl.
 2150. Bignoniaceae: *Arrabidaea mollissima* (Kunth) Bureau and K. Schum.
 2151. Cyperaceae: *Cyperus schomburgkianus* Nees
 2152. Leguminosae-Mimosoideae: *Acacia* sp.
 2153. Verbenaceae: *Clerodendrum ternifolium* Kunth
 2154. Turneraceae: Indet.
 2155. Tiliaceae: *Corchorus orinocensis* Kunth
 2156. Sterculiaceae: *Helicteres guazumifolia* Kunth
 2157. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
 2158. Leguminosae-Faboideae: *Eriosema simplicifolium* (Kunth) G. Don
 2159. Lythraceae: *Cuphea antisiphilitica* Kunth var. *acutifolia* Benth.
 2160. Compositae: *Porophyllum ruderale* (Jacq.) Cass.
 2161. Leguminosae-Faboideae: *Indigofera hirsuta* L.
 2162. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 2163. Solanaceae: *Solanum semotum* M. Nee
 2164. Melastomataceae: *Clidemia hirta* (L.) D. Don
 2165. Anacardiaceae: *Anacardium occidentale* L.
 2166. Cyperaceae: *Cyperus luzulae* (L.) Rottb. ex Retz.
 2167. Poaceae: *Paspalum decumbens* Sw.
 2168. Verbenaceae: *Stachytarpheta cayennensis* (Rich.) Vahl
 2169. Euphorbiaceae: *Plukenetia lorentensis* Ule
 2170. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
 2171. Poaceae: *Eleusine indica* (L.) Gaertn.
 2172. Cyatheaceae: *Cyathea cyatheoides* (Desv.) K. U. Kramer
 2173. Leguminosae-Faboideae: *Desmodium adscendens* (Sw.) DC.
 2174. Rubiaceae: *Spermacoce latifolia* Aubl.
 2175. Chrysobalanaceae: *Licania sprucei* (Hook. f.) Fritsch
 2176. Cyperaceae: *Calyptracarya bicolor* (H. Pfeiff.) T. Koyama
 2177. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 2178. Cyperaceae: *Scleria melaleuca* Rchb. ex Schldl. and Cham.
 2179. Cyperaceae: *Fimbristylis dichotoma* (L.) Vahl
 2180. Rubiaceae: *Geophila cordifolia* Miq.
 2181. Commelinaceae: *Aneilema umbrosum* (Vahl) Kunth ssp. *ovato-oblongum* (P. Beauv.) J. K. Morton
 2182. Commelinaceae: *Murdannia nudiflora* (L.) Brenan
 2183. Bryophyte: Indet.
 2184. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring

2185. Adiantaceae: *Adiantum latifolium* Lam.
 2186. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
 2187. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell
 2188. Chrysobalanaceae: *Licania kunthiana* Hook. f.
 2189. Chrysobalanaceae: *Couepia guianensis* Aubl. ssp. *glandulosa* (Miq.) Prance
 2190. Rubiaceae: *Malanea sarmentosa* Aubl.
 2191. Burseraceae: *Protium crassipetalum* Cuatrec.
 2192. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
 2193. Myristicaceae: *Iryanthera* sp.
 2194. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
 2195. Annonaceae: *Duguetia cauliflora* R. E. Fr.
 2196. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
 2197. Rubiaceae: *Duroia eriopila* L. f.
 2198. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
 2199. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
 2200. Olacaceae: *Ptychopetalum olacoides* Benth.
 2201. Aspleniaceae: *Asplenium serratum* L.
 2202. Sterculiaceae: *Theobroma subincanum* Mart.
 2203. Cactaceae: *Epiphyllum phyllanthus* (L.) Haw.
 2204. Annonaceae: *Anaxagorea brevipes* Benth.
 2205. Arecaceae: *Geonoma macrostachys* Mart. var. *poiteauana* (Kunth) A. J. Hend.
 2206. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
 2207. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
 2208. Leguminosae-Caesalpinioideae: *Senna pendula* (Humb. and Bonpl. ex Willd.) H. S. Irwin and Barneby var. *tenuifolia* (Benth.) H. S. Irwin and Barneby
 2209. Polygalaceae: *Securidaca paniculata* Rich. var. *lasiocarpa* Oort
 2210. Leguminosae-Faboideae: *Swartzia anomala* R. S. Cowan
 2211. Leguminosae-Mimosoideae: *Inga splendens* Willd.
 2212. Myrtaceae: *Eugenia lambertiana* DC.
 2213. Leguminosae-Faboideae: *Vigna luteola* (Jacq.) Benth.
 2214. Euphorbiaceae: *Croton cuneatus* Klotzsch
 2215. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
 2216. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
 2217. Passifloraceae: *Passiflora vespertilio* L.
 2218. Onagraceae: *Ludwigia* sp.
 2219. Boraginaceae: Indet.
 2220. Vitaceae: *Cissus erosa* Rich.
 2221. Melastomataceae: *Miconia longifolia* (Aubl.) DC.
 2222. Leguminosae-Faboideae: *Ormosia coarctata* Jacks.
 2223. Asclepiadaceae: Indet.
 2224. Flacourtiaceae: *Casearia mariquitensis* Kunth
 2225. Solanaceae: *Schwenckia grandiflora* Benth.
 2226. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
 2227. Orchidaceae: *Epidendrum rigidum* Jacq.
 2228. Rubiaceae: *Bothriospora corymbosa* (Benth.) Hook. f.
 2229. Sapindaceae: *Matayba macrostylis* Radlk.
 2230. Combretaceae: *Buchenavia viridiflora* Ducke
 2231. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
 2232. Combretaceae: *Combretum laxum* Jacq.
 2233. Vitaceae: *Cissus* sp.
 2234. Sapindaceae: *Matayba camptoneura* Radlk.
 2235. Rubiaceae: *Genipa spruceana* Steyererm.
 2236. Orchidaceae: *Epidendrum anceps* Jacq.
 2237. Orchidaceae: *Dichaea* sp.
 2238. Orchidaceae: *Polystachya* sp.
 2239. Orchidaceae: *Brassia lanceana* Lindl.
 2240. Lecythidaceae: *Eschweilera parviflora* (Aubl.) Miers
 2241. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
 2242. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
 2243. Arecaceae: *Geonoma leptospadix* Trail
 2244. Poaceae: *Ichmanthus panicoides* P. Beauv.
 2245. Meliaceae: *Guarea silvatica* C. DC.
 2246. Lauraceae: *Ocotea* sp.
 2247. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
 2248. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
 2249. Olacaceae: Indet.
 2250. Caryocaraceae: *Caryocar pallidum* A. C. Sm.
 2251. Chrysobalanaceae: *Licania sprucei* (Hook. f.) Fritsch
 2252. Lauraceae: *Nectandra* sp.
 2253. Marantaceae: *Monotagma laxum* (Poepp. and Endl.) K. Schum.
 2254. Adiantaceae: *Adiantum tomentosum* Klotzsch
 2255. Arecaceae: *Socratea exorrhiza* (Mart.) H. Wendl.

2256. Arecaceae: *Geonoma poiteauana* Kunth
 2257. Leguminosae-Caesalpinioideae: *Dinizia excelsa* Ducke
 2258. Caryocaraceae: *Caryocar pallidum* A. C. Sm.
 2259. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 2260. Arecaceae: *Bactris elegans* Barb. Rodr.
 2261. Sapotaceae: *Manilkara huberi* (Ducke) A. Chev.
 2262. Rubiaceae: *Palicourea calophylla* DC.
 2263. Hymenophyllaceae: *Trichomanes* sp.
 2264. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
 2265. Hymenophyllaceae: *Trichomanes punctatum* Poir.
 2266. Arecaceae: *Bactris elegans* Barb. Rodr.
 2267. Lauraceae: *Ocotea* cf. *splendens* (Meisn.) Baill.
 2268. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
 2269. Annonaceae: *Duguetia yeshidan* Sandwith
 2270. Rubiaceae: *Psychotria polycephala* Benth.
 2271. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
 2272. Cyperaceae: *Diplasia karatifolia* Rich.
 2273. Orchidaceae: Indet.
 2274. Pteridophyte: Indet.
 2275. Pteridophyte: Indet.
 2276. Myrtaceae: Indet.
 2277. Myrtaceae: Indet.
 2278. Leguminosae-Faboideae: *Swartzia* sp.
 2279. Apocynaceae: *Odontadenia* sp.
 2280. Leguminosae-Faboideae: *Swartzia* sp.
 2281. Chrysobalanaceae: Indet.
 2282. Annonaceae: *Annona* sp.
 2283. Myrtaceae: Indet.
 2284. Rubiaceae: Indet.
 2285. Pteridophyte: Indet.
 2286. Annonaceae: *Duguetia* sp.
 2287. Rhamnaceae: Indet.
 2288. Rubiaceae: *Bothriospora corymbosa* (Benth.) Hook. f.
 2289. Malpighiaceae: Indet.
 2290. Orchidaceae: *Maxillaria uncata* Lindl.
 2291a. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
 2291b. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
 2292. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltld. and Cham.
 2293. Melastomataceae: *Miconia* ? sp.
 2294. Melastomataceae: *Miconia prasina* (Sw.) DC.
 2295. Rubiaceae: *Isertia* cf. *hypoleuca* Benth.
 2296. Commelinaceae: *Dichorisandra hexandra* (Aubl.) Standl.
 2297. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
 2298. Dilleniaceae: *Dolioscarpus major* J. F. Gmel.
 2299. Myrsinaceae: Indet. ?
 2300. Melastomataceae: *Clidemia japurensis* DC. var. *heterobasis* (DC.) Wurdack
 2301. Aquifoliaceae: *Ilex* cf. *ovalifolia* G. Mey.
 2302. Orchidaceae: *Encyclia granitica* (Bateman ex Lindl.) Schltr.
 2303. Rubiaceae: *Posoqueria* cf. *panamensis* (Walp. and Duchass.) Walp.
 2304. Acanthaceae: *Justicia schomburgkiana* (Nees) V. A. W. Graham
 2305. Convolvulaceae: *Ipomoea* cf. sp.
 2306. Aspleniaceae: *Asplenium serratum* L.
 2307. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 2308. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
 2309. Rubiaceae: *Sipanea cowanii* Steyerm.
 2310. Compositae: *Centratherum punctatum* Cass.
 2311. Melastomataceae: Indet.
 2311a. Poaceae: *Olyra latifolia* L.
 2312. Commelinaceae: Indet.
 2313. Melastomataceae: *Miconia lasseri* Gleason
 2314. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth. var. *coccinea*
 2315. Cucurbitaceae: Indet.
 2316. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
 2317. Rubiaceae: *Psychotria polycephala* Benth.
 2318. Zingiberaceae: *Renealmia floribunda* K. Schum.
 2319. Gentianaceae: *Voyria parviflora* (Miq.) Miq.
 2320. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
 2321. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
 2322. Boraginaceae: *Cordia* sp.
 2323. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
 2324. Polypodiaceae: *Campyloneurum* ? *repens* (Aubl.) C. Presl
 2325. Bryophyte: Indet.
 2326. Bryophyte: Indet.
 2327. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
 2328. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby var. *silvestris*
 2329. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 2330. Rubiaceae: *Perama hirsuta* Aubl.
 2331. Lentibulariaceae: *Utricularia* sp.

2332. Lythraceae: *Cuphea* sp.
 2333. Ochnaceae: *Sauvagesia* sp.
 2334. Melastomataceae: Indet.
 2335. Orchidaceae: *Catasetum* sp.
 2336. Gentianaceae: *Irlbachia* sp.
 2337. Bryophyte: Indet.
 2338. Cladoniaceae: *Cladonia polyscypha* Ahti and Xavier Filho
 2339. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
 2340. Cyperaceae: Indet.
 2341. Rubiaceae: Indet.
 2342. Asclepiadaceae: Indet.
 2343. Areaceae: Indet.
 2344. Lentibulariaceae: *Utricularia* sp.
 2345. Hymenophyllaceae: Indet.
 2346. Gentianaceae: Indet.
 2347. Eriocaulaceae: Indet.
 2348. Orchidaceae: *Catasetum* sp.
 2349. Xyridaceae: Indet.
 2351. Eriocaulaceae: Indet.
 2352. Dilleniaceae: Indet.
 2353. Haemodoraceae: Indet.
 2354. Rubiaceae: *Sipanea* sp.
 2355. Verbenaceae: Indet.
 2356. Cladoniaceae: *Cladonia peltastica* (Nyl.) Müll. Arg.
 2357. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
 2358. Chrysobalanaceae: Indet.
 2359. Humiriaceae: *Humiria* sp.
 2360. Ochnaceae: *Ouratea* sp.
 2361. Lythraceae: *Cuphea* sp.
 2362. Melastomataceae: *Tibouchina* sp.
 2363. Xyridaceae: *Xyris jupicai* Rich.
 2364. Pteridophyte: Indet.
 2365. Pteridophyte: Indet.
 2366. Eriocaulaceae: Indet.
 2367. Lythraceae: Indet.
 2368. Melastomataceae: *Tibouchina* sp.
 2369. Cyperaceae: Indet.
 2370. Malpighiaceae: Indet.
 2371. Melastomataceae: Indet.
 2372. Orchidaceae: *Catasetum* sp.
 2373. Burmanniaceae: *Burmannia* sp.
 2374. Lentibulariaceae: *Utricularia* sp.
 2375. Viscaceae: *Phoradendron racemosum* (Aubl.) Krug and Urb.
 2376. Rubiaceae: Indet.
 2377. Poaceae: Indet.
 2378. Orchidaceae: Indet.
 2379. Lichen-Incert. sed.: Indet.
 2380. Parmeliaceae: *Parmotrema* sp.
 2381. Orchidaceae: Indet.
 2382. Orchidaceae: Indet.
 2383. Sphenocleaceae: *Sphenoclea* cf. sp.
 2384. Orchidaceae: Indet.
 2385. Rubiaceae: *Pagamea* sp.
 2386. Cyperaceae: Indet.
 2387. Lentibulariaceae: *Utricularia* sp.
 2388. Rubiaceae: Indet.
 2389. Rubiaceae: Indet.
 2390. Araceae: *Monstera* sp.
 2391. Combretaceae: *Combretum* sp.
 2392. Bryophyte: Indet.
 2393. Hippocrateaceae: Indet.
 2394. Orchidaceae: Indet.
 2395. Orchidaceae: Indet.
 2396. Orchidaceae: Indet.
 2397. Rubiaceae: *Hillia* cf. sp.
 2398. Rubiaceae: *Hillia* cf. sp.
 2399. Not Received at US: Indet.
 2400. Chrysobalanaceae: Indet.
 2401. Not Received at US: Indet.
 2402. Rubiaceae: *Psychotria ligularis* (Rudge) Steyerm.
 2403. Leguminosae-Mimosoideae: *Inga* sp.
 2404. Leguminosae-Caesalpinioideae: *Hymenaea courbaril* L.
 2405. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 2406. Ebenaceae: *Diospyros* sp.
 2407. Annonaceae: *Duguetia yeshidan* Sandwith
 2408. Araceae: *Anthurium clavigerum* Poepp.
 2409. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
 2410. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerm.
 2411. Lichen-Incert. sed.: Indet.
 2412. Lobariaceae: *Sticta weigeli* (Ach.) Vain.
 2413. Vittariaceae: *Antrophyum guayanense* Hieron.
 2414. Piperaceae: *Pothomorphe peltata* (L.) Miq.
 2415. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
 2416. Orchidaceae: *Polystachya* sp.
 2417. Boraginaceae: *Cordia nodosa* Lam.
 2418. Rubiaceae: *Palicourea guianensis* Aubl.
 2419. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
 2420. Gentianaceae: *Voyria rosea* Aubl.
 2421. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
 2422. Triuridaceae: *Sciaphila purpurea* Benth.
 2423. Gentianaceae: *Voyria parviflora* (Miq.) Miq.

2424. Gyalectaceae: *Coenogonium* sp.
 2425. Lichen-Incert. sed.: Indet.
 2426. Adiantaceae: *Adiantum phyllitidis* J. Sm.
 2427. Rubiaceae: *Psychotria apoda* Steyerf.
 2428. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.)
 T. Koyama
 2429. Burmanniaceae: *Apteria aphylla* (Nutt.) Barnhart
 ex Small
 2430. Poaceae: *Ichnanthus panicoides* P. Beauv.
 2431. Marantaceae: *Monotagma spicatum* (Aubl.) J. F.
 Macbr.
 2432. Rubiaceae: *Declieuxia tenuiflora* (Willd. ex
 Roem. and Schult.) Steyerf. and J. H. Kirkbr.
 2433. Melastomataceae: *Comolia* sp.
 2434. Poaceae: *Panicum pyrularium* Hitchc. and Chase
 2435. Araceae: *Philodendron solimoesense* A. C. Sm.
 2436. Polypodiaceae: *Phlebodium pseudoaureum*
 (Cav.) Lellinger
 2437. Solanaceae: *Solanum oocarpum* Sendtn.
 2438. Cyperaceae: *Rhynchospora sanariapensis* Steyerf.
 2439. Marantaceae: *Ischnosiphon leucophaeus* (Poepp.
 and Endl.) Körn. ssp. *leucophaeus*
 2440. Gesneriaceae: *Chrysothemis villosa* (Benth.)
 Leeuwenb.
 2441. Poaceae: *Paspalum altsonii* Chase
 2442. Convolvulaceae: *Evolvulus alsinoides* (L.) L.
 2443. Lauraceae: *Ocotea neesiana* (Miq.) Kosterm.
 2444. Loranthaceae: *Oryctanthus occidentalis* (L.) Eichler
 2445. Clusiaceae: *Clusia minor* L.
 2446. Schizaeaceae: *Anemia flexuosa* (Sav.) Sw.
 2447. Euphorbiaceae: *Cnidioscolus urens* (L.) Arthur
 2448. Orchidaceae: *Cyrtopodium* sp.
 2449. Araceae: *Caladium bicolor* (Aiton) Vent.
 2450. Leguminosae-Faboideae: *Clitoria falcata* Lam.
 2451. Orchidaceae: *Catasetum* sp.
 2452. Gesneriaceae: *Sinningia incarnata* (Aubl.) D. L.
 Denham
 2453. Eriocaulaceae: Indet.
 2454. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
 2455. Melastomataceae: *Comolia* sp.
 2456. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
 2457. Marcgraviaceae: *Norantea guianensis* Aubl. ssp.
japurensis (Mart.) Bedell
 2458. Leguminosae-Mimosoideae: *Zygia ampla*
 (Benth.) Pittier
 2459. Rubiaceae: *Sipanea hispida* Benth. ex Wernham
 2460. Rubiaceae: *Mitracarpus hirtus* (L.) DC.
 2461. Melastomataceae: *Clidemia hirta* (L.) D. Don
 var. *elegans* (Aubl.) Griseb.
 2462. Lichen-Incert. sed.: Indet.
 2463. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
 2464. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
 2465. Orchidaceae: *Epidendrum* cf. *saxatile* Lindl.
 2466. Leguminosae-Caesalpinioideae: *Chamaecrista*
nictitans (L.) Moench var. *disadena* (Steud.) H. S.
 Irwin and Barneby
 2467. Lentibulariaceae: *Utricularia* sp.
 2468. Leguminosae-Mimosoideae: *Anadenanthera*
peregrina (L.) Speg.
 2469. Alismataceae: *Sagittaria guayanensis* Kunth
 2469a. Liliaceae: *Hippeastrum solandriiflorum* (Lindl.)
 Herb.
 2470. Poaceae: *Ichnanthus nemoralis* (Schrad. ex
 Schult.) Hitchc. and Chase
 2471. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.)
 S. A. Mori
 2472. Chrysobalanaceae: *Licania alba* (Bernoulli)
 Cuatrec.
 2473. Adiantaceae: *Adiantum tomentosum* Klotzsch
 2474. Burseraceae: *Protium decandrum* (Aubl.)
 Marchand
 2475. Bryophyte: Indet.
 2476. Cyperaceae: *Calyptrocarya glomerulata*
 (Brongn.) Urb.
 2477. Lauraceae: *Aniba hostmanniana* (Nees) Mez
 2478. Dichapetalaceae: *Tapura guianensis* Aubl.
 2479. Chrysobalanaceae: *Licania alba* (Bernoulli)
 Cuatrec.
 2480. Annonaceae: *Duguetia neglecta* Sandwith
 2481. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
 2482. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
 2483. Heliconiaceae: *Heliconia acuminata* Rich.
 2484. Boraginaceae: *Cordia* cf. sp.
 2485. Rapateaceae: *Rapatea paludosa* Aubl.
 2486. Melastomataceae: *Leandra divaricata* (Naudin)
 Cogn.
 2487. Loganiaceae: *Spigelia hamelioides* Kunth
 2488. Zingiberaceae: *Renealmia orinocensis* Rusby
 2489. Piperaceae: *Piper insipiens* Trel. and Yunck.
 2490. Poaceae: *Olyra micrantha* Kunth
 2491. Araceae: *Spathiphyllum cuspidatum* Schott
 2492. Rubiaceae: *Rudgea hostmanniana* Benth.
 2493. Bryophyte: Indet.
 2494. Melastomataceae: *Clidemia involucrata* DC.
 2495. Acanthaceae: *Justicia calycina* (Nees) V. A. W.
 Graham
 2496. Annonaceae: *Guatteria wachenheimi* Benoist
 2497. Piperaceae: *Piper arboreum* Aubl.
 2498. Erythroxylaceae: *Erythroxylum* cf. *mucronatum*
 Benth.

2499. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
 2500. Apocynaceae: *Bonafousia lorifera* (Miers)
 Boiteau and L. Allorge
 2501. Araceae: *Rhodospatha oblongata* Poepp.
 2502. Oleandraceae: *Nephrolepis biserrata* (Sw.) Schott
 2503. Tectariaceae: *Tectaria ? plantaginea* (Jacq.)
 Maxon
 2504. Melastomataceae: *Leandra divaricata* (Naudin)
 Cogn.
 2505. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 2506. Orchidaceae: *Bollea violacea* (Lindl.) Rchb. f.
 2507. Melastomataceae: *Leandra cf. micropetala*
 (Naudin) Cogn.
 2508. Rubiaceae: *Psychotria mapourioides* DC.
 2509. Melastomataceae: *Miconia mirabilis* (Aubl.)
 L. O. Williams
 2510. Araceae: *Anthurium expansum* Gleason
 2511. Leguminosae-Mimosoideae: *Inga* sp.
 2512. Annonaceae: *Anaxagorea dolichocarpa* Sprague
 and Sandwith
 2513. Piperaceae: *Piper arboreum* Aubl.
 2514. Melastomataceae: *Leandra divaricata* (Naudin)
 Cogn.
 2515. Annonaceae: *Guatteria wachenheimi* Benoist
 2516. Rubiaceae: *Rudgea hostmanniana* Benth.
 2517. Acanthaceae: *Justicia calycina* (Nees) V. A. W.
 Graham
 2518. Annonaceae: *Duguetia calycina* Benoist
 2519. Rubiaceae: *Psychotria apoda* Steyerl.
 2520. Gesneriaceae: *Paradrymonia densa* (C. H. Wright)
 Wiehler
 2521. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 2522. Orchidaceae: *Dichaea* sp.
 2523. Rubiaceae: *Psychotria uliginosa* Sw.
 2524. Burseraceae: *Protium opacum* Swart ssp.
rabelianum Daly
 2525. Gesneriaceae: *Besleria laxiflora* Benth.
 2526. Acanthaceae: *Justicia calycina* (Nees) V. A. W.
 Graham
 2527. Lauraceae: *Rhodostemonodaphne scandens*
 Madriñán
 2528. Smilacaceae: *Smilax schomburgkiana* Kunth
 2529. Cyperaceae: *Mapania surinamensis* Uittien
 2530. Boraginaceae: *Cordia nodosa* Lam.
 2531. Bryophyte: Indet.
 2532. Arecaceae: *Geonoma maxima* (Poit.) Kunth var.
ambigua (Spruce) A. J. Hend.
 2533. Bryophyte: Indet.
 2534. Bryophyte: Indet.
 2535. Vittariaceae: *Vittaria graminifolia* Kaulf.
 2536. Grammitidaceae: *Cochlidium furcatum* (Hook.
 and Grev.) C. Chr.
 2537. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
 2538. Euphorbiaceae: *Mabea ? speciosa* Müll. Arg. ssp.
obovata
 2539. Picramniaceae: *Picramnia latifolia* Tul.
 2540. Rubiaceae: *Psychotria officinalis* (Aubl.)
 Raeusch. ex Sandwith
 2541. Leguminosae-Mimosoideae: *Abarema jupunba*
 (Willd.) Britton and Killip var. *trapezifolia* (Vahl)
 Barneby and J. W. Grimes
 2542. Melastomataceae: *Adelobotrys ciliata* (Naudin)
 Triana
 2543. Passifloraceae: *Passiflora glandulosa* Cav.
 2544. Monimiaceae: *Mollinedia laurina* Tul.
 2545. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 2546. Clusiaceae: *Clusia columnaris* Engl.
 2547. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
 2548. Bryophyte: Indet.
 2549. Orchidaceae: *Epidendrum* s.l. *nocturnum* Jacq.
 2550. Orchidaceae: *Polystachya stenophylla* Schltr.
 2551. Poaceae: *Thrasya scandens* (Tutin) Soderstr. ex
 A. G. Burm.
 2552. Poaceae: *Panicum rivale* Swallen
 2553. Cyperaceae: *Rhynchospora tenella* (Nees) Böck.
 2554. Rubiaceae: *Sipanea wilson-brownei* R. S. Cowan
 2555. Gentianaceae: *Irlbachia purpurascens* (Aubl.)
 Maas
 2556. Lentibulariaceae: *Utricularia* sp.
 2557. Araceae: *Stenospermatum* sp.
 2558. Bryophyte: Indet.
 2559. Bryophyte: Indet.
 2560. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
 2561. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren)
 Decne. ex Planch. and Linden
 2562. Lauraceae: Indet.
 2563. Rubiaceae: *Malanea hypoleuca* Steyerl.
 2564. Leguminosae-Faboideae: *Swartzia* aff. *tilletii*
 R. S. Cowan
 2565. Verbenaceae: *Petrea bracteata* Steud.
 2566. Annonaceae: *Duguetia surinamensis* R. E. Fr.
 2567. Annonaceae: *Anaxagorea dolichocarpa* Sprague
 and Sandwith
 2568. Clusiaceae: *Tovomita carinata* Eyma
 2569. Dryopteridaceae: *Cyclodium inerme* (Fée)
 A. R. Sm.
 2570. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
 2571. Gentianaceae: *Voyria corymbosa* Splitg.
 2572. Hymenophyllaceae: *Trichomanes pinnatum*
 Hedw.

2573. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 2574. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 2575. Myrtaceae: *Eugenia* cf. *mimus* McVaugh
 2576. Annonaceae: *Annona haematantha* Miq.
 2577. Cyperaceae: *Mapania sylvatica* Aubl.
 2578. Bryophyte: Indet.
 2579. Lauraceae: *Licaria debilis* (Mez) Kosterm.
 2580. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
 2581. Leucobryaceae: *Leucobryum* sp.
 2582. Bryophyte: Indet.
 2583. Monimiaceae: *Mollinedia grazielae* Peixoto
 2584. Bryophyte: Indet.
 2585. Bryophyte: Indet.
 2586. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
 2587. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
 2588. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
 2589. Meliaceae: *Trichilia schomburgkii* C. DC. ssp. *schomburgkii*
 2590. Bryophyte: Indet.
 2591. Bryophyte: Indet.
 2592. Bryophyte: Indet.
 2593. Hepaticae: Indet.
 2594. Meliaceae: *Guarea pubescens* (Rich.) A. Juss. ssp. *pubescens*
 2595. Leguminosae-Faboideae: *Swartzia* aff. *tillettii* R. S. Cowan
 2596. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
 2597. Arecaceae: *Bactris ptariana* Steyerl.
 2598. Chrysobalanaceae: *Couepia parillo* DC.
 2599. Rhizophoraceae: *Cassipourea guianensis* Aubl.
 2600. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
 2601. Rhizophoraceae: *Cassipourea guianensis* Aubl.
 2602. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
 2603. Leguminosae-Faboideae: *Swartzia* sp.
 2604. Elaeocarpaceae: *Sloanea grandiflora* Sm.
 2605. Meliaceae: *Trichilia* sp.
 2606. Euphorbiaceae: *Pausandra martinii* Baill.
 2607. Flacourtiaceae: *Casearia singularis* Eichler
 2608. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
 2609. Costaceae: *Costus scaber* Ruiz and Pav.
 2610. Chrysobalanaceae: *Hirtella silicea* Griseb.
 2611. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
 2612. Lecythidaceae: *Eschweilera decolorans* Sandwith
 2613. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
 2614. Moraceae: *Brosimum guianense* (Aubl.) Huber
 2615. Myristicaceae: *Iryanthera macrophylla* (Benth.) Warb.
 2616. Leguminosae-Faboideae: *Swartzia benthamiana* Miq. var. *benthamiana*
 2617. Bryophyte: Indet.
 2618. Myrtaceae: *Eugenia anastomosans* DC.
 2619. Euphorbiaceae: *Sandwithia guyanensis* Lanj.
 2620. Leguminosae-Caesalpinioideae: *Cassia cowanii* H. S. Irwin and Barneby var. *guianensis* (Sandwith) H. S. Irwin and Barneby
 2621. Gentianaceae: *Voyria corymbosa* Splitg.
 2622. Gentianaceae: *Voyria rosea* Aubl.
 2623. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *cardonae* (R. S. Cowan) R. S. Cowan
 2624. Verbenaceae: *Petrea macrostachya* Benth.
 2625. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
 2626. Celastraceae: *Maytenus* sp.
 2627. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
 2628. Euphorbiaceae: *Pausandra martinii* Baill.
 2629. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
 2630. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 2631. Arecaceae: *Bactris simplicifrons* Mart.
 2632. Vittariaceae: *Antrophyum jenmanii* Benedict
 2633. Lichen-Incert. sed.: Indet.
 2634. Lichen-Incert. sed.: Indet.
 2635. Euphorbiaceae: *Mabea* aff. *speciosa* Müll. Arg.
 2636. Lauraceae: Indet.
 2637. Orchidaceae: *Rudolfiella aurantiaca* (Lindl.) Hoehne
 2638. Araceae: *Anthurium trinervium* Miq.
 2639. Orchidaceae: *Maxillaria venezuelana* (C. Schweinf.) Carnevali
 2640. Cecropiaceae: *Coussapoa viridifolia* Cuatrec.
 2641. Rubiaceae: *Duroia genipoides* Hook. f. ex K. Schum.
 2642. Lauraceae: *Licaria cannella* (Meisn.) Kosterm.
 2643. Vochysiaceae: *Vochysia surinamensis* Stafleu var. *surinamensis*
 2644. Annonaceae: *Annona symphyocarpa* Sandwith
 2645. Monimiaceae: *Mollinedia grazielae* Peixoto
 2646. Leguminosae-Faboideae: *Swartzia* aff. *benthamiana* Miq.

2647. Meliaceae: *Trichilia schomburgkii* C. DC. ssp. *schomburgkii*
2648. Rubiaceae: *Isertia* cf. *hypoleuca* Benth.
2649. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
2650. Lauraceae: *Aiouea laevis* (Mart.) Kosterm.
2651. Flacourtiaceae: *Casearia sylvestris* Sw.
2652. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
2653. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
2654. Humiriaceae: *Humiria balsamifera* Aubl.
2655. Chrysobalanaceae: *Licania incana* Aubl.
2656. Apocynaceae: *Odontadenia nitida* (Vahl) Müll. Arg.
2657. Lentibulariaceae: *Utricularia juncea* Vahl
2658. Eriocaulaceae: *Syngonanthus umbellatus* (Lam.) Ruhland
2659. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
2660. Lycopodiaceae: *Lycopodiella caroliniana* (L.) Pic. Serm. var. *meridionalis* (Underw. and F. E. Lloyd) B. Øllg. and P. G. Windisch
2661. Xyridaceae: *Abolboda grandis* Griseb. var. *grandis*
2662. Myrsinaceae: *Cybianthus fulvopulverulentus* (Mez) G. Agostini ssp. *magnoliifolius* (Mez) Pipoly
2663. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
2664. Melastomataceae: *Comolia villosa* (Aubl.) Triana
- 2664a. Melastomataceae: *Acisanthera uniflora* (Vahl) Gleason
2665. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
2666. Cyperaceae: *Cyperus haspan* L.
2667. Malpighiaceae: *Byrsonima eugeniifolia* Sandwith
2668. Rubiaceae: *Pagamea capitata* Benth.
2669. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
2670. Bryophyte: Indet.
2671. Bryophyte: Indet.
2672. Orchidaceae: *Epidendrum nocturnum* Jacq.
2673. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
2674. Ramalinaceae: *Ramalina anceps* Nyl.
2675. Orchidaceae: *Epidendrum nocturnum* Jacq.
2676. Orchidaceae: *Scaphyglottis sickii* Pabst
2677. Proteaceae: *Roupala montana* Aubl. var. *montana*
2678. Clusiaceae: *Clusia nemorosa* G. Mey.
2679. Orchidaceae: *Epidendrum* s.l. *nocturnum* Jacq.
2680. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
2681. Leguminosae-Mimosoideae: *Abarema mataybifolia* (Sandwith) Barneby and J. W. Grimes
2682. Euphorbiaceae: *Pausandra martinii* Baill.
2683. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
2684. Lauraceae: *Ocotea guianensis* Aubl.
2685. Compositae: *Wulffia baccata* (L.) Kuntze
2686. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
2687. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
2688. Olacaceae: *Heisteria cauliflora* Sm.
2689. Lauraceae: *Rhodostemonodaphne morii* Madriñán
2690. Rubiaceae: *Genipa spruceana* Steyerl.
2691. Boraginaceae: *Cordia grandiflora* (Desv.) Kunth
2692. Solanaceae: *Solanum monachophyllum* Dunal
2693. Boraginaceae: *Tournefortia hirsutissima* L.
2694. Leguminosae-Faboideae: *Lonchocarpus* sp.
2695. Lauraceae: *Nectandra amazonum* Nees
2696. Melastomataceae: *Mouriri guianensis* Aubl.
2697. Bignoniaceae: *Paragonia* cf. *pyramidata* (Rich.) Bureau
2698. Hippocrateaceae: *Hippocratea volubilis* L.
2699. Leguminosae-Mimosoideae: *Inga disticha* Benth.
2700. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
2701. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
2702. Menispermaceae: *Orthomene schomburgkii* (Miers) Barneby and Krukoff
2703. Rubiaceae: *Chomelia obtusa* Cham. and Schtdl.
2704. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
2705. Rutaceae: *Zanthoxylum* cf. *compactum* (Huber ex Albuq.) P. G. Waterman
2706. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
2707. Myrtaceae: *Psidium acutangulum* DC.
2708. Leguminosae-Mimosoideae: *Inga* sp.
2709. Leguminosae-Caesalpinioideae: *Campsiandra* sp.
2710. Olacaceae: *Heisteria cauliflora* Sm.
2711. Clusiaceae: *Garcinia macrophylla* Mart.
2712. Sapindaceae: *Talisia carinata* Radlk.
2713. Sapotaceae: *Pouteria* ? *rigidopsis* Monach. ex T. D. Penn.
2714. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
2715. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
2716. Cyclanthaceae: *Thoracocarpus bissectus* (Vell.) Harling
2717. Dichapetalaceae: *Tapura guianensis* Aubl.
2718. Sapotaceae: *Pouteria speciosa* (Ducke) Baehni
2719. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.

2720. Leguminosae-Mimosoideae: *Abarema mataybifolia* (Sandwith) Barneby and J. W. Grimes
2721. Picramniaceae: *Picramnia latifolia* Tul.
2722. Boraginaceae: *Cordia nodosa* Lam.
2723. Menispermaceae: *Curarea candicans* (Rich. ex DC.) Barneby and Krukoff
2724. Dichapetalaceae: *Tapura guianensis* Aubl.
2725. Flacourtiaceae: *Casearia singularis* Eichler
2726. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
2727. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
2728. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
2729. Annonaceae: *Unonopsis stipitata* Diels
2730. Apocynaceae: *Malouetia tamaquarina* (Aubl.) A. DC.
2731. Malpighiaceae: *Tetrapterys mucronata* Cav.
2732. Rubiaceae: *Psychotria lupulina* Benth.
2733. Melastomataceae: *Miconia longifolia* (Aubl.) DC.
2734. Lecythydaceae: *Eschweilera coriacea* (DC.) S. A. Mori
2735. Leguminosae-Mimosoideae: *Pentaclethra maculosa* (Willd.) Kuntze
2736. Bignoniaceae: *Pleonotoma clematis* (Kunth) Miers
2737. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC.
2738. Leguminosae-Mimosoideae: *Zygia latifolia* (L.) Fawc. and Rendle
2739. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
2740. Melastomataceae: *Mouriri acutiflora* Naudin
2741. Sapindaceae: *Matayba macrostylis* Radlk.
2742. Bignoniaceae: Indet.
2743. Leguminosae-Caesalpinioideae: *Eperua schomburgkiana* Benth.
2744. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
2745. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
2746. Chrysobalanaceae: *Licania coriacea* Benth.
2747. Rubiaceae: *Chomelia obtusa* Cham. and Schldt.
2748. Boraginaceae: *Cordia grandiflora* (Desv.) Kunth
2749. Combretaceae: *Combretum rotundifolium* Rich.
2750. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
2751. Sterculiaceae: *Byttneria divaricata* Benth. var. *divaricata*
2752. Bixaceae: *Bixa orellana* L.
2753. Leguminosae-Faboideae: *Machaerium* sp.
2754. Leguminosae-Faboideae: *Ormosia* sp.
2755. Chrysobalanaceae: *Hirtella paniculata* Sw.
2756. Turneraceae: *Turnera aurantiaca* Benth.
2757. Combretaceae: *Buchenavia megalophylla* van Heurck and Müll. Arg.
2758. Sapotaceae: *Pradosia surinamensis* (Eyma) T. D. Penn.
2759. Oxalidaceae: *Oxalis frutescens* L.
2760. Orchidaceae: *Brassavola* sp.
2761. Myrtaceae: *Myrcia calycampa* Amshoff
2762. Polygalaceae: *Securidaca marginata* Benth.
- 2762a. Malpighiaceae: Indet.
2763. Apocynaceae: *Malouetia gracilis* (Benth.) A. DC.
2764. Clusiaceae: *Clusia panapanari* (Aubl.) Choisy
2765. Caryocaraceae: *Anthodiscus trifolius* G. Mey.
2766. Bromeliaceae: *Ananas parguazensis* L. A. Camargo and L. B. Sm.
2767. Orchidaceae: *Polystachya stenophylla* Schltr.
2768. Euphorbiaceae: *Phyllanthus caroliniensis* Walter
2769. Celastraceae: *Maytenus guyanensis* Klotzsch ex Reissek
2770. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
2771. Clusiaceae: *Garcinia madruno* (Kunth) Hammel
2772. Annonaceae: *Unonopsis guatterrioides* (A. DC.) R. E. Fr.
2773. Malpighiaceae: *Byrsonima arthropoda* A. Juss.
2774. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
2775. Euphorbiaceae: *Croton pakaraimae* Jabl.
2776. Rubiaceae: *Psychotria lupulina* Benth.
2777. Rubiaceae: *Psychotria bahiensis* DC.
2778. Vitaceae: *Cissus erosa* Rich.
2779. Melastomataceae: *Tococa guianensis* Aubl.
2780. Rubiaceae: *Psychotria polycephala* Benth.
2781. Heliconiaceae: *Heliconia acuminata* Rich.
2782. Melastomataceae: *Aciotis purpurascens* (Aubl.) Triana
2783. Amaranthaceae: Indet.
2784. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
2785. Hymenophyllaceae: *Trichomanes hostmannianum* (Klotzsch) Kunze
2786. Solanaceae: *Solanum rugosum* Dunal
2787. Poaceae: *Pariana* s.l. *radiciflora* Sagot ex Döll
- 2788a. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 2788b. Poaceae: *Paspalum conjugatum* P. J. Bergius
2789. Marcgraviaceae: *Souroubea guianensis* Aubl.
2790. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
2791. Dennstaedtiaceae: *Lindsaea divaricata* Klotzsch

2792. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
2793. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
2794. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
2795. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
2796. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
2797. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
2798. Araceae: *Anthurium clavigerum* Poepp.
2799. Piperaceae: *Peperomia rotundifolia* (L.) Kunth
2800. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
2801. Vittariaceae: *Antrophyum guayanense* Hieron.
2802. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
2803. Violaceae: *Paypayrola longifolia* Tul.
2804. Rubiaceae: *Psychotria apoda* Steyerem.
2805. Piperaceae: *Piper liesneri* Steyerem.
2806. Hymenophyllaceae: *Trichomanes diaphanum* Kunth
2807. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
2808. Piperaceae: *Piper consanguineum* (Kunth) C. DC.
2809. Piperaceae: *Peperomia blanda* (Jacq.) Kunth
2810. Piperaceae: *Peperomia elongata* Kunth
2811. Annonaceae: *Anaxagorea brevipes* Benth.
2812. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
2813. Cyperaceae: *Bisboeckelera irrigua* (Nees) Kuntze
2814. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f. var. *caricifolia*
2815. Lecythydaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
2816. Marantaceae: *Calathea zingiberina* Körn.
2817. Araceae: *Anthurium* ? *friedrichsthalii* Schott
2818. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
2819. Orchidaceae: *Pleurothallis* sp.
2820. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
2821. Hymenophyllaceae: *Trichomanes vandenboschii* P. G. Windisch
2822. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
2823. Annonaceae: *Anaxagorea brevipes* Benth.
2824. Humiriaceae: Indet.
2825. Euphorbiaceae: *Rhodothyrsus macrophyllus* (Ducke) Esser
2826. Melastomataceae: *Miconia navioensis* Wurdack
2827. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
2828. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
2829. Burseraceae: *Protium giganteum* Engl.
2830. Areaceae: *Geonoma deversa* (Poit.) Kunth
2831. Areaceae: *Bactris elegans* Barb. Rodr.
2832. Hippocrateaceae: Indet.
2833. Euphorbiaceae: *Conceveiba martiana* Baill.
2834. Burseraceae: *Crepidospermum* sp.
2835. Sapindaceae: *Vouarana guianensis* Aubl.
2836. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *racemosa*
2837. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
2838. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
2839. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
2840. Hippocrateaceae: *Salacia multiflora* (Lam.) DC.
2841. Lecythydaceae: *Gustavia hexapetala* (Aubl.) Sm.
2842. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
2843. Araceae: *Anthurium trinervium* Miq.
2844. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
2845. Lecythydaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
2846. Hymenophyllaceae: *Trichomanes bicorne* Hook.
2847. Aspleniaceae: *Asplenium serratum* L.
2848. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
2849. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
2850. Triuridaceae: *Sciaphila purpurea* Benth.
2851. Chrysobalanaceae: *Hirtella duckei* Huber
2852. Bromeliaceae: *Tillandsia monadelphica* (E. Morren) Baker
2853. Burseraceae: *Trattinnickia burserifolia* Mart.
2854. Lecythydaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
2855. Myristicaceae: *Osteophloeum platyspermum* (Spruce ex A. DC.) Warb.
2856. Orchidaceae: *Octomeria surinamensis* H. Focke
2857. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
2858. Melastomataceae: *Mouriri collocarpa* Ducke
2859. Chrysobalanaceae: *Licania latifolia* Benth. ex Hook. f.

2860. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
2861. Cyatheaceae: *Cyathea trillii* (Baker) Domin
2862. Melastomataceae: *Miconia platypoda* Gleason
2863. Rubiaceae: *Palicourea nitidella* (Müll. Arg.) Standl.
2864. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
2865. Lauraceae: *Endlicheria pyriformis* (Nees) Mez
2866. Hymenophyllaceae: *Hymenophyllum decurrens* (Jacq.) Sw.
2867. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
2868. Araceae: *Anthurium* ? *friedrichsthali* Schott
2869. Melastomataceae: *Clidemia involucrata* DC.
2870. Araceae: *Philodendron muricatum* Willd. ex Schott
2871. Chrysobalanaceae: *Hirtella silicea* Griseb.
2872. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
2873. Poaceae: *Olyra micrantha* Kunth
2874. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
2875. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
2876. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
2877. Hymenophyllaceae: *Trichomanes elegans* Rich.
2878. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
2879. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
2880. Clusiaceae: *Chrysochlamys weberbaueri* Engl.
2881. Annonaceae: *Anaxagorea* sp.
2882. Dichapetalaceae: *Tapura guianensis* Aubl.
2883. Rubiaceae: *Rudgea stipulacea* (DC.) Steyererm.
2884. Bryophyte: Indet.
2885. Melastomataceae: *Miconia nervosa* (Sm.) Triana
2886. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
2887. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
2888. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
2889. Dennstaedtiaceae: *Lindsaea dubia* Spreng.
2890. Cyperaceae: *Mapania* sp. nov.
2891. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
2892. Rubiaceae: *Morinda calycina* (Benth.) Steyererm.
2893. Lauraceae: *Licaria cannella* (Meisn.) Kosterm.
2894. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
2895. Rubiaceae: *Remijia roraimae* (Benth.) K. Schum.
2896. Clusiaceae: *Clusia obovata* (Spruce ex Planch. and Triana) Pipoly
2897. Ochnaceae: Indet.
2898. Clusiaceae: *Clusia columnaris* Engl.
2899. Araceae: *Anthurium* ? *friedrichsthali* Schott
2900. Rutaceae: Indet.
2901. Myrtaceae: *Eugenia arawakorum* Sandwith
2902. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
2903. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
2904. Passifloraceae: *Passiflora coccinea* Aubl.
2905. Melastomataceae: *Ernestia granvillei* Wurdack
2906. Solanaceae: *Solanum semotum* M. Nee
2907. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
2908. Araceae: *Caladium bicolor* (Aiton) Vent.
2909. Marcgraviaceae: *Souroubea guianensis* Aubl.
2910. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
2911. Euphorbiaceae: *Hevea* ? sp.
2912. Humiriaceae: *Sacoglottis guianensis* Benth.
2913. Rubiaceae: *Psychotria astrellantha* Wernham
2914. Myrtaceae: *Myrcia* sp.
2915. Arecaceae: *Iriartella setigera* (Mart.) H. Wendl.
2916. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
2917. Orchidaceae: *Scaphyglottis* sp.
2918. Orchidaceae: *Epidendrum purpurascens* H. Focke
2919. Rubiaceae: *Chomelia malaneoides* Müll. Arg.
2920. Bryophyte: Indet.
2921. Orchidaceae: *Pleurothallis revoluta* (Ruiz and Pav.) Garay
2922. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
2923. Orchidaceae: *Myoxanthus parvilabius* (C. Schweinf.) Luer
2924. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
2925. Orchidaceae: *Platystele* sp.
2926. Melastomataceae: *Macrocentrum fruticosum* Gleason
2927. Rubiaceae: *Cordia myrciifolia* (Spruce ex K. Schum.) C. Perss. and Delprete var. *myrciifolia*
2928. Melastomataceae: *Miconia chrysophylla* (Rich.) Urb.
2929. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
2930. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
2931. Gesneriaceae: *Besleria laxiflora* Benth.
2932. Gesneriaceae: *Besleria laxiflora* Benth.
2933. Bryophyte: Indet.

2934. Piperaceae: *Piper augustum* Rudge
 2935. Piperaceae: *Piper hispidum* Sw.
 2936. Polypodiaceae: *Polypodium dulce* Poir.
 2937. Orchidaceae: *Wulfschlaegelia calcarata* Benth.
 2938. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
 2939. Myrtaceae: *Eugenia* sp.
 2940. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
 2941. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
 2942. Cecropiaceae: *Pourouma minor* Benoist
 2943. Bryophyte: Indet.
 2944. Hymenophyllaceae: Indet.
 2945. Bryophyte: Indet.
 2946. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 2947. Piperaceae: *Piper adenandrum* (Miq.) C. DC.
 2948. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
 2949. Gentianaceae: *Tachia* cf. *smithii* Maguire and Weaver
 2950. Euphorbiaceae: *Gavarretia terminalis* Baill.
 2951. Melastomataceae: *Miconia prasina* (Sw.) DC.
 2952. Olacaceae: *Heisteria cauliflora* Sm.
 2953. Heliconiaceae: *Heliconia silvestris* (Gleason) L. B. Sm.
 2954. Solanaceae: *Markea coccinea* Rich.
 2955. Sterculiaceae: *Theobroma subincanum* Mart.
 2956. Passifloraceae: *Passiflora glandulosa* Cav.
 2957. Aristolochiaceae: *Aristolochia* sp.
 2958. Ochnaceae: *Ouratea* sp.
 2959. Gentianaceae: *Tachia* cf. *smithii* Maguire and Weaver
 2960. Rubiaceae: *Psychotria platypoda* DC.
 2961. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
 2962. Adiantaceae: *Adiantopsis radiata* (L.) Fée
 2963. Moraceae: *Trymatococcus amazonicus* Poepp. and Endl.
 2964. Annonaceae: *Anaxagorea brevipes* Benth.
 2965. Caryocaraceae: *Caryocar glabrum* (Aubl.) Pers.
 2966. Sapotaceae: *Pouteria cladantha* Sandwith
 2967. Connaraceae: *Rourea frutescens* Aubl.
 2967a. Araceae: *Philodendron hylaeae* G. S. Bunting
 2968. Rutaceae: Indet.
 2969. Orchidaceae: *Scaphyglottis* sp.
 2970. Lecythidaceae: *Eschweilera parviflora* (Aubl.) Miers
 2971. Melastomataceae: *Mouriri collocarpa* Ducke
 2972. Leguminosae-Faboideae: *Swartzia brachyrachis* Harms var. *glabrata* R. S. Cowan
 2973. Orchidaceae: *Epidendrum purpurascens* H. Focke
 2974. Viscaceae: *Phoradendron strongyloclados* Eichler
 2975. Orchidaceae: *Bulbophyllum* sp.
 2976. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
 2977. Ochnaceae: *Elvasia schomburgkii* Tiegh.
 2978. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
 2979. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
 2980. Myrtaceae: *Myrcia calycampa* Amshoff
 2981. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
 2982. Apocynaceae: *Himatanthus bracteatus* (A. DC.) Woodson
 2983. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
 2984. Myrtaceae: *Myrcia fallax* (Rich.) DC.
 2985. Ochnaceae: *Ouratea* sp.
 2986. Rubiaceae: *Chiococca nitida* Benth.
 2987. Passifloraceae: *Dilkea clarkei* Feuillet
 2988. Rubiaceae: *Malanea macrophylla* Griseb.
 2989. Orchidaceae: *Solenidium lunatum* (Lindl.) Kraenzl.
 2990. Orchidaceae: *Solenidium* cf. sp.
 2991. Rubiaceae: *Ixora ulei* K. Krause
 2992. Rubiaceae: *Sipanea wilson-brownei* R. S. Cowan
 2993. Cyperaceae: *Rhynchospora rupicola* M. T. Strong
 2994. Triuridaceae: *Sciaphila purpurea* Benth.
 2995. Orchidaceae: *Pleurothallis miqueliana* (H. Focke) Lindl.
 2996. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
 2997. Chrysobalanaceae: *Couepia guianensis* Aubl. ssp. *guianensis*
 2998. Araceae: *Philodendron solimoesense* A. C. Sm.
 2999. Olacaceae: *Chaunochiton kappleri* (Sagot ex Engl.) Ducke
 3000. Clusiaceae: *Moronobea coccinea* Aubl.
 3001. Sapotaceae: *Chrysophyllum prieurii* A. DC.
 3002. Leguminosae-Faboideae: *Machaerium quinatum* (Aubl.) Sandwith
 3003. Euphorbiaceae: *Mabea* sp.
 3004. Rubiaceae: *Manettia alba* (Aubl.) Wernham
 3005. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
 3006. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
 3007. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
 3008. Solanaceae: *Solanum monachophyllum* Dunal
 3009. Melastomataceae: *Mouriri francavillana* Cogn.

3010. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
3011. Myrtaceae: *Myrcia inaequiloba* (DC.) D. Legrand
3012. Styracaceae: *Styrax* sp.
3013. Combretaceae: *Combretum* cf. *laxum* Jacq.
3014. Meliaceae: *Trichilia cipo* (A. Juss.) C. DC.
3015. Euphorbiaceae: *Phyllanthus caroliniensis* Walter
3016. Cyperaceae: *Cyperus miliifolius* Poepp. and Kunth
3017. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
3018. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
3019. Meliaceae: *Trichilia quadrijuga* Kunth
3020. Lauraceae: *Nectandra amazonum* Nees
3021. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
3022. Chrysobalanaceae: *Licania* sp.
3023. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
3024. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
3025. Polygalaceae: Indet.
3026. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
3027. Chrysobalanaceae: *Parinari campestris* Aubl.
3028. Leguminosae-Faboideae: *Ormosia* sp.
3029. Leguminosae-Mimosoideae: *Inga disticha* Benth.
3030. Myrtaceae: *Myrciaria* cf. *dubia* (Kunth) McVaugh
3031. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
3032. Melastomataceae: *Mouriri acutiflora* Naudin
3033. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
3034. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *heteromorpha*
3035. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
3036. Clusiaceae: *Caraipea densifolia* Mart.
3037. Leguminosae-Faboideae: *Dalbergia* sp.
3038. Melastomataceae: *Henriettea succosa* (Aubl.) DC.
3039. Malpighiaceae: *Byrsonima arthropoda* A. Juss.
3040. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
3041. Violaceae: *Paypayrola longifolia* Tul.
3042. Lauraceae: *Ocotea schomburgkiana* (Nees) Mez
3043. Rubiaceae: *Duroia eriopila* L. f.
3044. Leguminosae-Faboideae: *Ormosia* sp.
3045. Leucobryaceae: *Leucobryum* sp.
3046. Bryophyte: Indet.
3047. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
3048. Chrysobalanaceae: *Licania granvillei* Prance
3049. Sapindaceae: *Vouarana guianensis* Aubl.
3050. Melastomataceae: *Mouriri francavillana* Cogn.
3051. Menispermaceae: *Abuta grandifolia* (Mart.) Sandwith
3052. Erythroxylaceae: *Erythroxylum mucronatum* Benth.
3053. Lauraceae: *Ocotea nigra* Benoist
3054. Clusiaceae: *Clusia nemorosa* G. Mey.
3055. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
3056. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
3057. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
3058. Aspleniaceae: *Asplenium auritum* Sw.
3059. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
3060. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
3061. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
3062. Myristicaceae: *Virola surinamensis* (Rol. ex Rottb.) Warb.
3063. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
3064. Myrtaceae: *Eugenia lambertiana* DC.
3065. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *panacoco*
3066. Rubiaceae: *Psychotria mapourioides* DC.
3067. Rubiaceae: *Borreria* cf. *prostrata* (Aubl.) Miq.
3068. Leguminosae-Faboideae: *Vigna luteola* (Jacq.) Benth.
3069. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
3070. Myrtaceae: *Psidium striatulum* DC.
3071. Melastomataceae: *Tococa subciliata* (DC.) Triana
3072. Orchidaceae: *Pleurothallis picta* Lindl.
3073. Orchidaceae: *Epidendrum nocturnum* Jacq.
3074. Orchidaceae: *Encyclia vespa* (Vell.) Dressler
3075. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
3076. Apocynaceae: *Odontadenia macrantha* (Roem. and Schult.) Markgr.
3077. Vochysiaceae: *Erisma uncinatum* Warm.
3078. Vochysiaceae: *Ruizterania albiflora* (Warm.) Marc.-Berti
3079. Rubiaceae: *Isertia hypoleuca* Benth.
3080. Smilacaceae: *Smilax syphilitica* Humb. and Bonpl. ex Willd.

3081. Rubiaceae: *Psychotria pacimonica* Müll. Arg.
3082. Hymenophyllaceae: *Trichomanes crispum* L.
3083. Clusiaceae: *Clusia amazonica* Planch. and Triana
3084. Malpighiaceae: *Byrsonima formosa* W. R. Anderson
3085. Orchidaceae: *Pleurothallis miqueliana* (H. Focke) Lindl.
3086. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
3087. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
3088. Malpighiaceae: *Byrsonima formosa* W. R. Anderson
3089. Rubiaceae: *Palicourea nitidella* (Müll. Arg.) Standl.
3090. Clusiaceae: *Caraipa densifolia* Mart.
3091. Clusiaceae: *Clusia nemorosa* G. Mey.
3092. Hymenophyllaceae: *Trichomanes spruceanum* Hook.
3093. Dennstaedtiaceae: *Lindsaea semilunata* (C. Chr.) C. Chr.
3094. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
3095. Bombacaceae: *Pachira flaviflora* (Pulle) Fern. Alonso
3096. Aquifoliaceae: *Ilex cf. abscondita* Steyerl.
3097. Chrysobalanaceae: *Licania latifolia* Benth. ex Hook. f.
3098. Lauraceae: *Ocotea guianensis* Aubl.
3099. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
3100. Piperaceae: *Piper ? consanguineum* (Kunth) C. DC.
3101. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
3102. Burseraceae: Indet.
3103. Hugoniaceae: *Hebepetalum roraimense* Secco and S. M. B. Silva
3104. Rubiaceae: *Psychotria polycephala* Benth.
3105. Melastomataceae: *Miconia prasina* (Sw.) DC.
3106. Piperaceae: *Piper crassinervium* Kunth
3107. Cyperaceae: *Bisboeckelera irrigua* (Nees) Kuntze
3108. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
3109. Lecythidaceae: *Lecythis alutacea* (A. C. Sm.) S. A. Mori
3110. Vochysiaceae: *Ruizterania* sp.
3111. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *panacoco*
3112. Chrysobalanaceae: *Licania longistyla* (Hook. f.) Fritsch
3113. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
3114. Myristicaceae: Indet.
3115. Violaceae: *Rinorea flavescens* (Aubl.) Kuntze
3116. Lichen-Incert. sed.: Indet.
3117. Chrysobalanaceae: *Licania micrantha* Miq.
3118. Chrysobalanaceae: *Licania parvifructa* Fanshawe and Maguire
3119. Connaraceae: Indet.
3120. Sapindaceae: *Vouarana guianensis* Aubl.
3121. Melastomataceae: *Mouriri duckeana* Morley
3122. Annonaceae: *Unonopsis stipitata* Diels
3123. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
3124. Erythroxylaceae: *Erythroxylum mucronatum* Benth.
3125. Moraceae: *Brosimum melanopotamicum* C. C. Berg
3126. Sapotaceae: *Chrysophyllum prieurii* A. DC.
3127. Lauraceae: *Ocotea* sp.
3128. Lauraceae: *Aiouea longipetiolata* van der Werff
3129. Apocynaceae: *Odontadenia puncticulosa* (Rich.) Pulle
3130. Cecropiaceae: *Pourouma villosa* Trécul
3131. Elaeocarpaceae: *Sloanea* sp.
3132. Meliaceae: *Guarea scabra* A. Juss.
3133. Flacourtiaceae: *Carpotroche surinamensis* Uittien
3134. Passifloraceae: *Passiflora glandulosa* Cav.
3135. Piperaceae: *Piper cililimbium* Yunck.
3136. Rubiaceae: *Psychotria pacimonica* Müll. Arg.
3137. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
3138. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
3139. Hymenophyllaceae: *Trichomanes bicorne* Hook.
3140. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
3141. Polypodiaceae: *Microgramma baldwinii* Brade
3142. Clusiaceae: *Clusia renggerioides* Planch. and Triana
3143. Piperaceae: *Piper consanguineum* (Kunth) C. DC.
3144. Piperaceae: *Piper piscatorum* Trel. and Yunck.
3145. Apocynaceae: *Odontadenia puncticulosa* (Rich.) Pulle
3146. Euphorbiaceae: *Mabea taquari* Aubl.
3147. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
3148. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
3149. Burseraceae: *Crepidospermum* sp.

3150. Leguminosae-Faboideae: *Dioclea macrocarpa* Huber
3151. Leguminosae-Faboideae: *Swartzia* cf. *panacoco* (Aubl.) R. S. Cowan var. *panacoco*
3152. Melastomataceae: *Clidemia silvicola* Gleason
3153. Violaceae: *Rinorea riana* Kuntze
3154. Boraginaceae: *Cordia nodosa* Lam.
3155. Orchidaceae: *Scaphyglottis stellata* Lodd. ex Lindl.
3156. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
3157. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
3158. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
3159. Bryophyte: Indet.
3160. Hymenophyllaceae: *Trichomanes krausii* Hook. and Grev.
3161. Rutaceae: *Ertela trifolia* (L.) Kuntze
3162. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
3163. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
3164. Bixaceae: *Cochlospermum orinocense* (Kunth) Steud.
3165. Sapotaceae: *Chrysophyllum prieurii* A. DC.
3166. Lecythidaceae: *Eschweilera micrantha* (O. Berg) Miers
3167. Bombacaceae: *Catostemma fragrans* Benth.
3168. Caryocaraceae: *Caryocar* sp.
3169. Piperaceae: *Piper alatabaccum* Trel. and Yunck.
3170. Annonaceae: *Duguetia cauliflora* R. E. Fr.
3171. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
3172. Apocynaceae: *Aspidosperma* sp.
3173. Leguminosae-Faboideae: *Dioclea macrocarpa* Huber
3174. Euphorbiaceae: *Conceveiba hostmannii* Benth.
3175. Humiriaceae: *Endopleura uchi* (Huber) Cuatrec.
3176. Euphorbiaceae: *Hevea guianensis* Aubl.
3177. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *maxima*
3178. Lauraceae: *Aniba* sp.
3179. Piperaceae: *Piper cililimum* Yunck.
3180. Marcgraviaceae: *Souroubea guianensis* Aubl.
3181. Apocynaceae: *Aspidosperma excelsum* Benth.
3182. Marcgraviaceae: Indet.
3183. Dioscoreaceae: *Dioscorea* aff. *quinquefoliolata* R. Knuth
3184. Bryophyte: Indet.
3185. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
3186. Polygonaceae: *Coccoloba* cf. *lucidula* Benth.
3187. Burseraceae: *Protium giganteum* Engl. var. *giganteum*
3188. Lecythidaceae: *Eschweilera micrantha* (O. Berg) Miers
3189. Orchidaceae: *Epidendrum nocturnum* Jacq.
3190. Orchidaceae: *Scaphyglottis fusiformis* (Griseb.) R. E. Schult.
3191. Clusiaceae: *Clusia nemorosa* G. Mey.
3192. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
3193. Myristicaceae: *Iryanthera* sp.
3194. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
3195. Sapotaceae: *Pouteria cladantha* Sandwith
3196. Myrtaceae: *Myrcia fallax* (Rich.) DC.
3197. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
3198. Ochnaceae: *Ouratea* sp.
3199. Cyperaceae: *Diplasia karatifolia* Rich.
3200. Bryophyte: Indet.
3201. Marcgraviaceae: *Marcgravia* cf. *sororopaniana* Steyerl.
3202. Siparunaceae: *Siparuna cristata* (Poepp. and Endl.) A. DC.
3203. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
3204. Rubiaceae: *Psychotria apoda* Steyerl.
3205. Lauraceae: Indet.
3206. Myrtaceae: *Eugenia pseudopsidium* Jacq.
3207. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
3208. Marcgraviaceae: *Souroubea guianensis* Aubl.
3209. Lecythidaceae: *Eschweilera grandiflora* (Aubl.) Sandwith
3210. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
3211. Aspleniaceae: *Asplenium auritum* Sw.
3212. Celastraceae: *Maytenus oblongata* Reissek
3213. Myristicaceae: *Viola elongata* (Benth.) Warb.
3214. Violaceae: *Paypayrola longifolia* Tul.
3215. Cyperaceae: *Becquerelia cymosa* Brongn. ssp. *merkeliana* (Nees) T. Koyama
3216. Hepaticae: Indet.
3217. Melastomataceae: *Miconia* aff. *argyrophylla* DC.
3218. Anacardiaceae: *Tapirira* ? sp.
3219. Ochnaceae: *Ouratea* sp.
3220. Euphorbiaceae: *Mabea pulcherrima* Müll. Arg.
3221. Compositae: *Mikania parviflora* (Aubl.) H. Karst.
3222. Clusiaceae: *Vismia* ? *schultesii* N. Robson

3223. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
3224. Annonaceae: *Guatteria anthracina* Scharf and Maas
3225. Siparunaceae: *Siparuna guianensis* Aubl.
3226. Leguminosae-Faboideae: *Swartzia brachyrachis* Harms var. *glabrata* R. S. Cowan
3227. Orchidaceae: *Octomeria* cf. *surinamensis* H. Focke
3228. Myristicaceae: *Iryanthera* sp.
3229. Sapotaceae: Indet.
3230. Hugoniaceae: *Hebepetalum humiriifolium* (Planch.) Benth.
3231. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
3232. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
3233. Cecropiaceae: *Pourouma bicolor* Mart. ssp. *bicolor*
3234. Malpighiaceae: Indet.
3235. Chrysobalanaceae: *Licania pallida* Spruce ex Sagot
3236. Meliaceae: *Trichilia schomburgkii* C. DC.
3237. Burseraceae: *Protium decandrum* (Aubl.) Marchand
3238. Marantaceae: *Ischnosiphon arouma* (Aubl.) Körn.
3239. Cyclanthaceae: Indet.
3240. Annonaceae: *Duguetia calycina* Benoist
3241. Rapateaceae: *Rapatea paludosa* Aubl.
3242. Sapotaceae: *Pouteria* sp., sect. *Pouteria*
3243. Celastraceae: *Goupia glabra* Aubl.
3244. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
3245. Bryophyte: Indet.
3246. Bryophyte: Indet.
3247. Grammitidaceae: *Lellingeria suspensa* (L.) A. R. Sm. and R. C. Moran
3248. Orchidaceae: *Scaphyglottis* sp.
3249. Ochnaceae: *Ouratea* sp.
3250. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
3251. Marcgraviaceae: *Souroubea dasystachya* Gilg and Werderm.
3252. Myrtaceae: Indet.
3253. Viscaceae: *Phoradendron perrottetii* (DC.) Eichler
3254. Cyperaceae: *Mapaniopsis effusa* C. B. Clarke
3255. Orchidaceae: *Stelis* sp.
3256. Orchidaceae: *Pleurothallis polygonoides* Griseb.
3257. Euphorbiaceae: *Drypetes variabilis* Uittien
3258. Malpighiaceae: *Byrsonima altissima* DC.
3259. Loganiaceae: *Strychnos* sp.
3260. Dichapetalaceae: *Tapura guianensis* Aubl.
3261. Polygonaceae: Indet.
3262. Bombacaceae: *Catostemma fragrans* Benth.
3263. Rubiaceae: *Palicourea longistipulata* (Müll. Arg.) Standl.
3264. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
3265. Melastomataceae: *Tococa subciliata* (DC.) Triana
3266. Malpighiaceae: *Byrsonima arthropoda* A. Juss.
3267. Polygonaceae: *Coccoloba parimensis* Benth.
3268. Styracaceae: *Styrax oblongus* (Ruiz and Pav.) A. DC.
3269. Ebenaceae: *Diospyros* sp.
3270. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
3271. Clusiaceae: *Caraipa densifolia* Mart.
3272. Vochysiaceae: *Vochysia ferruginea* Mart.
3273. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
3274. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
3275. Compositae: *Lepidaploa gracilis* (Kunth) H. Rob.
3276. Euphorbiaceae: *Phyllanthus caroliniensis* Walter
3277. Gentianaceae: *Coutoubea ramosa* Aubl. var. *ramosa*
3278. Solanaceae: *Solanum monachophyllum* Dunal
3279. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby
3280. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
3281. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
3282. Myrtaceae: *Eugenia egensis* DC.
3283. Myrtaceae: *Psidium striatulum* DC.
3284. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
3285. Boraginaceae: *Cordia* cf. sp.
3286. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
3287. Chrysobalanaceae: *Licania apetala* (E. Mey.) Fritsch var. *aperta* (Benth.) Prance
3288. Euphorbiaceae: *Mabea taquari* Aubl.
3289. Leguminosae-Caesalpinioideae: *Paloué guianensis* Aubl.
3290. Podostemaceae: *Mourera fluviatilis* Aubl.
3291. Leguminosae-Faboideae: *Taralea oppositifolia* Aubl.
3292. Connaraceae: Indet.
3293. Chrysobalanaceae: *Licania sprucei* (Hook. f.) Fritsch
3294. Euphorbiaceae: *Amanoa guianensis* Aubl.
3295. Chrysobalanaceae: Indet.
3296. Leguminosae-Faboideae: *Ormosia coarctata* Jacks.
3297. Celastraceae: *Goupia glabra* Aubl.
3298. Leguminosae-Faboideae: *Machaerium* sp.

3299. Piperaceae: *Peperomia macrostachya* (Vahl)
A. Dietr.
3300. Verbenaceae: *Vitex triflora* Vahl
3301. Leguminosae-Faboideae: *Swartzia* cf. *panacoco*
(Aubl.) R. S. Cowan var. *panacoco*
3302. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
3303. Combretaceae: *Combretum pyramidatum* Desv.
3304. Proteaceae: *Panopsis rubescens* (Pohl) Rusby
3305. Polygalaceae: *Securidaca paniculata* Rich. var.
lasiocarpa Oort
3306. Caryocaraceae: *Caryocar microcarpum* Ducke
3307. Hippocrateaceae: *Salacia impressifolia* (Miers)
A. C. Sm.
3308. Melastomataceae: *Henriettea stellaris* O. Berg ex
Triana
3309. Melastomataceae: *Miconia tomentosa* (Rich.)
D. Don ex DC.
3310. Euphorbiaceae: *Alchornea discolor* Poepp.
3311. Connaraceae: *Connarus perrottetii* (DC.) Planch.
var. *perrottetii*
3312. Lecythidaceae: *Lecythis corrugata* Poit. ssp.
corrugata
3313. Moraceae: *Trymatococcus amazonicus* Poepp.
and Endl.
3314. Vochysiaceae: *Qualea paraensis* Ducke
3315. Melastomataceae: *Miconia argyrophylla* DC.
3316. Ochnaceae: *Ouratea scottii* Sastre
3317. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
3318. Burseraceae: *Protium* s.l. *sagotianum* Marchand
3319. Lauraceae: *Ocotea* sp.
3320. Rubiaceae: *Psychotria podocephala* (Müll. Arg.)
Standl.
3321. Bromeliaceae: *Aechmea mertensii* (G. Mey.)
Schult. and Schult. f.
3322. Lauraceae: *Ocotea guianensis* Aubl.
3323. Rhabdodendraceae: *Rhabdodendron*
amazonicum (Spruce ex Benth.) Huber
3324. Chrysobalanaceae: *Licania latifolia* Benth. ex
Hook. f.
3325. Hippocrateaceae: *Cheiloclinium hippocrateoides*
(Peyr.) A. C. Sm.
3326. Melastomataceae: *Mouriri sagotiana* Triana
3327. Sapotaceae: *Pouteria* aff. *rostrata* (Huber) Baehni
3328. Lecythidaceae: *Eschweilera grandiflora* (Aubl.)
Sandwith
3329. Leguminosae-Mimosoideae: *Inga* sp.
3330. Burseraceae: *Protium decandrum* (Aubl.)
Marchand
3331. Melastomataceae: *Miconia navioensis* Wurdack
3332. Elaeocarpaceae: *Sloanea* sp.
3333. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.)
Benth. and Hook. f. ex Nied.
3334. Melastomataceae: *Miconia prasina* (Sw.) DC.
3335. Ebenaceae: *Diospyros* sp.
3336. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
3337. Sapindaceae: *Pseudima* sp.
3338. Rubiaceae: *Psychotria lupulina* Benth.
3339. Rubiaceae: *Psychotria bahiensis* DC.
3340. Bryophyte: Indet.
3341. Lauraceae: *Nectandra* sp.
3342. Convolvulaceae: *Maripa scandens* Aubl.
3343. Violaceae: *Corynostylis arborea* (L.) S. F. Blake
3344. Melastomataceae: *Bellucia grossularioides* (L.)
Triana
3345. Melastomataceae: *Clidemia pustulata* DC.
3346. Lecythidaceae: *Eschweilera grandiflora* (Aubl.)
Sandwith
3347. Chrysobalanaceae: Indet. ?
3348. Melastomataceae: *Miconia poeppigii* Triana
3349. Leguminosae-Caesalpinioideae: *Macrolobium*
acaciifolium (Benth.) Benth.
3350. Bignoniaceae: *Jacaranda copaia* (Aubl.) D. Don
ssp. *spectabilis* (Mart. ex DC.) A. H. Gentry
3351. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
3352. Leguminosae-Mimosoideae: *Zygia cataractae*
(Kunth) L. Rico
3353. Lacistemataceae: *Lacistema aggregatum* (P. J.
Bergius) Rusby
3354. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
3355. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and
Steyerm.
3356. Leguminosae-Mimosoideae: *Hydrochorea*
corymbosa (Rich.) Barneby and J. W. Grimes
3357. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
3358. Leguminosae-Faboideae: *Lonchocarpus* s.l. sp.
3359. Menispermaceae: *Orthomene* sp.
3360. Clusiaceae: *Vismia japurensis* Reichardt
3361. Boraginaceae: *Tournefortia bicolor* Sw.
3362. Lauraceae: *Licaria armeniaca* (Nees) Kosterm.
3363. Melastomataceae: *Miconia prasina* (Sw.) DC.
3364. Rhizophoraceae: *Cassipourea guianensis* Aubl.
3365. Lauraceae: *Nectandra amazonum* Nees
3366. Bignoniaceae: *Paragonia pyramidata* (Rich.)
Bureau
3367. Bignoniaceae: *Distictella magnoliifolia* (Kunth)
Sandwith
3368. Leguminosae-Mimosoideae: *Calliandra*
surinamensis Benth.
3369. Dioscoreaceae: *Dioscorea* sp.
3370. Marcgraviaceae: *Souroubea guianensis* Aubl.

3371. Leguminosae-Mimosoideae: *Mimosa microcephala* Humb. and Bonpl. ex Willd. var. *cataractae* (Ducke) Barneby
3372. Cladoniaceae: *Cladonia didyma* (Fée) Vain.
3373. Melastomataceae: *Comolia microphylla* Benth.
3374. Smilacaceae: *Smilax syphilitica* Humb. and Bonpl. ex Willd.
3375. Malpighiaceae: *Tetrapterys fimbripetala* A. Juss.
3376. Polygonaceae: *Coccoloba* cf. *conduplicata* Maguire
3377. Vochysiaceae: *Vochysia guianensis* Aubl.
3378. Vittariaceae: *Hecistopteris pumila* (Spreng.) J. Sm.
3379. Amaranthaceae: Indet.
3380. Verbenaceae: *Petrea macrostachya* Benth.
3381. Melastomataceae: *Clidemia hirta* (L.) D. Don
3382. Leguminosae-Faboideae: *Desmodium* sp.
3383. Convolvulaceae: Indet.
3384. Convolvulaceae: Indet.
3385. Solanaceae: *Solanum oocarpum* Sendtn.
3386. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. var. *rhombofolia* (G. Mey.) A. H. Gentry
3387. Asclepiadaceae: Indet.
3388. Dioscoreaceae: *Dioscorea* sp.
3389. Myristicaceae: *Iryanthera* sp.
3390. Rubiaceae: *Faramea capillipes* Müll. Arg.
3391. Costaceae: *Costus scaber* Ruiz and Pav.
3392. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
3393. Leguminosae-Faboideae: *Pterocarpus santalinoides* L'Hér. ex DC.
3394. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
3395. Rhamnaceae: *Gouania* sp.
3396. Sapotaceae: *Chrysophyllum argenteum* Jacq.
3397. Melastomataceae: *Miconia albicans* (Sw.) Triana
3398. Violaceae: *Rinorea brevipes* (Benth.) S. F. Blake
3399. Meliaceae: *Trichilia surumuensis* C. DC.
3400. Orchidaceae: *Maxillaria camaridii* Rchb. f.
3401. Cyperaceae: *Cyperus simplex* Kunth
3402. Piperaceae: *Peperomia elongata* Kunth
3403. Adiantaceae: *Adiantum pulverulentum* L.
3404. Tectariaceae: *Cyclopeltis semicordata* (Sw.) J. Sm.
3405. Adiantaceae: *Adiantum latifolium* Lam.
3406. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
3407. Rubiaceae: *Psychotria astrellantha* Wernham
3408. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth. var. *coccinea*
3409. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
3410. Myrtaceae: Indet.
3411. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
3412. Annonaceae: *Duguetia yeshidan* Sandwith
3413. Orchidaceae: *Myoxanthus trachyklamys* (Schltr.) Luer
3414. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
3415. Dichapetalaceae: *Tapura guianensis* Aubl.
3416. Araceae: *Syngonium podophyllum* Schott
3417. Meliaceae: *Trichilia* sp.
3418. Hippocrateaceae: *Salacia maburensis* Mennega
3419. Euphorbiaceae: *Jablonskia congesta* (Benth. ex Müll. Arg.) G. L. Webster
3420. Annonaceae: *Klarobelia* sp. nov.
3421. Marantaceae: *Calathea zingiberina* Körn.
3422. Euphorbiaceae: *Chaetocarpus schomburgkianus* (Kuntze) Pax and K. Hoffm.
3423. Leguminosae-Faboideae: *Swartzia grandifolia* Bong. ex Benth.
3424. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
3425. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
3426. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
3427. Arecaceae: *Geonoma deversa* (Poit.) Kunth
3428. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
3429. Bromeliaceae: *Guzmania lingulata* (L.) Mez
3430. Araceae: *Anthurium gracile* (Rudge) Schott
3431. Oxalidaceae: *Oxalis frutescens* L.
3432. Euphorbiaceae: *Caperonia stenophylla* Müll. Arg.
3433. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
3434. Lecythidaceae: *Gustavia augusta* L.
3435. Chrysobalanaceae: *Licania leptostachya* Benth.
3436. Apocynaceae: *Tabernaemontana heterophylla* Vahl
3437. Rubiaceae: *Psychotria lupulina* Benth.
3438. Piperaceae: *Peperomia elongata* Kunth
3439. Connaraceae: *Connarus coriaceus* G. Schellenb.
3440. Trigoniaceae: *Trigonia villosa* Aubl.
3441. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
3442. Malpighiaceae: *Bunchosia mollis* Benth.
3443. Ochnaceae: *Ouratea* sp.
3444. Myrtaceae: *Calypttranthes* sp.
3445. Myrtaceae: *Eugenia* sp.
3446. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
3447. Myrtaceae: *Eugenia* sp.
3448. Solanaceae: *Markea coccinea* Rich.
3449. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
3450. Piperaceae: *Peperomia pellucida* (L.) Kunth
3451. Piperaceae: *Peperomia quadrangularis* (J. V. Thomps.) A. Dietr.

3452. Orchidaceae: *Brassia* sp.
3453. Costaceae: *Costus scaber* Ruiz and Pav.
3454. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
3455. Orchidaceae: *Epidendrum strobiliferum* Rchb. f.
3456. Marantaceae: *Maranta protracta* Miq.
3457. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
3458. Orchidaceae: *Dichaea* sp.
3459. Gentianaceae: *Irlbachia alata* (Aubl.) Maas
3460. Orchidaceae: *Rodriguezia lanceolata* Ruiz and Pav.
3461. Rubiaceae: *Spermacoce remota* Lam.
3462. Bignoniaceae: *Tabebuia serratifolia* (Vahl) G. Nicholson
3463. Combretaceae: *Combretum pyramidatum* Desv.
3464. Rubiaceae: *Psychotria polycephala* Benth.
3465. Cactaceae: *Rhipsalis* cf. *baccifera* (J. S. Muell.) Stearn
3466. Hippocrateaceae: *Hippocratea volubilis* L.
3467. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombofolia* (G. Mey.) A. H. Gentry
3468. Aspleniaceae: *Asplenium serratum* L.
3469. Bryophyte: Indet.
3470. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
3471. Cyperaceae: *Rhynchospora comata* (Link) Roem. and Schult.
3472. Rubiaceae: *Genipa spruceana* Steyererm.
3473. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
3474. Orchidaceae: *Polystachya* sp.
3475. Liliaceae: *Hymenocallis tubiflora* Salisb.
3476. Combretaceae: *Combretum rotundifolium* Rich.
3477. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
3478. Tiliaceae: *Vasivaea alchorneoides* Baill.
3479. Compositae: *Piptocarpha triflora* (Aubl.) Benn. ex Baker
3480. Hippocrateaceae: *Hippocratea volubilis* L.
3481. Adiantaceae: *Adiantum latifolium* Lam.
3482. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
3483. Cyperaceae: *Cyperus simplex* Kunth
3484. Rubiaceae: *Borreria* cf. *prostrata* (Aubl.) Miq.
3485. Cyperaceae: *Scleria microcarpa* Nees ex Kunth
3486. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
3487. Orchidaceae: *Maxillaria crassifolia* (Lindl.) Rchb. f.
3488. Acanthaceae: *Justicia potarensis* (Bremek.) Wassh.
3489. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
3490. Leguminosae-Faboideae: *Swartzia dipetala* Willd. ex Vogel
3491. Anacardiaceae: *Spondias mombin* L.
3492. Cyperaceae: *Cyperus simplex* Kunth
3493. Euphorbiaceae: *Conceveiba guianensis* Aubl.
3494. Gentianaceae: *Coutoubea ramosa* Aubl. var. *ramosa*
3495. Euphorbiaceae: *Mabea taquari* Aubl.
3496. Myrtaceae: *Calyptranthes fasciculata* O. Berg
3497. Orchidaceae: *Maxillaria camaridii* Rchb. f.
3498. Poaceae: *Paspalum melanospermum* Desv. ex Poir.
3499. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
3500. Orchidaceae: *Epidendrum rigidum* Jacq.
3501. Orchidaceae: *Epidendrum strobiliferum* Rchb. f.
3502. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
3503. Annonaceae: *Unonopsis guatterrioides* (A. DC.) R. E. Fr.
3504. Bryophyte: Indet.
3505. Leguminosae-Faboideae: *Pterocarpus santalinoides* L'Hér. ex DC.
3506. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
3507. Heliconiaceae: *Heliconia acuminata* Rich.
3508. Marcgraviaceae: *Norantea guianensis* Aubl.
3509. Verbenaceae: *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber
3510. Lecythidaceae: *Gustavia augusta* L.
3511. Leguminosae-Faboideae: *Machaerium quinatum* (Aubl.) Sandwith
3512. Sapindaceae: *Cupania* sp.
3513. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
3514. Bignoniaceae: *Arrabidaea bilabiata* (Sprague) Sandwith
3515. Orchidaceae: *Epidendrum rigidum* Jacq.
3516. Malpighiaceae: *Tetrapterys discolor* (G. Mey.) DC.
3517. Bixaceae: *Bixa orellana* L.
3518. Lecythidaceae: *Gustavia augusta* L.
3519. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
3520. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
3521. Leguminosae-Faboideae: *Machaerium* sp.
3522. Bignoniaceae: *Callichlamys latifolia* (Rich.) K. Schum.
3523. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
3524. Bignoniaceae: *Arrabidaea nigrescens* Sandwith
3525. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.

3526. Vitaceae: *Cissus erosa* Rich.
 3527. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
 3528. Bignoniaceae: *Callichlamys latifolia* (Rich.) K. Schum.
 3529. Sterculiaceae: *Sterculia pruriens* (Aubl.) K. Schum.
 3530. Poaceae: *Paspalum melanospermum* Desv. ex Poir.
 3531. Combretaceae: *Combretum pyramidatum* Desv.
 3532. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 3533. Sapotaceae: *Pouteria surumuensis* Baehni
 3534. Combretaceae: *Buchenavia viridiflora* Ducke
 3535. Euphorbiaceae: *Conceveiba guianensis* Aubl.
 3536. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
 3537. Solanaceae: *Solanum monachophyllum* Dunal
 3538. Leguminosae-Mimosoideae: *Inga* sp.
 3539. Capparaceae: *Cleome parviflora* Kunth
 3540. Sapindaceae: *Paullinia dasygonia* Radlk.
 3541. Leguminosae-Mimosoideae: *Inga* sp.
 3542. Leguminosae-Faboideae: *Dalbergia monetaria* L. f.
 3543. Marcgraviaceae: *Norantea guianensis* Aubl. ssp. *guianensis*
 3544. Malpighiaceae: *Tetrapteryx discolor* (G. Mey.) DC.
 3545. Leguminosae-Mimosoideae: *Inga* sp.
 3546. Ochnaceae: *Sauvagesia erecta* L.
 3547. Bignoniaceae: *Tabebuia serratifolia* (Vahl) G. Nicholson
 3548. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
 3549. Meliaceae: *Trichilia pallida* Sw.
 3550. Scrophulariaceae: *Lindernia diffusa* (L.) Wettst.
 3551. Turneraceae: Indet.
 3552. Bromeliaceae: *Tillandsia bulbosa* Hook.
 3553. Bromeliaceae: *Tillandsia paraensis* Mez
 3554. Orchidaceae: *Caularthron* sp.
 3555. Solanaceae: *Markea coccinea* Rich.
 3556. Solanaceae: *Markea longiflora* Miers
 3557. Ochnaceae: *Ouratea schomburgkii* (Planch.) Engl.
 3558. Celastraceae: *Maytenus* sp.
 3559. Clusiaceae: *Clusia minor* L.
 3560. Elaeocarpaceae: Indet.
 3561. Myrtaceae: *Psidium striatulum* DC.
 3562. Rubiaceae: *Posoqueria* cf. *panamensis* (Walp. and Duchass.) Walp.
 3563. Clusiaceae: *Clusia leprantha* Mart.
 3564. Meliaceae: *Guarea pubescens* (Rich.) A. Juss.
 3565. Malpighiaceae: *Tetrapteryx styloptera* A. Juss.
 3566. Celastraceae: *Maytenus guyanensis* Klotzsch ex Reissek
 3567. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
 3568. Orchidaceae: *Brassia* sp.
 3569. Rubiaceae: *Psychotria polycephala* Benth.
 3570. Annonaceae: *Anaxagorea* sp.
 3571. Rubiaceae: *Duroia eriopila* L. f.
 3572. Tiliaceae: *Mollia glabrescens* Benth.
 3573. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
 3574. Burseraceae: *Crepidospermum rhoifolium* (Benth.) Triana and Planch.
 3575. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
 3576. Orchidaceae: *Epidendrum prostratum* (Lindl.) Cogn.
 3577. Bryophyte: Indet.
 3578. Moraceae: *Ficus schumacheri* (Liebm.) Griseb.
 3579. Araceae: *Philodendron muricatum* Willd. ex Schott
 3580. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
 3581. Myrtaceae: *Calyptranthes* sp.
 3582. Myrtaceae: Indet.
 3583. Meliaceae: *Carapa surinamensis* Miq. Stirp.
 3584. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
 3585. Orchidaceae: *Caularthron* sp.
 3586. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
 3587. Orchidaceae: *Stelis* sp.
 3588. Bromeliaceae: *Tillandsia paraensis* Mez
 3589. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
 3590. Menispermaceae: *Abuta imene* (Mart.) Eichler
 3591. Rubiaceae: *Oldenlandia lancifolia* (Schumach.) DC.
 3592. Malpighiaceae: *Heteropteryx* s.l. *macradena* (DC.) W. R. Anderson
 3593. Incertae sedis: Indet.
 3594. Meliaceae: *Trichilia surumuensis* C. DC.
 3595. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
 3596. Podostemaceae: *Mourera fluviatilis* Aubl.
 3597. Siparunaceae: *Siparuna guianensis* Aubl.
 3598. Leguminosae-Caesalpinioideae: *Baubinia* sp.
 3599. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
 3600. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
 3601. Rubiaceae: *Psychotria* cf. *lupulina* Benth.
 3602. Annonaceae: *Duguetia neglecta* Sandwith
 3603. Arecaceae: *Hyospathe elegans* Mart.
 3604. Boraginaceae: *Cordia nodosa* Lam.
 3605. Myrtaceae: *Marlierea umbraticola* (Kunth) O. Berg

3606. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
3607. Selaginellaceae: *Selaginella pedata* Klotzsch
3608. Meliaceae: *Trichilia* sp.
3609. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
3610. Meliaceae: *Guarea* sp.
3611. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
3612. Sterculiaceae: *Theobroma subincanum* Mart.
3613. Dichapetalaceae: *Tapura guianensis* Aubl.
3614. Flacourtiaceae: *Casearia singularis* Eichler
3615. Bignoniaceae: *Memora* cf. *schomburgkii* (DC.) Miers
3616. Lecythydaceae: *Eschweilera micrantha* (O. Berg) Miers
3617. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
3618. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
3619. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
3620. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
3621. Rubiaceae: *Psychotria* cf. *podocephala* (Müll. Arg.) Standl.
3622. Annonaceae: *Anaxagorea* sp.
3623. Rubiaceae: *Psychotria barbiflora* DC.
3624. Melastomataceae: *Clidemia japurensis* DC. var. *heterobasis* (DC.) Wurdack
3625. Meliaceae: *Guarea gomma* Pulle
3626. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
3627. Meliaceae: *Guarea trunciflora* C. DC.
3628. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
3629. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
3630. Piperaceae: *Piper arboreum* Aubl.
3631. Leguminosae-Mimosoideae: *Parkia velutina* Benoist
3632. Myristicaceae: *Iryanthera juruensis* Warb.
3633. Malpighiaceae: *Byrsonima laevigata* (Poir.) DC.
3634. Orchidaceae: *Epidendrum purpurascens* H. Focke
3635. Aspleniaceae: *Asplenium serratum* L.
3636. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
3637. Hymenophyllaceae: *Trichomanes krausii* Hook. and Grev.
3638. Hippocrateaceae: *Salacia maburensis* Mennega
3639. Piperaceae: *Peperomia rotundifolia* (L.) Kunth
3640. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
3641. Orchidaceae: *Maxillaria camaridii* Rchb. f.
3642. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
3643. Vittariaceae: *Antrophyum guayanense* Hieron.
3644. Sapindaceae: *Cupania hirsuta* Radlk.
3645. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
3646. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
3647. Araceae: *Philodendron rudgeanum* Schott
3648. Leguminosae-Mimosoideae: *Inga* sp.
3649. Bryophyte: Indet.
3650. Bryophyte: Indet.
3651. Araceae: *Caladium bicolor* (Aiton) Vent.
3652. Quiinaceae: *Lacunaria jenmanii* (Oliv.) Ducke
3653. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
3654. Selaginellaceae: *Selaginella producta* Baker
3655. Boraginaceae: *Cordia nodosa* Lam.
3656. Menispermaceae: *Cissampelos andromorpha* DC.
3657. Euphorbiaceae: *Rhodothyrsus macrophyllus* (Ducke) Esser
3658. Sapindaceae: Indet.
3659. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
3660. Cecropiaceae: *Coussapoa microcephala* Trécul
3661. Myristicaceae: *Viola elongata* (Benth.) Warb.
3662. Araceae: *Philodendron myrmecophilum* Engl.
3663. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
3664. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
3665. Euphorbiaceae: *Rhodothyrsus macrophyllus* (Ducke) Esser
3666. Verbenaceae: *Petrea macrostachya* Benth.
3667. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
3668. Triuridaceae: *Sciaphila purpurea* Benth.
3669. Orchidaceae: *Rodriguezia lanceolata* Ruiz and Pav.
3670. Bombacaceae: *Catostemma fragrans* Benth.
3671. Bryophyte: Indet.
3672. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
3673. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
3674. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
3675. Apocynaceae: *Plumeria rubra* L.
3676. Cyperaceae: *Rhynchospora rupicola* M. T. Strong
3677. Poaceae: *Ichnanthus nemoralis* (Schrad. ex Schult.) Hitchc. and Chase
3678. Parmeliaceae: *Rimelia* sp.
3679. Lichenized basidiomycete: *Dictyonema glabratum* (Spreng.) D. Hawksw.
3680. Bryophyte: Indet.
3681. Hymenophyllaceae: *Trichomanes cristatum* Kaulf.

3682. Bryophyte: Indet.
3683. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
3684. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
3685. Grammitidaceae: *Micropolypodium nanum* (Fée) A. R. Sm.
3686. Schizaeaceae: *Anemia flexuosa* (Sav.) Sw.
3687. Orchidaceae: *Epidendrum purpurascens* H. Focke
3688. Orchidaceae: *Maxillaria rufescens* Lindl.
3689. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
3690. Dichapetalaceae: *Tapura guianensis* Aubl.
3691. Violaceae: *Rinorea riana* Kuntze
3692. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand.
3693. Cyperaceae: *Rhynchospora comata* (Link) Roem. and Schult.
3694. Orchidaceae: *Rodriguezia lanceolata* Ruiz and Pav.
3695. Lauraceae: *Endlicheria reflectens* (Nees) Mez
3696. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
3697. Bromeliaceae: *Vriesea platynema* Gaudich.
3698. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
3699. Rubiaceae: *Isertia parviflora* Vahl
3700. Polygonaceae: *Coccoloba* cf. *excelsa* Benth.
3701. Myrsinaceae: *Cybianthus prieurii* A. DC.
3702. Polygonaceae: *Coccoloba striata* Benth.
3703. Bromeliaceae: *Guzmania lingulata* (L.) Mez
3704. Orchidaceae: *Maxillaria camaridii* Rchb. f.
3705. Orchidaceae: *Zygosepalum lindeniae* (Rolfe) Garay and Dunst.
3706. Orchidaceae: *Maxillaria superflua* Rchb. f.
3707. Orchidaceae: *Jacquinella globosa* (Jacq.) Schltr.
3708. Polypodiaceae: *Polypodium triseriale* Sw.
3709. Lomariopsidaceae: *Elaphoglossum plumosum* (Fée) T. Moore
3710. Marantaceae: *Maranta rupicola* L. Andersson
3711. Bromeliaceae: *Aechmea tocantina* Baker
3712. Melastomataceae: *Mouriri* sp.
3713. Rubiaceae: *Sabicea aspera* Aubl.
3714. Myrtaceae: *Myrcia calycampa* Amshoff
3715. Myrtaceae: *Eugenia tapacumensis* O. Berg
3716. Dioscoreaceae: Indet.
3717. Polygonaceae: *Coccoloba lucidula* Benth.
3718. Marcgraviaceae: *Norantea guianensis* Aubl.
3719. Leguminosae-Mimosoideae: *Calliandra* sp.
3720. Clusiaceae: *Clusia nemorosa* G. Mey.
3721. Euphorbiaceae: *Croton galeopsifolius* Lanj.
3722. Burseraceae: *Protium* s.l. *tenuifolium* (Engl.) Engl.
3723. Lecythydaceae: *Eschweilera coriacea* (DC.) S. A. Mori
3724. Piperaceae: *Piper nematanthera* (Miq.) C. DC.
3725. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
3726. Orchidaceae: *Palmorchis* sp.
3727. Orchidaceae: *Epidendrum nocturnum* Jacq. var. *tumuc-humaciense* Veyret
3728. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
3729. Loranthaceae: *Struthanthus* aff. *phyllyraeoides* (Kunth) Blume
3730. Leguminosae-Mimosoideae: *Zygia* cf. *ampla* (Benth.) Pittier
3731. Melastomataceae: *Ernestia pullei* Gleason
3732. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
3733. Dichapetalaceae: *Dichapetalum rugosum* (Vahl) Prance
3734. Sapindaceae: *Cupania rubiginosa* (Poir.) Radlk.
3735. Rubiaceae: *Chomelia malaneoides* Müll. Arg.
3736. Connaraceae: *Connarus* sp.
3737. Bromeliaceae: *Tillandsia monadelphica* (E. Morren) Baker
3738. Myrtaceae: *Myrcia inaequiloba* (DC.) D. Legrand
3739. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
3740. Orchidaceae: *Epidendrum purpurascens* H. Focke
3741. Lomariopsidaceae: *Elaphoglossum herminieri* (Bory and Fée ex Fée) T. Moore
3742. Myrtaceae: *Eugenia florida* DC.
3743. Marcgraviaceae: *Souroubea guianensis* Aubl.
3744. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
3745. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
3746. Vittariaceae: *Vittaria lineata* (L.) Sm.
3747. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult. ssp. *latifolia*
3748. Polygalaceae: *Securidaca paniculata* Rich. var. *lasiocarpa* Oort
3749. Melastomataceae: *Miconia prasina* (Sw.) DC.
3750. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
3751. Melastomataceae: *Henriettea succosa* (Aubl.) DC.
3752. Dilleniaceae: *Doliocarpus brevipedicellatus* Garcke
3753. Myrtaceae: *Psidium acutangulum* DC.
3754. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
3755. Leguminosae-Faboideae: *Lonchocarpus* s.l. sp.
3756. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.

3757. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
3758. Euphorbiaceae: *Mabea pulcherrima* Müll. Arg.
3759. Leguminosae-Mimosoideae: *Inga* sp.
3760. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
3761. Orchidaceae: *Brassia* sp.
3762. Orchidaceae: *Heterotaxis superflua* (Rchb. f.) F. Barros
3763. Lomariopsidaceae: *Elaphoglossum minutum* (Pohl ex Fée) T. Moore
3764. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
3765. Clusiaceae: Indet.
3766. Polypodiaceae: *Campyloneurum latum* T. Moore
3767. Aspleniaceae: *Asplenium auritum* Sw.
3768. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
3769. Leguminosae-Faboideae: *Taralea oppositifolia* Aubl.
3770. Cyperaceae: *Scleria flagellum-nigrorum* P. J. Bergius
3771. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
3772. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
3773. Orchidaceae: *Pleurothallis* sp.
3774. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
3775. Piperaceae: *Peperomia elongata* Kunth
3776. Arecaceae: *Geonoma baculifera* (Poit.) Kunth
3777. Leguminosae-Faboideae: *Swartzia grandifolia* Bong. ex Benth.
3778. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni ssp. *dura* (Eyma) T. D. Penn.
3779. Euphorbiaceae: *Amanoa guianensis* Aubl.
3780. Rubiaceae: *Faramea irwinii* Steyerl.
3781. Orchidaceae: *Dichaea* sp.
3782. Orchidaceae: *Maxillaria uncatata* Lindl.
3783. Orchidaceae: *Dichaea* sp.
3784. Leguminosae-Mimosoideae: *Inga* sp.
3785. Myristicaceae: *Virola surinamensis* (Rol. ex Rottb.) Warb.
3786. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
3787. Combretaceae: *Combretum pyramidatum* Desv.
3788. Meliaceae: *Carapa guianensis* Aubl.
3789. Chrysobalanaceae: Indet.
3790. Lauraceae: *Ocotea* sp.
3791. Melastomataceae: *Mouriri guianensis* Aubl.
3792. Menispermaceae: Indet.
3793. Meliaceae: *Trichilia* sp.
3794. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
3795. Lauraceae: *Ocotea* sp.
3796. Orchidaceae: *Stelis* sp.
3797. Bryophyte: Indet.
3798. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
3799. Marantaceae: *Calathea zingiberina* Körn.
3800. NO RECORD
3801. Meliaceae: *Guarea gomma* Pulle
3802. Sapotaceae: *Pouteria brachyandra* (Aubrév. and Pellegr.) T. D. Penn.
3803. Bromeliaceae: *Tillandsia monadelphica* (E. Morren) Baker
3804. Araceae: *Philodendron linnaei* Kunth
3805. Polygonaceae: *Coccoloba gymnorhachis* Sandwith
3806. Hippocrateaceae: *Tontelea* sp.
3807. Combretaceae: *Buchenavia viridiflora* Ducke
3808. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
3809. Annonaceae: *Duguetia calycina* Benoist
3810. Melastomataceae: *Clidemia pustulata* DC.
3811. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
3812. Chrysobalanaceae: *Parinari campestris* Aubl.
3813. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
3814. Bignoniaceae: *Arrabidaea nigrescens* Sandwith
3815. Vitaceae: *Cissus* sp.
3816. Anacardiaceae: *Tapirira guianensis* Aubl.
3817. Thelypteridaceae: *Thelypteris serrata* (Cav.) Alston
3818. Myrtaceae: *Eugenia egensis* DC.
3819. Loranthaceae: *Struthanthus* sp.
3820. Moraceae: *Ficus paraensis* (Miq.) Miq.
3821. Leguminosae-Caesalpinioideae: *Vouacapoua macropetala* Sandwith
3822. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
3823. Rubiaceae: *Palicourea crocea* (Sw.) Roem. and Schult.
3824. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
3825. Vitaceae: *Cissus erosa* Rich.
3826. Lecythidaceae: *Gustavia hexapetala* (Aubl.) Sm.
3827. Chrysobalanaceae: *Licania ovalifolia* Kleinhoonte
3828. Annonaceae: *Xylopia* sp.
3829. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.

3830. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
3831. Leguminosae-Caesalpinioideae: *Baubinia* sp.
3832. Verbenaceae: *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber
3833. Passifloraceae: *Passiflora leptopoda* Harms
3834. Bixaceae: *Bixa orellana* L.
3835. Leguminosae-Faboideae: *Lonchocarpus* s.l. sp.
3836. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby var. *multijuga*
3837. Leguminosae-Mimosoideae: *Mimosa* sp.
3838. Leguminosae-Faboideae: *Swartzia reticulata* Ducke
3839. Ochnaceae: *Ouratea schomburgkii* (Planch.) Engl.
3840. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
3841. Theophrastaceae: *Clavija* cf. *lancifolia* Desf.
3842. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
3843. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell
3844. Scrophulariaceae: *Scoparia dulcis* L.
3845. Cyperaceae: *Fimbristylis miliacea* (L.) Vahl
3846. Lamiaceae: *Hyptis* cf. *recurvata* Poit.
3847. Cyperaceae: *Cyperus sphacelatus* Rottb.
3848. Compositae: *Trichospira verticillata* (L.) S. F. Blake
3849. Poaceae: *Panicum hylaeicum* Mez
3850. Molluginaceae: *Glinus radiatus* (Ruiz and Pav.) Rohrb.
3851. Melastomataceae: *Aciotis aequatorialis* Cogn.
3852. Begoniaceae: *Begonia humilis* Dryand.
3853. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
3854. Leguminosae-Mimosoideae: *Inga* sp.
3855. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
3856. Apocynaceae: *Bonafousia siphilitica* (L. f.) L. Allorge
3857. Cyperaceae: *Scleria microcarpa* Nees ex Kunth
3858. Rubiaceae: *Oldenlandia lancifolia* (Schumach.) DC.
3859. Poaceae: *Panicum laxum* Sw.
3860. Poaceae: *Panicum pyrularium* Hitchc. and Chase
3861. Verbenaceae: *Lippia betulifolia* Kunth
3862. Rubiaceae: *Borreria ovalifolia* M. Martens and Galeotti
3863. Poaceae: *Digitaria lanuginosa* (Nees) Henrard
3864. Compositae: *Xiphochaeta aquatica* Poepp.
3865. Vitaceae: *Cissus* sp.
3866. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
3867. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.
3868. Solanaceae: *Solanum monachophyllum* Dunal
3869. Turneraceae: Indet.
3870. Rubiaceae: *Spermacoce latifolia* Aubl.
3871. Leguminosae-Faboideae: *Vigna luteola* (Jacq.) Benth.
3872. Poaceae: *Setaria parviflora* (Poir.) Kerguélen
3873. Combretaceae: *Combretum rotundifolium* Rich.
3874. Poaceae: *Acroceras zizanioides* (Kunth) Dandy
3875. Tiliaceae: *Vasivaea alchorneoides* Baill.
3876. Cyperaceae: *Cyperus miliifolius* Poepp. and Kunth
3877. Cyperaceae: *Fimbristylis littoralis* Gaudich.
3878. Annonaceae: *Annona hypoglauca* Mart.
3879. Rubiaceae: *Psychotria lupulina* Benth.
3880. Flacourtiaceae: Indet. ?
3881. Sterculiaceae: *Herrania* sp.
3882. Costaceae: *Costus scaber* Ruiz and Pav.
3883. Poaceae: *Olyra latifolia* L.
3884. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
3885. Compositae: *Wulffia baccata* (L.) Kuntze
3886. Vittariaceae: *Antrophyum guayanense* Hieron.
3887. Marantaceae: *Ischnosiphon arouma* (Aubl.) Körn.
3888. Euphorbiaceae: *Croton pullei* Lanj.
3889. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
3890. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
3891. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
3892. Tectariaceae: *Ctenitis refulgens* (Klotzsch ex Mett.) C. Chr. ex Vareschi
3893. Melastomataceae: *Miconia nervosa* (Sm.) Triana
3894. Marcgraviaceae: Indet.
3895. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
3896. Poaceae: *Pharus parvifolius* Nash
3897. Leguminosae-Faboideae: *Desmodium* sp.
3898. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
3899. Tiliaceae: *Apeiba albiflora* Ducke
3900. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
3901. Malpighiaceae: *Tetrapterys discolor* (G. Mey.) DC.
3902. Euphorbiaceae: *Mabea taquari* Aubl.
3903. Leguminosae-Faboideae: *Machaerium floribundum* Benth. var. *floribundum*
3904. Sapindaceae: *Cupania rubiginosa* (Poir.) Radlk.
3905. Bignoniaceae: *Cydista* cf. *aequinocialis* (L.) Miers
3906. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
3907. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
3908. Polygalaceae: Indet.

3909. Leguminosae-Faboideae: *Dalbergia intermedia*
A. M. Carvalho
3910. Compositae: *Piptocarpha triflora* (Aubl.) Benn.
ex Baker
3911. Araceae: *Anthurium gracile* (Rudge) Schott
3912. Cactaceae: *Epiphyllum phyllanthus* (L.) Haw.
3913. Hippocrateaceae: *Cheiloclinium brevipetiolatum*
Lombardi
3914. Boraginaceae: *Cordia* sp.
3915. Menispermaceae: Indet.
3916. Leguminosae-Caesalpinioideae: *Elizabetha*
coccinea M. R. Schomb. ex Benth.
3917. Tiliaceae: *Apeiba petoumo* Aubl.
3918. Picramniaceae: *Picramnia sellowii* Planch. ssp.
spruceana (Engl.) Pirani
3919. Myrsinaceae: Indet. ?
3920. Leguminosae-Mimosoideae: *Inga* sp.
3921. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
3922. Violaceae: *Corynostylis arborea* (L.) S. F. Blake
3923. Vitaceae: *Cissus* sp.
3924. Combretaceae: *Combretum rotundifolium* Rich.
3925. Myrtaceae: *Eugenia patrisii* Vahl
3926. Combretaceae: *Combretum pyramidatum* Desv.
3927. Sapotaceae: *Pouteria surumuensis* Baehni
3928. Leguminosae-Caesalpinioideae: *Macrolobium*
multijugum (DC.) Benth.
3929. Vitaceae: *Cissus erosa* Rich.
3930. Leguminosae-Faboideae: *Lonchocarpus* ?
densiflorus Benth.
3931. Malpighiaceae: *Heteropterys macrostachya*
A. Juss.
3932. Passifloraceae: *Passiflora capparidifolia* Killip
3933. Bignoniaceae: *Adenocalymna inundatum* Mart.
ex DC. var. *surinamense* Bureau and K. Schum.
3934. Convolvulaceae: Indet.
3935. Euphorbiaceae: *Dalechampia affinis* Müll. Arg.
3936. Humiriaceae: *Sacoglottis cydonioides* Cuatrec.
3937. Cecropiaceae: *Cecropia latiloba* Miq.
3938. Hymenophyllaceae: *Trichomanes krausii* Hook.
and Grev.
3939. Myristicaceae: *Virola elongata* (Benth.) Warb.
3940. Bombacaceae: *Catostemma fragrans* Benth.
3941. Chrysobalanaceae: *Hirtella silicea* Griseb.
3942. Meliaceae: *Trichilia* sp.
3943. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
3944. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
3945. Burseraceae: *Tetragastris panamensis* (Engl.)
Kuntze
3946. Verbenaceae: *Petrea macrostachya* Benth.
3947. Annonaceae: *Duguetia surinamensis* R. E. Fr.
3948. Incertae sedis: Indet.
3949. Burseraceae: *Protium sagotianum* Marchand
3950. Burseraceae: *Crepidospermum* sp.
3951. Piperaceae: *Piper* ? *nematanthera* (Miq.) C. DC.
3952. Araceae: *Philodendron rudgeanum* Schott
3953. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
3954. Araceae: *Philodendron myrmecophilum* Engl.
3955. Chrysobalanaceae: *Hirtella macrosepala*
Sandwith
3956. Adiantaceae: *Adiantum adiantoides* (J. Sm.)
C. Chr.
3957. Dichapetalaceae: *Tapura guianensis* Aubl.
3958. Sapotaceae: *Pouteria hispida* Eyma
3959. Rubiaceae: *Psychotria astrellantha* Wernham
3960. Lecythidaceae: *Eschweilera subglandulosa*
(Steud. ex O. Berg) Miers
3961. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
3962. Lauraceae: Indet.
3963. Meliaceae: *Trichilia* sp.
3964. Sapindaceae: *Thinouia myriantha* Triana and
Planch.
3965. Bignoniaceae: *Paragonia pyramidata* (Rich.)
Bureau
3966. Leguminosae-Mimosoideae: *Mimosa myriadenia*
(Benth.) Benth.
3967. Sapindaceae: *Paullinia dasygonia* Radlk.
3968. Leguminosae-Faboideae: *Dioclea reflexa* Hook. f.
3969. Melastomataceae: *Bellucia grossularioides* (L.)
Triana
3970. Malpighiaceae: *Excentradenia propinqua* (W. R.
Anderson) W. R. Anderson
3971. Lygodiaceae: *Lygodium volubile* Sw.
3972. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
3973. Annonaceae: *Unonopsis guatteroides* (A. DC.)
R. E. Fr.
3974. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
3975. Chrysobalanaceae: *Licania leptostachya* Benth.
3976. Trigoniaceae: *Trigonia villosa* Aubl.
3977. Boraginaceae: *Cordia* sp.
3978. Malpighiaceae: *Tetrapterys discolor* (G. Mey.) DC.
3979. Leguminosae-Caesalpinioideae: *Senna latifolia*
(G. Mey.) H. S. Irwin and Barneby
3980. Bignoniaceae: *Arrabidaea bilabiata* (Sprague)
Sandwith
3981. Leguminosae-Mimosoideae: *Inga splendens* Willd.
3982. Myrtaceae: *Eugenia tapacumensis* O. Berg
3983. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
3984. Siparunaceae: *Siparuna guianensis* Aubl.
3985. Melastomataceae: *Clidemia novemnervia* (DC.)
Triana var. *affinis* (Naudin) Wurdack

3986. Dilleniaceae: *Doliocarpus brevipedicellatus* Garcke
3987. Chrysobalanaceae: *Licania majuscula* Sagot
3988. Leguminosae-Faboideae: *Andira inermis* (W. Wright) DC.
3989. Sapindaceae: *Toulicia guianensis* Aubl.
3990. Hippocrateaceae: *Hylenaea comosa* (Sw.) Miers
3991. Verbenaceae: *Vitex compressa* Turcz.
3992. Orchidaceae: *Quekettia* sp.
3993. Orchidaceae: *Notylia* sp.
3994. Orchidaceae: *Dichaea* sp.
3995. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
3996. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
3997. Polypodiaceae: *Microgramma tecta* (Kaulf.) Alston
3998. Rubiaceae: *Bertiera guianensis* Aubl.
3999. Sterculiaceae: *Sterculia rugosa* R. Br.
4000. Celastraceae: *Gouphia glabra* Aubl.
4001. Oleandraceae: *Nephrolepis biserrata* (Sw.) Schott
4002. Oleandraceae: *Oleandra pilosa* Hook.
4003. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
4004. Aspleniaceae: *Asplenium pearcei* Baker
4005. Bryophyte: Indet.
4006. Bryophyte: Indet.
4007. Zingiberaceae: *Renalmia alpinia* (Rottb.) Maas
4008. Heliconiaceae: *Heliconia bihai* (L.) L.
4009. Flacourtiaceae: *Casearia sylvestris* Sw.
4010. Euphorbiaceae: *Margaritaria nobilis* L. f.
4011. Orchidaceae: *Psymorchis* sp.
4012. Cyperaceae: *Cyperus simplex* Kunth
4013. Menispermaceae: *Cissampelos andromorpha* DC.
4014. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
4015. Tectariaceae: *Cyclopeltis semicordata* (Sw.) J. Sm.
4016. Aspleniaceae: *Asplenium serratum* L.
4017. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
4018. Humiriaceae: *Sacoglottis* ? sp.
4019. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
4020. Elaeocarpaceae: *Sloanea* sp.
4021. Myrtaceae: Indet.
4022. Ebenaceae: *Diospyros lissocarpoides* Sandwith
4023. Polypodiaceae: *Polypodium polypodioides* (L.) Watt
4024. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
4025. Flacourtiaceae: *Casearia commersoniana* Cambess.
4026. Rubiaceae: *Faramea capillipes* Müll. Arg.
4027. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
4028. Rubiaceae: *Duroia eriopila* L. f.
4029. Clusiaceae: *Clusia nemorosa* G. Mey.
4030. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
4031. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
4032. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
4033. Leguminosae-Mimosoideae: *Calliandra laxa* (Willd.) Benth. var. *stipulacea* (Benth.) Barneby
4034. Compositae: *Mikania parviflora* (Aubl.) H. Karst.
4035. Apocynaceae: *Secondatia densiflora* A. DC.
4036. Celastraceae: *Maytenus kanukuensis* A. C. Sm.
4037. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
4038. Orchidaceae: *Orleanesia amazonica* Barb. Rodr.
4039. Leguminosae-Faboideae: *Swartzia apiculata* R. S. Cowan
4040. Lauraceae: *Endlicheria reflectens* (Nees) Mez
4041. Leguminosae-Faboideae: *Ormosia* sp.
4042. Myrtaceae: *Plinia* sp.
- 4042b. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
4043. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
4044. Orchidaceae: *Aspasia variegata* Lindl.
4045. Malpighiaceae: *Byrsonima* sp.
4046. Bignoniaceae: *Tabebuia serratifolia* (Vahl) G. Nicholson
4047. Boraginaceae: *Cordia toqueve* Aubl.
4048. Sapindaceae: *Cupania rubiginosa* (Poir.) Radlk.
4049. Passifloraceae: *Passiflora* sp.
4050. Smilacaceae: *Smilax schomburgkiana* Kunth
4051. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
4052. Lecythidaceae: *Lecythis alutacea* (A. C. Sm.) S. A. Mori
4053. Orchidaceae: *Maxillaria uncata* Lindl.
4054. Orchidaceae: *Maxillaria camaridii* Rchb. f.
4055. Vochysiaceae: *Vochysia tetraphylla* (G. Mey.) DC.
4056. Alismataceae: *Echinodorus subalatus* (Mart.) Griseb. ssp. *subalatus*
4057. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
4058. Chrysobalanaceae: *Hirtella paniculata* Sw.
4059. Connaraceae: *Connarus lambertii* (DC.) Sagot
4060. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne

4061. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
4062. Quiinaceae: *Quiina pteridophylla* (Radlk.) Pires
4063. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
4064. Malpighiaceae: *Heteropterys subhelicina* Nied.
4065. Polygonaceae: *Coccoloba marginata* Benth.
4066. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
4067. Erythroxylaceae: *Erythroxylum macrophyllum* Cav.
4068. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
4069. Marantaceae: *Ischnosiphon arouma* (Aubl.) Körn.
4070. Lecythidaceae: *Eschweilera boltenii* S. A. Mori
4071. Onagraceae: *Ludwigia latifolia* (Benth.) H. Hara
4072. Loganiaceae: *Strychnos* sp.
4073. Quiinaceae: *Quiina pteridophylla* (Radlk.) Pires
4074. Meliaceae: *Trichilia* sp.
4075. Melastomataceae: *Miconia albicans* (Sw.) Triana
4076. Rubiaceae: *Isertia parviflora* Vahl
4077. Sapotaceae: *Pouteria surumuensis* Baehni
4078. Tiliaceae: Indet.
4079. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
4080. Verbenaceae: *Petrea macrostachya* Benth.
4081. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
4082. Aspleniaceae: *Asplenium serratum* L.
4083. Aspleniaceae: *Asplenium angustum* Sw.
4084. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
4085. Araceae: *Anthurium gracile* (Rudge) Schott
4086. Leguminosae-Faboideae: *Clathrotropis macrocarpa* Ducke
4087. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
4088. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
4089. Clusiaceae: *Caraipa punctulata* Ducke
4090. Melastomataceae: *Miconia lappacea* (DC.) Triana
4091. Hippocrateaceae: *Salacia maburensis* Mennega
4092. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
4093. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
4094. Passifloraceae: *Passiflora cirrhiflora* Juss.
4095. Elaeocarpaceae: *Sloanea guianensis* (Aubl.) Benth.
4096. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
4097. Orchidaceae: *Scaphyglottis* cf. *sickii* Pabst
4098. Araceae: *Anthurium trinervium* Miq.
4099. Araceae: *Stenospermation* ? *maguirei* A. M. E. Jonker and Jonker
4100. Orchidaceae: *Epidendrum ramosum* Jacq.
4101. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
4102. Orchidaceae: *Reichenbachanthus reflexus* (Lindl.) Brade
4103. Bryophyte: Indet.
4104. Orchidaceae: *Elleanthus caravata* (Aubl.) Rchb. f.
4105. Orchidaceae: *Maxillaria porrecta* Lindl.
4106. Grammitidaceae: *Cochlidium linearifolium* (Desv.) Maxon ex C. Chr.
4107. Orchidaceae: *Dichaea* sp.
4108. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
4109. Orchidaceae: *Xerorchis trichorbiza* (Kraenzl.) Garay
4110. Rubiaceae: *Psychotria barbiflora* DC.
4111. Rubiaceae: *Psychotria apoda* Steyerem.
4112. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
4113. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
4114. Myrtaceae: *Eugenia* sp.
4115. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
4116. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
4117. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
4118. Hymenophyllaceae: *Trichomanes diversifrons* (Bory) Mett. ex Sadeb.
4119. Marcgraviaceae: *Marcgravia parviflora* Rich. ex Wittm.
4120. Cyatheaceae: *Cyathea pungens* (Willd.) Domin
4121. Myrtaceae: *Calycorectes bergii* Sandwith
4122. Flacourtiaceae: *Ryania speciosa* Vahl var. *subuliflora* (Sandwith) Monach.
4123. Picramniaceae: *Picramnia magnifolia* J. F. Macbr.
4124. Smilacaceae: *Smilax latipes* Gleason
4125. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
4126. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
4127. Chrysobalanaceae: *Hirtella silicea* Griseb.
4128. Piperaceae: *Peperomia ouabianae* C. DC.
4129. Melastomataceae: *Adelobotrys ciliata* (Naudin) Triana
4130. Euphorbiaceae: *Aparisthium cordatum* (A. Juss.) Baill.

4131. Cyatheaceae: *Cnemidaria spectabilis* (Kunze)
R. M. Tryon
4132. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze)
Mett.
4133. Burseraceae: *Protium opacum* Swart ssp. *opacum*
4134. Sterculiaceae: *Sterculia rugosa* R. Br.
4135. Lomariopsidaceae: *Elaphoglossum strictum*
(Raddi) T. Moore
4136. Piperaceae: *Peperomia* vs. *obtusifolia* (L.) A. Dietr.
4137. Rubiaceae: *Palicourea guianensis* Aubl.
4138. Rubiaceae: *Psychotria microbotrys* Ruiz ex
Standl.
4139. Annonaceae: *Guatteria wachenheimi* Benoist
4140. Rubiaceae: *Psychotria uliginosa* Sw.
4141. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and
Endl.) C. Jeffrey
4142. Melastomataceae: *Miconia mariae* Wurdack
4143. Gesneriaceae: *Besleria flavovirens* Nees and Mart.
4144. Piperaceae: *Piper insipiens* Trel. and Yunck.
4145. Zingiberaceae: *Renealmia thyrsoides* (Ruiz and
Pav.) Poepp. ssp. *chrysantha* Maas
4146. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée)
Alston
4147. Orchidaceae: *Palmorchis* sp.
4148. Marattiaceae: *Danaea elliptica* Sm.
4149. Heliconiaceae: *Heliconia bihai* (L.) L.
4150. Lauraceae: *Ocotea* sp.
4151. Violaceae: *Rinorea riana* Kuntze
4152. Annonaceae: *Cymbopetalum brasiliense* (Vell.)
Benth. ex Baill.
4153. Araceae: *Anthurium expansum* Gleason
4154. Myrsinaceae: *Cybianthus microbotrys* A. DC.
4155. Orchidaceae: *Cheiradenia cuspidata* Lindl.
4156. Tectariaceae: *Tectaria plantaginea* (Jacq.) Maxon
4157. Hymenophyllaceae: *Trichomanes ankersii*
C. Parker ex Hook. and Grev.
4158. Rubiaceae: *Sipanea wilson-brownei* R. S. Cowan
4159. Melastomataceae: *Aciotis* sp.
4160. Rubiaceae: *Psychotria cupularis* (Müll. Arg.)
Standl.
4161. Rubiaceae: *Faramea occidentalis* (L.) A. Rich.
4162. Sapotaceae: *Pouteria surumuensis* Baehni
4163. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
4164. Clusiaceae: *Clusia palmicida* Rich. ex Planch.
and Triana
4165. Bignoniaceae: *Parabignonia steyermarkii*
Sandwith
4166. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
4167. Arecaceae: *Geonoma maxima* (Poit.) Kunth var.
ambigua (Spruce) A. J. Hend.
4168. Boraginaceae: *Cordia nodosa* Lam.
4169. Chrysobalanaceae: Indet.
4170. Apocynaceae: *Forsteronia* sp.
4171. Connaraceae: *Connarus megacarpus* S. F. Blake
4172. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
4173. Sapotaceae: *Pouteria* ? *torta* (Mart.) Radlk.
4174. Rubiaceae: *Chimarrhis turbinata* DC.
4175. Orchidaceae: *Cryptarrhena kegelii* Rchb. f.
4176. Piperaceae: *Peperomia obtusifolia* (L.) A. Dietr.
4177. Myristicaceae: *Iryanthera lancifolia* Ducke
4178. Piperaceae: *Piper obliquum* Ruiz and Pav. vel
cernuum Vell.
4179. Piperaceae: *Piper insipiens* Trel. and Yunck.
4180. Tectariaceae: *Tectaria heracleifolia* (Willd.)
Underw.
4181. Gesneriaceae: *Paradrymonia maculata* (Hook. f.)
Wiehler
4182. Solanaceae: *Cestrum megalophyllum* Dunal
4183. Verbenaceae: *Aegiphila membranacea* Turcz.
4184. Melastomataceae: *Miconia mariae* Wurdack
4185. Solanaceae: *Solanum schlechtendalianum* Walp.
4186. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and
Endl.) C. Jeffrey
4187. Marattiaceae: *Danaea simplicifolia* Rudge
4188. Solanaceae: *Lycianthes pauciflora* (Vahl) Bitter
4189. Verbenaceae: *Aegiphila membranacea* Turcz.
4190. Melastomataceae: *Loreya spruceana* Benth. ex
Triana
4191. Passifloraceae: *Passiflora coccinea* Aubl.
4192. Asclepiadaceae: Indet.
4193. Sapindaceae: *Talisia megaphylla* Sagot ex Radlk.
4194. Annonaceae: *Unonopsis rufescens* (Baill.) R. E. Fr.
4195. Annonaceae: *Guatteria wachenheimi* Benoist
4196. Rubiaceae: *Ixora graciliflora* Benth.
4197. Dichapetalaceae: *Tapura guianensis* Aubl.
4198. Annonaceae: *Anaxagorea dolichocarpa* Sprague
and Sandwith
4199. Bryophyte: Indet.
4200. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.)
Fosberg
4201. Euphorbiaceae: *Pausandra martinii* Baill.
4202. Leguminosae-Caesalpinioideae: *Elizabetha*
princeps M. R. Schomb. ex Benth.
4203. Sapindaceae: *Paullinia latifolia* Benth. ex Radlk.
4204. Orchidaceae: *Stelis* sp.
4205. Polypodiaceae: *Niphidium crassifolium* (L.)
Lellinger
4206. Compositae: *Mikania gleasonii* B. L. Rob.
4207. Dryopteridaceae: *Cyclodium inerme* (Fée)
A. R. Sm.

4208. Menispermaceae: *Abuta* sp.
4209. Lecythidaceae: *Eschweilera coriacea* (DC.)
S. A. Mori
4210. Chrysobalanaceae: *Licania licaniflora* (Sagot)
S. F. Blake
4211. Leguminosae-Caesalpinioideae: *Eperua falcata*
Aubl.
4212. Acanthaceae: *Justicia calycina* (Nees) V. A. W.
Graham
4213. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
4214. Gesneriaceae: *Episcia xantha* Leeuwenb.
4215. Campanulaceae: *Centropogon cornutus* (L.)
Druce
4216. Leguminosae-Faboideae: *Dioclea megacarpa*
Rolfe
4217. Araceae: *Heteropsis flexuosa* (Kunth) G. S.
Bunting
4218. Flacourtiaceae: *Casearia pitumba* Sleumer
4219. Meliaceae: *Trichilia schomburgkii* C. DC.
4220. Rubiaceae: *Faramea occidentalis* (L.) A. Rich.
4221. Solanaceae: *Cestrum megalophyllum* Dunal
4222. Thelypteridaceae: *Thelypteris pennata* (Poir.)
C. V. Morton
4223. Pteridaceae: *Pteris pungens* Willd.
4224. Heliconiaceae: *Heliconia acuminata* Rich.
4225. Aspleniaceae: *Asplenium serratum* L.
4226. Marantaceae: *Calathea elliptica* (Roscoe)
K. Schum.
4227. Sapindaceae: *Talisia mollis* Kunth ex Cambess.
4228. Rubiaceae: *Amaioua guianensis* Aubl.
4229. Polypodiaceae: *Microgramma reptans* (Cav.)
A. R. Sm.
4230. Theophrastaceae: *Clavija lancifolia* Desf. ssp.
lancifolia
4231. Rubiaceae: *Psychotria cupularis* (Müll. Arg.)
Standl.
4232. Polygonaceae: *Coccoloba gymnorhachis*
Sandwith
4233. Bryophyte: Indet.
4234. Vittariaceae: *Anetium citrifolium* (L.) Splitg.
4235. Solanaceae: *Solanum uncinellum* Lindl.
4236. Leguminosae-Caesalpinioideae: *Senna latifolia*
(G. Mey.) H. S. Irwin and Barneby
4237. Caricaceae: *Jacaratia spinosa* (Aubl.) A. DC.
4238. Bignoniaceae: *Memora tanaeicarpa* A. H.
Gentry
4239. Sapindaceae: *Paullinia rugosa* Benth. ex Radlk.
4240. Orchidaceae: *Cheiradenia cuspidata* Lindl.
4241. Cyatheaceae: *Cnemidaria spectabilis* (Kunze)
R. M. Tryon
4242. Verbenaceae: *Aegiphila membranacea* Turcz.
4243. Araceae: *Spathiphyllum cuspidatum* Schott
4244. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée)
Alston
4245. Poaceae: *Panicum pilosum* Sw.
4246. Loganiaceae: *Spigelia hamelioides* Kunth
4247. Rubiaceae: *Gonzalagunia* cf. *dicocca* Cham. and
Schltdl.
4248. Cyperaceae: *Calyptrocarya glomerulata*
(Brongn.) Urb.
4249. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex
Benth.
4250. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
and Sandwith
4251. Annonaceae: *Anaxagorea dolichocarpa* Sprague
and Sandwith
4252. Polypodiaceae: *Niphidium crassifolium* (L.)
Lellinger
4253. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
4254. Myrsinaceae: *Ardisia guianensis* (Aubl.) Mez
4255. Piperaceae: *Peperomia serpens* (Sw.) Loudon
4256. Polypodiaceae: *Microgramma fuscopunctata*
(Hook.) Vareschi
4257. Aspleniaceae: *Asplenium salicifolium* L.
4258. Gesneriaceae: *Besleria laxiflora* Benth.
4259. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée)
Alston
4260. Gesneriaceae: *Episcia xantha* Leeuwenb.
4261. Tectariaceae: *Tectaria trifoliata* (L.) Cav.
4262. Arecaceae: *Bactris corossilla* H. Karst.
4263. Apocynaceae: *Tabernaemontana heterophylla* Vahl
4264. Araceae: *Monstera adansonii* Schott
4265. Annonaceae: *Cymbopetalum brasiliense* (Vell.)
Benth. ex Baill.
4266. Arecaceae: *Socratea exorrhiza* (Mart.) H. Wendl.
4267. Ebenaceae: *Diospyros ierensis* Britton
4268. Flacourtiaceae: *Casearia sylvestris* Sw.
4269. Araceae: *Spathiphyllum cuspidatum* Schott
4270. Elaeocarpaceae: *Sloanea grandiflora* Sm.
4271. Burseraceae: *Protium opacum* Swart ssp. *opacum*
4272. Zingiberaceae: *Renealmia monosperma* Miq.
4273. Cyclanthaceae: *Asplundia maguirei* Harling
4274. Poaceae: *Ichnanthus leiocarpus* (Spreng.) Kunth
4275. Marcgraviaceae: *Marcgravia parviflora* Rich. ex
Wittm.
4276. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex
Benth.
4277. Lauraceae: *Rhodostemonodaphne kunthiana*
(Nees) Rohwer
4278a. Cyatheaceae: *Cyathea pungens* (Willd.) Domin

- 4278b. Picramniaceae: *Picramnia latifolia* Tul.
4279. Flacourtiaceae: *Casearia javitensis* Kunth
4280. Adiantaceae: *Adiantum* aff. *terminatum* Kunze ex Miq.
4281. Selaginellaceae: *Selaginella epirrhizos* Spring
4282. Cucurbitaceae: *Gurania lobata* (L.) Pruski
4283. Piperaceae: *Piper hispidum* Sw.
4284. Orchidaceae: *Bollea violacea* (Lindl.) Rchb. f.
4285. Orchidaceae: *Dichaea brachypoda* Rchb. f.
4285b. Orchidaceae: *Dichaea venezuelensis* Carnevali and I. Ramírez
4286. Clusiaceae: *Vismia sessilifolia* (Aubl.) Choisy
4287. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
4288. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
4289. Araceae: *Syngonium podophyllum* Schott
4290. Lomariopsidaceae: *Elaphoglossum luridum* (Fée) H. Christ
4291. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
4292. Sapotaceae: *Pouteria hispida* Eyma
4293. Cyperaceae: *Mapania sylvatica* Aubl.
4294. Piperaceae: *Piper demeraranum* (Miq.) C. DC.
4295. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
4296. Leguminosae-Mimosoideae: *Inga pezizifera* Benth.
4297. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
4298. Orchidaceae: *Palmorchis* sp.
4299. Solanaceae: *Solanum schlechtendalianum* Walp.
4300. Solanaceae: *Cestrum megalophyllum* Dunal
4301. Marcgraviaceae: *Souroubea guianensis* Aubl.
4302. Bromeliaceae: *Guzmania roezlii* (E. Morren) Mez
4303. Orchidaceae: *Palmorchis* sp.
4304. Leguminosae-Mimosoideae: *Inga leiocalycina* Benth.
4305. Leguminosae-Mimosoideae: *Inga capitata* Desv.
4306. Piperaceae: *Peperomia ouabiana* C. DC.
4307. Adiantaceae: *Adiantum phyllitidis* J. Sm.
4308. Annonaceae: *Unonopsis stipitata* Diels
4309. Lauraceae: *Aniba panurensis* (Meisn.) Mez
4310. Orchidaceae: *Bollea violacea* (Lindl.) Rchb. f.
4311. Bromeliaceae: *Guzmania lingulata* (L.) Mez
4312. Orchidaceae: *Scaphyglottis* cf. *sickii* Pabst
4313. Melastomataceae: *Aciotis laxa* (DC.) Cogn.
4314. Lauraceae: *Licaria debilis* (Mez) Kosterm.
4315. Araceae: *Philodendron pedatum* (Hook.) Kunth
4316. Annonaceae: *Duguetia neglecta* Sandwith
4317. Tectariaceae: *Tectaria* cf. *plantaginea* (Jacq.) Maxon
4318. Annonaceae: *Duguetia calycina* Benoist
4319. Melastomataceae: *Clidemia* ? sp.
4320. Melastomataceae: *Leandra solenifera* Cogn.
4321. Melastomataceae: *Leandra micropetala* (Naudin) Cogn.
4322. Boraginaceae: *Cordia* sp.
4323. Marantaceae: *Ischnosiphon arouma* (Aubl.) Körn.
4324. Annonaceae: *Duguetia inconspicua* Sagot
4325. Polypodiaceae: *Polypodium dulce* Poir.
4326. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
4327. Flacourtiaceae: *Casearia javitensis* Kunth
4328. Meliaceae: *Trichilia schomburgkii* C. DC.
4329. Rubiaceae: *Morinda calycina* (Benth.) Steyererm.
4330. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
4331. Verbenaceae: *Citharexylum macrophyllum* Poir.
4332. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
4333. Lecythidaceae: *Eschweilera simiorum* (Benoist) Eyma
4334. Leguminosae-Mimosoideae: *Inga auristellae* Harms
4335. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
4336. Arecaceae: *Geonoma deversa* (Poit.) Kunth
4337. Arecaceae: *Bactris corossilla* H. Karst.
4338. Flacourtiaceae: *Laetia procera* (Poepp.) Eichler
4339. Burseraceae: *Protium decandrum* (Aubl.) Marchand
4340. Myrtaceae: *Eugenia latifolia* Aubl.
4341. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
4342. Euphorbiaceae: *Sapium montanum* Lanj.
4343. Bignoniaceae: *Memora tanaecicarpa* A. H. Gentry
4344. Araceae: *Philodendron solimoesense* A. C. Sm.
4345. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
4346. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
4347. Convolvulaceae: *Ipomoea phillomega* (Vell.) House
4348. Apocynaceae: *Mesechites* sp.
4349. Poaceae: *Olyra latifolia* L.
4350. Rubiaceae: *Sipanea gleasonii* Steyererm.
4351. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
4352. Orchidaceae: *Sarcoglottis simplex* (Griseb.) Schltr.
4352a. Orchidaceae: *Habenaria* sp.

4353. Haemodoraceae: *Xiphidium caeruleum* Aubl.
4354. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
4355. Menispermaceae: *Cissampelos pareira* L.
4356. Leguminosae-Faboideae: *Dioclea reflexa* Hook. f.
4357. Ulmaceae: *Trema micrantha* (L.) Blume
4358. Compositae: *Bidens cynapiifolia* Kunth
4359. Cyperaceae: *Scleria melaleuca* Rchb. ex Schldtl. and Cham.
4360. Solanaceae: *Solanum subinerme* Jacq.
4361. Lygodiaceae: *Lygodium volubile* Sw.
4362. Annonaceae: *Duguetia yeshidan* Sandwith
4363. Marantaceae: *Monotagma laxum* (Poepp. and Endl.) K. Schum.
4364. Rubiaceae: *Psychotria ligularis* (Rudge) Steyerl. var. *carapichea* (Poir.) Steyerl.
4365. Flacourtiaceae: *Casearia singularis* Eichler
4366. Rubiaceae: *Psychotria ligularis* (Rudge) Steyerl. var. *carapichea* (Poir.) Steyerl.
4367. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
4368. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
4369. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
4370. Rubiaceae: *Psychotria polycephala* Benth.
4371. Flacourtiaceae: *Casearia commersoniana* Cambess.
4372. Lauraceae: Indet.
4373. Piperaceae: *Piper consanguineum* (Kunth) C. DC.
4374. Rubiaceae: *Palicourea calophylla* DC.
4375. Heliconiaceae: *Heliconia lourteigiae* Emygdio and E. Santos
4376. Melastomataceae: *Aciotis purpurascens* (Aubl.) Triana
4377. Zingiberaceae: *Renealmia floribunda* K. Schum.
4378. Melastomataceae: *Miconia lateriflora* Cogn. ssp. *lateriflora*
4379. Zingiberaceae: *Renealmia monosperma* Miq.
4380. Piperaceae: *Piper oblongifolium* (Klotzsch) C. DC.
4381. Rubiaceae: *Psychotria polycephala* Benth.
4382. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
4383. Rubiaceae: *Psychotria acuminata* Benth.
4384. Rubiaceae: *Psychotria racemosa* Rich.
4385. Piperaceae: *Piper duckei* C. DC.
4386. Acanthaceae: *Gynocraterium guianense* Bremek.
4387. Rubiaceae: *Psychotria* s.l. *astrellantha* Wernham
4388. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
4389. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
4390. Arecaceae: *Geonoma macrostachys* Mart. var. *poiteauana* (Kunth) A. J. Hend.
4391. Piperaceae: *Piper hirtilimbum* Trel. and Yunck.
4392. Gesneriaceae: *Nautilocalyx punctatus* Wiehler
4393. Arecaceae: *Bactris simplicifrons* Mart.
4394. Lichen-Incert. sed.: Indet.
4395. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
4396. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
4397. Myristicaceae: *Virola calophylla* (Spruce) Warb.
4398. Dichapetalaceae: *Tapura guianensis* Aubl.
4399. Rubiaceae: *Palicourea guianensis* Aubl.
4400. Loranthaceae: *Psittacanthus grandifolius* (Mart.) Mart.
4401. Polygonaceae: *Coccoloba* cf. *marginata* Benth.
4402. Rubiaceae: *Psychotria lupulina* Benth.
4403. Rubiaceae: *Psychotria acuminata* Benth.
4404. Melastomataceae: *Miconia lasserii* Gleason
4405. Boraginaceae: *Cordia nodosa* Lam.
4406. Commelinaceae: *Dichorisandra hexandra* (Aubl.) Standl.
4407. Lamiaceae: Indet.
4408. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
4409. Araceae: *Philodendron placidum* Schott
4410. Melastomataceae: *Mouriri grandiflora* DC.
4411. Apocynaceae: *Odontadenia geminata* (Hoffmanns. ex Roem. and Schult.) Müll. Arg.
4412. Sapotaceae: *Chrysophyllum argenteum* Jacq.
4413. Quinaceae: *Quiina pteridophylla* (Radlk.) Pires
4414. Lauraceae: *Endlicheria gracilis* Kosterm.
4415. Rubiaceae: *Sabicea aspera* Aubl.
4416. Leguminosae-Faboideae: *Desmodium adscendens* (Sw.) DC.
4417. Bryophyte: Indet.
4418. Bryophyte: Indet.
4419. Orchidaceae: *Quekettia* sp.
4420. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
4421. Myrtaceae: *Calycolpus surinamensis* McVaugh
4422. Costaceae: *Costus arabicus* L.
4423. Incertae sedis: Indet.
4424. Sapindaceae: Indet.
4425. Annonaceae: *Guatteria scandens* Ducke
4426. Leguminosae-Caesalpinioideae: *Hymenaea* sp.
4427. Parmeliaceae: *Rimelia* sp.
4428. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
4429. Bryophyte: Indet.
4430. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
4431. Bryophyte: Indet.

4432. Leguminosae-Mimosoideae: *Inga* sp.
4433. Chrysobalanaceae: *Parinari campestris* Aubl.
4434. Clusiaceae: Indet.
4435. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
4436. Flacourtiaceae: *Casearia singularis* Eichler
4437. Bryophyte: Indet.
4438. Sapotaceae: *Pouteria hispida* Eyma
4439. Melastomataceae: *Miconia traillii* Cogn.
4440. Dichapetalaceae: *Tapura capitulifera* Spruce ex Baill.
4441. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
4442. Lauraceae: Indet.
4443. Myristicaceae: *Virola elongata* (Benth.) Warb.
4444. Siparunaceae: *Siparuna guianensis* Aubl.
4445. Burseraceae: *Protium unifoliolatum* Spruce ex Engl.
4446. Flacourtiaceae: *Casearia pitumba* Sleumer
4447. Rutaceae: *Conchocarpus ucayalinus* (Huber) Kallunki and Pirani
4448. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
4449. Araceae: *Philodendron brevispathum* Schott
4450. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
4451. Sterculiaceae: *Theobroma subincanum* Mart.
4452. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
4453. Rutaceae: *Conchocarpus ucayalinus* (Huber) Kallunki and Pirani
4454. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
4455. Marantaceae: *Calathea micans* (Mathieu) Körn.
4456. Orchidaceae: *Cryptarrhena guatemalensis* Schltr.
4457. Araceae: *Monstera spruceana* (Schott) Engl.
4458. Myristicaceae: *Virola michelii* Heckel
4459. Sapotaceae: *Pouteria reticulata* (Engl.) Eyma
4460. Connaraceae: *Pseudoconnarus macrophyllus* (Poepp.) Radlk.
4461. Meliaceae: *Guarea juglandiformis* T. D. Penn.
4462. Sapindaceae: *Pseudima frutescens* (Aubl.) Radlk.
4463. Convolvulaceae: *Maripa scandens* Aubl.
4464. Siparunaceae: *Siparuna guianensis* Aubl.
4465. Orchidaceae: *Maxillaria* cf. *villosa* (Barb. Rodr.) Cogn.
4466. Rutaceae: *Galipea davisii* Sandwith
4467. Marantaceae: *Ischnosiphon hirsutus* Petersen
4468. Rubiaceae: *Capirona decorticans* Spruce
4469. Violaceae: *Rinorea melanodonta* S. F. Blake
4470. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
4471. Myrtaceae: *Myrcia minutiflora* Sagot
4472. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
4473. Boraginaceae: *Cordia nodosa* Lam.
4474. Aspleniaceae: *Asplenium serratum* L.
4475. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
4476. Quiinaceae: *Quiina parvifolia* Lanj. and Heerdt
4477. Lichen-Incert. sed.: Indet.
4478. Poaceae: *Ichnanthus panicoides* P. Beauv.
4479. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
4480. Annonaceae: *Duguetia macrocalyx* R. E. Fr.
4481. Piperaceae: *Piper gleasonii* Yunck.
4482. Araceae: *Heteropsis spruceana* Schott
4483. Verbenaceae: *Aegiphila racemosa* Vell.
4484. Passifloraceae: *Passiflora glandulosa* Cav.
4485. Bacidiaceae: *Crocynia* sp.
4486. Malpighiaceae: *Mascagnia macrodisca* (Triana and Planch.) Nied.
4487. Mendonciaceae: *Mendoncia hoffmannseggiana* Nees
4488. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
4489. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
4490. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
4491. Clavicipitaceae: *Cordyceps* sp.
4492. Vittariaceae: *Anetium citrifolium* (L.) Splitg.
4493. Rubiaceae: *Psychotria platypoda* DC.
4494. Araceae: *Monstera spruceana* (Schott) Engl.
4495. Myrtaceae: *Myrcia minutiflora* Sagot
4496. Melastomataceae: *Miconia* sp.
4497. Humiriaceae: *Sacoglottis cydonioides* Cuatrec.
4498. Euphorbiaceae: Indet.
4499. Leguminosae-Mimosoideae: *Inga splendens* Willd.
4500. Piperaceae: *Piper augustum* Rudge
4501. Meliaceae: *Carapa guianensis* Aubl.
4502. Orchidaceae: *Pleurothallis pruinosa* Lindl.
4503. Orchidaceae: *Encyclia aemula* (Lindl.) Carnevali and I. Ramírez
4504. Graphidaceae: *Graphis* sp.
4505. Coccocarpiaceae: *Coccocarpia* sp.
4506. Arecaceae: *Hyospathe elegans* Mart. ssp. *elegans*
4507. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
4508. Leguminosae-Mimosoideae: *Inga auristellae* Harms
4509. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
4510. Flacourtiaceae: *Casearia singularis* Eichler
4511. Rafflesiaceae: Indet.
4512. Araceae: *Philodendron placidum* Schott
4513. Rubiaceae: *Psychotria microbotrys* Ruiz ex Standl.

4514. Rubiaceae: *Psychotria brachybotrya* Müll. Arg.
 4515. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
 4516. Piperaceae: *Piper pulleanum* Yunck.
 4517. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
 4518. Zingiberaceae: *Renalmia monosperma* Miq.
 4519. Piperaceae: *Piper cililimum* Yunck.
 4520. Melastomataceae: *Clidemia dentata* D. Don
 4521. Melastomataceae: *Clidemia dentata* D. Don
 4522. Hymenophyllaceae: *Trichomanes punctatum* Poir. ssp. *labiatum* (Jenman) Wess. Boer
 4523. Theophrastaceae: *Clavija lancifolia* Desf. ssp. *lancifolia*
 4524. Melastomataceae: *Miconia traillii* Cogn.
 4525. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
 4526. Adiantaceae: *Adiantum asperum* (Poir.) Desv.
 4527. Marantaceae: *Ischnosiphon hirsutus* Petersen
 4528. Rubiaceae: *Coussarea* sp.
 4529. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
 4530. Clusiaceae: *Garcinia macrophylla* Mart.
 4531. Elaeocarpaceae: *Sloanea* sp.
 4532. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
 4533. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
 4534. Piperaceae: *Piper paramaribense* C. DC.
 4535. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 4536. Bryophyte: Indet.
 4537. Vittariaceae: *Hecistopteris pumila* (Spreng.) J. Sm.
 4538. Piperaceae: *Piper consanguineum* (Kunth) C. DC.
 4539. Piperaceae: *Piper* sp.
 4540. Bacidiaceae: *Crocynia* sp.
 4541. Lichen-Incert. sed.: Indet.
 4542. Myrtaceae: *Myrcia minutiflora* Sagot
 4543. Olacaceae: Indet.
 4544. Annonaceae: *Bocageopsis multiflora* (Mart.) R. E. Fr.
 4545. Léguminosae-Mimosoideae: *Inga marginata* Willd.
 4546. Clusiaceae: *Tovomita brevistaminea* Engl.
 4547. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
 4548. Euphorbiaceae: Indet.
 4549. Myristicaceae: *Virola calophylla* (Spruce) Warb.
 4550. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
 4551. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
 4552. Icacinaceae: *Pleurisanthes flava* Sandwith
 4553. Melastomataceae: *Miconia gratissima* Benth. ex Triana
 4554. Cyperaceae: *Scleria latifolia* Sw.
 4555. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
 4556. Annonaceae: *Duguetia cauliflora* R. E. Fr.
 4557. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
 4558. Arecaceae: *Geonoma leptospadix* Trail
 4559. Araceae: *Monstera spruceana* (Schott) Engl.
 4560. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
 4561. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
 4562. Annonaceae: *Duguetia calycina* Benoist
 4563. Moraceae: *Ficus maroniensis* Benoist
 4564. Hippocrateaceae: *Cheiloclinium hippocrateoides* (Peyr.) A. C. Sm.
 4565. Bromeliaceae: *Guzmania lingulata* (L.) Mez
 4566. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
 4567. Vittariaceae: *Hecistopteris pumila* (Spreng.) J. Sm.
 4568. Araceae: *Philodendron brevispathum* Schott
 4569. Malpighiaceae: *Byrsonima laevigata* (Poir.) DC.
 4570. Myristicaceae: *Virola elongata* (Benth.) Warb.
 4571. Melastomataceae: *Miconia lateriflora* Cogn.
 4572. Thelypteridaceae: *Thelypteris arborescens* (Humb. and Bonpl. ex Willd.) C. V. Morton
 4573. Annonaceae: *Pseudoxandra* sp.
 4574. Lecythydaceae: *Eschweilera coriacea* (DC.) S. A. Mori
 4575. Lecythydaceae: *Lecythis zabucao* Aubl.
 4576. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
 4577. Chrysobalanaceae: *Hirtella hispidula* Miq.
 4578. Apocynaceae: *Ambelania acida* Aubl.
 4579. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
 4580. Annonaceae: *Duguetia macrocalyx* R. E. Fr.
 4581. Vittariaceae: *Antrophyum guayanense* Hieron.
 4582. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
 4583. Piperaceae: *Piper augustum* Rudge
 4584. Arecaceae: *Geonoma baculifera* (Poit.) Kunth
 4585. Lecythydaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
 4586. Meliaceae: *Guarea* sp.
 4587. Flacourtiaceae: *Casearia commersoniana* Cambess.
 4588. Marantaceae: *Monotagma secundum* (Petersen) K. Schum.
 4589. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
 4590. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
 4591. Siparunaceae: *Siparuna guianensis* Aubl.
 4592. Siparunaceae: *Siparuna reginae* (Tul.) A. DC.

4593. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
4594. Meliaceae: *Guarea velutina* A. Juss.
4595. Bromeliaceae: *Aechmea tillandsioides* (Mart. ex Schult. f.) Baker
4596. Orchidaceae: *Epidendrum smaragdinum* Lindl.
4597. Meliaceae: *Guarea silvatica* C. DC.
4598. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
4599. Moraceae: *Trymatococcus oligandrus* (Benoist) Lanj.
4600. Rubiaceae: *Psychotria* s.l. *astrellantha* Wernham
4601. Rubiaceae: *Psychotria acuminata* Benth.
4602. Compositae: *Wulffia baccata* (L.) Kuntze
4603. Icacinaceae: *Leretia cordata* Vell.
4604. Collemataceae: *Leptogium* sp.
4605. Passifloraceae: *Passiflora glandulosa* Cav.
4606. Rhamnaceae: *Gouania* sp.
4607. Araceae: *Dieffenbachia* sp.
4608. Flacourtiaceae: *Casearia commersoniana* Cambess.
4609. Malpighiaceae: *Byrsonima aerugo* Sagot
4610. Loranthaceae: *Struthanthus phyllyraeoides* (Kunth) Blume
4611. Melastomataceae: *Miconia radulaefolia* (Benth.) Naudin
4612. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
- 4613a. Bryophyte: Indet.
- 4613b. Bryophyte: Indet.
4614. Rubiaceae: *Psychotria lupulina* Benth.
4615. Flacourtiaceae: *Casearia pitumba* Sleumer
4616. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
4617. Violaceae: *Rinorea riana* Kuntze
4618. Rubiaceae: *Randia* sp.
4619. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
4620. Commelinaceae: *Aneilema umbrosum* (Vahl) Kunth ssp. *ovato-oblongum* (P. Beauv.) J. K. Morton
4621. Marantaceae: *Calathea* cf. *mansonis* Körn.
4622. Melastomataceae: *Miconia pubipetala* Miq.
4623. Monimiaceae: *Mollinedia* sp.
4624. Rubiaceae: *Palicourea guianensis* Aubl.
4625. Sapindaceae: *Vouarana guianensis* Aubl.
4626. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
4627. Bryophyte: Indet.
4628. Araceae: *Anthurium gracile* (Rudge) Schott
4629. Sapindaceae: *Vouarana guianensis* Aubl.
4630. Theophrastaceae: *Clavija lancifolia* Desf. ssp. *lancifolia*
4631. Rutaceae: *Ertela trifolia* (L.) Kuntze
4632. Melastomataceae: *Bellucia grossularioides* (L.) Triana
4633. Annonaceae: *Duguetia latifolia* R. E. Fr.
4634. Vitaceae: Indet.
4635. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
4636. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
4637. Arecaceae: *Hyospathe elegans* Mart. ssp. *elegans*
4638. Clavicipitaceae: *Cordyceps* sp.
4639. Myrtaceae: *Myrcia* cf. *splendens* (Sw.) DC.
4640. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
4641. Poaceae: *Olyra caudata* Trin.
4642. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerl.
4643. Apocynaceae: Indet.
4644. Piperaceae: *Piper consanguineum* (Kunth) C. DC.
4645. Araceae: *Philodendron linnaei* Kunth
4646. Menispermaceae: *Abuta rufescens* Aubl.
4647. Rubiaceae: *Psychotria* s.l. *astrellantha* Wernham
4648. Rhizophoraceae: *Cassipourea guianensis* Aubl.
4649. Flacourtiaceae: *Casearia pitumba* Sleumer
4650. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
4651. Sapindaceae: *Serjania clematidifolia* Camb.
4652. Rubiaceae: *Psychotria racemosa* Rich.
4653. Begoniaceae: *Begonia prieurii* A. DC.
4654. Heliconiaceae: *Heliconia lourteigiae* Emygdio and E. Santos
4655. Rubiaceae: *Psychotria ulviformis* Steyerl.
4656. Mendonciaceae: *Mendoncia hoffmannseggiana* Nees
4657. Turneraceae: *Turnera* sp.
4658. Rubiaceae: *Sipanea cowanii* Steyerl.
4659. Leguminosae-Faboideae: *Canavalia* sp.
4660. Rutaceae: *Galipea davisii* Sandwith
4661. Myrtaceae: *Calypttranthes fasciculata* O. Berg
4662. Orchidaceae: *Wulfschlaegelia calcarata* Benth.
4663. Myrtaceae: *Eugenia trinervia* Vahl
4664. Sapindaceae: *Paullinia verrucosa* Radlk.
4665. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
4666. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
4667. Commelinaceae: *Dichorisandra hexandra* (Aubl.) Standl.

4668. Meliaceae: *Trichilia surumuensis* C. DC.
4669. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
4670. Olacaceae: *Heisteria scandens* Ducke
4671. Violaceae: *Rimorea lindeniana* (Tul.) Kuntze
4672. Solanaceae: *Solanum oocarpum* Sendtn.
4673. Araceae: *Monstera adansonii* Schott
4674. Araceae: *Monstera adansonii* Schott
4675. Orchidaceae: *Stanhopea grandiflora* (Lodd.) Lindl.
4676. Orchidaceae: *Stelis* sp.
4677. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
4678. Orchidaceae: *Cryptarrhena kegelii* Rchb. f.
4679. Orchidaceae: *Batemannia colleyi* Lindl.
4680. Euphorbiaceae: *Jablonskia congesta* (Benth. ex Müll. Arg.) G. L. Webster
4681. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
4682. Adiantaceae: *Adiantum argutum* Splitg.
4683. Polypodiaceae: *Polypodium dulce* Poir.
4684. Aspleniaceae: *Asplenium cuneatum* Lam.
4685. Tectariaceae: *Triplophyllum dicksonioides* (Fée) Holttum
4686. Vittariaceae: *Vittaria lineata* (L.) Sm.
4687. Piperaceae: *Piper arboreum* Aubl.
4688. Poaceae: *Streptogyna americana* C. E. Hubb.
4689. Bryophyte: Indet.
4690. Bryophyte: Indet.
4691. Leguminosae-Caesalpinioideae: *Chamaecrista nictitans* (L.) Moench var. *disadena* (Steud.) H. S. Irwin and Barneby
4692. Trigonaceae: *Trigonia villosa* Aubl. var. *villosa*
4693. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
4694. Apocynaceae: Indet. ?
4695. Myrtaceae: *Eugenia* sp.
4696. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
4697. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
4698. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
4699. Lauraceae: Indet.
4700. Passifloraceae: *Passiflora auriculata* Kunth
4701. Adiantaceae: *Adiantum asperum* (Poir.) Desv.
4702. Melastomataceae: *Myriaspora egensis* DC.
4703. Adiantaceae: *Adiantopsis radiata* (L.) Fée
4704. Vittariaceae: *Antrophyum guayanense* Hieron.
4705. Melastomataceae: *Clidemia dentata* D. Don
4706. Bryophyte: Indet.
4707. Gyalectaceae: *Coenogonium* sp.
4708. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerl.
4709. Clusiaceae: *Clusia amazonica* Planch. and Triana
4710. Rubiaceae: *Psychotria callithrix* (Miq.) Steyerl.
4711. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *stricta*
4712. Hippocrateaceae: *Cheiloclinium belizense* (Standl.) A. C. Sm.
4713. Sapotaceae: *Pouteria torta* (Mart.) Radlk. ssp. *glabra* T. D. Penn.
4714. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
4715. Leguminosae-Mimosoideae: *Pseudopiptadenia suaveolens* (Miq.) J. W. Grimes
4716. Lauraceae: Indet.
4717. Araceae: *Philodendron grandifolium* (Jacq.) Schott
4718. Melastomataceae: *Miconia crassinervia* Cogn.
4719. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
4720. Lichen-Incert. sed.: Indet.
4721. Graphidaceae: *Fissurina* sp.
4722. Melastomataceae: *Myriaspora egensis* DC.
4723. Hippocrateaceae: *Hylenaea unguiculata* Menega
4724. Tiliaceae: *Apeiba macropetala* Ducke
4725. Aquifoliaceae: *Ilex* sp.
4726. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
4727. Connaraceae: *Rourea ligulata* Baker
4728. Bryophyte: Indet.
4729. Myrtaceae: *Myrcia* sp.
4730. Burseraceae: *Protium polybotryum* (Turcz.) Engl. ssp. *blackii* (Swart) Daly
4731. Bryophyte: Indet.
4732. Bryophyte: Indet.
4733. Bryophyte: Indet.
4734. Bryophyte: Indet.
4735. Bryophyte: Indet.
4736. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
4737. Melastomataceae: *Miconia radulaefolia* (Benth.) Naudin
4738. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
4739. Meliaceae: *Trichilia* sp.
4740. Euphorbiaceae: *Sapium glandulosum* (L.) Morong
4741. Orchidaceae: *Brassia* sp.
4742. Vittariaceae: *Vittaria lineata* (L.) Sm.

4743. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
4744. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
4745. Adiantaceae: *Adiantopsis radiata* (L.) Fée
4746. Orchidaceae: *Pleurothallis consimilis* Ames
4747. Solanaceae: *Markea coccinea* Rich.
4748. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
4749. Aspleniaceae: *Asplenium juglandifolium* Lam.
4750. Aspleniaceae: *Asplenium auritum* Sw.
4751. Araceae: *Philodendron linnaei* Kunth
4752. Araceae: *Philodendron grandifolium* (Jacq.) Schott
4753. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
4754. Orchidaceae: *Bollea hemixantha* Rchb. f.
4755. Melastomataceae: *Miconia lasserii* Gleason
4756. Combretaceae: *Combretum laurifolium* Mart.
4757. Hippocrateaceae: *Hippocratea volubilis* L.
4758. Loranaceae: *Phthirusa pyrifolia* (Kunth) Eichler
4759. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
4760. Annonaceae: *Guatteria* sp.
4761. Apocynaceae: *Malouetia* sp.
4762. Sapotaceae: *Pouteria plicata* T. D. Penn.
4763. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
4764. Loranaceae: *Oryctanthus florulentus* (Rich.) Tiegh.
4765. Dilleniaceae: *Doliocarpus spraguei* Cheesman
4766. Euphorbiaceae: *Croton cuneatus* Klotzsch
4767. Melastomataceae: *Mouriri* sp.
4768. Myrtaceae: *Myrcia grandis* McVaugh
4769. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
4770. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
4771. Combretaceae: *Buchenavia viridiflora* Ducke
4772. Leguminosae-Caesalpinioideae: *Macrolobium* sp.
4773. Hippocrateaceae: *Hippocratea volubilis* L.
4774. Myrtaceae: *Myrciaria dubia* (Kunth) McVaugh
4775. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
4776. Menispermaceae: *Orthomene schomburgkii* (Miers) Barneby and Krukoff
4777. Passifloraceae: *Passiflora costata* Mast.
4778. Combretaceae: *Combretum fruticosum* (Loefl.) Stuntz
4779. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke ssp. *guianensis*
4780. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
4781. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
4782. Sapotaceae: Indet.
4783. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
4784. Euphorbiaceae: Indet.
4785. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
4786. Erythroxylaceae: *Erythroxylum* sp.
4787. Leguminosae-Mimosoideae: *Inga disticha* Benth.
4788. Rubiaceae: *Faramea sessilifolia* (Kunth) DC.
4789. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
4790. Melastomataceae: *Henriettea stellaris* O. Berg ex Triana
4791. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
4792. Annonaceae: *Duguetia quitarensis* Benth.
4793. Myrtaceae: *Myrcia splendens* (Sw.) DC.
4794. Melastomataceae: *Miconia longifolia* (Aubl.) DC.
4795. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
4796. Lecythidaceae: *Gustavia augusta* L.
4797. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
4798. Orchidaceae: *Stelis argentata* Lindl.
4799. Orchidaceae: *Pleurothallis archidiaconi* Ames
4800. Orchidaceae: *Dichaea* sp.
4801. Piperaceae: *Peperomia serpens* (Sw.) Loudon
4802. Flacourtiaceae: *Casearia sylvestris* Sw.
4803. Violaceae: *Rinorea riana* Kuntze
4804. Annonaceae: *Duguetia cauliflora* R. E. Fr.
4805. Sapindaceae: *Talisia* sp.
4806. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
4807. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
4808. Orchidaceae: *Brassia* sp.
4809. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby var. *silvestris*
4810. Myrtaceae: *Eugenia* sp.
4811. Apocynaceae: *Tabernaemontana heterophylla* Vahl
4812. Myrtaceae: Indet.
4813. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerf.
4814. Orchidaceae: *Rudolfiella aurantiaca* (Lindl.) Hoehne
4815. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
4816. Rubiaceae: *Randia* sp.
4817. Annonaceae: *Anaxagorea* sp.
4818. Leguminosae-Mimosoideae: *Inga auristellae* Harms

4819. Loranthaceae: *Psittacanthus grandifolius* (Mart.) Mart.
4820. Ochnaceae: *Ouratea takutuensis* Sastre
4821. Sterculiaceae: *Theobroma subincanum* Mart.
4822. Hippocrateaceae: *Tontelea mauritioides* (A. C. Sm.) A. C. Sm.
4823. Annonaceae: *Xylopia benthamii* R. E. Fr.
4824. Malpighiaceae: *Byrsonima stipulacea* A. Juss.
4825. Orchidaceae: *Psychmorchis pusilla* (L.) Dodson and Dressler
4826. Orchidaceae: *Polystachya stenophylla* Schltr.
4827. Myrtaceae: *Myrcia calycampa* Amshoff
4828. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
4829. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
4830. Vitaceae: *Cissus erosa* Rich.
4831. Myrtaceae: *Eugenia feijoi* O. Berg
4832. Lauraceae: Indet.
4833. Chrysobalanaceae: Indet. ?
4834. Lauraceae: *Cryptocarya guianensis* Meisn.
4835. Caricaceae: Indet.
4836. Leguminosae-Faboideae: *Swartzia* cf. *anomala* R. S. Cowan
4837. Dilleniaceae: *Doliocarpus* sp.
4838. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
4839. Cucurbitaceae: *Cayaponia cruegeri* (Naudin) Cogn.
4840. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
4841. Myrtaceae: *Eugenia* sp.
4842. Compositae: *Piptocarpha triflora* (Aubl.) Benn. ex Baker
4843. Orchidaceae: *Epidendrum rigidum* Jacq.
4844. Sapindaceae: *Matayba macrostylis* Radlk.
4845. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
4846. Rubiaceae: *Borreria latifolia* (Aubl.) K. Schum.
4847. Adiantaceae: *Pityrogramma calomelanos* (L.) Link
4848. Melastomataceae: *Clidemia hirta* (L.) D. Don var. *heterobasis*
4849. Melastomataceae: *Clidemia pustulata* DC.
4850. Turneraceae: Indet.
4851. Clusiaceae: *Vismia glaziovii* Ruhland
4852. Sapindaceae: *Paullinia tricornis* Radlk.
4853. Leguminosae-Mimosoideae: *Inga* sp.
4854. Polygonaceae: *Coccoloba excelsa* Benth.
4855. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
4856. Connaraceae: *Rourea ligulata* Baker
4857. Boraginaceae: *Tournefortia* sp.
4858. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
4859. Araceae: *Anthurium gracile* (Rudge) Schott
4860. Loranthaceae: *Phthirusa stelis* (L.) Kuijt
4861. Styracaceae: *Styrax* sp.
4862. Thelotremataceae: Indet.
- 4862a. Graphidaceae: Indet.
4863. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
4864. Lichen-Incert. sed.: Indet.
4865. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
4866. Sapindaceae: *Cupania hirsuta* Radlk.
4867. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
4868. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
4869. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
4870. Apocynaceae: *Bonafousia angulata* (Müll. Arg.) Boiteau and L. Allorge
4871. Myrtaceae: *Myrcia graciliflora* Sagot
4872. Euphorbiaceae: *Jablonskia* sp.
4873. Apocynaceae: *Bonafousia macrocalyx* (Müll. Arg.) Boiteau and L. Allorge
4874. Melastomataceae: *Clidemia japurensis* DC. var. *heterobasis* (DC.) Wurdack
4875. Myrtaceae: *Myrcia minutiflora* Sagot
4876. Solanaceae: Indet. ?
4877. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
4878. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
4879. Ochnaceae: *Ouratea* sp.
4880. Clavicipitaceae: *Cordyceps* sp.
4881. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
4882. Annonaceae: *Fusaea longifolia* (Aubl.) Saff.
4883. Violaceae: *Paypayrola longifolia* Tul.
4884. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
4885. Lauraceae: Indet.
4886. Sapotaceae: Indet.
4887. Poaceae: *Panicum stoloniferum* Poir.
4888. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
4889. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
4890. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
4891. Burseraceae: *Protium aracouchini* (Aubl.) Marchand

4892. Vittariaceae: *Antrophyum guayanense* Hieron.
4893. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
4894. Arecaceae: *Hyospathe elegans* Mart. ssp. *elegans*
4895. Arecaceae: *Geonoma umbraculiformis* Wess. Boer
4896. Arecaceae: *Geonoma leptospadix* Trail
4897. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
4898. Grammitidaceae: *Grammitis blanchetii* (C. Chr.) A. R. Sm.
4899. Piperaceae: *Peperomia ouabiana* C. DC.
4900. Gyalectaceae: *Coenogonium* sp.
4901. Bryophyte: Indet.
4902. Orchidaceae: *Masdevallia minuta* Lindl.
4903. Bryophyte: Indet.
4904. Bryophyte: Indet.
4905. Leguminosae-Mimosoideae: *Parkia nitida* Miq.
4906. Melastomataceae: *Miconia abbreviata* Markgr.
4907. Melastomataceae: *Leandra solenifera* Cogn.
4908. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
4909. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
4910. Sapotaceae: *Pouteria* ? sp.
4911. Rubiaceae: *Hillia ulei* K. Krause
4912. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
4913. Chrysobalanaceae: *Licania octandra* (Hoffmanns. ex Roem. and Schult.) Kuntze ssp. *pallida* (Hook. f.) Prance
4914. Violaceae: *Rinorea riana* Kuntze
4915. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
4916. Hippocrateaceae: *Tontelea laxiflora* (Benth.) A. C. Sm.
4917. Meliaceae: *Trichilia* sp.
4918. Clusiaceae: *Tovomita grata* Sandwith
4919. Rubiaceae: *Palicourea longiflora* DC.
4920. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
4921. Lauraceae: Indet.
4922. Myrtaceae: Indet.
4923. Aquifoliaceae: *Ilex* sp.
4924. Hippocrateaceae: *Salacia insignis* A. C. Sm.
4925. Quiinaceae: *Quiina obovata* Tul.
4926. Quiinaceae: *Quiina amazonica* A. C. Sm.
4927. Leguminosae-Mimosoideae: *Inga stipularis* DC.
4928. Rubiaceae: *Coussarea machadoana* Standl.
4929. Myrtaceae: *Calyptranthes* sp.
4930. Sapindaceae: *Talisia pachycarpa* Radlk.
4931. Lauraceae: Indet.
4932. Icacinaceae: *Pleurisanthes flava* Sandwith
4933. Myrtaceae: *Myrcia graciliflora* Sagot
4934. Quiinaceae: *Quiina amazonica* A. C. Sm.
4935. Sapotaceae: *Chrysophyllum prieurii* A. DC.
4936. Flacourtiaceae: *Casearia pitumba* Sleumer
4937. Solanaceae: *Brunfelsia guianensis* Benth.
4938. Orchidaceae: *Selenipedium palmifolium* (Lindl.) Rchb. f.
4939. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
4940. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
4941. Apocynaceae: *Aspidosperma* sp.
4942. Bryophyte: Indet.
4943. Myrtaceae: *Myrcia amazonica* DC.
4944. Orchidaceae: *Polystachya* sp.
4945. Orchidaceae: *Kefersteinia* sp.
4946. Lauraceae: Indet.
4947. Lecythidaceae: *Eschweilera parviflora* (Aubl.) Miers
4948. Euphorbiaceae: Indet.
4949. Lecythidaceae: *Gustavia hexapetala* (Aubl.) Sm.
4950. Myrtaceae: *Myrcia graciliflora* Sagot
4951. Myrtaceae: Indet.
4952. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
4953. Connaraceae: *Rourea surinamensis* Miq.
4954. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
4955. Parmeliaceae: *Usnea* sp.
4956. Leguminosae-Caesalpinioideae: *Dinizia excelsa* Ducke
4957. Rubiaceae: *Kutchubaea neblinensis* Steyerm.
4958. Gnetaceae: *Gnetum nodiflorum* Brongn.
4959. Costaceae: *Costus spiralis* (Jacq.) Roscoe var. *spiralis*
4960. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
4961. Orchidaceae: *Elleanthus cephalotus* Garay and H. R. Sweet
4962. Aspleniaceae: *Asplenium angustum* Sw.
4963. Lomariopsidaceae: *Elaphoglossum minutum* (Pohl ex Fée) T. Moore
4964. Polypodiaceae: *Polypodium triseriale* Sw.
4965. Orchidaceae: *Maxillaria superflua* Rchb. f.
4966. Orchidaceae: *Brassavola martiana* Lindl.
4967. Orchidaceae: *Encyclia fragrans* (Sw.) Lemée
4968. Polygalaceae: *Securidaca* sp.
4969. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
4970. Myrtaceae: *Myrcia subobliqua* (Benth.) Nied.
4971. Myrtaceae: *Myrcia* sp.

4972. Myrtaceae: *Eugenia florida* DC.
4973. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
4974. Chrysobalanaceae: *Licania leptostachya* Benth.
4975. Chrysobalanaceae: Indet.
4976. Smilacaceae: *Smilax* aff. *schomburgkiana* Kunth
4977. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
4978. Celastraceae: *Goupia glabra* Aubl.
4979. Solanaceae: *Schwenckia grandiflora* Benth.
4980. Myrtaceae: *Plinia pinnata* L.
4981. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
4982. Euphorbiaceae: *Discocarpus essequiboensis* Klotzsch
4983. Hippocrateaceae: *Hippocratea volubilis* L.
4984. Quiinaceae: *Quiina amazonica* A. C. Sm.
4985. Lecythidaceae: *Eschweilera parvifolia* Mart. ex DC.
4986. Melastomataceae: *Mouriri* sp.
4987. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
4988. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
4989. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
4990. Leguminosae-Mimosoideae: *Inga* sp.
4991. Leguminosae-Mimosoideae: *Inga splendens* Willd.
4992. Meliaceae: *Trichilia cipo* (A. Juss.) C. DC.
4993. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
4994. Orchidaceae: *Masdevallia minuta* Lindl.
4995. Orchidaceae: *Dichaea* sp.
4996. Piperaceae: *Peperomia rotundifolia* (L.) Kunth
4997. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
4998. Lauraceae: Indet.
4999. Verbenaceae: *Vitex compressa* Turcz.
5000. Orchidaceae: *Ionopsis utricularioides* (Sw.) Lindl.
5001. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
5002. Sapindaceae: *Paullinia tricornis* Radlk.
5003. Melastomataceae: *Miconia* sp.
5004. Meliaceae: *Guarea* ? *trunciflora* C. DC.
5005. Quiinaceae: *Quiina cruegeriana* Griseb.
5006. Bacidiaceae: *Phyllopsora* sp.
5007. Chrysobalanaceae: *Licania majuscula* Sagot
5008. Pteridophyte: Indet.
5009. Bryophyte: Indet.
5010. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
5011. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
5012. Elaeocarpaceae: *Sloanea* sp.
5013. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
5014. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
5015. Chrysobalanaceae: *Couepia sandwithii* Prance
5016. Apocynaceae: *Forsteronia* sp.
5017. Bignoniaceae: *Memora tanaecicarpa* A. H. Gentry
5018. Lecythidaceae: *Lecythis* cf. *chartacea* O. Berg
5019. Tiliaceae: *Apeiba macropetala* Ducke
5020. Leguminosae-Faboideae: *Swartzia benthamiana* Miq. var. *benthamiana*
5021. Aspleniaceae: *Asplenium cuneatum* Lam.
5022. Piperaceae: *Piper pseudoglabrescens* Trel. and Yunck.
5023. Moraceae: *Ficus paraensis* (Miq.) Miq.
5024. Annonaceae: *Pseudoxandra cuspidata* Maas
5025. Bombacaceae: *Pachira aquatica* Aubl.
5026. Leguminosae-Faboideae: *Dioclea* sp.
5027. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
5028. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
5029. Asclepiadaceae: Indet.
5030. Vitaceae: *Cissus* sp.
5031. Annonaceae: *Annona hypoglaucula* Mart.
5032. Loganiaceae: *Strychnos* cf. *mitscherlichii* M. R. Schomb.
5033. Sapindaceae: *Pseudima frutescens* (Aubl.) Radlk.
5034. Sapotaceae: *Pouteria elegans* (A. DC.) Baehni
5035. Leguminosae-Faboideae: *Ormosia coarctata* Jacks.
5036. Leguminosae-Faboideae: *Pterocarpus santalinoides* L'Hér. ex DC.
5037. Orchidaceae: *Psycmorchis pusilla* (L.) Dodson and Dressler
5038. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
5039. Passifloraceae: *Passiflora vespertilio* L.
5040. Malpighiaceae: *Byrsonima* sp.
5041. Onagraceae: *Ludwigia quadrangularis* (Micheli) H. Hara
5042. Simaroubaceae: *Simaba orinocensis* Kunth
5043. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
5044. Rubiaceae: *Faramea sessilifolia* (Kunth) DC.
5045. Leguminosae-Caesalpinioideae: *Cynometra baubiniifolia* Benth.
5046. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
5047. Loganiaceae: *Strychnos* sp.

5048. Annonaceae: *Guatteria rubrinervis* R. E. Fr.
5049. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
5050. Vitaceae: *Cissus* sp.
5051. Myrsinaceae: *Stylogyne orinocensis* (Kunth) Mez
5052. Melastomataceae: *Miconia lasseri* Gleason
5053. Verbenaceae: *Vitex compressa* Turcz.
5054. Menispermaceae: *Orthomene schomburgkii* (Miers) Barneby and Krukoff
5055. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
5056. Annonaceae: *Guatteria subsessilis* Mart.
5057. Lauraceae: Indet.
5058. Euphorbiaceae: *Croton cuneatus* Klotzsch
5059. Menispermaceae: *Orthomene schomburgkii* (Miers) Barneby and Krukoff
5060. Combretaceae: *Buchenavia viridiflora* Ducke
5061. Styracaceae: *Styrax* sp.
5062. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
5063. Malpighiaceae: *Byrsonima* sp.
5064. Euphorbiaceae: Indet. ?
5065. Melastomataceae: *Mouriri grandiflora* DC.
5066. Viscaceae/Loranth.: Indet.
5067. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
5068. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth.
5069. Rubiaceae: *Genipa americana* L.
5070. Hippocrateaceae: *Hippocratea volubilis* L.
5071. Orchidaceae: *Epidendrum rigidum* Jacq.
5072. Passifloraceae: *Passiflora costata* Mast.
5073. Melastomataceae: *Mouriri* sp.
5074. Combretaceae: *Combretum laxum* Jacq.
5075. Moraceae: *Ficus trigona* L. f.
5076. Sapotaceae: *Pouteria elegans* (A. DC.) Baehni
5077. Melastomataceae: *Mouriri* sp.
5078. Caryocaraceae: *Caryocar microcarpum* Ducke
5079. Polygonaceae: *Coccoloba marginata* Benth.
5080. Sapindaceae: *Matayba camptoneura* Radlk.
5081. Myrtaceae: *Myrcia splendens* (Sw.) DC.
5082. Moraceae: *Ficus* sp.
5082a. Theaceae: Indet.
5083. Orchidaceae: *Polystachya foliosa* (Lindl.) Rchb. f.
5084. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
5085. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
5086. Cyperaceae: *Cyperus sphacelatus* Rottb.
5087. Cyperaceae: *Fimbristylis dichotoma* (L.) Vahl
5088. Cyperaceae: *Rhynchospora barbata* (Vahl) Kunth
5089. Cyperaceae: *Scleria muehlenbergii* Steud.
5090. Dioscoreaceae: *Dioscorea* sp.
5091. Melastomataceae: *Clidemia* aff. *novemnervia* (DC.) Triana
5092. Lythraceae: *Cuphea antisiphilitica* Kunth var. *acutifolia* Benth.
5093. Rubiaceae: *Declieuxia fruticosa* (Willd. ex Roem. and Schult.) Kuntze
5094. Melastomataceae: *Clidemia sericea* D. Don
5095. Haemodoraceae: *Schiekia orinocensis* (Kunth) Meisn.
5096. Rubiaceae: *Spermacoce ocymifolia* Willd. ex Roem. and Schult.
5097. Rubiaceae: *Ixora panurensis* Müll. Arg.
5098. Rubiaceae: *Psychotria cardiomorpha* C. M. Taylor and A. Pool
5099. Rubiaceae: *Malanea sarmentosa* Aubl.
5100. Polygonaceae: *Coccoloba* sp.
5101. Rubiaceae: *Rudgea crassiloba* (Benth.) B. L. Rob.
5102. Nyctaginaceae: Indet.
5103. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
5104. Humiriaceae: Indet.
5105. Humiriaceae: Indet.
5106. Melastomataceae: *Tococa nitens* (Benth.) Triana
5107. Smilacaceae: *Smilax schomburgkiana* Kunth
5108. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
5109. Rubiaceae: *Sabicea parva* Wernham var. *brachycalyx* (Steud.) Liedtke, Meve and Khan
5110. Rubiaceae: *Ixora parviflora* Vahl
5111. Humiriaceae: *Humiria balsamifera* Aubl. var. *balsamifera*
5112. Melastomataceae: *Miconia ciliata* (Rich.) DC.
5113. Rubiaceae: *Ixora panurensis* Müll. Arg.
5114. Compositae: *Wulffia baccata* (L.) Kuntze
5115. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.
5116. Poaceae: *Paspalum pulchellum* Kunth
5117. Poaceae: *Panicum micranthum* Kunth
5118. Cyperaceae: *Kyllinga odorata* Vahl
5119. Cyperaceae: *Rhynchospora pubera* (Vahl) Böck.
5120. Cyperaceae: *Rhynchospora barbata* (Vahl) Kunth
5121. Poaceae: *Leptocoryphium lanatum* (Kunth) Nees
5122. Boraginaceae: *Cordia alliodora* (Ruiz and Pav.) Oken
5123. Burmanniaceae: *Burmannia bicolor* Mart.
5124. Melastomataceae: *Comolia villosa* (Aubl.) Triana
5125. Dennstaedtiaceae: *Lindsaea quadrangularis* Raddi ssp. *antillensis* K. U. Kramer

5126. Adiantaceae: *Adiantum serratodentatum* Humb. and Bonpl. ex Willd.
5127. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
5128. Liliaceae: *Bomarea edulis* (Tussac) Herb.
5129. Clusiaceae: Indet.
5130. Leguminosae-Caesalpinioideae: *Senna splendida* (Vogel) H. S. Irwin and Barneby
5131. Piperaceae: *Piper hispidum* Sw.
5132. Euphorbiaceae: *Hevea brasiliensis* (Willd. ex A. Juss.) Müll. Arg.
5133. Sapotaceae: *Manilkara zapota* (L.) P. Royen
5134. Rhamnaceae: *Gouania* sp.
5135. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
5136. Asclepiadaceae: Indet.
5137. Flacourtiaceae: *Casearia* cf. *tremula* (Griseb.) Griseb. ex Wright
5138. Malpighiaceae: *Bunchosia mollis* Benth.
5139. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
5140. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
5141. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
5142. Erythroxylaceae: *Erythroxylum* sp.
5143. Verbenaceae: *Vitex compressa* Turcz.
5144. Dioscoreaceae: *Dioscorea* sp.
5145. Poaceae: *Lasiacis sorghoidea* (Desv. ex Ham.) Hitchc. and Chase
5146. Connaraceae: *Rourea grosourdyana* Baill. var. *grosourdyana*
5147. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
5148. Agavaceae: *Furcraea foetida* (L.) Haw.
5149. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
5150. Bromeliaceae: Indet.
5151. Schizaeaceae: *Anemia hirta* (L.) Sw.
5152. Sterculiaceae: *Waltheria indica* L.
5153. Cyperaceae: *Cyperus cuspidatus* Kunth
5154. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
5155. Bignoniaceae: *Lundia corymbifera* (Vahl) Sandwith
5156. Leguminosae-Mimosoideae: *Acacia* sp.
5157. Gesneriaceae: *Sinningia incarnata* (Aubl.) D. L. Denham
5158. Hernandiaceae: *Sparattanthelium wonotoboense* Kosterm.
5159. Rubiaceae: *Tocoyena* sp.
5160. Adiantaceae: *Doryopteris collina* (Raddi) J. Sm.
5161. Verbenaceae: *Stachytarpheta sprucei* Moldenke
5162. Marantaceae: *Maranta arundinacea* L.
5163. NO RECORD
5164. NO RECORD
5165. Hippocrateaceae: Indet.
5166. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
5167. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
5168. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
5169. Bryophyte: Indet.
5170. Hepaticae: Indet.
5171. Melastomataceae: *Clidemia* sp.
5172. Rhizophoraceae: Indet.
5173. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
5174. Boraginaceae: *Cordia nodosa* Lam.
5175. Hymenophyllaceae: *Trichomanes tuerckheimii* H. Christ
5176. Rubiaceae: *Faramea maguirei* Steyererm.
5177. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
5178. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
5179. Melastomataceae: *Clidemia conglomerata* DC.
5180. Cyatheaceae: *Cyathea surinamensis* (Miq.) Domin
5181. Melastomataceae: *Clidemia* sp.
5182. Apocynaceae: *Bonafousia obliqua* Miers
5183. Melastomataceae: *Tococa aristata* Benth.
5184. Melastomataceae: *Leandra purpurea* Gleason
5185. Rubiaceae: *Psychotria uliginosa* Sw.
5186. Tectariaceae: *Triplophyllum acutilobum* Holttum
5187. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 5187a. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
5188. Zingiberaceae: *Renealmia guianensis* Maas
5189. Rubiaceae: *Psychotria apoda* Steyererm.
5190. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5191. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5192. Arecaceae: *Bactris simplicifrons* Mart.
5193. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
5194. Leguminosae: Indet.
5195. Bromeliaceae: *Tillandsia fendleri* Griseb.
5196. Orchidaceae: *Stelis* sp.
5197. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
5198. Piperaceae: *Peperomia rotundifolia* (L.) Kunth
5199. Parmeliaceae: *Rimelia* sp.
5200. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.

5201. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
5202. Thelypteridaceae: *Thelypteris leprieurii* (Hook.) R. M. Tryon
5203. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
5204. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
5205. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
5206. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
5207. Marantaceae: *Ischnosiphon enigmaticus* L. Andersson
5208. Chrysobalanaceae: *Hirtella hispidula* Miq.
5209. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
5210. Rubiaceae: *Psychotria berteriana* DC.
5211. Rubiaceae: *Psychotria* s.l. *astrellantha* Wernham
5212. Melastomataceae: *Miconia* sp.
5213. Areaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
5214. Rubiaceae: *Psychotria acuminata* Benth.
5215. Bignoniaceae: *Arrabidaea* cf. *florida* DC.
5216. Piperaceae: *Piper demeraranum* (Miq.) C. DC.
5217. Aspleniaceae: *Asplenium auritum* Sw.
5218. Polypodiaceae: *Polypodium caceresii* Sodiro
5219. Convolvulaceae: *Mariya scandens* Aubl.
5220. Bignoniaceae: *Schlegelia spruceana* K. Schum.
5221. Rubiaceae: *Psychotria acuminata* Benth.
5222. Melastomataceae: *Leandra* sp.
5223. Campanulaceae: *Centropogon cornutus* (L.) Druce
5224. Onagraceae: *Ludwigia foliobracteolata* (Munz) H. Hara
5225. Onagraceae: *Ludwigia quadrangularis* (Micheli) H. Hara
5226. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
5227. Marantaceae: *Calathea altissima* (Poepp. and Endl.) Körn.
5228. Araceae: *Xanthosoma* sp.
5229. Schizaeaceae: *Schizaea incurvata* Schkuhr
5230. Cyperaceae: *Bulbostylis junciformis* (Kunth) C. B. Clarke
5231. Schizaeaceae: *Actinostachys pennula* (Sw.) Hook.
5232. Asclepiadaceae: Indet.
5233. Poaceae: *Paspalum orbiculatum* Poir.
5234. Lobariaceae: *Lobaria* sp.
5235. Lobariaceae: *Lobaria* sp.
5236. Lobariaceae: *Lobaria* sp.
5237. Ericaceae: *Vaccinium* s.l. *puberulum* Klotzsch ex Meisn.
5238. Sapindaceae: *Matayba ptariana* Steyerem.
5239. Araceae: *Stenospermation ammiticum* G. S. Bunting
5240. Hymenophyllaceae: *Hymenophyllum* aff. *sericeum* (Sw.) Sw.
5241. Ericaceae: *Cavendishia callista* Donn. Sm.
5242. Ericaceae: *Bejaria sprucei* Meisn.
5243. Humiriaceae: *Humiria balsamifera* Aubl. var. *floribunda* (Mart.) Cuatrec.
5244. Rubiaceae: *Psychotria multiramosa* Steyerem.
5245. Lomariopsidaceae: *Elaphoglossum* sp.
5246. Rubiaceae: *Pagamea capitata* Benth.
5247. Chrysobalanaceae: *Hirtella paniculata* Sw.
5248. Aquifoliaceae: *Ilex* sp.
5249. Orchidaceae: *Octomeria* sp.
5250. Orchidaceae: *Jacquiella globosa* (Jacq.) Schltr.
5251. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm.
5252. Orchidaceae: *Maxillaria pendula* (Poepp. and Endl.) C. Schweint.
5253. Ericaceae: *Bejaria sprucei* Meisn.
5254. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
5255. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
5256. Clusiaceae: *Clusia* sp.
5257. Myrtaceae: *Myrcia albidotomentosa* (Amshoff) McVaugh
5258. Ericaceae: *Vaccinium euryanthum* A. C. Sm.
5259. Clusiaceae: Indet.
5260. Cladoniaceae: Indet.
5261. Cladoniaceae: *Cladina* s.l. *rotundata* (Ahti) Ahti
5262. Cladoniaceae: *Cladonia subreticulata* Ahti
5263. Cladoniaceae: *Cladina densissima* Ahti
5264. Gentianaceae: *Irlbachia cardonae* (Gleason) Maguire
5265. Clusiaceae: Indet.
5266. Hymenophyllaceae: *Hymenophyllum* cf. *polyanthos* (Sw.) Sw.
5267. Araceae: *Philodendron linnaei* Kunth
5268. Bryophyte: Indet.
5269. Bryophyte: Indet.
5270. Bryophyte: Indet.
5271. Bryophyte: Indet.
5272. Bryophyte: Indet.
5273. Bryophyte: Indet.
5274. Bromeliaceae: *Guzmania altsonii* L. B. Sm.

5275. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
5276. Orchidaceae: *Maxillaria auyantepuiensis* Foldats
5277. Poaceae: *Andropogon leucostachyus* Kunth
5278. Orchidaceae: *Octomeria* sp.
5279. Orchidaceae: *Octomeria* sp.
5280. Cladoniaceae: Indet.
5281. Orchidaceae: *Hexisea* sp.
5282. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
5283. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
- 5283a. Cladoniaceae: *Cladonia secundana* Nyl.
5284. Cladoniaceae: Indet.
5285. Eriocaulaceae: *Paepalanthus* sp.
5286. Cladoniaceae: *Cladonia* sp.
5287. Bryophyte: Indet.
5288. Rubiaceae: *Psychotria crococlhamys* Sandwith
5289. Araceae: *Anthurium roraimense* N. E. Br.
5290. Araliaceae: *Oreopanax capitatus* (Jacq.) Decne. and Planch. var. *capitatus*
5291. Dennstaedtiaceae: *Lindsaea tetraptera* K. U. Kramer
5292. Polypodiaceae: *Polypodium caceresii* Sodiro
5293. Orchidaceae: *Koellensteinia* sp.
5294. Orchidaceae: *Sobralia* sp.
5295. Dennstaedtiaceae: *Lindsaea schomburgkii* Klotzsch f. *schomburgkii*
5296. Dennstaedtiaceae: *Lindsaea* ? *divaricata* Klotzsch
5297. Dennstaedtiaceae: *Lindsaea semilunata* (C. Chr.) C. Chr.
5298. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
5299. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
5300. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
5301. Orchidaceae: *Dichaea* sp.
5302. Orchidaceae: *Reichenbachanthus reflexus* (Lindl.) Brade
5303. Orchidaceae: *Jacquiiniella globosa* (Jacq.) Schltr.
5304. Orchidaceae: *Scaphyglottis violacea* Lindl.
5305. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
5306. Araceae: *Philodendron tatei* K. Krause
5307. Bryophyte: Indet.
5308. Polypodiaceae: *Polypodium sessilifolium* Desv.
5309. Dennstaedtiaceae: *Lindsaea schomburgkii* Klotzsch
5310. Orchidaceae: *Stelis* sp.
5311. Orchidaceae: *Koellensteinia* sp.
5312. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
5313. Dennstaedtiaceae: *Lindsaea semilunata* (C. Chr.) C. Chr.
5314. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
5315. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
5316. Hymenophyllaceae: *Trichomanes crispum* L.
5317. Rubiaceae: *Psychotria barbiflora* DC.
5318. Melastomataceae: *Maieta guianensis* Aubl.
5319. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
5320. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
5321. Bryophyte: Indet.
5322. Cladoniaceae: *Cladonia* sp.
5323. Orchidaceae: *Elleanthus caravata* (Aubl.) Rchb. f.
5324. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *spiculosa*
5325. Bacidiaceae: *Phyllopsora* sp.
5326. Bryophyte: Indet.
5327. Orchidaceae: *Epidendrum compressum* Griseb.
5328. Aquifoliaceae: *Ilex* sp.
5329. Icacinaceae: *Emmotum glabrum* Benth. ex Miers
5330. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
5331. Cyatheaceae: *Cyathea macrocarpa* (C. Presl) Domin
5332. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
5333. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerl.
5334. Bryophyte: Indet.
5335. Polypodiaceae: *Polypodium loriceum* L.
5336. Orchidaceae: *Hexisea* sp.
5337. Melastomataceae: *Tococa aristata* Benth.
5338. Rapateaceae: *Rapatea fanshawei* Maguire
5339. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
5340. Bromeliaceae: *Tillandsia complanata* Benth.
5341. Orchidaceae: *Maxillaria porrecta* Lindl.
5342. Malpighiaceae: *Byrsonima carraoana* Steyerl.
5343. Orchidaceae: *Koellensteinia* cf. sp.
5344. Lomariopsidaceae: *Elaphoglossum plumosum* (Fée) T. Moore
5345. Myrsinaceae: *Cybianthus surinamensis* (Spreng.) G. Agostini
5346. Aspleniaceae: *Asplenium serra* Langsd. and Fisch.
5347. Araceae: *Stenospermation* ? *ammiticum* G. S. Bunting
5348. Grammitidaceae: *Micropolypodium nanum* (Fée) A. R. Sm.

5349. Orchidaceae: *Maxillaria nasuta* Rchb. f.
5350. Orchidaceae: *Stelis* sp.
5351. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
5352. Thelotremataceae: Indet.
5353. Lichen-Incert. sed.: Indet.
5354. Bryophyte: Indet.
5355. Orchidaceae: *Myoxanthus aspasicensis* (Rchb. f.) Luer
5356. Parmeliaceae: *Bulbothrix* sp.
5357. Gyalectaceae: *Coenogonium* sp.
5358. Euphorbiaceae: *Micrandra* sp.
5359. Moraceae: *Brosimum rubescens* Taub.
5360. Bromeliaceae: *Tillandsia fendleri* Griseb.
5361. Areaceae: *Bactris simplicifrons* Mart.
5362. Piperaceae: *Piper cuyunianum* Steyerl.
5363. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
5364. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerl.
5365. Melastomataceae: *Miconia marginata* Triana
5366. Rubiaceae: *Ixora panurensis* Müll. Arg.
5367. Gentianaceae: *Tachia schomburgkiana* Benth.
5368. Dennstaedtiaceae: *Lindsaea guianensis* (Aubl.) Dryand. ssp. *guianensis*
5369. Bignoniaceae: *Schlegelia spruceana* K. Schum.
5370. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
5371. Rubiaceae: *Ferdinandusa goudotiana* K. Schum.
5372. Flacourtiaceae: *Ryania speciosa* Vahl var. *tomentosa* (Miq.) Monach.
5373. Bromeliaceae: *Guzmania retusa* L. B. Sm.
5374. Rubiaceae: *Palicourea triphylla* DC.
5375. Orchidaceae: *Huntleya meleagris* Lindl.
5376. Melastomataceae: *Adelobotrys permixta* Wurdack
5377. Melastomataceae: *Phainantha laxiflora* (Triana) Gleason
5378. Bryophyte: Indet.
5379. Bryophyte: Indet.
5380. Bryophyte: Indet.
5381. Melastomataceae: *Miconia lappacea* (DC.) Triana
5382. Heliconiaceae: *Heliconia acuminata* Rich.
5383. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
5384. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
5385. Grammitidaceae: *Lellingeria randallii* (Maxon) A. R. Sm. and R. C. Moran
5386. Caryocaraceae: *Caryocar glabrum* (Aubl.) Pers. ssp. *album* Prance and M. F. Silva
5387. Clusiaceae: *Clusia myriandra* (Benth.) Planch. and Triana
5388. Sapotaceae: *Pouteria cayennensis* (A. DC.) Eyma
5389. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *heteromorpha*
5390. Rubiaceae: *Malanea sarmentosa* Aubl.
5391. Rubiaceae: *Ferdinandusa goudotiana* K. Schum.
5392. Apocynaceae: *Couma rigida* Müll. Arg.
5393. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
5394. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
5395. Dennstaedtiaceae: *Lindsaea reniformis* Dryand.
5396. Zingiberaceae: *Reenealmia orinocensis* Rusby
5397. Loganiaceae: *Spigelia hamelioides* Kunth
5398. Melastomataceae: *Miconia ciliata* (Rich.) DC.
5399. Lythraceae: *Cuphea* sp.
5400. Cyclanthaceae: *Dicranopygium angustissimum* (Sandwith) Harling
5401. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
5402. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
5403. Dennstaedtiaceae: *Lindsaea dubia* Spreng.
5404. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
5405. Chrysobalanaceae: *Licania laxiflora* Fritsch
5406. Bromeliaceae: *Vriesea splendens* (Brongn.) Lem.
5407. Aspleniaceae: *Asplenium auritum* Sw.
5408. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
5409. Orchidaceae: *Campylocentrum fasciola* (Lindl.) Cogn.
5410. Orchidaceae: *Epidendrum paruimense* G. A. Romero and Carnevali
5411. Orchidaceae: *Epidendrum* sp.
5412. Orchidaceae: *Stelis* sp.
5413. Rubiaceae: *Chiococca nitida* Benth.
5414. Melastomataceae: *Miconia lappacea* (DC.) Triana
5415. Rubiaceae: *Psychotria mapourioides* DC.
5416. Melastomataceae: *Leandra purpurea* Gleason
5417. Cyatheaceae: *Cyathea surinamensis* (Miq.) Domin
5418. Cyatheaceae: *Cyathea dissimilis* (C. V. Morton) Stolze
5419. Rubiaceae: *Manettia* sp.
5420. Cyperaceae: *Rhynchospora polyphylla* Vahl
5421. Cyperaceae: *Scleria latifolia* Sw.
5422. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
5423. Gentianaceae: *Tapinostemon spenneroides* Benth.
5424. Myrtaceae: *Calycolpus roraimensis* Steyerl.

5425. Melastomataceae: *Miconia dodecandra* Cogn.
 5426. Thurniaceae: *Thurnia sphaerocephala* (Rudge) Hook. f.
 5427. Orchidaceae: *Cheiradenia cuspidata* Lindl.
 5428. Rubiaceae: *Psychotria uliginosa* Sw.
 5429. Rubiaceae: *Faramea maguirei* Steyererm.
 5430. Melastomataceae: *Clidemia* sp.
 5431. Melastomataceae: *Miconia plukenetii* Naudin
 5432. Boraginaceae: *Cordia nodosa* Lam.
 5433. Piperaceae: *Piper perstipulare* Steyererm.
 5434. Gesneriaceae: *Columnnea guianensis* C. V. Morton
 5435. Rubiaceae: *Psychotria variegata* Steyererm.
 5436. Rubiaceae: *Psychotria variegata* Steyererm.
 5437. Bryophyte: Indet.
 5438. Cyperaceae: *Eleocharis debilis* Kunth
 5439. Poaceae: *Panicum laxum* Sw.
 5440. Poaceae: *Paspalum petilum* Chase
 5441. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
 5442. Ochnaceae: *Sauvagesia erecta* L.
 5443. Melastomataceae: *Miconia ciliata* (Rich.) DC.
 5444. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
 5445. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
 5446. Poaceae: *Olyra micrantha* Kunth
 5447. Cyperaceae: *Scleria secans* (L.) Urb.
 5448. Chrysobalanaceae: *Licania micrantha* Miq.
 5449. Grammitidaceae: *Grammitis melanosticta* (Kunze) F. Seym.
 5450. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
 5451. Melastomataceae: *Macrocentrum droseroides* Triana
 5452. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
 5453. Lomariopsidaceae: *Elaphoglossum nigrescens* (Hook.) T. Moore ex Diels
 5454. Orchidaceae: *Liparis nervosa* (Thunb.) Lindl.
 5455. Rubiaceae: *Psychotria crococlhamys* Sandwith
 5456. Leguminosae-Caesalpinioideae: *Dicymbe* sp.
 5457. Aquifoliaceae: *Ilex* sp.
 5458. Bryophyte: Indet.
 5459. Compositae: *Stenopadus talaumifolius* S. F. Blake
 5460. Araceae: *Anthurium roraimense* N. E. Br.
 5461. Orchidaceae: *Sarcoglottis metallica* (Rolfe) Schltr.
 5462. Bignoniaceae: *Tabebuia* sp. nov.
 5463. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
 5464. Bryophyte: Indet.
 5465. Orchidaceae: *Epidendrum strobiloides* Garay and Dunst.
 5466. Araceae: *Anthurium ptarianum* Steyererm.
 5467. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
 5468. Hymenophyllaceae: *Trichomanes crispum* L.
 5469. Orchidaceae: *Ponthieva ovatilabia* C. Schweinf.
 5470. Hymenophyllaceae: *Trichomanes crispum* L.
 5471. Dryopteridaceae: *Arachniodes macrostegia* (Hook.) R. M. Tryon and D. S. Conant
 5472. Cyperaceae: *Rhynchospora bolivarana* Steyererm.
 5473. Cyperaceae: *Calyptracarya glomerulata* (Brongn.) Urb.
 5474. Cyperaceae: *Calyptracarya glomerulata* (Brongn.) Urb.
 5475. Araceae: *Spathiphyllum cuspidatum* Schott
 5476. Piperaceae: *Piper bolivaranum* Yunck.
 5477. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
 5478. Melastomataceae: *Clidemia heptamera* Wurdack
 5479. Bryophyte: Indet.
 5480. Selaginellaceae: *Selaginella* sp.
 5481. Selaginellaceae: *Selaginella* cf. *hirsuta* Alston ex Crabbe and Jermy
 5482. Hymenophyllaceae: *Trichomanes diaphanum* Kunth
 5483. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
 5484. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
 5485. Clusiaceae: *Clusia cuneata* Benth.
 5486. Clusiaceae: *Tovomita weddelliana* Planch. and Triana
 5487. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *heteromorpha*
 5488. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
 5489. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
 5490. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
 5491. Araceae: *Rhodospatha oblongata* Poepp.
 5492. Piperaceae: *Piper wachenheimii* Trel.
 5493. Ochnaceae: *Ouratea microcalyx* (Engl.) Sastre
 5494. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *heteromorpha*
 5495. Bryophyte: Indet.
 5496. Selaginellaceae: *Selaginella porelloides* (Lam.) Spring
 5497. Melastomataceae: *Tococa aristata* Benth.
 5498. Hymenophyllaceae: *Trichomanes cellulosum* Klotzsch

5499. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
5500. Rubiaceae: *Psychotria barbiflora* DC.
5501. Lentibulariaceae: *Utricularia pubescens* Sm.
5502. Orchidaceae: *Octomeria* sp.
5503. Euphorbiaceae: *Omphalea diandra* L.
5504. Theaceae: Indet.
5505. Gentianaceae: *Chorisepalum* aff. *psychotrioides* Ewan
5506. Schizaeaceae: *Schizaea fluminensis* Miers ex J. W. Sturm
5507. Rubiaceae: *Psychotria multiramosa* Steyererm.
5508. Rubiaceae: *Psychotria barbiflora* DC.
5509. Clusiaceae: *Clusia* sp.
5510. Icacinaceae: *Emmotum glabrum* Benth. ex Miers
5511. Orchidaceae: *Sobralia* sp.
5512. Leguminosae-Caesalpinioideae: *Dimorphandra macrostachya* Benth.
5513. Clavicipitaceae: *Cordyceps* sp.
5514. Euphorbiaceae: *Adenophaedra grandifolia* (Klotzsch) Müll. Arg.
5515. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
5516. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
5517. Hymenophyllaceae: *Hymenophyllum decurrens* (Jacq.) Sw.
5518. Schizaeaceae: *Schizaea fluminensis* Miers ex J. W. Sturm
5519. Lomariopsidaceae: *Elaphoglossum decoratum* (Kunze) T. Moore
5520. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
5521. Rubiaceae: *Psychotria tepuiensis* (Steyererm.) Steyererm.
5522. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
5523. Gesneriaceae: *Besleria penduliflora* Fritsch
5524. Grammitidaceae: *Lellingeria subsessilis* (Baker) A. R. Sm. and R. C. Moran
5525. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
5526. Gesneriaceae: *Cryptoplectus deltoideus* (C. V. Morton) Wiehler
5527. Monimiaceae: *Mollinedia grazielae* Peixoto
5528. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
5529. Melastomataceae: *Miconia* sp.
5530. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
5531. Melastomataceae: *Leandra francavillana* Cogn.
5532. Melastomataceae: *Miconia fragrans* Cogn.
5533. Rubiaceae: *Psychotria parvibractea* Steyererm.
5534. Orchidaceae: *Dichaea venezuelensis* Carnevali and I. Ramírez
5535. Tectariaceae: *Lastreopsis amplissima* (C. Presl) Tindale
5536. Lauraceae: Indet.
5537. Melastomataceae: *Miconia pseudocapsularis* Wurdack
5538. Melastomataceae: *Miconia* sp.
5539. Piperaceae: *Piper obliquum* Ruiz and Pav.
5540. Rubiaceae: *Chiococca nitida* Benth.
5541. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
5542. Rubiaceae: *Psychotria* sp.
5543. Dennstaedtiaceae: *Ormoloma inrayanum* (Hook.) Maxon
5544. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
- 5544a. Hymenophyllaceae: *Hymenophyllum kaieteurum* Jenman
5545. Campanulaceae: *Centropogon cornutus* (L.) Druce
5546. Rubiaceae: *Schradera* cf. *polycephala* DC.
5547. Orchidaceae: *Psilochilus dusenianus* Kraenzl. ex Garay and Dunst.
5548. Myrtaceae: *Myrcia* ? *bolivarensis* (Steyererm.) McVaugh
5549. Gesneriaceae: *Besleria penduliflora* Fritsch
5550. Cyatheaceae: *Cyathea* sp.
5551. Woodsiaceae: *Diplazium lechleri* (Mett.) T. Moore
5552. Flacourtiaceae: *Ryania speciosa* Vahl var. *subuliflora* (Sandwith) Monach.
5553. Cyclanthaceae: Indet.
5554. Lentibulariaceae: *Utricularia* sp.
5555. Orchidaceae: *Scaphyglottis* sp.
5556. Araceae: *Anthurium expansum* Gleason
5557. Marantaceae: *Calathea casupito* (Jacq.) Schult.
5558. Marattiaceae: *Danaea elliptica* Sm.
5559. Blechnaceae: *Blechnum divergens* (Kunze) Mett.
5560. Gentianaceae: *Symbolanthus* comp. *calygonus* (Ruiz and Pav.) Griseb.
5561. Rapateaceae: *Stegolepis angustata* Gleason
5562. Orchidaceae: *Stelis* sp.
5563. Orchidaceae: *Houlletia odoratissima* Linden ex Lindl.
5564. Rubiaceae: *Psychotria tapajozensis* Standl.
5565. Nyctaginaceae: *Guapira salicifolia* (Heimerl) Lundell
5566. Clusiaceae: *Moronobea ptaritepuiana* Steyererm.

5567. Orchidaceae: *Epidendrum urichianum* Carnevali, Foldats and I. Ramírez
5568. Gentianaceae: *Chorisepalum psychotrioides* Ewan
5569. Melastomataceae: *Phainantha maguirei* Wurdack
5570. Orchidaceae: *Elleanthus* sp.
5571. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
5572. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
5573. Bryophyte: Indet.
5574. Bryophyte: Indet.
5575. Bryophyte: Indet.
5576. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
5577. Bryophyte: Indet.
5578. Bryophyte: Indet.
5579. Lycopodiaceae: *Lycopodiella caroliniana* (L.) Pic. Serm. var. *meridionalis* (Underw. and F. E. Lloyd) B. Øllg. and P. G. Windisch
5580. Lichen-Incert. sed.: Indet.
5581. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
5582. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
5583. Cyperaceae: *Rhynchocladium steyermarkii* (T. Koyama) T. Koyama
5584. Hymenophyllaceae: *Trichomanes sprucei* Baker
5585. Euphorbiaceae: *Phyllanthus vacciniifolius* (Müll. Arg.) Müll. Arg.
5586. Clusiaceae: *Clusia cardonae* Maguire
5587. Melastomataceae: *Phainantha myrteoloides* Wurdack
5588. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5589. Dennstaedtiaceae: *Lindsaea tenuis* Klotzsch
5590. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke ssp. *coriacea* F. White
5591. Physciaceae: *Heterodermia* sp.
5592. Piperaceae: *Peperomia bernandiifolia* (Vahl) A. Dietr.
5593. Hymenophyllaceae: *Trichomanes egléri* P. G. Windisch
5594. Orchidaceae: *Lepanthes* sp.
5595. Orchidaceae: *Epidendrum urichianum* Carnevali, Foldats and I. Ramírez
5596. Orchidaceae: *Stelis* sp.
5597. Orchidaceae: *Scaphyglottis* sp.
5598. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
5599. Piperaceae: *Peperomia tenella* (Sw.) A. Dietr.
5600. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
5601. Bryophyte: Indet.
5602. Lichen-Incert. sed.: Indet.
5603. Lentibulariaceae: *Utricularia* sp.
5604. Grammitidaceae: *Cochlidium tepuiense* (A. C. Sm.) L. E. Bishop
5605. Orchidaceae: Indet.
5606. Lentibulariaceae: *Utricularia* sp.
5607. Orchidaceae: Indet.
5608. Cunoniaceae: *Weinmannia guyanensis* Klotzsch ex Engl.
5609. Loranthaceae: *Gaiadendron punctatum* (Ruiz and Pav.) G. Don
5610. Gentianaceae: *Symbolanthus* comp. *calygonus* (Ruiz and Pav.) Griseb.
5611. Marcgraviaceae: *Marcgravia coriacea* Vahl
5612. Bromeliaceae: *Werauhia hygrometrica* (André) J. R. Grant
5613. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke ssp. *coriacea* F. White
5614. Clusiaceae: *Clusia cerroana* Steyerem.
5615. Rubiaceae: *Psychotria ceratantha* Standl.
5616. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
5617. Araceae: *Philodendron callosum* K. Krause
5618. Melastomataceae: *Miconia acutifolia* Ule
5619. Apocynaceae: *Couma rigida* Müll. Arg.
5620. Rutaceae: *Raveniopsis ruellioides* (Oliv.) R. S. Cowan
5621. Orchidaceae: *Maxillaria meridensis* Lindl.
5622. Rubiaceae: *Psychotria crassa* Benth.
5623. Rutaceae: *Raveniopsis ruellioides* (Oliv.) R. S. Cowan
5624. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.
5625. Rubiaceae: *Psychotria ceratantha* Standl.
5626. Compositae: *Chromolaena laevigata* (Lam.) R. M. King and H. Rob.
5627. Compositae: *Calea lucidivenia* Gleason and S. F. Blake var. *orientalis* (Maguire and Wurdack) Pruski
5628. Polygalaceae: *Monnina cacumina* N. E. Br.
5629. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5630. Bryophyte: Indet.
5631. Gentianaceae: *Tapeinostemon spenneroides* Benth.
5632. Orchidaceae: *Odontoglossum naevium* Lindl.
5633. Melastomataceae: *Clidemia tepuiensis* Wurdack
5634. Lentibulariaceae: *Utricularia* sp.

5635. Grammitidaceae: *Grammitis kalbreyeri* (Baker)
C. V. Morton
5636. Orchidaceae: *Pleurothallis tepuiensis* Carnevali
and I. Ramírez
5637. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
5638. Bryophyte: Indet.
5639. Hymenophyllaceae: *Trichomanes sprucei* Baker
5640. Bryophyte: Indet.
5641. Hepaticae: Indet.
5642. Hepaticae: Indet.
5643. Polypodiaceae: *Polypodium sessilifolium* Desv.
5644. Orchidaceae: *Prosthechea tigrina* (Linden ex
Lindl.) W. E. Higgins
5645. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
5646. Orchidaceae: *Dichaea* sp.
5647. Ericaceae: *Cavendishia callista* Donn. Sm.
5648. Orchidaceae: *Braemia vittata* (Lindl.) Jenny
5649. Apocynaceae: *Couma rigida* Müll. Arg.
5650. Bromeliaceae: *Brocchinia acuminata* L. B. Sm.
5651. Eriocaulaceae: Indet.
5652. Ericaceae: *Thibaudia formosa* (Klotzsch) Hoerold
5653. Lentibulariaceae: *Utricularia* sp.
5654. Bonnetiaceae: *Bonnetia paniculata* Spruce ex
Benth.
5655. Cyperaceae: *Didymiandrum stellatum* (Böck.)
Gilly
5656. Bryophyte: Indet.
5657. Rubiaceae: *Psychotria tapajozensis* Standl.
5658. Podocarpaceae: *Podocarpus tepuiensis*
J. Buchholz and N. E. Gray
5659. Burmanniaceae: *Dictyostega orobanchoides*
(Hook.) Miers ssp. *orobanchoides*
5660. Dennstaedtiaceae: *Lindsaea* ? *cultriformis* K. U.
Kramer
5661. Bryophyte: Indet.
5662. Bryophyte: Indet.
5663. Bryophyte: Indet.
5664. Orchidaceae: Indet.
5665. Orchidaceae: *Elleanthus* sp.
5666. Rubiaceae: *Malanea gabrielensis* Müll. Arg.
5667. Melastomataceae: *Graffenrieda intermedia*
Triana
5668. Cunoniaceae: *Weinmannia* cf. *laxiramea* Killip
and A. C. Sm.
5669. Compositae: *Mikania sprucei* Baker
5670. Oleandraceae: *Nephrolepis cordifolia* (L.) C. Presl
5671. Ericaceae: Indet.
5672. Dennstaedtiaceae: *Ormoloma imrayanum*
(Hook.) Maxon
5673. Orchidaceae: *Maxillaria alticola* C. Schweinf.
5674. Orchidaceae: *Prosthechea* sp.
5675. Orchidaceae: *Malaxis* sp.
5676. Orchidaceae: *Maxillaria meridensis* Lindl.
5677. Orchidaceae: *Pleurothallis imraei* Lindl.
5678. Orchidaceae: *Epidendrum urichianum* Carnevali,
Foldats and I. Ramírez
5679. Orchidaceae: *Myoxanthus* sp.
5680. Incertae sedis: Indet.
5681. Myrtaceae: *Myrcia exploratoris* McVaugh
5682. Grammitidaceae: *Cochlidium serrulatum* (Sw.)
L. E. Bishop
5683. Grammitidaceae: *Cochlidium tepuiense*
(A. C. Sm.) L. E. Bishop
5684. Lomariopsidaceae: *Elaphoglossum peltatum*
(Sw.) Urb.
5685. Clusiaceae: Indet.
5686. Lobariaceae: *Sticta weigeli* (Ach.) Vain.
5687. Bryophyte: Indet.
5688. Bryophyte: Indet.
5689. Bryophyte: Indet.
5690. Pteridophyte: Indet.
5691. Orchidaceae: *Selenipedium steyermarkii* Foldats
5692. Cladoniaceae: *Cladonia signata* (Eschw.) Vain.
5693. Cladoniaceae: *Cladia aggregata* (Sw.) Nyl.
5694. Lichen-Incert. sed.: Indet.
5695. Eriocaulaceae: *Rondonanthus capillaceus*
(Klotzsch ex Körn.) Hensold and Giul.
5696. Hymenophyllaceae: *Trichomanes roraimense*
Jenman
5697. Bryophyte: Indet.
5698. Bryophyte: Indet.
5699. Orchidaceae: *Octomeria cordilabia* C. Schweinf.
5700. Lentibulariaceae: *Utricularia* sp.
5701. Orchidaceae: *Epidendrum miserrimum* Rchb. f.
5702. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5703. Clusiaceae: *Clusia maguireana* Pipoly
5704. Loranthaceae: *Phthirusa stelis* (L.) Kuijt
5705. Clusiaceae: *Clusia cardonae* Maguire
5706. Rubiaceae: *Retiniphyllum scabrum* Benth.
5707. Myrtaceae: *Marlierea buxifolia* Amshoff
5708. Myrsinaceae: *Cybianthus crotonoides* (M. R.
Schomb. ex Mez) G. Agostini
5709. Melastomataceae: *Phainantha myrteoloides*
Wurdack
5710. Rubiaceae: *Psychotria crocochlamys* Sandwith
5711. Rubiaceae: *Palicourea wurdackiana* J. H. Kirkbr.
5712. Elaeocarpaceae: *Sloanea* sp.
5713. Thelypteridaceae: *Thelypteris kunthii* (Desv.)
C. V. Morton
5714. Melastomataceae: *Tococa aristata* Benth.

5715. Grammitidaceae: *Grammitis kalbreyeri* (Baker)
C. V. Morton
5716. Hymenophyllaceae: *Trichomanes* aff. *cellulosum*
Klotzsch
5717. Dennstaedtiaceae: *Lindsaea quadrangularis*
Raddi ssp. *antillensis* K. U. Kramer
5718. Orchidaceae: Indet.
5719. Rubiaceae: *Psychotria everardii* Wernham
5720. Bryophyte: Indet.
5721. Bryophyte: Indet.
5722. Bryophyte: Indet.
5723. Lichenized basidiomycete: *Dictyonema* sp.
5724. Orchidaceae: Indet.
5725. Vochysiaceae: *Vochysia* sp.
5726. Grammitidaceae: *Micropolypodium taenifolium*
(Jenman) A. R. Sm.
5727. Grammitidaceae: *Enterosora campbellii* Baker
5728. Myrtaceae: *Myrcia* sp.
5729. Orchidaceae: *Cleistes parviflora* Lindl.
5730. Gentianaceae: *Chorisepalum carnosum* Ewan
5731. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
5732. Myrtaceae: *Myrcia* sp.
5733. Myrtaceae: *Myrcia bolivarensis* (Steyerm.)
McVaugh
5734. Loranthaceae: *Gaiadendron punctatum* (Ruiz
and Pav.) G. Don
5735. Myrtaceae: *Myrcia exploratoris* McVaugh
5736. Cunoniaceae: *Weinmannia* aff. *balbisiana* Kunth
5737. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
5738. Orchidaceae: *Odontoglossum naevium* Lindl.
5739. Bryophyte: Indet.
5740. Malpighiaceae: *Byrsonima carraoana* Steyerm.
5741. Indet.: Indet.
5742. Smilacaceae: *Smilax domingensis* Willd.
5743. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
5744. Bonnetiaceae: *Archytaea triflora* Mart.
5745. Malpighiaceae: *Byrsonima carraoana* Steyerm.
5746. Eriocaulaceae: Indet.
5747. Orchidaceae: *Sobralia oliva-estevae* Carnevali
and I. Ramírez
5748. Lentibulariaceae: *Utricularia* sp.
5749. Orchidaceae: *Trichosalpinx roraimensis* (Rolfe)
Luer
- 5749a. Lentibulariaceae: *Utricularia* sp.
5750. Compositae: *Stenopadus talaumifolius* S. F. Blake
5751. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke
ssp. *coriacea* F. White
5752. Orchidaceae: *Epistephium* sp.
5753. Clusiaceae: *Moronobea ptaritepuiana* Steyerm.
5754. Ericaceae: *Notopora schomburgkii* Hook. f.
5755. Chloranthaceae: *Hedyosmum* sp.
5756. Ochnaceae: *Perissocarpa steyermarkii* (Maguire)
Steyerm. and Maguire
5757. Hymenophyllaceae: *Trichomanes* aff. *cellulosum*
Klotzsch
5758. Orchidaceae: *Epidendrum vincentinum* Lindl.
5759. Orchidaceae: *Epidendrum pachyphyton* Garay
5760. Orchidaceae: *Scaphyglottis* sp.
5761. Viscaceae: *Phoradendron chrysocladon* A. Gray
5762. Bonnetiaceae: *Bonnetia sessilis* Benth.
5763. Bryophyte: Indet.
5764. Loranthaceae: *Struthanthus syringifolius* (Mart.)
Mart.
5765. Lentibulariaceae: *Utricularia* sp.
5766. Hepaticae: Indet.
5767. Euphorbiaceae: *Senefelderopsis croizatii*
Steyerm.
5768. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
5769. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5770. Lobariaceae: *Sticta* sp.
5771. Bryophyte: Indet.
5772. Marcgraviaceae: *Sarcopera tepuiensis* (de Rooin)
Bedell
5773. Cladoniaceae: *Cladonia ceratophylla* (Sw.)
Spreng.
5774. Cladoniaceae: *Cladonia didyma* (Fée) Vain.
5775. Compositae: *Stenopadus talaumifolius* S. F. Blake
5776. Viscaceae: *Dendrophthora tepuiana* (Steyerm.)
Kuijt
5777. Rubiaceae: *Platycarpum rugosum* Steyerm.
5778. Sapotaceae: *Pouteria rigida* (Mart. and Eichler)
Radlk.
5779. Orchidaceae: *Epistephium* sp.
5780. Hymenophyllaceae: *Trichomanes crinitum* Sw.
5781. Lomariopsidaceae: *Elaphoglossum lingua*
(Raddi) Brack.
5782. Cyperaceae: *Calyptrocarya glomerulata*
(Brongn.) Urb.
5783. Orchidaceae: *Houlletia* sp.
5784. Melastomataceae: *Graffenrieda intermedia*
Triana
5785. Monimiaceae: *Mollinedia ptariensis* Steyerm.
5786. Rubiaceae: *Schradera nilssonii* Steyerm.
5787. Piperaceae: *Piper cuyunianum* Steyerm.
5788. Rubiaceae: *Ladenbergia lambertiana* (A. Braun
ex Mart.) Klotzsch
5789. Lichen-Incert. sed.: Indet.
5790. Clusiaceae: Indet.
5791. Orchidaceae: *Prosthechea vespa* (Vell.) W. E.
Higgins

5792. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
5793. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5794. Melastomataceae: *Tococa aristata* Benth.
5795. Araceae: *Anthurium ptarianum* Steyererm.
5796. Cyrillaceae: *Cyrilla racemiflora* L.
5797. Bryophyte: Indet.
5798. Bryophyte: Indet.
5799. Grammitidaceae: *Cochlidium linearifolium* (Desv.) Maxon ex C. Chr.
5800. Grammitidaceae: *Grammitis bryophila* (Maxon) F. Seym.
5801. Ochnaceae: *Poecilandra retusa* Tul.
5802. Myrtaceae: *Myrcia albidotomentosa* (Amshoff) McVaugh
5803. Cyatheaceae: *Cyathea* aff. *simplex* R. M. Tryon
5804. Orchidaceae: *Galeottia jorisiana* (Rolfe) Schltr.
5805. Bryophyte: Indet.
5806. Hepaticae: Indet.
5807. Orchidaceae: *Jacquiniella globosa* (Jacq.) Schltr.
5808. Rubiaceae: *Perama dichotoma* Poepp.
5809. Rubiaceae: *Chalepophyllum guianense* Hook. f.
5810. Clusiaceae: *Clusia pusilla* Steyererm.
5811. Ochnaceae: *Poecilandra pumila* Steyererm.
5812. Orchidaceae: *Sobralia* sp.
5813. Eriocaulaceae: Indet.
5814. Lichen-Incert. sed.: Indet.
5815. Myrsinaceae: *Cybianthus crotonoides* (M. R. Schomb. ex Mez) G. Agostini
5816. Cladoniaceae: *Cladina* sp.
5817. Grammitidaceae: *Cochlidium tepuiense* (A. C. Sm.) L. E. Bishop
5818. Hymenophyllaceae: *Hymenophyllum apiculatum* Mett. ex Kuhn
5819. Bryophyte: Indet.
5820. Bryophyte: Indet.
5821. Lichen-Incert. sed.: Indet.
5822. Lichen-Incert. sed.: Indet.
5823. Parmeliaceae: *Usnea* sp.
5824. Lichen-Incert. sed.: Indet.
5825. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *jamesoniiformis* K. U. Kramer
5826. Orchidaceae: *Epidendrum secundum* Jacq.
5827. Gentianaceae: *Irlbachia nemorosa* (Willd. ex Roem. and Schult.) Merr.
5828. Orchidaceae: *Epidendrum durum* Lindl.
5829. Orchidaceae: *Epidendrum secundum* Jacq.
5830. Melastomataceae: *Meriania urceolata* Triana
5831. Icacinaceae: *Emmotum glabrum* Benth. ex Miers
5832. Sarraceniaceae: *Heliamphora nutans* Benth.
5833. Orchidaceae: *Pleurothallis sclerophylla* Lindl.
5834. Melastomataceae: *Tococa bolivarensis* Gleason ssp. *bolivarensis*
5835. Aquifoliaceae: *Ilex* cf. *retusa* Klotzsch ex Reissek
5836. Xyridaceae: *Orectanthe sceptrum* (Oliv.) Maguire ssp. *sceptrum*
5837. Lichen-Incert. sed.: Indet.
5838. Cladoniaceae: *Cladonia vareschii* Ahti
5839. Rapateaceae: *Stegolepis ptaritepuiensis* Steyererm.
5840. Cyperaceae: *Everardia glaucifolia* Gilly
5841. Droseraceae: *Drosera roraimae* (Klotzsch ex Diels) Maguire and J. R. Laundon
5841a. Droseraceae: *Drosera kaiepurensis* Brumm.-Ding.
5842. Lichen-Incert. sed.: Indet.
5843. Compositae: *Stomatochaeta condensata* (Baker) Maguire and Wurdack
5844. Gleicheniaceae: *Dicranopteris nervosa* (Kaulf.) Maxon
5845. Clusiaceae: *Clusia pusilla* Steyererm.
5846. Compositae: *Gongylolepis benthamiana* R. H. Schomb.
5847. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
5848. Bonnetiaceae: Indet.
5849. Apocynaceae: *Mandevilla benthamii* (A. DC.) K. Schum.
5850. Malpighiaceae: *Byrsonima carraoana* Steyererm.
5851. Clusiaceae: *Clusia guayanae* Pipoly
5852. Melastomataceae: *Clidemia capitata* Benth.
5853. Orchidaceae: *Maxillaria alticola* C. Schweinf.
5854. Myrsinaceae: *Ardisia* sp.
5855. Liliaceae: *Isidrogalvia schomburgkiana* (Oliv.) Cruden
5856. Myrtaceae: Indet.
5857. Aquifoliaceae: Indet.
5858. Bignoniaceae: *Digomphia laurifolia* Benth.
5859. Bonnetiaceae: *Bonnetia sessilis* Benth.
5860. Viscaceae: *Phoradendron chrysocladon* A. Gray
5861. Melastomataceae: *Macairea thysiflora* DC.
5862. Humiriaceae: *Humiria balsamifera* Aubl. var. *coriacea* Cuatrec.
5863. Eriocaulaceae: Indet.
5864. Lichen-Incert. sed.: Indet.
5865. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
5866. Bryophyte: Indet.
5867. Bryophyte: Indet.
5868. Orchidaceae: *Cleistis* sp.
5869. Lentibulariaceae: *Utricularia* sp.
5870. Eriocaulaceae: *Syngonanthus nitens* (Bong.) Ruhland

5871. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand.
var. *jamesoniiformis* K. U. Kramer
5872. Cyperaceae: *Lagenocarpus rigidus* (Kunth) Nees
ssp. *tremulus* (Nees) T. Koyama and Maguire
5873. Euphorbiaceae: *Phyllanthus vacciniifolius* (Müll.
Arg.) Müll. Arg.
5874. Melastomataceae: *Tibouchina fraterna* N. E. Br.
5875. Clavicipitaceae: *Claviceps* sp.
5876. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
5877. Bryophyte: Indet.
5878. Bryophyte: Indet.
5879. Cladoniaceae: *Cladia aggregata* (Sw.) Nyl.
5880. Cladoniaceae: *Cladonia corallifera* (Kunze) Nyl.
5881. Myrtaceae: *Myrcia* sp.
5882. Orchidaceae: *Jacqiniella globosa* (Jacq.) Schltr.
5883. Euphorbiaceae: *Senefeldersopsis croizatii* Steyererm.
5884. Apocynaceae: *Allamanda* cf. *cathartica* L.
5885. Clusiaceae: *Clusia columnaris* Engl.
5886. Lobariaceae: *Pseudocyphellaria* sp.
5887. Cyperaceae: *Scleria cyperina* Willd. ex Kunth
5888. Clusiaceae: *Clusia cardonae* Maguire
5889. Clusiaceae: Indet.
5890. Viscaceae: *Dendrophthora elliptica* (Gardner)
Krug and Urb.
5891. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
5892. Orchidaceae: *Maxillaria reichenheimiana* Endres
and Rchb. f.
5893. Orchidaceae: *Jacqiniella globosa* (Jacq.) Schltr.
5894. Rubiaceae: *Retiniphyllum scabrum* Benth.
5895. Cyperaceae: *Mapania tepuiana* (Steyererm.)
T. Koyama
5896. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5897. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5898. Clusiaceae: *Clusia cerroana* Steyererm.
5899. Arthoniaceae: *Cryptothecia rubrocincta*
(Ehrenb.) Thor
5900. Lichen-Incert. sed.: Indet.
5901. Grammitidaceae: *Cochlidium serrulatum* (Sw.)
L. E. Bishop
5902. Bryophyte: Indet.
5903. Coccocarpiaceae: *Coccocarpia* sp.
5904. Lichen-Incert. sed.: Indet.
5905. Orchidaceae: *Octomeria* sp.
5906. Orchidaceae: *Trichosalpinx roraimensis* (Rolfe)
Luer
5907. Bryophyte: Indet.
5908. Lichen-Incert. sed.: Indet.
5909. Parmeliaceae: *Hypotrachya* sp.
5910. Lobariaceae: *Pseudocyphellaria* sp.
5911. Hymenophyllaceae: *Hymenophyllum*
fendlerianum J. W. Sturm
5912. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd.
var. *elatio* (Kunze) K. U. Kramer
5913. Orchidaceae: *Elleanthus graminifolius* (Barb.
Rodr.) Løjtnant
5914. Grammitidaceae: *Cochlidium tepuiense*
(A. C. Sm.) L. E. Bishop
5915. Polypodiaceae: *Polypodium sessilifolium* Desv.
5916. Bromeliaceae: *Aechmea bromeliifolia* (Rudge)
Baker
5917. NO RECORD
5918. Lichen-Incert. sed.: Indet.
5919. Grammitidaceae: *Grammitis leptopoda* (C. H.
Wright) Copel.
5920. Hymenophyllaceae: *Trichomanes steyermarkii*
P. G. Windisch and A. R. Sm.
5921. Hymenophyllaceae: *Trichomanes celluloseum*
Klotzsch
5922. Orchidaceae: *Galeottia jorisiana* (Rolfe) Schltr.
5923. Compositae: *Mikania sprucei* Baker
5924. Orchidaceae: *Maxillaria meridensis* Lindl.
5925. Orchidaceae: *Scaphyglottis* sp.
5926. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.)
L. O. Williams
5927. Hymenophyllaceae: *Hymenophyllum dependens*
C. V. Morton
5928. Leguminosae-Faboideae: *Alexa* sp.
5929. Leguminosae-Faboideae: *Dioclea guianensis*
Benth.
5930. Rubiaceae: *Psychotria acuminata* Benth.
5931. Clusiaceae: *Clusia palmicida* Rich. ex Planch.
and Triana
5932. Compositae: *Calea solidaginea* Kunth ssp.
deltophylla (R. S. Cowan) Pruski
5933. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
5934. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
5935. Melastomataceae: *Miconia prasina* (Sw.) DC.
5936. Melastomataceae: *Clidemia ostentata* Wurdack
5937. Rubiaceae: *Psychotria brachybotrya* Müll. Arg.
5938. Rubiaceae: *Psychotria apoda* Steyererm.
5939. Apocynaceae: *Bonafousia obliqua* Miers
5940. Melastomataceae: *Leandra purpurea* Gleason
5941. Rubiaceae: *Psychotria brachybotrya* Müll. Arg.
5942. Poaceae: *Paspalum nutans* Lam.
5943. Rubiaceae: *Faramea maguirei* Steyererm.
5944. Menispermaceae: *Cissampelos andromorpha* DC.
5945. Chrysobalanaceae: *Hirtella racemosa* Lam. var.
racemosa

5946. Dryopteridaceae: *Cyclodium inerme* (Fée)
A. R. Sm.
5947. Melastomataceae: *Miconia mirabilis* (Aubl.)
L. O. Williams
5948. Leguminosae-Faboideae: *Mucuna urens* (L.)
Medik.
5949. Melastomataceae: *Maieta guianensis* Aubl.
5950. Poaceae: *Olyra micrantha* Kunth
5951. Lomariopsidaceae: *Elaphoglossum glabellum*
J. Sm.
5952. Orchidaceae: *Scaphyglottis* sp.
5953. Rubiaceae: *Palicourea guianensis* Aubl.
5954. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
5955. Hymenophyllaceae: *Hymenophyllum*
trichomanoides Bosch
5956. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook.
and Grev.
5957. Selaginellaceae: *Selaginella seemannii* Baker
5958. Polypodiaceae: *Pecluma plumula* (Humb. and
Bonpl. ex Willd.) M. G. Price
5959. Melastomataceae: *Clidemia* sp.
5960. Parmeliaceae: *Parmotrema* sp.
- 5960a. Physciaceae: Indet.
5961. Loranthaceae: *Oryctanthus alveolatus* (Kunth)
Kuijt
5962. Bignoniaceae: *Phryganocydia corymbosa* (Vent.)
Bureau ex K. Schum.
5963. Aspleniaceae: *Asplenium serratum* L.
5964. Melastomataceae: *Miconia* sp.
5965. Moraceae: *Ficus maxima* Mill.
5966. Flacourtiaceae: *Casearia grandiflora* Cambess.
5967. Melastomataceae: *Miconia holosericea* (L.) DC.
5968. Bryophyte: Indet.
5969. Melastomataceae: *Graffenrieda* sp.
5970. Rubiaceae: *Psychotria anceps* Kunth
5971. Polygalaceae: *Securidaca pyramidalis* Sprague ex
Sandwith
5972. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and
Steyerm.
5973. Lauraceae: Indet.
5974. Vitaceae: *Cissus erosa* Rich.
5975. Melastomataceae: *Miconia ciliata* (Rich.) DC.
5976. Myrtaceae: *Myrcia* cf. *fallax* (Rich.) DC.
5977. Bryophyte: Indet.
5978. Arecaceae: *Geonoma maxima* (Poit.) Kunth var.
ambigua (Spruce) A. J. Hend.
5979. Lauraceae: Indet.
5980. Clusiaceae: *Clusia palmicida* Rich. ex Planch.
and Triana
5981. Rubiaceae: *Chiococca nitida* Benth.
5982. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
5983. Rubiaceae: *Psychotria* (subg. *Heteropsychotria*)
5984. Orchidaceae: *Scaphyglottis* sp.
5985. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
5986. Lauraceae: Indet.
5987. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
5988. Lauraceae: Indet.
5989. Pteridophyte: Indet.
5990. Compositae: *Wulffia baccata* (L.) Kuntze
5991. Adiantaceae: *Adiantum obliquum* Willd.
5992. Cucurbitaceae: *Cayaponia racemosa* (Mill.) Cogn.
5993. Aspleniaceae: *Asplenium cristatum* Lam.
5994. Rubiaceae: *Gonzalagunia dicocca* Cham. and
Schltdl.
5995. Piperaceae: *Piper aequale* Vahl
5996. Melastomataceae: *Miconia nervosa* (Sm.) Triana
5997. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
5998. Tectariaceae: *Ctenitis refulgens* (Klotzsch ex
Mett.) C. Chr. ex Vareschi
5999. Commelinaceae: *Tradescantia zanoniana* (L.) Sw.
6000. Adiantaceae: *Doryopteris sagittifolia* (Raddi)
J. Sm.
6001. Piperaceae: *Peperomia alata* Ruiz and Pav.
6002. Piperaceae: *Peperomia urocarpa* Fisch. and
C. A. Mey.
6003. Poaceae: *Ichnanthus nemoralis* (Schrad. ex
Schult.) Hitchc. and Chase
6004. Piperaceae: *Peperomia rotundifolia* (L.) Kunth
6005. Araceae: *Anthurium expansum* Gleason
6006. Rubiaceae: *Psychotria racemosa* Rich.
6007. Gesneriaceae: *Nautilocalyx mimuloides* (Benth.)
C. V. Morton
6008. Aspleniaceae: *Asplenium serratum* L.
6009. Costaceae: *Costus spiralis* (Jacq.) Roscoe var.
spiralis
6010. Heliconiaceae: *Heliconia bihai* (L.) L.
6011. Bryophyte: Indet.
6012. Bryophyte: Indet.
6013. Begoniaceae: *Begonia glabra* Aubl.
6014. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.)
Fosberg
6015. Urticaceae: *Urera caracasana* (Jacq.) Gaudich. ex
Griseb.
6016. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl.
and Cham.
6017. Adiantaceae: *Hemionitis rufa* (L.) Sw.
6018. Rubiaceae: *Gonzalagunia dicocca* Cham. and
Schltdl.

6019. Blechnaceae: *Blechnum occidentale* L.
6020. Adiantaceae: *Adiantum tetraphyllum* Humb. and Bonpl. ex Willd. var. *tetraphyllum*
6021. Piperaceae: *Piper aduncum* L.
6022. Thelypteridaceae: *Thelypteris pennata* (Poir.) C. V. Morton
6023. Menispermaceae: *Cissampelos pareira* L.
6024. Gentianaceae: *Voyria caerulea* Aubl.
6025. Gentianaceae: *Voyria aurantiaca* Splitg.
6026. Bryophyte: Indet.
6027. Malvaceae: *Pavonia castaneifolia* A. St.-Hil. and Naudin
6028. Ulmaceae: *Trema micrantha* (L.) Blume
6029. Melastomataceae: *Clidemia octona* (Bonpl.) L. O. Williams ssp. *guayanensis* Wurdack
6030. Marantaceae: *Maranta gibba* Sm.
6031. Tectariaceae: *Tectaria incisa* Cav.
6032. Adiantaceae: *Hemionitis rufa* (L.) Sw.
6033. Leguminosae-Faboideae: *Dioclea* cf. *violacea* Mart. ex Benth.
6034. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
6035. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
6036. Lichen-Incert. sed.: Indet.
6037. Orchidaceae: *Koellensteinia graminea* (Lindl.) Rchb. f.
6038. Orchidaceae: *Scaphyglottis* sp.
6039. Orchidaceae: *Pleurothallis spiculifera* Lindl.
6040. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
6041. Smilacaceae: *Smilax* sp.
6042. Rubiaceae: *Psychotria uliginosa* Sw.
6043. Leguminosae-Mimosoideae: *Inga sertulifera* DC.
6044. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
6045. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerl.
6046. Melastomataceae: *Miconia prasina* (Sw.) DC.
6047. Myrtaceae: *Myrcia fallax* (Rich.) DC.
6048. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
6049. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
6050. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
6051. Leguminosae-Mimosoideae: *Hydrochorea* ? *corymbosa* (Rich.) Barneby and J. W. Grimes
6052. Orchidaceae: *Ligeophila clavigera* (Rchb. f.) Garay
6053. Apocynaceae: *Bonafousia sananho* (Ruiz and Pav.) Markgr.
6054. Moraceae: *Ficus piresiana* Vázq. Avila and C. C. Berg
6055. Orchidaceae: *Dichaea* sp.
6056. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
6057. Myrsinaceae: *Ardisia guianensis* (Aubl.) Mez
6058. Polypodiaceae: *Campyloneurum latum* T. Moore
6059. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
6060. Piperaceae: *Peperomia alata* Ruiz and Pav.
6061. Rubiaceae: *Psychotria platypoda* DC.
6062. Leguminosae-Caesalpinioideae: *Brownea coccinea* Jacq. ssp. *capitella* (Jacq.) D. Velázq. and Agostini
6063. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
6064. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
6065. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
6066. Rubiaceae: *Psychotria microbotrys* Ruiz ex Standl.
6067. Rubiaceae: *Psychotria* cf. *mapourioides* DC.
6068. Selaginellaceae: *Selaginella seemannii* Baker
6069. Selaginellaceae: *Selaginella seemannii* Baker
6070. Aspleniaceae: *Asplenium auritum* Sw.
6071. Melastomataceae: *Maieta guianensis* Aubl.
6072. Bryophyte: Indet.
6073. Cyclanthaceae: *Dicranopygium angustissimum* (Sandwith) Harling
6074. Woodsiaceae: *Diplazium riedelianum* Kunze
6075. Piperaceae: *Piper obliquum* Ruiz and Pav.
6076. Boraginaceae: *Cordia nodosa* Lam.
6077. Araceae: *Monstera obliqua* Miq.
6078. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
6079. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
6080. Gyalectaceae: *Coenogonium* sp.
6081. Dichapetalaceae: *Tapura guianensis* Aubl.
6082. Burseraceae: *Protium sagotianum* Marchand
6083. Burseraceae: *Protium decandrum* (Aubl.) Marchand
6084. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
6085. Flacourtiaceae: *Casearia singularis* Eichler
6086. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
6087. Leguminosae: Indet.
6088. Malpighiaceae: *Byrsonima stipulacea* A. Juss.

6089. Cyperaceae: *Bulbostylis junciformis* (Kunth)
C. B. Clarke
6090. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
6091. Schizaeaceae: *Schizaea incurvata* Schkuhr
6092. Rubiaceae: *Spermacoce verticillata* L.
6093. Rubiaceae: *Borreria capitata* (Ruiz and Pav.) DC.
6094. Poaceae: *Panicum* ? sp.
6095. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
6096. Melastomataceae: *Miconia holosericea* (L.) DC.
6097. Burseraceae: *Trattinnickia burserifolia* Mart.
6098. Anacardiaceae: *Anacardium occidentale* L.
6099. Rubiaceae: *Remijia* sp.
6100. Compositae: *Mikania sprucei* Baker
6101. Melastomataceae: *Miconia gratissima* Benth. ex Triana
6102. Compositae: *Calea solidaginea* Kunth ssp. *deltophylla* (R. S. Cowan) Pruski
6103. Myrsinaceae: *Cybianthus surinamensis* (Spreng.) G. Agostini
6104. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
6105. Gentianaceae: *Irlbachia alata* (Aubl.) Maas
6106. Compositae: *Achyrocline vargasiana* DC.
6107. Myrsinaceae: *Cybianthus prieurii* A. DC.
6108. Cactaceae: *Epiphyllum phyllanthus* (L.) Haw.
6109. Araceae: *Anthurium gracile* (Rudge) Schott
6110. Melastomataceae: *Clidemia capitata* Benth.
6111. Bombacaceae: Indet.
6112. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
6113. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
6114. Melastomataceae: *Tococa aristata* Benth.
6115. Lythraceae: *Cuphea* sp.
6116. Araceae: *Anthurium gracile* (Rudge) Schott
6117. Melastomataceae: *Miconia alata* (Aubl.) DC.
6118. Malpighiaceae: *Byrsonima stipulacea* A. Juss.
6119. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
6120. Compositae: *Piptocarpha leprosa* (Less.) Baker
6121. Smilacaceae: *Smilax* sp.
6122. Myristicaceae: *Virola sebifera* Aubl.
6123. Orchidaceae: *Galeandra stylomisantha* (Vell.) Hoehne
6124. Rubiaceae: *Isertia hypoleuca* Benth.
6125. Burseraceae: *Trattinnickia burserifolia* Mart.
6126. Anacardiaceae: *Loxopterygium sagotii* Hook. f.
6127. Leguminosae-Faboideae: *Paramachaerium ormosioides* (Ducke) Ducke
6128. Rubiaceae: *Chiococca nitida* Benth.
6129. Leguminosae-Mimosoideae: *Stryphnodendron* sp.
6130. Eriocaulaceae: *Paepalanthus bifidus* (Schrad.) Kunth
6131. Bryophyte: Indet.
6132. Poaceae: *Trachypogon spicatus* (L. f.) Kuntze
6133. Apocynaceae: *Himatanthus* sp.
6134. Clusiaceae: *Clusia schomburgkiana* (Planch. and Triana) Benth. ex Engl.
6135. Clusiaceae: *Clusia grandiflora* Splitg.
6136. Erythroxylaceae: *Erythroxylum citrifolium* A. St.-Hil.
6137. Orchidaceae: *Sobralia liliastrum* Lindl.
6138. Schizaeaceae: *Schizaea incurvata* Schkuhr
6139. Leguminosae-Caesalpinioideae: *Dimorphandra* s.l. *macrostachya* Benth.
6140. Bombacaceae: *Pachira minor* (Sims) Hemsl.
6141. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
6142. Myrtaceae: *Myrcia fallax* (Rich.) DC.
6143. Melastomataceae: *Miconia* sp.
6144. Malpighiaceae: *Hiraea fagifolia* (DC.) A. Juss.
6145. Polygalaceae: *Bredemeyera floribunda* Willd.
6146. Apocynaceae: Indet.
6147. Lauraceae: Indet.
6148. Myrsinaceae: *Ardisia guianensis* (Aubl.) Mez
6149. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
6150. Polygonaceae: *Coccoloba ascendens* Duss ex Lindau
6151. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
6152. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
6153. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
6154. Bignoniaceae: *Tabebuia chrysantha* (Jacq.) G. Nicholson
6155. Lauraceae: Indet.
6156. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
6157. Myrtaceae: *Myrciaria floribunda* (West ex Willd.) O. Berg
6158. Leguminosae-Mimosoideae: *Inga* sp.
6159. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
6160. Myrtaceae: *Myrcia* cf. *paivae* O. Berg
6161. Rubiaceae: *Psychotria mapourioides* DC.
6162. Ochnaceae: *Sauvagesia erecta* L.
6163. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
6164. Rubiaceae: *Cosmibuena grandiflora* (Ruiz and Pav.) Rusby

6165. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
 6166. Humiriaceae: Indet.
 6167. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
 6168. Compositae: *Lepidaploa bolivarensis* (V. M. Badillo) H. Rob.
 6169. Humiriaceae: Indet.
 6170. Liliaceae: *Hymenocallis tubiflora* Salisb.
 6171. Flacourtiaceae: *Banara guianensis* Aubl.
 6172. Verbenaceae: *Lantana camara* L.
 6173. Flacourtiaceae: *Banara guianensis* Aubl.
 6174. Rubiaceae: *Spermacoce ocymifolia* Willd. ex Roem. and Schult.
 6175. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
 6176. Clusiaceae: *Clusia minor* L.
 6177. Myrtaceae: *Eugenia eurycheila* O. Berg
 6178. Hernandiaceae: *Sparattanthelium wonotoboense* Kosterm.
 6179. Asclepiadaceae: Indet.
 6180. Rubiaceae: *Faramea crassifolia* Benth.
 6181. Heliconiaceae: *Heliconia psittacorum* L. f.
 6182. Leguminosae-Mimosoideae: *Mimosa camporum* Benth.
 6183. Verbenaceae: *Lippia organoides* Kunth
 6184. Melastomataceae: *Clidemia* aff. *novemnervia* (DC.) Triana
 6185. Melastomataceae: *Miconia* sp.
 6186. Polygalaceae: *Securidaca paniculata* Rich.
 6187. Polygalaceae: *Securidaca paniculata* Rich.
 6188. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
 6189. Malpighiaceae: *Heteropterys subhelicina* Nied.
 6190. Compositae: *Mikania* cf. *guaco* Bonpl.
 6191. Combretaceae: *Terminalia dichotoma* G. Mey.
 6192. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 6193. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
 6194. Dioscoreaceae: *Dioscorea* sp.
 6195. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
 6196. Melastomataceae: *Miconia pubipetala* Miq.
 6197. Meliaceae: *Trichilia surinamensis* (Miq.) C. DC.
 6198. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
 6199. Malvaceae: Indet.
 6200. Annonaceae: *Duguetia yeshidan* Sandwith
 6201. Leguminosae-Mimosoideae: *Inga capitata* Desv.
 6202. Rubiaceae: *Psychotria racemosa* Rich.
 6203. Tectariaceae: *Ctenitis refulgens* (Klotzsch ex Mett.) C. Chr. ex Vareschi
 6204. Bignoniaceae: *Arrabidaea conjugata* (Vell.) Mart.
 6205. Acanthaceae: *Justicia guianensis* (N. E. Br.) Wassh.
 6206. Rubiaceae: *Psychotria brachybotrya* Müll. Arg.
 6207. Compositae: *Wulffia baccata* (L.) Kuntze
 6208. Passifloraceae: *Passiflora foetida* L. var. *foetida*
 6209. Orchidaceae: *Epidendrum anceps* Jacq.
 6210. Leguminosae-Caesalpinioideae: *Senna obtusifolia* (L.) H. S. Irwin and Barneby
 6211. Sterculiaceae: *Byttneria divaricata* Benth. var. *divaricata*
 6212. Sapotaceae: *Pouteria surumuensis* Baehni
 6213. Chrysobalanaceae: *Hirtella hispidula* Miq.
 6214. Melastomataceae: *Myriaspora egensis* DC.
 6215. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
 6216. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 6217. Leguminosae-Mimosoideae: *Inga edulis* Mart.
 6218. Meliaceae: *Trichilia pleeana* (A. Juss.) C. DC.
 6219. Euphorbiaceae: *Croton schiedeanus* Schltdl.
 6220. Leguminosae-Mimosoideae: *Inga* sp.
 6221. Polypodiaceae: *Microgramma tecta* (Kaulf.) Alston
 6222. Adiantaceae: *Adiantum argutum* Splitg.
 6223. Adiantaceae: *Adiantum pulverulentum* L.
 6224. Leguminosae: Indet.
 6225. Myrtaceae: *Eugenia* sp.
 6226. Dryopteridaceae: *Didymochlaena truncatula* (Sw.) J. Sm.
 6227. Piperaceae: *Piper hostmannianum* (Miq.) C. DC.
 6228. Piperaceae: *Pothomorphe peltata* (L.) Miq.
 6229. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 6230. Sapindaceae: *Talisia* sp.
 6231. Meliaceae: *Trichilia* sp.
 6232. Meliaceae: *Trichilia* sp.
 6233. Flacourtiaceae: *Casearia sylvestris* Sw. var. *sylvestris*
 6234. Bryophyte: Indet.
 6235. Bryophyte: Indet.
 6236. Bryophyte: Indet.
 6237. Rubiaceae: *Psychotria racemosa* Rich.
 6238. Arecaceae: *Geonoma deversa* (Poit.) Kunth
 6239. Passifloraceae: *Passiflora glandulosa* Cav.
 6240. Heliconiaceae: *Heliconia spathocircinata* Aristeg.
 6241. Euphorbiaceae: *Croton schiedeanus* Schltdl.
 6242. Annonaceae: *Duguetia yeshidan* Sandwith
 6243. Myristicaceae: *Virola elongata* (Benth.) Warb.
 6244. Myrtaceae: *Calyptranthes fasciculata* O. Berg
 6245. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly

6246. Rubiaceae: *Alseis longifolia* Ducke
6247. Nyctaginaceae: Indet.
6248. Poaceae: *Olyra longifolia* Kunth
6249. Apocynaceae: *Aspidosperma macrophyllum* Müll. Arg.
6250. Bryophyte: Indet.
6251. Apocynaceae: *Aspidosperma macrophyllum* Müll. Arg.
6252. Sapotaceae: *Pouteria melanopoda* Eyma
6253. Chrysobalanaceae: *Licania densiflora* Kleinhoonte
6254. Chrysobalanaceae: *Licania majuscula* Sagot
6255. Euphorbiaceae: *Omphalea diandra* L.
6256. Apocynaceae: Indet.
6257. Chrysobalanaceae: *Hirtella hispidula* Miq.
6258. Sapotaceae: *Pouteria bilocularis* (H. Winkl.) Baehni
6259. Myrtaceae: *Psidium acutangulum* DC.
6260. Apocynaceae: Indet.
6261. Rubiaceae: *Genipa spruceana* Steyerm.
6262. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
6263. Leguminosae-Mimosoideae: *Calliandra laxa* (Willd.) Benth. var. *stipulacea* (Benth.) Barneby
6264. Leguminosae-Faboideae: *Swartzia apiculata* R. S. Cowan
6265. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
6266. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
6267. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
6268. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
6269. Connaraceae: *Connarus lambertii* (DC.) Sagot
6270. Chrysobalanaceae: *Couepia guianensis* Aubl. ssp. *guianensis*
6271. Clusiaceae: *Garcinia martinii* (Maguire) Pipoly ined.
6272. Chrysobalanaceae: *Licania leptostachya* Benth.
6273. Moraceae: *Ficus mathewsii* (Miq.) Miq.
6274. Bignoniaceae: *Pleonotoma clematis* (Kunth) Miers
6275. Leguminosae-Mimosoideae: *Zygia inaequalis* (Humb. and Bonpl. ex Willd.) Pittier
6276. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
6277. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
6278. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombofolia* (G. Mey.) A. H. Gentry
6279. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
6280. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
6281. Chrysobalanaceae: *Hirtella paniculata* Sw.
6282. Loganiaceae: *Strychnos hirsuta* Spruce ex Benth.
6283. Rubiaceae: *Faramea capillipes* Müll. Arg.
6284. Annonaceae: *Duguetia quitarensis* Benth.
6285. Bryophyte: Indet.
6286. Tiliaceae: *Apeiba petoumo* Aubl.
6287. Rubiaceae: *Coussarea racemosa* A. Rich.
6288. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
6289. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
6290. Rubiaceae: *Psychotria lupulina* Benth.
6291. Clusiaceae: *Platonia insignis* Mart.
6292. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
6293. Sterculiaceae: *Theobroma subincanum* Mart.
6294. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
6295. Siparunaceae: *Siparuna reginae* (Tul.) A. DC.
6296. Chrysobalanaceae: *Licania majuscula* Sagot
6297. Euphorbiaceae: *Mabea piriri* Aubl.
6298. Meliaceae: *Trichilia surinamensis* (Miq.) C. DC.
6299. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
6300. Chrysobalanaceae: *Licania majuscula* Sagot
6301. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
6302. Araceae: *Philodendron hederaceum* (Jacq.) Schott
6303. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
6304. Sterculiaceae: *Theobroma subincanum* Mart.
6305. Poaceae: *Olyra latifolia* L.
6306. Siparunaceae: *Siparuna reginae* (Tul.) A. DC.
6307. Aspleniaceae: *Asplenium serratum* L.
6308. Bromeliaceae: *Vriesea heliconioides* (Kunth) Hook. ex Walp.
6309. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
6310. Vittariaceae: *Antrophyum guayanense* Hieron.
6311. Meliaceae: *Guarea scabra* A. Juss.
6312. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
6313. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
6314. Violaceae: *Leonia glycyarpa* Ruiz and Pav.
6315. Lecythidaceae: *Eschweilera* sp.
6316. Sapotaceae: *Pouteria surumuensis* Baehni
6317. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
6318. Chrysobalanaceae: *Licania densiflora* Kleinhoonte
6319. Orchidaceae: *Pleurothallis pruinosa* Lindl.
6320. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
6321. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly

6322. Bryophyte: Indet.
6323. Bryophyte: Indet.
6324. Adiantaceae: *Adiantopsis radiata* (L.) Fée
6325. Araceae: Indet.
6326. Sapotaceae: *Pouteria bangii* (Rusby) T. D. Penn.
6327. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
6328. Theophrastaceae: *Clavija lancifolia* Desf. ssp. *lancifolia*
6329. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
6330. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby
6331. Tiliaceae: *Mollia glabrescens* Benth.
6332. Solanaceae: *Markea* sp.
6333. Bixaceae: *Bixa orellana* L.
6334. Lecythidaceae: *Couratari stellata* A. C. Sm.
6335. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
6336. Bryophyte: Indet.
6337. Araceae: *Monstera obliqua* Miq.
6338. Rubiaceae: *Psychotria lupulina* Benth.
6339. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
6340. Euphorbiaceae: Indet.
6341. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
6342. Rubiaceae: *Psychotria racemosa* Rich.
6343. Leguminosae-Faboideae: *Dioclea* cf. *virgata* (Rich.) Amshoff
6344. Myrtaceae: Indet.
6345. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
6346. Piperaceae: *Peperomia serpens* (Sw.) Loudon
6347. Moraceae: *Ficus* sp.
6348. Dichapetalaceae: *Tapura guianensis* Aubl.
6349. Adiantaceae: *Adiantum lucidum* (Cav.) Sw.
6350. Adiantaceae: *Adiantum glaucescens* Klotzsch
6351. Rubiaceae: *Alseis longifolia* Ducke
6352. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
6353. Rubiaceae: *Chimarrhis microcarpa* Standl.
6354. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schldtl.
6355. Passifloraceae: *Passiflora glandulosa* Cav.
6356. Passifloraceae: *Passiflora* sp.
6357. Boraginaceae: *Cordia* sp.
6358. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
6359. Marantaceae: *Ischnosiphon arouma* (Aubl.) Körn.
6360. Elaeocarpaceae: *Sloanea grandiflora* Sm.
6361. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
6362. Bryophyte: Indet.
6363. Araceae: *Dieffenbachia seguine* (Jacq.) Schott
6364. Chrysobalanaceae: *Hirtella triandra* Sw. ssp. *triandra*
6365. Passifloraceae: *Passiflora glandulosa* Cav.
6366. Monimiaceae: *Mollinedia* sp.
6367. Incertae sedis: Indet.
6368. Hippocrateaceae: *Cheiloclinium cognatum* (Miers) A. C. Sm.
6369. Passifloraceae: *Passiflora amoena* L. K. Escobar
6370. Erythroxylaceae: *Erythroxylum mucronatum* Benth.
6371. Nyctaginaceae: Indet.
6372. Elaeocarpaceae: *Sloanea* sp.
6373. Cecropiaceae: *Pourouma minor* Benoist
6374. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
6375. Moraceae: *Ficus albert-smithii* Standl.
6376. Bryophyte: Indet.
6377. Bryophyte: Indet.
6378. Bryophyte: Indet.
6379. Bryophyte: Indet.
6380. Bryophyte: Indet.
6381. Bryophyte: Indet.
6382. Bignoniaceae: Indet.
6383. Olacaceae: *Dulacia* cf. *guianensis* (Engl.) Kuntze
6384. Flacourtiaceae: *Casearia sylvestris* Sw.
6385. Lauraceae: Indet.
6386. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
6387. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
6388. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
6389. Orchidaceae: *Epidendrum ramosum* Jacq.
6390. Loranthaceae: *Oryctanthus spicatus* (Jacq.) Eichler
6391. Rubiaceae: *Malanea sipapoensis* Steyererm.
6392. Convolvulaceae: *Dicranostyles* sp.
6393. Araceae: *Monstera adansonii* Schott
6394. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
6395. Ebenaceae: *Diospyros* sp.
6396. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
6397. Rubiaceae: *Psychotria deflexa* DC.
6398. Aspleniaceae: *Asplenium angustum* Sw.
6399. Boraginaceae: *Cordia nodosa* Lam.
6400. Rubiaceae: *Bertiera guianensis* Aubl.

6401. Moraceae: *Naucleopsis guianensis* (Mildbr.) C. C. Berg
6402. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
6403. Rubiaceae: *Faramea capillipes* Müll. Arg.
6404. Cucurbitaceae: *Helmontia leptantha* (Schltdl.) Cogn.
6405. Flacourtiaceae: *Carpotroche surinamensis* Uittien
6406. Marcgraviaceae: *Norantea guianensis* Aubl.
6407. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
6408. Myrtaceae: *Calyptanthes fasciculata* O. Berg
6409. Poaceae: *Pharus latifolius* L.
6410. Clusiaceae: *Clusia nemorosa* G. Mey.
6411. Hymenophyllaceae: *Trichomanes longifolium* Desv.
6412. Tectariaceae: *Triplophyllum funestum* (Kunze) Holtum
6413. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
6414. Metaxyaceae: *Metaxyia rostrata* (Kunth) C. Presl
6415. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
6416. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
6417. Heliconiaceae: *Heliconia acuminata* Rich.
6418. Anacardiaceae: *Tapirira* cf. *guianensis* Aubl.
6419. Clusiaceae: *Clusia melchiori* Gleason
6420. Meliaceae: *Guarea pubescens* (Rich.) A. Juss.
6421. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
6422. Burseraceae: Indet.
6423. Hippocrateaceae: *Hippocratea volubilis* L.
6424. Flacourtiaceae: *Casearia aculeata* Jacq.
6425. Flacourtiaceae: *Casearia mariquitensis* Kunth
6426. Leguminosae-Mimosoideae: *Acacia* sp.
6427. Annonaceae: *Duguetia quitarensis* Benth.
6428. Myrtaceae: Indet.
6429. Myrtaceae: Indet.
6430. Passifloraceae: *Passiflora securiclata* Mast.
6431. Leguminosae-Mimosoideae: *Inga* sp.
6432. Gentianaceae: *Coutoubea ramosa* Aubl. var. *ramosa*
6433. Combretaceae: *Combretum rotundifolium* Rich.
6434. Violaceae: *Corynostylis arborea* (L.) S. F. Blake
6435. Bignoniaceae: *Memora flavida* (DC.) Bureau and K. Schum.
6436. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
6437. Combretaceae: *Combretum laxum* Jacq.
6438. Flacourtiaceae: *Homalium racemosum* Jacq.
6439. Leguminosae-Mimosoideae: *Abarema jupunba* (Willd.) Britton and Killip var. *trapezifolia* (Vahl) Barneby and J. W. Grimes
6440. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
6441. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
6442. Sapotaceae: *Pouteria surumuensis* Baehni
6443. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
6444. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
6445. Myrtaceae: *Psidium acutangulum* DC.
6446. Melastomataceae: *Clidemia pustulata* DC.
6447. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
6448. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
6449. Violaceae: *Hybanthus oppositifolius* (L.) Taub.
6450. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
6451. Sterculiaceae: *Byttneria divaricata* Benth. var. *divaricata*
6452. Vitaceae: *Cissus* sp.
6453. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
6454. Bixaceae: *Bixa orellana* L.
6455. Adiantaceae: *Adiantum latifolium* Lam.
6456. Turneraceae: *Piriqueta cistoides* (L.) Griseb. var. *cistoides*
6457. Myrtaceae: *Plinia pinnata* L.
6458. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
6459. Rubiaceae: *Coussarea racemosa* A. Rich.
6460. Passifloraceae: *Passiflora coccinea* Aubl.
6461. Convolvulaceae: *Dicranostyles* sp.
6462. Anacardiaceae: *Tapirira guianensis* Aubl.
6463. Clusiaceae: *Clusia melchiori* Gleason
6464. Myrtaceae: *Eugenia arawakorum* Sandwith
6465. Rhizophoraceae: *Cassipourea guianensis* Aubl.
6466. Smilacaceae: *Smilax* sp.
6467. Sapotaceae: *Chrysophyllum sparsiflorum* Klotzsch ex Miq.
6468. Orchidaceae: *Cyclopogon* cf. sp.
6469. Boraginaceae: Indet.
6470. Selaginellaceae: *Selaginella epirrhizos* Spring
6471. Piperaceae: *Peperomia ouabianae* C. DC.
6472. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
- 6473a. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 6473b. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
6474. Annonaceae: *Guatteria wachenheimi* Benoist
6475. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler

6476. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
6477. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
6478. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
6479. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
6480. Piperaceae: *Piper cernuum* Vell.
6481. Araceae: *Philodendron rudgeanum* Schott
6482. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
6483. Convolvulaceae: *Ipomoea* sp.
6484. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
6485. Myristicaceae: *Viola sebifera* Aubl.
6486. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
6487. Menispermaceae: *Abuta obovata* Diels
6488. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
6489. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
6490. Melastomataceae: *Henriettella caudata* Gleason
6491. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
6492. Araliaceae: *Dendropanax* sp.
6493. Sapotaceae: *Chrysophyllum argenteum* Jacq.
6494. Meliaceae: *Guarea guidonia* (L.) Sleumer
6495. Leguminosae-Caesalpinioideae: *Eperua* cf. sp.
6496. Melastomataceae: *Clidemia pustulata* DC.
6497. Combretaceae: *Combretum fruticosum* (Loefl.) Stuntz
6498. Polygonaceae: *Coccoloba ascendens* Duss ex Lindau
6499. Lecythidaceae: *Gustavia augusta* L.
6500. Leguminosae-Faboideae: *Pterocarpus* sp.
6501. Convolvulaceae: *Dicranostyles* sp.
6502. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
6503. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
6504. Lauraceae: *Nectandra* sp.
6505. Leguminosae-Mimosoideae: *Inga* sp.
6506. Leguminosae-Mimosoideae: *Inga* sp.
6507. Apocynaceae: *Prestonia quinqueangularis* (Jacq.) Spreng.
6508. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
6509. Compositae: *Lepidaploa gracilis* (Kunth) H. Rob.
6510. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
6511. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
6512. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
6513. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
6514. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
6515. Meliaceae: *Guarea pubescens* (Rich.) A. Juss.
6516. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
6517. Acanthaceae: *Lepidagathis alopecuroidea* (Vahl) R. Br. ex Griseb.
6518. Chrysobalanaceae: *Licania leptostachya* Benth.
6519. Cyperaceae: *Cyperus miliifolius* Poepp. and Kunth
6520. Flacourtiaceae: *Casearia mariquitensis* Kunth
6521. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
6522. Orchidaceae: *Polystachya foliosa* (Lindl.) Rchb. f.
6523. Annonaceae: *Duguetia quitarensis* Benth.
6524. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
6525. Annonaceae: *Annona hypoglauca* Mart.
6526. Rubiaceae: Indet.
6527. Orchidaceae: *Maxillaria superflua* Rchb. f.
6528. Orchidaceae: *Maxillaria camaridii* Rchb. f.
6529. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
6530. Loranthaceae: *Oryctanthus florulentus* (Rich.) Tiegh.
6531. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
6532. Costaceae: *Costus arabicus* L.
6533. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
6534. Annonaceae: *Unonopsis guatterrioides* (A. DC.) R. E. Fr.
6535. Sapindaceae: *Matayba camptoneura* Radlk.
6536. Rubiaceae: *Psychotria lupulina* Benth.
6537. Violaceae: *Leonia glycyarpa* Ruiz and Pav.
6538. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
6539. Collemataceae: *Leptogium* sp.
6540. Convolvulaceae: *Ipomoea* sp.
6541. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
6542. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
6543. Myrtaceae: *Calyptranthes fasciculata* O. Berg
6544. Gentianaceae: *Irlbachia* sp.
6545. Orchidaceae: *Sobralia* sp.
6546. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f. var. *caricifolia*
6547. Liliaceae: *Hymenocallis tubiflora* Salisb.
6548. Sterculiaceae: *Melochia melissifolia* Benth.

6549. Malvaceae: *Sida urens* L.
6550. Clusiaceae: *Clusia minor* L.
6551. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
6552. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
6553. Orchidaceae: *Brassia* sp.
6554. Melastomataceae: *Aciotis ornata* (Miq.) Gleason
6555. Lycopodiaceae: *Huperzia dichotoma* (Jacq.) Trevis.
6556. Marantaceae: *Maranta protracta* Miq.
6557. Rubiaceae: *Spermacoce ocymifolia* Willd. ex Roem. and Schult.
6558. Euphorbiaceae: *Manihot surinamensis* D. J. Rogers and Appan
6559. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
6560. Podostemaceae: *Apinagia corymbosa* (Tul.) Engl.
6561. Aspleniaceae: *Asplenium auritum* Sw.
6562. Meliaceae: *Trichilia surumuensis* C. DC.
6563. Leguminosae-Caesalpinioideae: *Tachigali* sp.
6564. Leguminosae-Caesalpinioideae: *Bauhinia glabra* Jacq.
6565. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
6566. Bryophyte: Indet.
6567. Poaceae: *Paspalum melanospermum* Desv. ex Poir.
6568. Cyperaceae: *Cyperus laxus* Lam.
6569. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
6570. Oxalidaceae: *Oxalis frutescens* L.
6571. Haemodoraceae: *Xiphidium caeruleum* Aubl.
6572. Moraceae: *Ficus schumacheri* (Liebm.) Griseb.
6573. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
6574. Bromeliaceae: *Tillandsia paraensis* Mez
6575. Orchidaceae: *Epidendrum rigidum* Jacq.
6576. Cyperaceae: *Rhynchospora reptans* (Rich.) Böck.
6577. Orchidaceae: *Maxillaria camaridii* Rchb. f.
6578. Celastraceae: *Maytenus pruinosa* Reissek
6579. Lauraceae: Indet.
6580. Myrtaceae: *Eugenia pseudopsidium* Jacq.
6581. Sapindaceae: *Cupania* cf. *latifolia* Kunth
6582. Rubiaceae: *Duroia eriopila* L. f.
6583. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
6584. Vittariaceae: *Antrophyum guayanense* Hieron.
6585. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
6586. Rubiaceae: *Genipa spruceana* Steyererm.
6587. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
6588. Marcgraviaceae: *Souroubea guianensis* Aubl.
6589. Myrtaceae: *Calyptanthus fasciculata* O. Berg
6590. Moraceae: *Ficus broadwayi* Urb.
6591. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
6592. Clusiaceae: *Clusia nemorosa* G. Mey.
6593. Rubiaceae: *Amaioua guianensis* Aubl.
6594. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
6595. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
6596. Clusiaceae: *Clusia leprantha* Mart.
6597. Connaraceae: Indet.
6598. Araceae: *Philodendron solimoesense* A. C. Sm.
6599. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
6600. Bombacaceae: Indet.
6601. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
6602. Orchidaceae: *Cattleya violacea* (Kunth) Rolfe
6603. Orchidaceae: *Maxillaria uncata* Lindl.
6604. Leguminosae-Mimosoideae: *Inga disticha* Benth.
6605. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
6606. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
6607. Sapindaceae: *Matayba macrostylis* Radlk.
6608. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
6609. Sapindaceae: *Matayba macrostylis* Radlk.
6610. Celastraceae: *Goupia glabra* Aubl.
6611. Rubiaceae: *Psychotria lupulina* Benth.
6612. Vitaceae: *Cissus* sp.
6613. Orchidaceae: *Prosthechea* sp.
6614. Hippocrateaceae: *Hippocratea volubilis* L.
6615. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
6616. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
6617. Orchidaceae: *Scaphyglottis sickii* Pabst
6618. Piperaceae: *Peperomia magnoliifolia* (Jacq.) A. Dietr.
6619. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
6620. Cyperaceae: *Cyperus miliifolius* Poepp. and Kunth
6621. Lauraceae: *Nectandra* sp.
6622. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau

- 6623a Bignoniaceae: *Memora schomburgkii* (DC.) Miers
6623b Bignoniaceae: Indet.
6624. Myrtaceae: *Eugenia lambertiana* DC.
6625. Bignoniaceae: *Adenocalymna inundatum* Mart.
ex DC. var. *surinamense* Bureau and K. Schum.
6626. Malpighiaceae: Indet.
6627. Leguminosae-Caesalpinioideae: *Senna multijuga*
(Rich.) H. S. Irwin and Barneby
6628. Bignoniaceae: *Cydista aequinoctialis* (L.) Miers
6629. Costaceae: *Costus arabicus* L.
6630. Bignoniaceae: *Callichlamys latifolia* (Rich.)
K. Schum.
6631. Sapindaceae: *Paullinia dasygonia* Radlk.
6632. Bixaceae: *Bixa orellana* L.
6633. Myrtaceae: *Psidium striatulum* DC.
6634. Leguminosae-Caesalpinioideae: *Cynometra*
spruceana Benth.
6635. Leguminosae-Mimosoideae: *Inga* sp.
6636. Leguminosae-Mimosoideae: *Parkia pendula*
(Willd.) Benth. ex Walp.
6637. Chrysobalanaceae: *Parinari campestris* Aubl.
6638. Leguminosae-Faboideae: *Pterocarpus* sp.
6639. Bignoniaceae: *Clytostoma binatum* (Thunb.)
Sandwith
6640. Bignoniaceae: *Anemopaegma* sp.
6641. Euphorbiaceae: *Mabea pulcherrima* Müll. Arg.
6642. Leguminosae-Caesalpinioideae: *Eperua falcata*
Aubl.
6643. Annonaceae: *Unonopsis guatterioides* (A. DC.)
R. E. Fr.
6644. Cecropiaceae: *Coussapoa asperifolia* Trécul
6645. Leguminosae-Mimosoideae: *Hydrochorea*
corymbosa (Rich.) Barneby and J. W. Grimes
6646. Melastomataceae: *Miconia splendens* (Sw.)
Griseb.
6647. Malpighiaceae: *Heteropterys macrostachya*
A. Juss.
6648. Verbenaceae: *Vitex compressa* Turcz.
6649. Bryophyte: Indet.
6650. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
6651. Leguminosae-Mimosoideae: *Inga* sp.
6652. Zingiberaceae: *Zingiber purpureum* Roscoe
6653. Melastomataceae: *Clidemia hirta* (L.) D. Don
6654. Polygonaceae: *Coccoloba excelsa* Benth.
6655. Araceae: *Monstera adansonii* Schott
6656. Theophrastaceae: *Clavija lancifolia* Desf. ssp.
lancifolia
6657. Leguminosae-Faboideae: *Swartzia dipetala* Willd.
ex Vogel
6658. Melastomataceae: *Myriaspora egensis* DC.
6659. Rubiaceae: *Psychotria racemosa* Rich.
6660. Orchidaceae: *Epidendrum anceps* Jacq.
6661. Combretaceae: *Terminalia dichotoma* G. Mey.
6662. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
6663. Passifloraceae: *Passiflora glandulosa* Cav.
6664. Myristicaceae: *Iryanthera* sp.
6665. Apocynaceae: *Bonafousia lorifera* (Miers)
Boiteau and L. Allorge
6666. Poaceae: *Lasiacis ligulata* Hitchc. and Chase
6667. Poaceae: *Orthoclada laxa* (Rich.) P. Beauv.
6668. Piperaceae: *Piper arboreum* Aubl.
6669. Annonaceae: *Cymbopetalum brasiliense* (Vell.)
Benth. ex Baill.
6670. Acanthaceae: *Polylychnis radicans* (Nees)
Wassh.
6671. Chrysobalanaceae: *Hirtella racemosa* Lam. var.
racemosa
6672. Araceae: *Philodendron solimoesense* A. C. Sm.
6673. Cyperaceae: *Scleria splitgerberiana* Henrard ex
Uittien
6674. Poaceae: *Olyra longifolia* Kunth
6675. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
6676. Orchidaceae: *Brassia caudata* (L.) Lindl.
6677. Cyperaceae: *Hypolytrum longifolium* (Rich.)
Nees ssp. *longifolium*
6678. Hippocrateaceae: *Hippocratea volubilis* L.
6679. Connaraceae: *Connarus lambertii* (DC.) Sagot
6680. Ebenaceae: *Diospyros lissocarpoides* Sandwith
6681. Chrysobalanaceae: *Hirtella racemosa* Lam. var.
racemosa
6682. Meliaceae: *Trichilia surinamensis* (Miq.) C. DC.
6683. Lauraceae: *Kubitzkia mezii* (Kosterm.) van der
Werff
6684. Annonaceae: *Duguetia yeshidan* Sandwith
6685. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem.
and Schult.) Standl.
6686. Leguminosae-Caesalpinioideae: *Tachigali*
guianensis (Benth.) Zarucchi and Herend.
6687. Clusiaceae: *Garcinia benthamiana* (Planch. and
Triana) Pipoly
6688. Solanaceae: *Markea coccinea* Rich.
6689. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
and Sandwith
6690. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
6691. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
6692. Polypodiaceae: *Dicranoglossum desvauxii*
(Klotzsch) Proctor
6693. Poaceae: *Olyra latifolia* L.
6694. Adiantaceae: *Adiantum* aff. *terminatum* Kunze
ex Miq.

6695. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
6696. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
6697. Melastomataceae: *Mouriri guianensis* Aubl.
6698. Turneraceae: *Turnera* sp.
6699. Leguminosae-Mimosoideae: *Inga sertulifera* DC.
6700. Bignoniaceae: *Cydista lilacina* A. H. Gentry
6701. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
6702. Rubiaceae: *Chomelia obtusa* Cham. and Schldtl.
6703. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
6704. Passifloraceae: *Passiflora* sp.
6705. Rubiaceae: *Alibertia acuminata* (Benth.) Sandwith
6706. Poaceae: *Digitaria laxa* (Rchb. ex A. Spreng.) Parodi
6707. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
6708. Boraginaceae: *Tournefortia hirsutissima* L.
6709. Violaceae: *Corynostylis arborea* (L.) S. F. Blake
6710. Apocynaceae: *Prestonia quinquangularis* (Jacq.) Spreng.
6711. Hippocrateaceae: *Hippocratea volubilis* L.
6712. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
6713. Myrtaceae: *Psidium acutangulum* DC.
6714. Connaraceae: *Connarus coriaceus* G. Schellenb.
6715. Clusiaceae: *Vismia cayennensis* (Jacq.) Pers.
6716. Celastraceae: *Maytenus* sp.
6717. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
6718. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
6719. Costaceae: *Costus arabicus* L.
6720. Lauraceae: *Nectandra* sp.
6721. Rubiaceae: *Ixora parviflora* Vahl
6722. Myrtaceae: *Eugenia egensis* DC.
6723. Poaceae: *Panicum stoloniferum* Poir.
6724. Leguminosae-Caesalpinioideae: *Cynometra baubiniifolia* Benth.
6725. Myristicaceae: *Virola sebifera* Aubl.
6726. Leguminosae-Caesalpinioideae: *Macrobium multijugum* (DC.) Benth. var. *multijugum*
6727. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
6728. Polygonaceae: *Triplaris weigeltiana* (Rchb.) Kuntze
6729. Rubiaceae: *Genipa spruceana* Steyerl.
6730. Ochnaceae: *Ouratea superba* Engl.
6731. Polygonaceae: *Coccoloba ovata* Benth.
6732. Lecythidaceae: *Gustavia augusta* L.
6733. Leguminosae-Faboideae: *Swartzia latifolia* Benth.
6734. Leguminosae-Faboideae: *Machaerium ferox* (Mart. ex Benth.) Ducke
6735. Leguminosae-Mimosoideae: *Albizia subdimidiata* (Splitg.) Barneby and J. W. Grimes
6736. Melastomataceae: *Mouriri acutiflora* Naudin
6737. Rubiaceae: *Bothriospora corymbosa* (Benth.) Hook. f.
6738. Meliaceae: *Guarea guidonia* (L.) Sleumer
6739. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby
6740. Leguminosae-Mimosoideae: *Inga* sp.
6741. Poaceae: *Olyra latifolia* L.
6742. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
6743. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
6744. Bryophyte: Indet.
6745. Piperaceae: *Piper marginatum* Jacq.
6746. Adiantaceae: *Adiantum petiolatum* Desv.
6747. Cyperaceae: *Scleria latifolia* Sw.
6748. Leguminosae-Faboideae: *Desmodium* sp.
6749. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
6750. Annonaceae: *Klarobelia* sp.
6751. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
6752. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev.
6753. Bryophyte: Indet.
6754. Apocynaceae: *Himatanthus* sp.
6755. Sapotaceae: *Pouteria filipes* Eyma
6756. Chrysobalanaceae: *Hirtella hispidula* Miq.
6757. Adiantaceae: *Adiantum pulverulentum* L.
6758. Clusiaceae: *Garcinia macrophylla* Mart.
6759. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
6760. Adiantaceae: *Adiantum latifolium* Lam.
6761. Poaceae: *Olyra micrantha* Kunth
6762. Tiliaceae: *Apeiba schomburgkii* Szyszyl.
6763. Myrtaceae: *Plinia* sp.
6764. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
6765. Poaceae: *Streptogyna americana* C. E. Hubb.
6766. Melastomataceae: *Clidemia hirta* (L.) D. Don
6767. Erythroxylaceae: *Erythroxylum* sp.
6768. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
6769. Orchidaceae: *Aspasia variegata* Lindl.
6770. Orchidaceae: *Prosthechea aemula* (Lindl.) W. E. Higgins
6771. Poaceae: *Oplismenus hirtellus* (L.) P. Beauv.
6772. Compositae: *Condylidium iresinoides* (Kunth) R. M. King and H. Rob.

6773. Poaceae: *Setaria tenax* (Rich.) Desv.
6774. Orchidaceae: *Epidendrum* aff. *nocturnum* Jacq.
6775. Orchidaceae: *Lockhartia imbricata* (Lam.)
Hoehne
6776. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.)
Fosberg
6777. Theophrastaceae: *Claviija lancifolia* Desf. ssp.
lancifolia
6778. Chrysobalanaceae: *Licania octandra*
(Hoffmanns. ex Roem. and Schult.) Kuntze ssp.
octandra
6779. Leguminosae-Mimosoideae: *Acacia* sp.
6780. Orchidaceae: *Lockhartia imbricata* (Lam.)
Hoehne
6781. Poaceae: *Streptogyna americana* C. E. Hubb.
6782. Sapotaceae: *Pouteria eugeniifolia* (Pierre) Baehni
6783. Leguminosae-Caesalpinioideae: *Peltogyne*
floribunda (Kunth) Pittier
6784. Celastraceae: *Maytenus guyanensis* Klotzsch ex
Reissek
6785. Trigonaceae: *Trigonia villosa* Aubl. var. *villosa*
6786. Melastomataceae: *Clidemia laevifolia* Gleason
6787. Flacourtiaceae: *Casearia sylvestris* Sw.
6788. Bignoniaceae: *Pyrostegia dichotoma* Miers ex
K. Schum.
6789. Burseraceae: *Protium llanorum* Cuatrec.
6790. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
6791. Anacardiaceae: *Astronium ulei* Mattick
6792. Trigonaceae: *Trigonia* cf. *subcymosa* Benth.
6793. Orchidaceae: *Prescottia stachyodes* (Sw.) Lindl.
6794. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyerf.
6795. Lauraceae: *Endlicheria reflectens* (Nees) Mez
6796. Leguminosae-Mimosoideae: *Inga* sp.
6797. Viscaceae: *Phoradendron inaequidentatum* Rusby
6798. Clusiaceae: *Clusia nemorosa* G. Mey.
6799. Leguminosae: Indet.
6800. Bromeliaceae: *Aechmea bromeliifolia* (Rudge)
Baker
6801. Celastraceae: *Maytenus kanukuensis* A. C. Sm.
6802. Celastraceae: *Maytenus kanukuensis* A. C. Sm.
6803. Humiriaceae: Indet.
6804. Clusiaceae: *Clusia nemorosa* G. Mey.
6805. Erythroxylaceae: *Erythroxylum vernicosum*
O. E. Schulz
6806. Orchidaceae: *Epidendrum purpurascens* H. Focke
6807. Polypodiaceae: *Microgramma lycopodioides* (L.)
Copel.
6808. Rubiaceae: *Alibertia myrciifolia* Spruce ex
K. Schum.
6809. Gentianaceae: *Voyria corymbosa* Splitg.
6810. Lecythidaceae: *Eschweilera parvifolia* Mart.
ex DC.
6811. Flacourtiaceae: *Ryania speciosa* Vahl var.
tomentosa (Miq.) Monach.
6812. Clusiaceae: *Tovomita spruceana* Planch. and
Triana
6813. Clusiaceae: *Garcinia benthamiana* (Planch. and
Triana) Pipoly
6814. Sapindaceae: *Paullinia isoptera* Radlk.
6815. Lacistemataceae: *Lacistema polystachyum*
W. Schnizl.
6816. Melastomataceae: *Miconia ciliata* (Rich.) DC.
6817. Passifloraceae: *Passiflora glandulosa* Cav.
6818. Cyclanthaceae: Indet.
6819. Myrsinaceae: *Cybianthus guyanensis* (A. DC.)
Miq. ssp. *multipunctatus* (A. DC.) Pipoly
6820. Passifloraceae: *Mitostemma* sp.
6821. Elaeocarpaceae: *Sloanea* sp.
6822. Hymenophyllaceae: *Hymenophyllum hirsutum*
(L.) Sw.
6823. Cecropiaceae: *Coussapoa microcephala* Trécul
6824. Rubiaceae: *Ferdinandusa goudotiana* K. Schum.
6825. Convolvulaceae: *Dicranostyles* sp.
6826. Myrtaceae: *Myrcia amazonica* DC.
6827. Bryophyte: Indet.
6828. Bryophyte: Indet.
6829. Bryophyte: Indet.
6830. Orchidaceae: *Epidendrum ramosum* Jacq.
6831. Orchidaceae: *Jacquimiella globosa* (Jacq.) Schltr.
6832. Orchidaceae: *Sobralia* sp.
6833. Gentianaceae: *Chelonanthus purpurascens*
(Aubl.) Struwe, S. Nilsson and V. A. Albert
6834. Cladoniaceae: *Cladonia* sp.
6835. Clusiaceae: *Clusia palmicida* Rich. ex Planch.
and Triana
6836. Melastomataceae: *Ernestia* cf. *blackii* Brade and
Markgr.
6837. Smilacaceae: *Smilax* sp.
6838. Bromeliaceae: Indet.
6839. Grammitidaceae: *Cochlidium furcatum* (Hook.
and Grev.) C. Chr.
6840. Poaceae: *Olyra micrantha* Kunth
6841. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.)
Dryand.
6842. Bryophyte: Indet.
6843. Myrsinaceae: *Cybianthus guyanensis* (A. DC.)
Miq. ssp. *multipunctatus* (A. DC.) Pipoly
6844. Leguminosae-Mimosoideae: *Abarema jupunba*
(Willd.) Britton and Killip var. *trapezifolia* (Vahl)
Barneby and J. W. Grimes

6845. Melastomataceae: *Miconia gratissima* Benth. ex Triana
6846. Orchidaceae: *Dichaea* sp.
6847. Orchidaceae: *Polystachya foliosa* (Lindl.) Rchb. f.
6848. Lichen-Incert. sed.: Indet.
6849. Lauraceae: Indet.
6850. Boraginaceae: *Cordia nodosa* Lam.
6851. Myrsinaceae: *Cybianthus surinamensis* (Spreng.) G. Agostini
6852. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
6853. Flacourtiaceae: *Carpotroche* ? sp.
6854. Hymenophyllaceae: *Hymenophyllum decurrens* (Jacq.) Sw.
6855. Anacardiaceae: *Tapirira guianensis* Aubl.
6856. Gnetaceae: *Gnetum nodiflorum* Brongn.
6857. Smilacaceae: *Smilax* sp.
6858. Myrsinaceae: *Myrsine coriacea* (Sw.) R. Br. ex Roem. and Schult.
6859. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
6860. Lomariopsidaceae: *Elaphoglossum macrophyllum* (Mett. ex Kuhn) H. Christ
6861. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
6862. Melastomataceae: *Adelobotrys* sp.
6863. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *elatio*r (Kunze) K. U. Kramer
6864. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
6865. Cyatheaceae: *Cyathea cyatheoides* (Desv.) K. U. Kramer
6866. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
6867. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
6868. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
6869. Rubiaceae: *Duroia micrantha* (Ladbr.) Zarucchi and J. H. Kirkbr.
6870. Clusiaceae: *Clusia nemorosa* G. Mey.
6871. Heliconiaceae: *Heliconia hirsuta* L. f.
6872. Sphagnaceae: *Sphagnum* sp.
6873. Bryophyte: Indet.
6874. Lichen-Incert. sed.: Indet.
6875. Lichen-Incert. sed.: Indet.
6876. Hymenophyllaceae: *Trichomanes crispum* L.
6877. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
6878. Rubiaceae: *Cosmibuena grandiflora* (Ruiz and Pav.) Rusby
6879. Bromeliaceae: Indet.
6880. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
6881. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
6882. Sphagnaceae: *Sphagnum* sp.
6883. Marcgraviaceae: *Marcgravia* cf. *sororopaniana* Steyerl.
6884. Marcgraviaceae: *Souroubea guianensis* Aubl.
6885. Oleandraceae: *Nephrolepis cordifolia* (L.) C. Presl
6886. Lentibulariaceae: *Utricularia* sp.
6887. Cyperaceae: *Rhynchospora exaltata* Kunth
6888. Orchidaceae: *Jacquiniella globosa* (Jacq.) Schltr.
6889. Melastomataceae: *Ernestia* cf. *blackii* Brade and Markgr.
6890. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
6891. Schizaeaceae: *Anemia flexuosa* (Sav.) Sw.
6892. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
6893. Compositae: *Lepidaploa gracilis* (Kunth) H. Rob.
6894. Orchidaceae: *Brassia* sp.
6895. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne. ex Planch. and Linden
6896. Rubiaceae: Indet.
6897. Cecropiaceae: *Coussapoa microcephala* Trécul
6898. Cyatheaceae: *Cyathea surinamensis* (Miq.) Domin
6899. Rubiaceae: *Palicourea guianensis* Aubl.
6900. Clusiaceae: *Tovomitia schomburgkii* Planch. and Triana
6901. Rubiaceae: *Isertia parviflora* Vahl
6902. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
6903. Rubiaceae: *Ferdinandusa goudotiana* K. Schum.
6904. Nyctaginaceae: Indet.
6905. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
6906. Poaceae: *Oplismenus hirtellus* (L.) P. Beauv.
6907. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
6908. Ebenaceae: *Diospyros lissocarpoides* Sandwith
6909. Adiantaceae: *Adiantum petiolatum* Desv.
6910. Clusiaceae: *Garcinia macrophylla* Mart.
6911. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby
6912. Anacardiaceae: *Spondias mombin* L.
6913. Compositae: *Wulffia baccata* (L.) Kuntze
6914. Apocynaceae: *Forsteronia acouci* (Aubl.) A. DC.
6915. Solanaceae: *Solanum subinerme* Jacq.
6916. Leguminosae-Faboideae: *Desmodium* sp.
6917. Cyperaceae: *Scleria latifolia* Sw.

6918. Thelypteridaceae: *Thelypteris abrupta* (Desv.) Proctor
6919. Adiantaceae: *Adiantum argutum* Splitg.
6920. Sterculiaceae: *Guazuma ulmifolia* Lam.
6921. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
6922. Leguminosae-Faboideae: *Dioclea reflexa* Hook. f.
6923. Orchidaceae: *Aspasia variegata* Lindl.
6924. Compositae: *Conyza bonariensis* (L.) Cronquist
6925. Solanaceae: *Solanum leucocarpon* Dunal
6926. Ulmaceae: *Trema micrantha* (L.) Blume
6927. Sapotaceae: *Chrysophyllum argenteum* Jacq.
6928. Dilleniaceae: *Doliocarpus dentatus* (Aubl.) Standl. ssp. *esmeraldae* (Steyerm.) Kubitzki
6929. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
6930. Amaranthaceae: Indet.
6931. Rubiaceae: *Sabicea glabrescens* (K. Schum.) Benth.
6932. Leguminosae-Faboideae: *Rhynchosia phaseoloides* (Sw.) DC.
6933. Poaceae: Indet.
6934. Leguminosae-Mimosoideae: *Inga* sp.
6935. Flacourtiaceae: *Casearia commersoniana* Cambess.
6936. Leguminosae-Caesalpinioideae: *Senna undulata* (Benth.) H. S. Irwin and Barneby
6937. Melastomataceae: *Clidemia hirta* (L.) D. Don
6938. Rubiaceae: *Geophila gracilis* (Ruiz and Pav.) DC.
6939. Bignoniaceae: *Tabebuia insignis* (Miq.) Sandwith var. *monophylla* Sandwith
6940. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
6941. Chrysobalanaceae: *Chrysobalanus icaco* L.
6942. Polygalaceae: *Polygala longicaulis* Kunth
6943. Rubiaceae: *Sipanea pratensis* Aubl.
6944. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
6945. Malpighiaceae: *Byrsonima eugeniifolia* Sandwith
6946. Proteaceae: *Roupala suaveolens* Klotzsch
6947. Compositae: *Lepidaploa gracilis* (Kunth) H. Rob.
6948. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
6949. Scrophulariaceae: *Agalinis hispidula* (Mart.) D'Arcy
6950. Clusiaceae: *Vismia guianensis* (Aubl.) Choisy
6951. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
6952. Malpighiaceae: *Byrsonima schomburgkiana* Benth.
6953. Rubiaceae: *Isertia parviflora* Vahl
6954. Gnetaceae: *Gnetum nodiflorum* Brongn.
6955. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
6956. Gentianaceae: *Coutoubea spicata* Aubl.
6957. Theaceae: Indet.
6958. Bombacaceae: *Pachira minor* (Sims) Hemsl.
6959. Cyperaceae: *Scleria bracteata* Cav.
6960. Euphorbiaceae: *Pera schomburgkiana* (Benth.) Müll. Arg.
6961. Chrysobalanaceae: *Licania incana* Aubl.
6962. Chrysobalanaceae: *Parinari campestris* Aubl.
6963. Bryophyte: Indet.
6964. Bryophyte: Indet.
6965. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
6966. Leguminosae-Mimosoideae: *Parkia ulei* (Harms) Kuhl. var. *surinamensis* Kleinhoonte
6967. Polygonaceae: *Coccoloba ascendens* Duss ex Lindau
6968. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
6969. Ebenaceae: Indet.
6970. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
6971. Rubiaceae: *Psychotria anceps* Kunth
6972. Lauraceae: Indet.
6973. Orchidaceae: *Sobralia* sp.
6974. Clusiaceae: *Moronobea coccinea* Aubl.
6975. Melastomataceae: *Mouriri francavillana* Cogn.
6976. Bryophyte: Indet.
6977. Rubiaceae: *Malanea hypoleuca* Steyerm.
6978. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
6979. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
6980. Clusiaceae: *Tovomitia macrophylla* (Poepp.) Walp.
6981. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
6982. Hippocrateaceae: *Salacia elliptica* (Mart. ex Schult.) G. Don
6983. Malpighiaceae: *Byrsonima stipulacea* A. Juss.
6984. Apocynaceae: *Mandevilla lasiocarpa* (A. DC.) Malme
6985. Leguminosae-Caesalpinioideae: *Senna undulata* (Benth.) H. S. Irwin and Barneby
6986. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
6987. Anacardiaceae: *Tapirira guianensis* Aubl.
6988. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
6989. Xyridaceae: *Xyris jupicai* Rich.
6990. Sphenocleaceae: *Sphenoclea zeylanica* Gaertn.
6991. Linaceae: Indet.
6992. Rubiaceae: *Sipanea pratensis* Aubl.
6993. Oxalidaceae: *Oxalis frutescens* L.

6994. Rubiaceae: *Perama hirsuta* Aubl.
6995. Cyperaceae: *Scleria bracteata* Cav.
6996. Scrophulariaceae: *Buchnera palustris* (Aubl.) Spreng.
6997. Ochnaceae: *Ouratea* sp.
6998. Scrophulariaceae: *Buchnera rosea* Kunth
6999. Ochnaceae: *Ouratea* sp.
7000. Rubiaceae: *Duroia eriopila* L. f.
7001. Clusiaceae: *Clusia schomburgkiana* (Planch. and Triana) Benth. ex Engl.
7002. Dennstaedtiaceae: *Lindsaea portoricensis* Desv.
7003. Schizaeaceae: *Actinostachys pennula* (Sw.) Hook.
7004. Xyridaceae: *Xyris savanensis* Miq.
7005. Orchidaceae: *Encyclia granitica* (Bateman ex Lindl.) Schltr.
7006. Malvaceae: *Sida cordifolia* L.
7007. Polygonaceae: *Coccoloba excelsa* Benth.
7008. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
7009. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
7010. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
7011. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
7012. Melastomataceae: *Clidemia strigillosa* (Sw.) DC.
7013. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
7014. Melastomataceae: *Miconia ciliata* (Rich.) DC.
7015. Rubiaceae: *Coccocypselum guianense* (Aubl.) K. Schum. var. *patens* Steyerf.
7016. Myrtaceae: *Eugenia puniceifolia* (Kunth) DC.
7017. Orchidaceae: *Catasetum discolor* (Lindl.) Lindl.
7018. Lauraceae: *Cassytha filiformis* L.
7019. Lythraceae: Indet.
7020. Melastomataceae: Indet.
7021. Polypodiaceae: *Pechuma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
7022. Smilacaceae: *Smilax* sp.
7023. Rubiaceae: *Morinda calycina* (Benth.) Steyerf.
7024. Melastomataceae: *Tibouchina aspera* Aubl.
7025. Cyperaceae: *Scleria cyperina* Willd. ex Kunth
7026. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
7027. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
7028. Vochysiaceae: *Vochysia glaberrima* Warm.
7029. Loranthaceae: *Psittacanthus robustus* (Mart.) Mart.
7030. Leguminosae-Caesalpinioideae: *Tachigali guianensis* (Benth.) Zarucchi and Herend.
7031. Tiliaceae: *Mollia globularis* Meijer
7032. Cyperaceae: *Rhynchospora albomarginata* Kük.
7033. Loganiaceae: *Antonia ovata* Pohl
7034. Cladoniaceae: *Cladonia* sp.
7035. Rubiaceae: *Ferdinandusa uaupensis* Spruce ex K. Schum.
7036. Chrysobalanaceae: *Licania majuscula* Sagot
7037. Rubiaceae: *Palicourea guianensis* Aubl.
7038. Burseraceae: *Dacryodes nitens* Cuatrec.
7039. Lecythidaceae: *Eschweilera collina* Eyma
7040. Hippocrateaceae: *Salacia multiflora* (Lam.) DC.
7041. Leguminosae-Faboideae: *Swartzia* sp.
7042. Ochnaceae: Indet.
7043. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
7044. Orchidaceae: *Epidendrum purpurascens* H. Focke
7045. Orchidaceae: *Epidendrum purpurascens* H. Focke
7046. Burseraceae: *Dacryodes* ? sp.
7047. Euphorbiaceae: *Pera schomburgkiana* (Benth.) Müll. Arg.
7048. Leguminosae-Mimosoideae: *Parkia ulei* (Harms) Kuhlm. var. *surinamensis* Kleinhoonte
7049. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
7050. Lecythidaceae: *Eschweilera parvifolia* Mart. ex DC.
7051. Myrtaceae: *Eugenia gomesiana* O. Berg
7052. Sapotaceae: *Pouteria* sp.
7053. Orchidaceae: *Octomeria yauaperyensis* Barb. Rodr.
7054. Combretaceae: *Combretum pyramidatum* Desv.
7055. Incertae sedis: Indet.
7056. Combretaceae: *Combretum pyramidatum* Desv.
7057. Rubiaceae: *Psychotria acuminata* Benth.
7058. Ochnaceae: Indet.
7059. Piperaceae: *Piper adenandrum* (Miq.) C. DC.
7060. Annonaceae: *Unonopsis stipitata* Diels
7061. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
7062. Chrysobalanaceae: *Licania coriacea* Benth.
7063. Rhizophoraceae: *Cassipourea guianensis* Aubl.
7064. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
7065. Arecaceae: *Bactris simplicifrons* Mart.
7066. Malpighiaceae: *Tetrapterys styloptera* A. Juss.
7067. Euphorbiaceae: *Mabea taquari* Aubl.
7068. Leguminosae-Mimosoideae: *Zygia latifolia* (L.) Fawc. and Rendle var. *lasiopus* (Benth.) Barneby and J. W. Grimes
7069. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
7070. Malpighiaceae: *Byrsonima gymnocalycina* A. Juss.
7071. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*

7072. Ochnaceae: *Ouratea* sp.
 7073. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
 7074. Melastomataceae: *Clidemia heteroneura* (DC.) Cogn.
 7075. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
 7076. Arecaceae: *Iriartella setigera* (Mart.) H. Wendl.
 7077. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
 7078. Lauraceae: *Ocotea splendens* (Meisn.) Baill.
 7079. Violaceae: *Paypayrola guianensis* Aubl.
 7080. Melastomataceae: *Miconia* sp.
 7081. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
 7082. Loganiaceae: *Strychnos* sp.
 7083. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
 7084. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
 7085. Melastomataceae: Indet.
 7086. Orchidaceae: *Stelis* sp.
 7087. Lauraceae: *Licaria debilis* (Mez) Kosterm.
 7088. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
 7089. Euphorbiaceae: *Adenophaedra grandifolia* (Klotzsch) Müll. Arg.
 7090. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
 7091. Euphorbiaceae: *Hevea guianensis* Aubl.
 7092. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
 7093. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
 7094. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
 7095. Clusiaceae: *Symphonia globulifera* L. f.
 7096. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
 7097. Hymenophyllaceae: *Trichomanes rigidum* Sw.
 7098. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
 7099. Flacourtiaceae: *Carpotroche surinamensis* Uittien
 7100. Leguminosae-Mimosoideae: *Inga* sp.
 7101. Lauraceae: *Ocotea persulcata* C. K. Allen
 7102. Myristicaceae: *Virola elongata* (Benth.) Warb.
 7103. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
 7104. Annonaceae: *Xylopia calophylla* R. E. Fr.
 7105. Orchidaceae: *Trichosalpinx* sp.
 7106. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
 7107. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
 7108. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
 7109. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
 7110. Olacaceae: *Heisteria* sp.
 7111. Aspleniaceae: *Asplenium auritum* Sw.
 7112. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
 7113. Passifloraceae: *Passiflora coccinea* Aubl.
 7114. Leguminosae-Faboideae: *Pterocarpus officinalis* Jacq.
 7115. Chrysobalanaceae: *Licania guianensis* (Aubl.) Griseb. ssp. *guianensis*
 7116. Myristicaceae: *Virola calophylla* (Spruce) Warb.
 7117. Meliaceae: *Guarea* ? *trunciflora* C. DC.
 7118. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
 7119. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
 7120. Cyatheaceae: *Cyathea* sp.
 7121. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
 7122. Myrtaceae: *Eugenia gomesiana* O. Berg
 7123. Sapotaceae: *Pouteria* sp.
 7124. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
 7125. Clusiaceae: *Tovomita cephalostigma* Vesque
 7126. Rubiaceae: *Isertia spiciformis* DC.
 7127. Leguminosae-Mimosoideae: *Inga* sp.
 7128. Orchidaceae: *Maxillaria santanae* Carnevali and I. Ramírez
 7129. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
 7130. Violaceae: *Leonia cymosa* Mart.
 7131. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
 7132. Annonaceae: *Gutteria* sp.
 7133. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
 7134. Poaceae: *Olyra micrantha* Kunth
 7135. Violaceae: *Paypayrola* sp.
 7136. Clusiaceae: *Tovomita brasiliensis* (Mart.) Walp.
 7137. Flacourtiaceae: *Casearia sylvestris* Sw.
 7138. Burseraceae: *Dacryodes nitens* Cuatrec.
 7139. Myrtaceae: *Eugenia ferreiraeana* O. Berg
 7140. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
 7141. Lacistemataceae: *Lacistema grandifolium* W. Schnizl.

7142. Lauraceae: *Licaria* s.l. *cannella* (Meisn.) Kosterm.
7143. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
7144. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
7145. Clusiaceae: *Tovomita obovata* Engl.
7146. Myrtaceae: Indet.
7147. Melastomataceae: *Miconia* sp.
7148. Lauraceae: *Aniba taubertiana* Mez
7149. Rubiaceae: *Remijia roraimae* (Benth.) K. Schum.
7150. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
7151. Melastomataceae: *Miconia diaphanea* Gleason
7152. Cyperaceae: *Rhynchospora exaltata* Kunth
7153. Annonaceae: Indet.
7154. Myristicaceae: *Virola sebifera* Aubl.
7155. Bryophyte: Indet.
7156. Myrtaceae: *Calycolpus surinamensis* McVaugh
7157. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
7158. Melastomataceae: *Miconia gratissima* Benth. ex Triana
7159. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
7160. Clusiaceae: *Lorostemon bombaciflorum* Ducke
7161. Rubiaceae: *Ixora panurensis* Müll. Arg.
7162. Apocynaceae: *Forsteronia* sp.
7163. Melastomataceae: *Miconia dolichorrhyncha* Naudin
7164. Chrysobalanaceae: *Couepia canomensis* (Mart.) Benth. ex Hook. f.
7165. Polypodiaceae: *Polypodium panorense* C. Chr.
7166. Cyperaceae: *Mapania surinamensis* Uittien
7167. Flacourtiaceae: *Casearia rusbyana* Briq.
7168. Melastomataceae: *Bellucia grossularioides* (L.) Triana
7169. Bryophyte: Indet.
7170. Pteridophyte: Indet.
7171. Leguminosae-Mimosoideae: *Inga* sp.
7172. Sabiaceae: *Meliosma herbertii* Rolfe
7173. Bryophyte: Indet.
7174. Arecaceae: *Iriartella setigera* (Mart.) H. Wendl.
7175. Hymenophyllaceae: *Trichomanes longifolium* Desv.
7176. Myrtaceae: Indet.
7177. Cyatheaceae: *Cyathea traillii* (Baker) Domin
7178. Bryophyte: Indet.
7179. Gentianaceae: *Tachia guianensis* Aubl.
7180. Hippocrateaceae: *Tontelea ovalifolia* (Miers) A. C. Sm.
7181. Lauraceae: *Licaria* s.l. *subbullata* Kosterm.
7182. Siparunaceae: *Siparuna guianensis* Aubl.
7183. Rubiaceae: *Malanea sarmentosa* Aubl.
7184. Rubiaceae: *Ferdinandusa* sp.
7185. Flacourtiaceae: *Casearia javitensis* Kunth
7186. Leguminosae-Mimosoideae: *Stryphnodendron pulcherrimum* (Willd.) Hochr.
7187. Lauraceae: *Licaria* s.l. *subbullata* Kosterm.
7188. Sabiaceae: *Meliosma herbertii* Rolfe
7189. Compositae: *Piptocarpha opaca* (Benth.) Baker
7190. Chrysobalanaceae: *Couepia parillo* DC.
7191. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd.
7192. Melastomataceae: *Macrocentrum fruticosum* Gleason
7193. Melastomataceae: *Aciotis annua* (Mart. ex DC.) Triana
7194. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
7195. Ochnaceae: *Ouratea* sp.
7196. Melastomataceae: *Miconia longispicata* Triana
7197. Rubiaceae: *Rudgea* sp.
7198. Apocynaceae: *Tabernaemontana cerea* (Woodson) Leeuwenb.
7199. Burseraceae: *Dacryodes nitens* Cuatrec.
7200. Ochnaceae: *Sauvagesia* sp.
7201. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
7202. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
7203. Rubiaceae: *Psychotria astrellantha* Wernham
7204. Lauraceae: *Aniba taubertiana* Mez
7205. Celastraceae: *Maytenus* ? *ficiformis* Reissek
7206. Gnetaceae: *Gnetum nodiflorum* Brongn.
7207. Flacourtiaceae: *Casearia sylvestris* Sw.
7208. Bryophyte: Indet.
7209. Bryophyte: Indet.
7210. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
7211. Annonaceae: *Guatteria procera* R. E. Fr.
7212. Leguminosae-Caesalpinioideae: *Tachigali* sp.
7213. Annonaceae: *Annona ambotay* Aubl.
7214. Myrtaceae: Indet.
7215. Menispermaceae: Indet.
7216. Leguminosae-Caesalpinioideae: *Senna lourteigiana* H. S. Irwin and Barneby
7217. Lauraceae: *Aniba panurensis* (Meisn.) Mez
7218. Apocynaceae: *Forsteronia* sp.
7219. Rubiaceae: *Isertia hypoleuca* Benth.
7220. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
7221. Euphorbiaceae: *Hevea guianensis* Aubl. var. *lutea* (Spruce ex Benth.) Ducke and R. E. Schult.

7222. Rubiaceae: *Malanea hypoleuca* Steyerm.
7223. Clusiaceae: *Clusia panapanari* (Aubl.) Choisy
7224. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
7225. Clusiaceae: *Clusia grandiflora* Splitg.
7226. Sapotaceae: *Pouteria hispida* Eyma
7227. Myristicaceae: *Virola elongata* (Benth.) Warb.
7228. Orchidaceae: *Scaphyglottis stellata* Lodd. ex Lindl.
7229. Triuridaceae: *Sciaphila* sp.
7230. Passifloraceae: *Passiflora arta* Feuillet
7231. Clusiaceae: *Lorostemon bombaciflorum* Ducke
7232. Flacourtiaceae: *Carpotroche surinamensis* Uittien
7233. Rubiaceae: *Ferdinandusa* sp.
7234. Arecaceae: *Geonoma leptospadix* Trail
7235. Violaceae: *Rinorea riana* Kuntze
7236. Rubiaceae: *Psychotria astrellantha* Wernham
7237. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
7238. Clusiaceae: *Symphonia globulifera* L. f.
7239. Lauraceae: *Licaria chrysophylla* (Meisn.) Kosterm.
7240. Annonaceae: *Anaxagorea brevipes* Benth.
7241. Picramniaceae: *Picramnia guianensis* (Aubl.) Jans.-Jac.
7242. Lauraceae: *Licaria aureosericea* van der Werff
7243. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
7244. Melastomataceae: *Miconia myriantha* Benth.
7245. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
7246. Sapindaceae: *Matayba inelegans* Spruce ex Radlk.
7247. Melastomataceae: *Miconia holosericea* (L.) DC.
7248. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
7249. Lauraceae: *Licaria pachycarpa* (Meisn.) Kosterm.
7250. Orchidaceae: *Epidendrum ramosum* Jacq.
7251. Orchidaceae: *Maxillaria* cf. *kegelii* Rchb. f.
7252. Bromeliaceae: *Vriesea heterandra* (André) L. B. Sm.
7253. Aspleniaceae: *Asplenium salicifolium* L.
7254. Orchidaceae: *Epidendrum* aff. *nocturnum* Jacq.
7255. Anacardiaceae: *Tapirira guianensis* Aubl.
7256. Incertae sedis: Indet.
7257. Orchidaceae: *Maxillaria brachybulbon* Schltr.
7258. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
7259. Compositae: *Mikania gleasonii* B. L. Rob.
7260. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
7261. Orchidaceae: *Maxillaria porrecta* Lindl.
7262. Rubiaceae: *Remijia roraimae* (Benth.) K. Schum.
7263. Hymenophyllaceae: *Trichomanes pellucens* Kunze
7264. Ericaceae: Indet.
7265. Incertae sedis: Indet.
7266. Hymenophyllaceae: *Trichomanes cristatum* Kaulf.
7267. Myrtaceae: Indet.
7268. Myrtaceae: Indet.
7269. Simaroubaceae: Indet.
7270. Clusiaceae: *Tovomita longifolia* (Rich.) Hochr.
7271. Incertae sedis: Indet.
7272. Poaceae: *Olyra micrantha* Kunth
7273. Araceae: *Anthurium roraimense* N. E. Br.
7274. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
7275. Melastomataceae: *Miconia lepidota* DC.
7276. Clusiaceae: *Clusia nemorosa* G. Mey.
7277. Clusiaceae: *Clusia flavida* (Benth.) Pipoly
7278. Myrtaceae: Indet.
7279. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
7280. Leguminosae-Mimosoideae: *Abarema ferruginea* (Benth.) Pittier
7281. Myrtaceae: *Siphoneugena dussii* (Krug and Urb.) Proença
7282. Rubiaceae: *Retiniphyllum chloranthum* Ducke
7283. Lomariopsidaceae: *Elaphoglossum praetermissum* Mickel
7284. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
7285. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
7286. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
7287. Clusiaceae: *Clusia nemorosa* G. Mey.
7288. Sphagnaceae: *Sphagnum* sp.
7289. Lauraceae: *Aniba taubertiana* Mez
7290. Bryophyte: Indet.
7291. Bryophyte: Indet.
7292. Pteridophyte: Indet.
7293. Orchidaceae: *Jacquiiniella globosa* (Jacq.) Schltr.
7294. Ericaceae: *Sphyraspermum cordifolium* Benth.
7295. Myrtaceae: Indet.
7296. Myrtaceae: Indet.
7297. Rubiaceae: *Patima guianensis* Aubl.
7298. Rubiaceae: *Psychotria adderleyi* Steyerm.
7299. Annonaceae: *Guatteria procera* R. E. Fr.
7300. Leguminosae-Mimosoideae: *Inga* sp.
7301. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
7302. Ochnaceae: *Ouratea* sp.
7303. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
7304. Passifloraceae: *Passiflora longiracemosa* Ducke
7304a. Erythroxylaceae: *Erythroxylum* sp.
7305. Flacourtiaceae: *Casearia pitumba* Sleumer
7306. Myrsinaceae: *Cybianthus venezuelanus* Mez
7307. Araceae: *Anthurium roraimense* N. E. Br.

7308. Moraceae: *Ficus albert-smithii* Standl.
7309. Celastraceae: *Maytenus* cf. *ficiformis* Reissek
7310. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
7311. Clusiaceae: *Clusia crassifolia* Planch. and Triana
7312. Melastomataceae: *Ernestia pullei* Gleason
7313. Meliaceae: *Guarea pubescens* (Rich.) A. Juss.
7314. Picramniaceae: *Picramnia guianensis* (Aubl.) Jans.-Jac.
7315. Myrtaceae: Indet.
7316. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
7317. Rubiaceae: *Malanea hypoleuca* Steyerm.
7318. Hippocrateaceae: *Tontelea ovalifolia* (Miers) A. C. Sm.
7319. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
7320. Leguminosae-Mimosoideae: *Inga* sp.
7321. Sapindaceae: *Paullinia ingaefolia* Rich. ex Juss.
7322. Melastomataceae: *Adelobotrys adscendens* (Sw.) Triana
7323. Myrtaceae: Indet.
7324. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
7325. Bryophyte: Indet.
7326. Araceae: *Philodendron surinamense* (Miq.) Engl.
7327. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
7328. Orchidaceae: *Jacquiiniella globosa* (Jacq.) Schltr.
7329. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
7330. Marcgraviaceae: *Marcgravia* cf. *sororopaniana* Steyerm.
7331. Polygonaceae: *Coccoloba* sp.
7332. Lauraceae: *Ocotea crassifolia* (Nees) Mez
7333. Boraginaceae: *Cordia nodosa* Lam.
7334. Cyperaceae: *Mapania surinamensis* Uittien
7335. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
7336. Rubiaceae: *Isertia hypoleuca* Benth.
7337. Aspleniaceae: *Asplenium serratum* L.
7338. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
7339. Melastomataceae: *Henriettella duckeana* Hoehne
7340. Rubiaceae: *Notopleura multiramosa* (Steyerm.) C. M. Taylor
7341. Melastomataceae: *Miconia diaphanea* Gleason
7342. Lauraceae: *Endlicheria pyriformis* (Nees) Mez
7343. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
7344. Rubiaceae: *Palicourea calophylla* DC.
7345. Adiantaceae: *Adiantopsis radiata* (L.) Fée
7346. Myrtaceae: *Calycolpus surinamensis* McVaugh
7347. Apocynaceae: *Tabernaemontana* sp.
7348. Tectariaceae: *Tectaria plantaginea* (Jacq.) Maxon var. *macrocarpa* (Fée) C. V. Morton
7349. Solanaceae: *Cestrum* sp.
7350. Malpighiaceae: Indet.
7351. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
7352. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
7353. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
7354. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
7355. Melastomataceae: *Leandra clidemioides* (Naudin) Wurdack
7356. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
7357. Orchidaceae: *Polycycnis surinamensis* C. Schweinf.
7358. Orchidaceae: *Trichosalpinx* sp.
7359. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
7360. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
7361. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
7362. Araceae: *Philodendron acutatum* Schott
7363. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
7364. Marattiaceae: *Danaea elliptica* Sm.
7365. Orchidaceae: *Huntleya lucida* (Rolfe) Rolfe
7366. Piperaceae: *Piper* sp.
7367. Melastomataceae: *Miconia bracteata* (DC.) Triana
7368. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
7369. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
7370. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
7371. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
7372. Gesneriaceae: *Besleria* cf. sp.
7373. Polypodiaceae: *Polypodium caceresii* Sodiro
7374. Bryophyte: Indet.
7375. Lichen-Incert. sed.: Indet.
7376. Euphorbiaceae: *Mabea speciosa* Müll. Arg. ssp. *guianensis* Esser
7377. Passifloraceae: *Passiflora glandulosa* Cav.
7378. Sapindaceae: *Paullinia isoptera* Radlk.
7379. Bryophyte: Indet.

7380. Hymenophyllaceae: Indet.
7381. Leguminosae-Mimosoideae: *Abarema ferruginea* (Benth.) Pittier
7382. Dennstaedtiaceae: *Lindsaea* cf. *lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
7383. Smilacaceae: *Smilax* sp.
7384. Araceae: *Anthurium scandens* (Aubl.) Engl.
7385. Dioscoreaceae: *Dioscorea* sp.
7386. Orchidaceae: *Jacquiiniella globosa* (Jacq.) Schltr.
7387. Orchidaceae: *Maxillaria parviflora* (Poepp. and Endl.) Garay
7388. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
7389. Hymenophyllaceae: *Trichomanes* ? *cristatum* Kaulf.
7390. Bryophyte: Indet.
7391. Orchidaceae: *Maxillaria* sp.
7392. Annonaceae: *Gutteria procera* R. E. Fr.
7393. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
7394. Orchidaceae: *Sobralia* sp.
7395. Orchidaceae: *Maxillaria porrecta* Lindl.
7396. Orchidaceae: *Octomeria* sp.
7397. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
7398. Anacardiaceae: *Tapirira guianensis* Aubl.
7399. Ericaceae: *Sphyraspermum cordifolium* Benth.
7400. Orchidaceae: *Dichaea* sp.
7401. Orchidaceae: *Scaphyglottis* sp.
7402. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
7403. Melastomataceae: *Leandra purpurea* Gleason
7404. Leguminosae-Caesalpinioideae: *Tachigali* sp.
7405. Rubiaceae: *Isertia spiciformis* DC.
7406. Lauraceae: *Licaria debilis* (Mez) Kosterm.
7407. Poaceae: *Ichmanthus panicoides* P. Beauv.
7408. Melastomataceae: *Adelobotrys adscendens* (Sw.) Triana
7409. Violaceae: *Rinorea riana* Kuntze
7410. Sabiaceae: *Meliosma herbertii* Rolfe
7411. Gesneriaceae: *Besleria laxiflora* Benth.
7412. Melastomataceae: *Clidemia involucrata* DC.
7413. Rubiaceae: *Psychotria paniculata* (Aubl.) Raeusch.
7414. Piperaceae: *Piper anonifolium* (Kunth) C. DC.
7415. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
7416. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerl.
7417. Orchidaceae: *Polycynis surinamensis* C. Schweinf.
7418. Olacaceae: *Heisteria cauliflora* Sm.
7419. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
7420. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
7421. Vittariaceae: *Antrophyum guayanense* Hieron.
7422. Chrysobalanaceae: *Hirtella silicea* Griseb.
7423. Violaceae: *Paypayrola longifolia* Tul.
7424. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
7425. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
7426. Gentianaceae: *Tapeinostemon spenneroides* Benth.
7427. Arecaceae: *Hyospathe elegans* Mart.
7428. Araceae: *Philodendron wittianum* Engl.
7429. Blechnaceae: *Salpichlaena hookeriana* (Kuntze) Alston
7430. Apocynaceae: *Tabernaemontana heterophylla* Vahl
7431. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
7432. Passifloraceae: *Passiflora glandulosa* Cav.
7433. Ochnaceae: *Ouratea* sp.
7434. Rubiaceae: *Psychotria muscosa* (Jacq.) Steyerl.
7435. Hymenophyllaceae: *Trichomanes rigidum* Sw.
7436. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
7437. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
7438. Bryophyte: Indet.
7439. Orchidaceae: *Maxillaria porrecta* Lindl.
7440. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
7441. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
7442. Lycopodiaceae: *Huperzia funiformis* (Cham. ex Spring) Trevis.
7443. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
7444. Lauraceae: *Ocotea neesiana* (Miq.) Kosterm.
7445. Marcgraviaceae: *Marcgravia* ? *coriacea* Vahl
7446. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
7447. Clusiaceae: *Clusia nemorosa* G. Mey.
7448. Euphorbiaceae: *Aparisthium cordatum* (A. Juss.) Baill.
7449. Passifloraceae: *Passiflora glandulosa* Cav.
7450. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
7451. Piperaceae: *Piper bartlingianum* (Miq.) C. DC.
7452. Lauraceae: *Ocotea persulcata* C. K. Allen

7453. Orchidaceae: *Epidendrum carpoporum* Barb. Rodr.
7454. Siparunaceae: *Siparuna guianensis* Aubl.
7455. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
7456. Euphorbiaceae: Indet.
7457. Piperaceae: *Piper obliquum* Ruiz and Pav.
7458. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
7459. Rubiaceae: *Psychotria astrellantha* Wernham
7460. Araceae: *Philodendron* sp.
7461. Vittariaceae: *Vittaria remota* Fée
7462. Araceae: *Philodendron wittianum* Engl.
7463. Polypodiaceae: *Polypodium fraxinifolium* Jacq.
7464. Piperaceae: *Piper* sp.
7465. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
7466. Picramniaceae: *Picramnia guianensis* (Aubl.) Jans.-Jac.
7467. Melastomataceae: *Aciotis annua* (Mart. ex DC.) Triana
7468. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
7469. Araceae: *Anthurium gracile* (Rudge) Schott
7470. Heliconiaceae: *Heliconia acuminata* Rich.
7471. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
7472. Cyperaceae: *Pleurostachys* sp.
7473. Acanthaceae: *Justicia* sp.
7474. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
7475. Piperaceae: *Peperomia ouabianae* C. DC.
7476. Orchidaceae: *Dichaea* sp.
7477. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
7478. Leguminosae-Mimosoideae: *Inga* sp.
7479. Lauraceae: *Aniba panurensis* (Meisn.) Mez
7480. Leguminosae-Caesalpinioideae: *Senna quinqueangulata* (Rich.) H. S. Irwin and Barneby
7481. Polygonaceae: *Coccoloba* sp.
7482. Meliaceae: *Cabrlea canjerana* (Vell.) Mart.
7483. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
7484. Flacourtiaceae: *Casearia javitensis* Kunth
7485. Solanaceae: *Schwenckia grandiflora* Benth.
7486. Flacourtiaceae: *Carpotroche surinamensis* Uittien
7487. Rubiaceae: *Psychotria bahiensis* DC.
7488. Rubiaceae: *Psychotria paniculata* (Aubl.) Rausch.
7489. Rubiaceae: *Coussarea micrococca* Bremek.
7490. Vittariaceae: *Antrophyum guayanense* Hieron.
7491. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
7492. Rubiaceae: *Palicourea longiflora* DC.
7493. Lomariopsidaceae: *Elaphoglossum* sp.
7494. Gesneriaceae: *Besleria laxiflora* Benth.
7495. Solanaceae: *Solanum costatum* M. Nee
7496. Orchidaceae: *Habenaria alterosula* Snuv. and Westra
7497. Aspleniaceae: *Asplenium auritum* Sw.
7498. Myrtaceae: Indet.
7499. Orchidaceae: *Epidendrum ramosum* Jacq.
7500. Sapindaceae: *Paullinia isoptera* Radlk.
7501. Apocynaceae: *Tabernaemontana heterophylla* Vahl
7502. Piperaceae: *Peperomia maguirei* Yunck.
7503. Flacourtiaceae: *Carpotroche surinamensis* Uittien
7504. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
7505. Araceae: *Philodendron* ? sp. nov.
7506. Apocynaceae: *Tabernaemontana* sp.
7507. Polypodiaceae: *Polypodium dissimile* L.
7508. Araceae: *Anthurium friedrichsthalii* Schott
7509. Leguminosae-Mimosoideae: *Inga* sp.
7510. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
7511. Flacourtiaceae: *Casearia pitumba* Sleumer
7512. Polypodiaceae: *Polypodium dulce* Poir.
7513. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
7514. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
7515. Polypodiaceae: *Polypodium caceresii* Sodiro
7516. Lauraceae: *Endlicheria pyriformis* (Nees) Mez
7517. Sapindaceae: *Paullinia cupana* Kunth
7518. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
7519. Solanaceae: *Markea coccinea* Rich.
7520. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
7521. Areaceae: *Hyospathe elegans* Mart.
7522. Araceae: *Syngonium podophyllum* Schott
7523. Araceae: *Rhodospatha latifolia* Poepp.
7524. Orchidaceae: *Xylobium* sp.
7525. Polypodiaceae: *Pecluma pectinata* (L.) M. G. Price
7526. Smilacaceae: *Smilax* sp.
7527. Marattiaceae: *Danaea elliptica* Sm.
7528. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
7529. Aspleniaceae: *Asplenium feei* Kunze ex Fée
7530. Woodsiaceae: *Diplazium centripetale* (Baker) Maxon

7531. Polypodiaceae: *Polypodium dulce* Poir.
7532. Marcgraviaceae: *Marcgravia* ? *pedunculosa* Triana and Planch.
7533. Lauraceae: *Aniba parviflora* (Meisn.) Mez
7534. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
7535. Sapotaceae: *Pouteria guianensis* Aubl.
7536. Leguminosae-Mimosoideae: *Abarema ferruginea* (Benth.) Pittier
7537. Araceae: *Monstera* sp.
7538. Araceae: *Philodendron rudgeanum* Schott
7539. Lomariopsidaceae: *Elaphoglossum flaccidum* (Fée) T. Moore
7540. Woodsiaceae: *Diplazium gracilescens* (Mett.) C. Chr.
7541. Araceae: *Philodendron wittianum* Engl.
7542. Araceae: *Philodendron ornatum* Schott
7543. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
7544. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
7545. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
7546. Piperaceae: *Piper paramaribense* C. DC.
7547. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
7548. Chrysobalanaceae: *Couepia guianensis* Aubl. ssp. *guianensis*
7549. Menispermaceae: Indet.
7550. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
7551. Piperaceae: *Piper consanguineum* (Kunth) C. DC.
7552. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
7553. Orchidaceae: *Polycynis surinamensis* C. Schweinf.
7554. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
7555. Flacourtiaceae: *Carpotroche surinamensis* Uittien
7556. Leguminosae-Faboideae: *Swartzia grandifolia* Bong. ex Benth.
7557. Asclepiadaceae: Indet.
7558. Piperaceae: *Peperomia magnoliifolia* (Jacq.) A. Dietr.
7559. Vittariaceae: *Antrophyum guayanense* Hieron.
7560. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
7561. Poaceae: *Panicum pilosum* Sw.
7562. Heliconiaceae: *Heliconia acuminata* Rich.
7563. Solanaceae: *Solanum leucocarpum* Dunal
7564. Aspleniaceae: *Asplenium salicifolium* L.
7565. Leguminosae-Mimosoideae: *Calliandra coriacea* (Humb. and Bonpl. ex Willd.) Benth.
7566. Bromeliaceae: *Guzmania melinonis* Regel
7567. Rubiaceae: *Gonzalagunia* cf. *dicocca* Cham. and Schltdl. var. *guianensis* Steyererm.
7568. Dryopteridaceae: *Polybotrya caudata* Kunze
7569. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
7570. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
7571. Apocynaceae: *Tabernaemontana macrocalyx* Müll. Arg.
7572. Tiliaceae: *Apeiba macropetala* Ducke
7573. Leguminosae-Caesalpinioideae: *Sclerolobium* sp.
7574. Meliaceae: *Guarea silvatica* C. DC.
7575. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
7576. Lacistemataceae: *Lacistema polystachyum* W. Schnizl.
7577. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
7578. Lauraceae: *Ocotea cernua* (Nees) Mez
7579. Leguminosae-Faboideae: *Swartzia benthamiana* Miq. var. *benthamiana*
7580. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
7581. Araceae: *Philodendron rudgeanum* Schott
7582. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
7583. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
7584. Lauraceae: *Beilschmiedia curviramea* (Meisn.) Kosterm.
7585. Araceae: *Philodendron ornatum* Schott
7586. Orchidaceae: *Scaphyglottis* sp.
7587. Solanaceae: *Markea longiflora* Miers
7588. Myristicaceae: *Virola elongata* (Benth.) Warb.
7589. Araliaceae: *Schefflera* sp.
7590. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
7591. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
7592. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
7593. Euphorbiaceae: Indet.
7594. Boraginaceae: *Cordia nodosa* Lam.
7595. Orchidaceae: *Sobralia suaveolens* Rchb. f.
7596. Piperaceae: *Peperomia glabella* (Sw.) A. Dietr.
7597. Arecaceae: *Geonoma macrostachys* Mart.
7598. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
7599. Orchidaceae: *Bulbophyllum* sp.
7600. Mendonciaceae: *Mendoncia hoffmannseggiana* Nees

7601. Leguminosae-Mimosoideae: *Inga* sp.
7602. Lauraceae: *Licaria aureosericea* van der Werff
7603. Convolvulaceae: *Mariipa glabra* Choisy
7604. Apocynaceae: *Couma* sp.
7605. Myrtaceae: *Eugenia macrocalyx* (Rusby) McVaugh
7606. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
7607. Violaceae: *Rinorea riana* Kuntze
7608. Orchidaceae: *Maxillaria* cf. *discolor* (Lodd. ex Lindl.) Rchb. f.
7609. Orchidaceae: *Stelis* sp.
7610. Chrysobalanaceae: *Hirtella silicea* Griseb.
7611. Violaceae: *Amphirrhex longifolia* (A. St.-Hil.) Spreng.
7612. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
7613. Annonaceae: *Unonopsis stipitata* Diels
7614. Leguminosae-Mimosoideae: *Inga* sp.
7615. Leguminosae-Mimosoideae: *Inga* sp.
7616. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev. ssp. *surinamensis* (Miq.) T. D. Penn.
7617. Olacaceae: *Heisteria* sp.
7618. Rubiaceae: *Gonzalagunia* cf. *dicocca* Cham. and Schltdl. var. *guianensis* Steyererm.
7619. Verbenaceae: *Petrea bracteata* Steud.
7620. Incertae sedis: Indet.
7621. Dichapetalaceae: *Tapura guianensis* Aubl.
7622. Leguminosae-Mimosoideae: *Inga* sp.
7623. Lauraceae: *Endlicheria pyriformis* (Nees) Mez
7624. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
7625. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
7626. Euphorbiaceae: *Pausandra martinii* Baill.
7627. Rubiaceae: *Palicourea calophylla* DC.
7628. Orchidaceae: *Stelis* sp.
7629. Passifloraceae: *Passiflora glandulosa* Cav.
7630. Poaceae: *Ichnanthus panicoides* P. Beauv.
7631. Melastomataceae: *Clidemia conglomerata* DC.
7632. Euphorbiaceae: *Pausandra martinii* Baill.
7633. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
7634. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
7635. Araceae: *Dieffenbachia elegans* A. M. E. Jonker and Jonker
7636. Leguminosae-Mimosoideae: *Inga* sp.
7637. Menispermaceae: Indet.
7638. Hippocrateaceae: *Prionostemma aspera* (Lam.) Miers
7639. Leguminosae-Caesalpinioideae: *Eperua grandiflora* (Aubl.) Benth. ssp. *guyanensis* R. S. Cowan
7640. Polygalaceae: *Securidaca paniculata* Rich. var. *lasiocarpa* Oort
7641. Melastomataceae: *Bellucia grossularioides* (L.) Triana
7642. Acanthaceae: *Polylychnis radicans* (Nees) Wassh.
7643. Leguminosae-Mimosoideae: *Inga* sp.
7644. Humiriaceae: Indet.
7645. Myristicaceae: *Iryanthera* sp.
7646. Thelypteridaceae: *Thelypteris decussata* (L.) Proctor
7647. Piperaceae: *Piper arboreum* Aubl.
7648. Bryophyte: Indet.
7649. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
7650. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
7651. Cyclanthaceae: Indet.
7652. Araceae: *Anthurium clavigerum* Poepp.
7653. Sterculiaceae: *Theobroma subincanum* Mart.
7654. Tectariaceae: *Tectaria incisa* Cav.
7655. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
7656. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
7657. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
7658. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
7659. Solanaceae: *Solanum subinerme* Jacq.
7660. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
7661. Siparunaceae: *Siparuna pachyantha* A. C. Sm.
7662. Annonaceae: *Anaxagorea* sp.
7663. Lauraceae: *Aniba citrifolia* (Nees) Mez
7664. Apocynaceae: *Geissospermum argenteum* Woodson
7665. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
7666. Apocynaceae: *Tabernaemontana* sp.
7667. Apocynaceae: *Geissospermum argenteum* Woodson
7668. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
7669. Piperaceae: *Piper trichoneuron* (Miq.) C. DC.
7670. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
7671. Arecaceae: *Bactris elegans* Barb. Rodr.
7672. Passifloraceae: *Passiflora garckeii* Mast.

7673. Piperaceae: *Piper demeraranum* (Miq.) C. DC.
7674. Piperaceae: *Peperomia magnoliifolia* (Jacq.) A. Dietr.
7675. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
7676. Piperaceae: *Piper pulleanum* Yunck.
7677. Meliaceae: *Guarea kunthiana* A. Juss.
7678. Myristicaceae: *Iryanthera* sp.
7679. Aspleniaceae: *Asplenium angustum* Sw.
7680. Convolvulaceae: *Mariapa glabra* Choisy
7681. Apocynaceae: *Tabernaemontana sananho* Ruiz and Pav.
7682. Incertae sedis: Indet.
7683. Sapotaceae: *Pouteria* sp. (sect. *Pouteria*)
7684. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
7685. Lacistemataceae: *Lacistema grandifolium* W. Schnizl.
7686. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
7687. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
7688. Violaceae: *Paypayrola guianensis* Aubl.
7689. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
7690. Orchidaceae: *Stelis* sp.
7691. Orchidaceae: *Polystachya foliosa* (Lindl.) Rchb. f.
7692. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
7693. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev. ssp. *surinamensis* (Miq.) T. D. Penn.
7694. Malpighiaceae: *Byrsonima gymnocalycina* A. Juss.
7695. Arecaceae: *Euterpe precatoria* Mart.
7696. Polygalaceae: Indet.
7697. Orchidaceae: *Pleurothallis* sp.
7698. Rubiaceae: *Isertia hypoleuca* Benth.
7699. Marcgraviaceae: *Marcgravia coriacea* Vahl
7700. Araceae: *Anthurium gracile* (Rudge) Schott
7701. Orchidaceae: *Batemannia colleyi* Lindl.
7702. Leguminosae-Faboideae: *Machaerium* ? sp.
7703. Leguminosae-Faboideae: *Ormosia* sp.
7704. Orchidaceae: *Dicrypta* sp.
7705. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
7706. Lichen-Incert. sed.: Indet.
7707. Orchidaceae: *Myoxanthus parahybutensis* (Barb. Rodr.) Luer
7708. Connaraceae: *Connarus* cf. *lambertii* (DC.) Sagot
7709. Leguminosae-Caesalpinioideae: *Sclerolobium* sp.
7710. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
7711. Myristicaceae: *Virola* cf. *surinamensis* (Rol. ex Rottb.) Warb.
7712. Leguminosae-Caesalpinioideae: *Macrobium bifolium* (Aubl.) Pers.
7713. Cyperaceae: *Bisboeckelera irrigua* (Nees) Kuntze
7714. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
7715. Leguminosae-Mimosoideae: *Inga* sp.
7716. Olacaceae: *Dulacia guianensis* (Engl.) Kuntze
7717. Burseraceae: *Dacryodes chimantensis* Steyerl. and Maguire
7718. Incertae sedis: Indet.
7719. Meliaceae: *Guarea* ? *trunciflora* C. DC.
7720. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
7721. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
7722. Lauraceae: *Aniba parviflora* (Meisn.) Mez
7723. Loranthaceae: Indet.
7724. Connaraceae: *Rourea frutescens* Aubl.
7725. Leguminosae-Mimosoideae: *Parkia nitida* Miq.
7726. Meliaceae: *Trichilia quadrijuga* Kunth
7727. Rubiaceae: *Genipa spruceana* Steyerl.
7728. Rubiaceae: *Isertia hypoleuca* Benth.
7729. Leguminosae-Mimosoideae: *Inga* sp.
7730. Orchidaceae: *Epidendrum flexuosum* G. Mey.
7731. Combretaceae: *Combretum laxum* Jacq.
7732. Incertae sedis: Indet.
7733. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
7734. Rubiaceae: *Psychotria lupulina* Benth.
7735. Annonaceae: *Anaxagorea brevipes* Benth.
7736. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
7737. Combretaceae: *Combretum laxum* Jacq.
7738. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
7739. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
7740. Incertae sedis: Indet.
7741. Polygonaceae: Indet.
7742. Loganiaceae: *Strychnos* sp.
7743. Polygalaceae: *Securidaca paniculata* Rich. var. *lasiocarpa* Oort
7744. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.

7745. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
7746. Leguminosae-Faboideae: *Pterocarpus officinalis* Jacq.
7747. Leguminosae-Mimosoideae: *Inga* sp.
7748. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
7749. Cyclanthaceae: Indet.
7750. Violaceae: *Rinorea* sp.
7751. Lacistmataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
7752. Orchidaceae: *Epidendrum rigidum* Jacq.
7753. Orchidaceae: *Scaphyglottis amethystina* (Rchb. f.) Schltr.
7754. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
7755. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
7756. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
7757. Myrtaceae: *Eugenia gomesiana* O. Berg
7758. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
7759. Melastomataceae: *Miconia prasina* (Sw.) DC.
7760. Ericaceae: Indet.
7761. Araceae: *Philodendron acutatum* Schott
7762. Dioscoreaceae: *Dioscorea* sp.
7763. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
7764. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC.
- 7764a. Myrtaceae: Indet.
7765. Hippocrateaceae: *Cheiloclinium brevipetiolatum* Lombardi
7766. Acanthaceae: *Polychnis radicans* (Nees) Wassh.
7767. Vittariaceae: *Hecistopteris pumila* (Spreng.) J. Sm.
7768. Bignoniaceae: *Jacaranda copaia* (Aubl.) D. Don
7769. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
7770. Melastomataceae: Indet. sp.
7771. Melastomataceae: *Tococa guianensis* Aubl.
7772. Leguminosae-Mimosoideae: *Inga* sp.
7773. Hippocrateaceae: *Cheiloclinium hippocrateoides* (Peyr.) A. C. Sm.
7774. Melastomataceae: *Adelobotrys* sp.
7775. Sterculiaceae: *Theobroma subincanum* Mart.
7776. Annonaceae: *Unonopsis stipitata* Diels
7777. Apocynaceae: Indet.
7778. Annonaceae: *Pseudoxandra lucida* R. E. Fr.
7779. Chrysobalanaceae: *Licania kunthiana* Hook. f.
7780. Rubiaceae: *Ferdinandusa* sp.
7781. Rubiaceae: Indet.
7782. Leguminosae: Indet.
7783. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
7784. Rubiaceae: *Ferdinandusa* sp.
7785. Gentianaceae: *Tachia smithii* Maguire and Weaver
7786. Myristicaceae: *Virola elongata* (Benth.) Warb.
7787. Myristicaceae: *Virola calophylla* (Spruce) Warb.
7788. Icacinaceae: *Pleurisanthes flava* Sandwith
7789. Sapindaceae: *Matayba inelegans* Spruce ex Radlk.
7790. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
7791. Moraceae: *Ficus paraensis* (Miq.) Miq.
7792. Rubiaceae: *Duroia eriopila* L. f.
7793. Melastomataceae: *Mouriri grandiflora* DC.
7794. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
7795. Sapindaceae: *Matayba camptoneura* Radlk.
7796. Myristicaceae: *Iryanthera juruensis* Warb.
7797. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
7798. Ochnaceae: *Ouratea* sp.
7799. Smilacaceae: *Smilax* sp.
7800. Rubiaceae: *Ixora ferrea* (Jacq.) Benth.
7801. Lomariopsidaceae: *Elaphoglossum lingua* (Raddi) Brack.
7802. Asclepiadaceae: Indet.
7803. Sapindaceae: *Paullinia isoptera* Radlk.
7804. Melastomataceae: *Clidemia japurensis* DC. var. *japurensis*
7805. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
7806. Araceae: *Philodendron pedatum* (Hook.) Kunth
7807. Aspleniaceae: *Asplenium serratum* L.
7808. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
7809. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
7810. Aspleniaceae: *Asplenium auritum* Sw.
7811. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
7812. Myrtaceae: Indet.
7813. Meliaceae: *Carapa guianensis* Aubl.
7814. Araceae: *Anthurium clavigerum* Poepp.
7815. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC.
7816. Araceae: *Philodendron muricatum* Willd. ex Schott

7817. Araceae: *Philodendron grandifolium* (Jacq.) Schott
7818. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
7819. Sterculiaceae: *Theobroma subincanum* Mart.
7820. Araceae: *Philodendron solimoesense* A. C. Sm.
7821. Araceae: *Philodendron rudgeanum* Schott
7822. Orchidaceae: *Maxillaria acutifolia* Lindl.
7823. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
7824. Lauraceae: *Ocotea splendens* (Meisn.) Baill.
7825. Lauraceae: *Licaria aureosericea* van der Werff
7826. Leguminosae-Mimosoideae: *Inga* sp.
7827. Humiriaceae: *Humiriastrum* cf. sp.
7828. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
7829. Solanaceae: *Markea coccinea* Rich.
7830. Piperaceae: *Piper hirtilimum* Trel. and Yunck.
7831. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
7832. Euphorbiaceae: *Hevea guianensis* Aubl. var. *lutea* (Spruce ex Benth.) Ducke and R. E. Schult.
7833. Melastomataceae: *Mouriri* sp.
7834. Menispermaceae: Indet.
7835. Hernandiaceae: *Hernandia guianensis* Aubl.
7836. Connaraceae: *Rourea ligulata* Baker
7837. Annonaceae: *Bocageopsis multiflora* (Mart.) R. E. Fr.
7838. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
7839. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
7840. Icacinaceae: *Pleurisanthes flava* Sandwith
7841. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
7842. Adiantaceae: *Adiantum tomentosum* Klotzsch
7843. Sapotaceae: *Pouteria* ? *venosa* (Mart.) Baehni
7844. Orchidaceae: *Brassia* cf. *neglecta* Rchb. f.
7845. Incertae sedis: Indet.
7846. Bignoniaceae: Indet.
7847. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
7848. Gnetaceae: *Gnetum nodiflorum* Brongn.
7849. Flacourtiaceae: *Homalium guianense* (Aubl.) Oken
7850. Myrtaceae: *Eugenia lambertiana* DC.
7851. Clusiaceae: *Clusia renggerioides* Planch. and Triana
7852. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
7853. Connaraceae: *Rourea ligulata* Baker
7854. Marcgraviaceae: *Marcgravia coriacea* Vahl
7855. Araceae: *Monstera* ? *adansonii* Schott
7856. Malpighiaceae: *Byrsonima gymnocalycina* A. Juss.
7857. Ebenaceae: *Diospyros* sp.
7858. Marcgraviaceae: *Marcgravia purpurea* I. W. Bailey
7859. Cyperaceae: *Scleria flagellum-nigrorum* P. J. Bergius
7860. Violaceae: *Corynostylis arborea* (L.) S. F. Blake
7861. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
7862. Rubiaceae: *Psychotria mapourioides* DC.
7863. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
7864. Orchidaceae: *Myoxanthus parahybunensis* (Barb. Rodr.) Luer
7865. Clusiaceae: *Tovomita spruceana* Planch. and Triana
7866. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
7867. Rubiaceae: *Perama galioides* (Kunth) Poir.
7868. Eriocaulaceae: *Syngonanthus umbellatus* (Lam.) Ruhland
7869. Polygalaceae: *Polygala appressa* Benth.
7870. Cyperaceae: *Exochogyne amazonica* C. B. Clarke
7871. Amaranthaceae: Indet.
7872. Melastomataceae: *Pachyloma coriaceum* DC.
7873. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
7874. Melastomataceae: *Tococa nitens* (Benth.) Triana
7875. Xyridaceae: *Abolboda grandis* Griseb.
7876. Xyridaceae: *Xyris malmeana* L. B. Sm.
7877. Cyperaceae: *Rhynchospora rugosa* (Vahl) Gale
7878. Melastomataceae: *Tibouchina aspera* Aubl.
7879. Poaceae: *Panicum pilosum* Sw.
7880. Cyperaceae: *Rhynchospora tenella* (Nees) Böck.
7881. Poaceae: *Echinolaena inflexa* (Poir.) Chase
7882. Cyperaceae: *Rhynchospora globosa* (Kunth) Roem. and Schult.
7883. Cyperaceae: *Rhynchospora barbata* (Vahl) Kunth
7884. Eriocaulaceae: *Eriocaulon tenuifolium* Klotzsch ex Körn.
7885. Ochnaceae: *Sauvagesia sprengelii* A. St.-Hil.
7886. Xyridaceae: *Xyris surinamensis* Spreng.
7887. Cyperaceae: *Lagenocarpus rigidus* (Kunth) Nees ssp. *tremulus* (Nees) T. Koyama and Maguire
7888. Chrysobalanaceae: *Licania incana* Aubl.
7889. Lecythidaceae: *Eschweilera parvifolia* Mart. ex DC.
7890. Chrysobalanaceae: *Couepia guianensis* Aubl. ssp. *glandulosa* (Miq.) Prance
7891. Incertae sedis: Indet.
7892. Chrysobalanaceae: Indet.
7893. Clusiaceae: *Caraipa* cf. sp.
7894. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze

7895. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
7896. Picramniaceae: *Picramnia* sp.
7897. Clusiaceae: Indet.
7898. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
7899. Sterculiaceae: *Theobroma subincanum* Mart.
7900. Sapindaceae: *Cupania* sp.
7901. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
7902. Burseraceae: *Crepidospermum rhoifolium* (Benth.) Triana and Planch.
7903. Sapindaceae: Indet.
7904. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
7905. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
7906. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
7907. Cecropiaceae: *Pourouma villosa* Trécul
7908. Annonaceae: *Duguetia guianensis* R. E. Fr.
7909. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
7910. Clusiaceae: *Caraipa racemosa* Cambess.
7911. Araceae: *Anthurium clavigerum* Poepp.
7912. Euphorbiaceae: *Sagotia racemosa* Baill. var. *brachysepala* Müll. Arg.
7913. Rubiaceae: *Psychotria lupulina* Benth.
7914. Violaceae: *Rinorea riana* Kuntze
7915. Melastomataceae: *Miconia impetiolaris* (Sw.) D. Don ex DC. var. *spruceanum* Cogn.
7916. Leguminosae-Mimosoideae: *Inga* sp.
7917. Hippocrateaceae: *Hippocratea volubilis* L.
7918. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
7919. Menispermaceae: Indet.
7920. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *glabra* (Mart. ex Hook. f.) Prance
7921. Areaceae: *Geonoma baculifera* (Poit.) Kunth
7922. Myrtaceae: Indet.
7923. Myristicaceae: *Virola calophylla* (Spruce) Warb.
7924. Chrysobalanaceae: *Couepia parillo* DC.
7925. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
7926. Sabiaceae: *Meliosma herbertii* Rolfe
7927. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
7928. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
7929. Leguminosae-Caesalpinioideae: *Bauhinia guianensis* Aubl.
7930. Myrtaceae: *Myrcia minutiflora* Sagot
7931. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
7932. Meliaceae: *Guarea* sp.
7933. Myristicaceae: *Iryanthera* sp.
7934. Connaraceae: *Connarus perrottetii* (DC.) Planch. var. *rufus* Forero
7935. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
7936. Chrysobalanaceae: *Parinari excelsa* Sabine
7937. Flacourtiaceae: *Ryania speciosa* Vahl var. *subuliflora* (Sandwith) Monach.
7938. Sapindaceae: Indet.
7939. Aquifoliaceae: *Ilex* sp.
7940. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerl.
7941. Melastomataceae: *Miconia radulaefolia* (Benth.) Naudin
7942. Rubiaceae: *Duroia eriopila* L. f.
7943. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
7944. Sterculiaceae: *Theobroma subincanum* Mart.
7945. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
7946. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
7947. Rubiaceae: *Psychotria polycephala* Benth.
7948. Apocynaceae: *Tabernaemontana* sp.
7949. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
7950. Dennstaedtiaceae: *Lindsaea ? divaricata* Klotzsch
7951. Areaceae: *Geonoma deversa* (Poit.) Kunth
7952. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
7953. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
7954. Cecropiaceae: *Coussapoa trinervia* Spruce ex Mildbr.
7955. Boraginaceae: *Cordia nodosa* Lam.
7956. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
7957. Incertae sedis: Indet.
7958. Aspleniaceae: *Asplenium serratum* L.
7959. Euphorbiaceae: *Conceveiba martiana* Baill.
7960. Violaceae: *Leonia glycyarpa* Ruiz and Pav.
7961. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
7962. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
7963. Dioscoreaceae: *Dioscorea* sp.
7964. Myristicaceae: *Iryanthera* sp.
7965. Apocynaceae: *Odontadenia puncticulosa* (Rich.) Pulle

7966. Arecaceae: *Iriartella setigera* (Mart.) H. Wendl.
7967. Melastomataceae: *Clidemia heteroneura* (DC.) Cogn.
7968. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq.
7969. Xylariaceae: *Xylaria* sp.
7970. Bryophyte: Indet.
7971. Bryophyte: Indet.
7972. Polyporaceae: *Microporellus* ? sp.
7973. Piperaceae: *Piper* sp.
7973b. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
7974. Clusiaceae: Indet.
7975. Lauraceae: *Endlicheria pyriformis* (Nees) Mez
7976. Burmanniaceae: *Campylosiphon purpurascens* Benth.
7977. Melastomataceae: Indet.
7978. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
7979. Piperaceae: *Piper* sp.
7980. Commelinaceae: Indet.
7981. Lauraceae: *Aniba citrifolia* (Nees) Mez
7982. Menispermaceae: Indet.
7983. Flacourtiaceae: *Mayna odorata* Aubl.
7984. Apocynaceae: *Tabernaemontana undulata* Vahl
7985. Piperaceae: *Piper* sp.
7986. Hippocrateaceae: Indet.
7987. Solanaceae: *Markea coccinea* Rich.
7988. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
7989. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
7990. Convolvulaceae: Indet.
7991. Bryophyte: Indet.
7992a. Rubiaceae: *Sipanea* sp.
7992b. Rubiaceae: *Geophila* sp.
7993. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
7994. Orchidaceae: *Masdevallia vargasii* C. Schweinf.
7995. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
7996. Lauraceae: *Aniba megaphylla* Mez
7997. Poaceae: *Lasiacis ligulata* Hitchc. and Chase
7998. Gesneriaceae: *Nautilocalyx punctatus* Wiehler
7999. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
8000. Aspleniaceae: *Asplenium cuneatum* Lam.
8001. Olacaceae: Indet.
8002. Melastomataceae: *Miconia lateriflora* Cogn.
8003. Leguminosae-Faboideae: *Lonchocarpus* s.l. sp.
8004. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
8005. Sapotaceae: *Pouteria* sp.
8006. Meliaceae: *Guarea pubescens* (Rich.) A. Juss.
8007. Rubiaceae: *Psychotria gracilentata* Müll. Arg.
8008. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
8009. Combretaceae: *Combretum* sp.
8010. Leguminosae-Mimosoideae: *Inga* sp.
8011. Leguminosae-Mimosoideae: *Inga* sp.
8012. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
8013. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
8014. Aspleniaceae: *Asplenium serratum* L.
8015. Chrysobalanaceae: *Hirtella racemosa* Lam.
8016. Incertae sedis: Indet.
8017. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
8018. Annonaceae: *Guatteria anthracina* Scharf and Maas
8019. Apocynaceae: *Tabernaemontana macrocalyx* Müll. Arg.
8020. Lauraceae: *Ocotea discrepens* C. K. Allen
8021. Gesneriaceae: *Besleria laxiflora* Benth.
8022. Violaceae: *Rinorea brevipes* (Benth.) S. F. Blake
8023. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze var. *lindeniana*
8024. Burseraceae: Indet.
8025. Theophrastaceae: *Clavija lancifolia* Desf. ssp. *lancifolia*
8026. Zingiberaceae: *Renealmia guianensis* Maas
8027. Rubiaceae: *Psychotria racemosa* Rich.
8028. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
8029. Dryopteridaceae: *Stigmatopteris rotundata* (Humb. and Bonpl. ex Willd.) C. Chr.
8030. Vittariaceae: *Antrophyum guayanense* Hieron.
8031. Tectariaceae: *Tectaria plantaginea* (Jacq.) Maxon
8032. Costaceae: *Costus spiralis* (Jacq.) Roscoe var. *spiralis*
8033. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
8034. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
8035. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
8036. Annonaceae: *Duguetia guianensis* R. E. Fr.
8037. Apocynaceae: *Forsteronia* sp.
8038. Clusiaceae: Indet.

8039. Rubiaceae: *Psychotria deflexa* DC.
8040. Monimiaceae: Indet.
8041. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
8042. Flacourtiaceae: *Casearia javitensis* Kunth
8043. Orchidaceae: *Myoxanthus parvilabius* (C. Schweinf.) Luer
8044. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
8045. Orchidaceae: *Scaphyglottis fusiformis* (Griseb.) R. E. Schult.
8046. Piperaceae: *Piper* sp.
8047. Poaceae: *Olyra micrantha* Kunth
8048. Monimiaceae: Indet.
8049. Siparunaceae: *Siparuna guianensis* Aubl.
8050. Anacardiaceae: *Tapirira guianensis* Aubl.
8051. Myristicaceae: *Virola calophylla* (Spruce) Warb.
8052. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
8053. Chrysobalanaceae: *Hirtella obidensis* Ducke
8054. Lauraceae: *Ocotea oblonga* (Meisn.) Mez
8055. Myristicaceae: *Virola surinamensis* (Rol. ex Rottb.) Warb.
8056. Meliaceae: *Guarea velutina* A. Juss.
8057. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
8058. Viscaceae: *Phoradendron dipterum* Eichler
8059. Clusiaceae: Indet.
8060. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre ssp. *duckeana* (Baehni) T. D. Penn.
8061. Malpighiaceae: *Mascagnia poeppigiana* (A. Juss.) W. R. Anderson
8062. Rubiaceae: *Psychotria paniculata* (Aubl.) Raeusch.
8063. Parmeliaceae: *Usnea* sp.
8064. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
8065. Lauraceae: *Aniba megaphylla* Mez
8066. Bryophyte: Indet.
8067. Monimiaceae: Indet.
8068. Rubiaceae: *Psychotria ulviformis* Steyerh.
8069. Rhamnaceae: *Gouania* sp.
8070. Lauraceae: *Endlicheria pyriformis* (Nees) Mez
8071. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
8072. Araceae: *Syngonium podophyllum* Schott
8073. Polypodiaceae: *Pecluma pectinata* (L.) M. G. Price
8074. Costaceae: *Costus scaber* Ruiz and Pav.
8075. Begoniaceae: *Begonia semiovata* Liebm.
8076. Connaraceae: Indet. ?
8077. Leguminosae-Mimosoideae: *Inga* sp.
8078. Melastomataceae: *Aciotis ornata* (Miq.) Gleason
8079. Melastomataceae: *Henriettella caudata* Gleason
8080. Poaceae: *Panicum stoloniferum* Poir.
8081. Moraceae: *Ficus guianensis* Desv. ex Ham.
8082. Gentianaceae: *Chelonanthus grandiflorus* (Aubl.) Chodat and Hassl.
8083. Araceae: *Monstera* ? *obliqua* Miq.
8084. Marantaceae: *Hylaeanthe unilateralis* (Poepp. and Endl.) A. M. E. Jonker and Jonker
8085. Leguminosae-Mimosoideae: *Inga* sp.
8086. Poaceae: *Pharus latifolius* L.
8087. Heliconiaceae: *Heliconia spathocircinata* Aristeg.
8088. Piperaceae: *Piper* sp.
8089. Cyatheaceae: *Cyathea traillii* (Baker) Domin
8090. Araceae: *Dieffenbachia elegans* A. M. E. Jonker and Jonker
8091. Clusiaceae: Indet.
8092. Rubiaceae: *Sipanea* sp.
8093. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
8094. Apocynaceae: *Tabernaemontana undulata* Vahl
8095. Apocynaceae: *Tabernaemontana undulata* Vahl
8096. Rubiaceae: Indet.
8097. Marantaceae: *Maranta protracta* Miq.
8098. Meliaceae: *Trichilia surumuensis* C. DC.
8099. Lauraceae: *Ocotea fasciculata* (Nees) Mez
8100. Loranthaceae: *Struthanthus dichotrianthus* Eichler
8101. Orchidaceae: *Brassia caudata* (L.) Lindl.
8102. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
8103. Sapindaceae: Indet.
8104. Araceae: *Anthurium clavigerum* Poepp.
8105. Compositae: *Wulffia baccata* (L.) Kuntze
8106. Rubiaceae: *Guettarda aromatica* Poepp. and Endl.
8107. Hippocrateaceae: *Salacia cordata* (Miers) Menega
8108. Heliconiaceae: *Heliconia pendula* Wawra
8109. Leguminosae-Mimosoideae: *Inga* sp.
8110. Clusiaceae: *Clusia* sp.
8111. Orchidaceae: *Prescottia* aff. *stachyodes* (Sw.) Lindl.
8112. Rubiaceae: *Cordia triflora* A. Rich.
8113. Gesneriaceae: *Kohleria hirsuta* (Kunth) Regel var. *hirsuta*
8114. Lycopodiaceae: *Huperzia dichotoma* (Jacq.) Trevis.
8115. Verbenaceae: *Lantana camara* L.
8116. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
8117. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
8118. Acanthaceae: *Polylychnis radicans* (Nees) Wassh.

8119. Sterculiaceae: *Guazuma ulmifolia* Lam.
8120. Sapotaceae: Indet.
8121. Rubiaceae: *Manettia alba* (Aubl.) Wernham
8122. Adiantaceae: *Doryopteris sagittifolia* (Raddi)
J. Sm.
8123. Piperaceae: *Piper* sp.
8124. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren)
Decne. ex Planch. and Linden
8125. Solanaceae: *Cestrum latifolium* Lam.
8126. Rubiaceae: *Randia armata* (Sw.) DC.
8127. Urticaceae: Indet.
8128. Iridaceae: Indet.
8129. Sapindaceae: Indet.
8130. Rubiaceae: *Gonzalagunia dicocca* Cham. and
Schltdl. var. *guianensis* Steyerem.
8131. Leguminosae-Mimosoideae: *Inga* sp.
8132. Marantaceae: *Calathea* sp.
8133. Mendonciaceae: *Mendoncia glabra* (Poepp. and
Endl.) Nees
8134. Meliaceae: *Guarea guidonia* (L.) Sleumer
8135. Sapindaceae: Indet.
8136. Meliaceae: *Guarea* sp.
8137. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
8138. Chrysobalanaceae: *Hirtella triandra* Sw.
8139. Leguminosae-Mimosoideae: *Inga* sp.
8140. Acanthaceae: *Pachystachys coccinea* (Aubl.) Nees
8141. Orchidaceae: *Mesadenella cuspidata* (Lindl.)
Garay
8142. Leguminosae-Caesalpinioideae: *Senna*
quinquangulata (Rich.) H. S. Irwin and Barneby
8143. Rubiaceae: *Hamelia patens* Jacq.
8144. Gesneriaceae: *Besleria laxiflora* Benth.
8145. Anacard/Burserac.: Indet.
8146. Myristicaceae: *Iryanthera* sp.
8147. Apocynaceae: *Tabernaemontana* sp.
8148. Piperaceae: *Piper* sp.
8149. Violaceae: *Rinorea pubiflora* (Benth.) Sprague
and Sandwith
8150. Woodsiaceae: *Diplazium cristatum* (Desr.) Alston
8151. Polypodiaceae: *Polypodium bombycinum* Maxon
8152. Monimiaceae: *Mollinedia* sp.
8153. Tectariaceae: *Tectaria incisa* Cav.
8154. Phytolaccaceae: *Phytolacca rivinoides* Kunth and
Bouché
8155. Adiantaceae: *Adiantum latifolium* Lam.
8156. Urticaceae: *Urera* sp.
8157. Acanthaceae: Indet.
8158. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
8159. Dryopteridaceae: *Polybotrya caudata* Kunze
8160. Araceae: *Syngonium podophyllum* Schott
8161. Piperaceae: *Piper peltatum* L.
8162. Araceae: *Anthurium clavigerum* Poepp.
8163. Lecythidaceae: *Eschweilera pedicellata* (Rich.)
S. A. Mori
8164. Lauraceae: *Ocotea discrepens* C. K. Allen
8165. Chrysobalanaceae: *Hirtella triandra* Sw.
8166. Hymenophyllaceae: *Trichomanes radicans* Sw.
8167. Tectariaceae: *Cyclopeltis semicordata* (Sw.) J. Sm.
8168. Tectariaceae: *Lastreopsis effusa* (Sw.) Tindale
8169. Woodsiaceae: *Diplazium cristatum* (Desr.) Alston
8170. Rubiaceae: *Psychotria uliginosa* Sw.
8171. Arecaceae: *Hyospathe elegans* Mart.
8172. Leguminosae-Faboideae: *Swartzia arborescens*
(Aubl.) Pittier
8173. Bryophyte: Indet.
8174. Sapindaceae: Indet.
8175. Theophrastaceae: *Clavija lancifolia* Desf. ssp.
lancifolia
8176. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
8177. Sterculiaceae: *Herrania kanukuensis* R. E. Schult.
8178. Piperaceae: *Piper* sp.
8179. Sapindaceae: Indet.
8180. Annonaceae: *Guatteria* sp.
8181. Rubiaceae: *Psychotria horizontalis* Sw. var.
glaucescens (Kunth) Steyerem.
8182. Bignoniaceae: *Anemopaegma* cf. sp.
8183. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem.
and Schult.
8184. Sapindaceae: Indet.
8185. Gesneriaceae: *Kohleria hirsuta* (Kunth) Regel
var. *hirsuta*
8186. Commelinaceae: Indet.
8187. Iridaceae: Indet.
8188. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
8189. Malvaceae: *Abutilon* sp.
8190. Convolvulaceae: Indet.
8191. Adiantaceae: *Doryopteris pedata* (L.) Fée var.
multipartita (Fée) R. M. Tryon
8192. Marantaceae: *Maranta protracta* Miq.
8193. Lauraceae: *Ocotea fasciculata* (Nees) Mez
8194. Leguminosae: Indet.
8195. Adiantaceae: *Adiantopsis radiata* (L.) Fée
8196. Schizaeaceae: *Anemia phyllitidis* (L.) Sw.
8197. Adiantaceae: *Doryopteris sagittifolia* (Raddi)
J. Sm.
8198. Euphorbiaceae: *Omphalea diandra* L.
8199. Myrtaceae: *Eugenia pseudopsidium* Jacq.
8200. Rubiaceae: *Randia armata* (Sw.) DC.
8201. Clusiaceae: Indet.
8202. Meliaceae: *Trichilia surumuensis* C. DC.

8203. Adiantaceae: *Hemionitis palmata* L.
8204. Rubiaceae: Indet.
8205. Amaranthaceae: Indet.
8206. Piperaceae: *Piper* sp.
8207. Capparaceae: *Capparidastrum sola* (J. F. Macbride) Cornejo and Iltis
8208. Leguminosae: Indet.
8209. Myristicaceae: *Virola sebifera* Aubl.
8210. Leguminosae-Mimosoideae: *Acacia* sp.
8211. Adiantaceae: *Doryopteris pedata* (L.) Fée var. *multipartita* (Fée) R. M. Tryon
8212. Dioscoreaceae: *Dioscorea* sp.
8213. Menispermaceae: Indet.
8214. Meliaceae: *Trichilia* sp.
8215. Sterculiaceae: *Theobroma obovatum* Klotzsch ex Bernoulli
8216. Passifloraceae: *Passiflora* sp.
8217. Flacourtiaceae: *Carpotroche surinamensis* Uittien
8218. Incertae sedis: Indet.
8219. Poaceae: *Lasiacis sorghoidea* (Desv. ex Ham.) Hitchc. and Chase
8220. Compositae: *Wulffia baccata* (L.) Kuntze
8221. Solanaceae: *Solanum rugosum* Dunal
8222. Orchidaceae: *Pelexia* sp.
8223. Monimiaceae: Indet.
8224. Lauraceae: *Aniba* sp.
8225. Piperaceae: *Piper* sp.
8226. Lauraceae: *Ocotea aciphylla* (Nees and Mart. ex Nees) Mez
8227. Myrsinaceae: Indet.
8228. Myrtaceae: *Myrcia platyclada* DC.
8229. Orchidaceae: *Sobralia macrophylla* Rchb. f.
8230. Erythroxylaceae: Indet.
8231. Aquifoliaceae: *Ilex* sp.
8232. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
8233. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
8234. Lauraceae: *Ocotea* aff. *aciphylla* (Nees and Mart. ex Nees) Mez
8235. Myrtaceae: *Siphoneugena dussii* (Krug and Urb.) Proença
8236. Anacardiaceae: *Tapirira guianensis* Aubl.
8237. Melastomataceae: *Miconia* sp.
8238. Clusiaceae: Indet.
8239. Solanaceae: *Solandra longiflora* Tussac
8240. Rubiaceae: *Hillia parasitica* Jacq.
8241. Acanthaceae: *Pachystachys coccinea* (Aubl.) Nees
8242. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
8243. Orchidaceae: *Maxillaria bolivarensis* C. Schweinf.
8244. Myrtaceae: *Eugenia* sp.
8245. Orchidaceae: *Isochilus linearis* (Jacq.) R. Br.
8246. Orchidaceae: *Epidendrum carpoporum* Barb. Rodr.
8247. Orchidaceae: *Polycycnis surinamensis* C. Schweinf.
8248. Lauraceae: *Licaria cannella* (Meisn.) Kosterm.
8249. Leguminosae-Mimosoideae: *Abarema jupunba* (Willd.) Britton and Killip var. *trapezifolia* (Vahl) Barneby and J. W. Grimes
8250. Melastomataceae: *Macrocentrum* sp.
8251. Chrysobalanaceae: Indet.
8252. Verbenaceae: *Aegiphila membranacea* Turcz.
8253. Myrsinaceae: Indet.
8254. Melastomataceae: *Miconia dodecandra* Cogn.
8255. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
8256. Orchidaceae: *Malaxis maguirei* C. Schweinf.
8257. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
8258. Orchidaceae: *Sarcoglottis metallica* (Rolfe) Schltr.
8259. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
8260. Orchidaceae: *Jacquiniella globosa* (Jacq.) Schltr.
8261. Araceae: *Anthurium scandens* (Aubl.) Engl.
8262. Myrtaceae: *Siphoneugena dussii* (Krug and Urb.) Proença
8263. Cyatheaceae: *Cyathea traillii* (Baker) Domin
8264. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
8265. Myrtaceae: Indet.
8266. Piperaceae: *Piper* sp.
8267. Orchidaceae: *Scaphyglottis bifida* (Rchb. f.) C. Schweinf.
8268. Sapindaceae: Indet.
8269. Orchidaceae: *Epidendrum carpoporum* Barb. Rodr.
8270. Orchidaceae: *Pleurothallis tepuiensis* Carnevali and I. Ramírez
8271. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *spiculosa*
8272. Orchidaceae: *Dichaea* sp.
8273. Lomariopsidaceae: *Elaphoglossum* sp.
8274. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *parviflora* Snelders and Maas
8275. Ericaceae: *Sphyraspermum cordifolium* Benth.
8276. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.

8277. Orchidaceae: *Scaphyglottis bifida* (Rchb. f.) C. Schweinf.
8278. Cecropiaceae: *Coussapoa microcephala* Trécul
8279. Dilleniaceae: *Doliocarpus macrocarpus* Mart. ex Eichler
8280. Clusiaceae: Indet.
8281. Lycopodiaceae: *Huperzia taxifolia* (Sw.) Trevis.
8282. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
8283. Orchidaceae: *Pleurothallis* sp.
8284. Celastraceae: *Maytenus oblongata* Reissek
8285. Clusiaceae: Indet.
8286. Orchidaceae: *Sobralia valida* Rolfe
8287. Marantaceae: *Ischnosiphon* cf. *enigmaticus* L. Andersson
8288. Euphorbiaceae: *Sagotia racemosa* Baill. var. *racemosa*
8289. Lauraceae: *Ocotea discrepens* C. K. Allen
8290. Solanaceae: *Solanum semotum* M. Nee
8291. Aspleniaceae: *Asplenium abscissum* Willd.
8292. Aspleniaceae: *Asplenium auritum* Sw.
8293. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
8294. Orchidaceae: *Sobralia suaveolens* Rchb. f.
8295. Lomariopsidaceae: *Bolbitis serratifolia* (Mert. ex Kaulf.) Schott
8296. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
8297. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
8298. Sapotaceae: Indet.
8299. Clusiaceae: Indet.
8300. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
8301. Orchidaceae: *Ligeophila clavigera* (Rchb. f.) Garay
8302. Orchidaceae: *Polystachya foliosa* (Lindl.) Rchb. f.
8303. Orchidaceae: *Heterotaxis villosa* (Barb. Rodr.) F. Barros
8304. Cyperaceae: *Cyperus simplex* Kunth
8305. Urticaceae: *Pilea* sp.
8306. Rubiaceae: *Guettarda aromatica* Poepp. and Endl.
8307. Myrtaceae: *Myrcia minutiflora* Sagot
8308. Orchidaceae: *Bifrenaria steyermarkii* (Foldats) Garay and Dunst.
8309. Commelinaceae: Indet.
8310. Aspleniaceae: *Asplenium cuneatum* Lam.
8311. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
8312. Polypodiaceae: *Polypodium bombycinum* Maxon
8313. Lauraceae: *Aniba* aff. *taubertiana* Mez
8314. Aspleniaceae: *Asplenium pearcei* Baker
8315. Piperaceae: *Piper* sp.
8316. Piperaceae: *Piper* sp.
8317. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
8318. Piperaceae: *Piper* sp.
8319. Rubiaceae: *Psychotria paniculata* (Aubl.) Raeusch.
8320. Hippocrateaceae: Indet.
8321. Araceae: *Monstera adansonii* Schott
8322. Araceae: *Philodendron ornatum* Schott
8323. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
8324. Araceae: *Anthurium clavigerum* Poepp.
8325. Myrtaceae: *Eugenia feijoi* O. Berg
8326. Acanthaceae: *Aphelandra pulcherrima* (Jacq.) Kunth
8327. Campanulaceae: *Centropogon cornutus* (L.) Druce
8328. Flacourtiaceae: *Casearia sylvestris* Sw.
8329. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
8330. Myrsinaceae: Indet.
8331. Leguminosae-Mimosoideae: *Stryphnodendron polystachyum* (Miq.) Kleinhoonte
8332. Leguminosae-Faboideae: *Lonchocarpus* s.l. sp.
8333. Burseraceae: *Crepidospermum rhoifolium* (Benth.) Triana and Planch.
8334. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
8335. Orchidaceae: *Myoxanthus parahybunensis* (Barb. Rodr.) Luer
8336. Bromeliaceae: *Guzmania lingulata* (L.) Mez
8337. Bromeliaceae: *Tillandsia anceps* Lodd.
8338. Orchidaceae: *Bollea violacea* (Lindl.) Rchb. f.
8339. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
8340. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
8341. Myristicaceae: *Iryanthera* sp.
8342. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
8343. Woodsiaceae: *Diplazium centripetale* (Baker) Maxon
8344. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
8345. Lauraceae: *Rhodostemonodaphne praeclara* (Sandwith) Madriñán
8346. Orchidaceae: *Maxillaria alba* (Hook.) Lindl.
8347. Leguminosae-Faboideae: *Dioclea malacocarpa* Ducke

8348. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
8349. Moraceae: *Ficus paraensis* (Miq.) Miq.
8350. Sapotaceae: *Pouteria* sp.
8351. Orchidaceae: *Stelis* sp.
8352. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
8353. Orchidaceae: *Masdevallia vargasii* C. Schweinf.
8354. Urticaceae: Indet.
8355. Convolvulaceae: Indet.
- 8356a. Clusiaceae: Indet.
- 8356b. Cucurbitaceae: Indet.
8357. Flacourtiaceae: *Casearia pitumba* Sleumer
8358. Rafflesiaceae: *Apodanthes caseariae* Poit.
8359. Bignoniaceae: *Arrabidaea prancei* A. H. Gentry
8360. Smilacaceae: *Smilax* sp.
8361. Piperaceae: *Piper* sp.
8362. Moraceae: *Maquira sclerophylla* (Ducke) C. C. Berg
8363. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
8364. Flacourtiaceae: *Casearia rusbyana* Briq.
8365. Incertae sedis: Indet.
8366. Olacaceae: *Heisteria* sp.
8367. Myrtaceae: Indet.
8368. Rubiaceae: *Psychotria acuminata* Benth.
8369. Araliaceae: Indet.
8370. Clusiaceae: Indet.
8371. Sterculiaceae: *Theobroma subincanum* Mart.
8372. Bryophyte: Indet.
8373. Bryophyte: Indet.
8374. Bryophyte: Indet.
8375. Euphorbiaceae: *Dalechampia* aff. *triphylla* Lam.
8376. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
8377. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
8378. Myrtaceae: *Siphoneugena dussii* (Krug and Urb.) Proença
8379. Incertae sedis: Indet.
8380. Rubiaceae: *Remijia roraimae* (Benth.) K. Schum.
8381. Lauraceae: Indet.
8382. Celastraceae: Indet.
8383. Sapindaceae: Indet.
8384. Lauraceae: *Ocotea cujumary* Mart.
8385. Melastomataceae: *Adelobotrys adscendens* (Sw.) Triana
8386. Myrtaceae: *Calycolpus surinamensis* McVaugh
8387. Heliconiaceae: *Heliconia acuminata* Rich.
8388. Piperaceae: *Piper* sp.
8389. Clusiaceae: Indet.
8390. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
8391. Hymenophyllaceae: *Trichomanes accedens* C. Presl
8392. Araceae: *Anthurium trinervium* Miq.
8393. Melastomataceae: *Graffenrieda intermedia* Triana
8394. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerl.
8395. Rubiaceae: *Faramea quadricostata* Bremek., emend. Steyerl.
8396. Orchidaceae: *Malaxis maguirei* C. Schweinf.
8397. Lauraceae: *Endlicheria* aff. *szyszylowiczii* Mez
8398. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
8399. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
8400. Monimiaceae: *Mollinedia* sp.
8401. Melastomataceae: *Graffenrieda intermedia* Triana
8402. Bryophyte: Indet.
8403. Bryophyte: Indet.
8404. Bryophyte: Indet.
8405. Bryophyte: Indet.
8406. Bryophyte: Indet.
8407. Bryophyte: Indet.
8408. Clusiaceae: *Symphonia globulifera* L. f.
8409. Passifloraceae: *Passiflora coccinea* Aubl.
8410. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
8411. Myrtaceae: *Calycolpus surinamensis* McVaugh
8412. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
8413. Myrtaceae: Indet.
8414. Cyperaceae: *Pleurostachys* sp.
8415. Melastomataceae: *Macrocentrum* sp.
8416. Sapindaceae: Indet.
8417. Lauraceae: *Ocotea aciphylla* (Nees and Mart. ex Nees) Mez
8418. Anacardiaceae: *Tapirira guianensis* Aubl.
8419. Piperaceae: *Piper* sp.
8420. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
8421. Marcgraviaceae: *Marcgravia sororopaniana* Steyerl.
8422. Compositae: *Piptocarpha polycephala* Baker
8423. Clusiaceae: Indet.
8424. Lecythidaceae: *Couratari guianensis* Aubl.
8425. Araceae: *Monstera adansonii* Schott
8426. Annonaceae: *Bocageopsis multiflora* (Mart.) R. E. Fr.

8427. Sapotaceae: *Chrysophyllum argenteum* Jacq. ssp. *auratum* (Miq.) T. D. Penn.
8428. Flacourtiaceae: *Casearia pitumba* Sleumer
8429. Rubiaceae: *Coussarea* sp.
8430. Leguminosae-Mimosoideae: *Inga* sp.
8431. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
8432. Clusiaceae: Indet.
8433. Chrysobalanaceae: *Hirtella obidensis* Ducke
8434. Lauraceae: *Kubitzkia mezii* (Kosterm.) van der Werff
8435. Melastomataceae: *Miconia* sp.
8436. Piperaceae: *Piper* sp.
8437. Sapotaceae: Indet. ?
8438. Lauraceae: *Licaria* aff. *subbullata* Kosterm.
8439. Malpighiaceae: *Mascagnia poeppigiana* (A. Juss.) W. R. Anderson
8440. Orchidaceae: *Bollea violacea* (Lindl.) Rchb. f.
8441. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
8442. Sapotaceae: *Pouteria speciosa* (Ducke) Baehni
8443. Rubiaceae: *Coussarea* cf. *mapourioides* Bremek.
8444. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerl.
8445. Malpighiaceae: Indet.
8446. Solanaceae: *Cestrum latifolium* Lam.
8447. Araceae: *Philodendron hederaceum* (Jacq.) Schott
8448. Leguminosae-Mimosoideae: *Inga* sp.
8449. Amaranthaceae: Indet.
8450. Piperaceae: *Piper* sp.
8451. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
8452. Araceae: *Dieffenbachia seguine* (Jacq.) Schott
8453. Melastomataceae: *Clidemia venosa* (Gleason) Wurdack
8454. Hymenophyllaceae: *Trichomanes radicans* Sw.
8455. Tiliaceae: *Apeiba macropetala* Ducke
8456. Loganiaceae: *Mitreola* sp.
8457. Dryopteridaceae: *Olfersia cervina* (L.) Kunze
8458. Piperaceae: *Piper peltatum* L.
8459. Dioscoreaceae: *Dioscorea* sp.
8460. Urticaceae: Indet.
8461. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
8462. Leguminosae-Mimosoideae: *Inga* sp.
8463. Aspleniaceae: *Asplenium serratum* L.
8464. Arecaceae: *Geonoma macrostachys* Mart. var. *poiteauana* (Kunth) A. J. Hend.
8465. Araceae: *Philodendron linnaei* Kunth
8466. Olacaceae: *Heisteria* sp.
8467. Incertae sedis: Indet.
8468. Orchidaceae: *Liparis nervosa* (Thunb.) Lindl.
- 8468a. Orchidaceae: *Erycina pusilla* (L.) N. H. Williams and M. W. Chase
8469. Solanaceae: *Solanum semotum* M. Nee
8470. Incertae sedis: Indet.
8471. Rubiaceae: *Psychotria bahiensis* DC.
8472. Hymenophyllaceae: *Trichomanes diversifrons* (Bory) Mett. ex Sadeb.
8473. Leguminosae-Faboideae: *Lonchocarpus* sp.
8474. Campanulaceae: *Centropogon cornutus* (L.) Druce
8475. Piperaceae: *Peperomia serpens* (Sw.) Loudon
8476. Acanthaceae: *Polylychnis radicans* (Nees) Wassh.
8477. Nyctaginaceae: *Neea* ? sp.
8478. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
8479. Lecythidaceae: *Gustavia hexapetala* (Aubl.) Sm.
8480. Annonaceae: *Duguetia guianensis* R. E. Fr.
8481. Annonaceae: *Guatteria* sp.
8482. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
8483. Apocynaceae: *Condylocarpon* sp.
8484. Rubiaceae: *Psychotria astrellantha* Wernham
8485. Menispermaceae: Indet.
8486. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
8487. Poaceae: *Olyra latifolia* L.
8488. Euphorbiaceae: *Omphalea diandra* L.
8489. Malpighiaceae: Indet.
8490. Rubiaceae: *Manettia alba* (Aubl.) Wernham
8491. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
8492. Piperaceae: *Piper* sp.
8493. Melastomataceae: *Miconia pubipetala* Miq.
8494. Malpighiaceae: Indet.
8495. Poaceae: *Lasiacis sorghoidea* (Desv. ex Ham.) Hitchc. and Chase
8496. Leguminosae-Mimosoideae: *Inga* sp.
8497. Siparunaceae: *Siparuna guianensis* Aubl.
8498. Violaceae: *Rinorea brevipes* (Benth.) S. F. Blake
8499. Rafflesiaceae: *Apodanthes caseariae* Poit.
8500. Piperaceae: *Piper* sp.
8501. Apocynaceae: *Forsteronia* sp.
8502. Olacaceae: *Heisteria* sp.
8503. Meliaceae: *Cabrlea canjerana* (Vell.) Mart.
8504. Araceae: *Philodendron ornatum* Schott
8505. Sapindaceae: Indet.
8506. Chrysobalanaceae: Indet.
8507. Araceae: *Philodendron surinamense* (Miq.) Engl.
8508. Malpighiaceae: *Mascagnia poeppigiana* (A. Juss.) W. R. Anderson

8509. Marantaceae: *Stromanthe tonckat* (Aubl.) Eichler
8510. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
8511. Poaceae: *Olyra micrantha* Kunth
8512. Picramniaceae: *Picramnia* sp.
8513. Flacourtiaceae: *Casearia javitensis* Kunth
8514. Myrsinaceae: Indet.
8515. Tiliaceae: Indet. ?
8516. Bromeliaceae: *Tillandsia anceps* Lodd.
8517. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
8518. Smilacaceae: *Smilax* sp.
8519. Flacourtiaceae: *Carpotroche surinamensis* Uittien
8520. Passifloraceae: *Passiflora candida* (Poepp. and Endl.) Mast.
8521. Orchidaceae: *Prosthechea crassilabia* (Poepp. and Endl.) Carnevali and I. Ramírez
8522. Compositae: *Vernonanthura brasiliiana* (L.) H. Rob.
8523. Orchidaceae: *Myoxanthus parvilabius* (C. Schweinf.) Luer
8524. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
8525. Clusiaceae: Indet.
8526. Bryophyte: Indet.
8527. Sphagnaceae: *Sphagnum* sp.
8528. Myrtaceae: *Myrcia amazonica* DC.
8529. Polygonaceae: Indet.
8530. Hymenophyllaceae: *Trichomanes crispum* L.
8531. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
8532. Ochnaceae: *Sauvagesia roraimensis* Ule
8533. Orchidaceae: *Reichenbachanthus reflexus* (Lindl.) Brade
8534. Aquifoliaceae: *Ilex* cf. sp. nov.
8535. Myrtaceae: Indet.
8536. Cyperaceae: *Mapania surinamensis* Uittien
8537. Rubiaceae: *Amaioua guianensis* Aubl.
8538. Orchidaceae: *Pleurothallis stenocardium* Schltr.
8539. Lauraceae: Indet.
8540. Lauraceae: *Ocotea* sp.
8541. Lichen-Incert. sed.: Indet.
8542. Orchidaceae: *Epidendrum ramosum* Jacq.
8543. Myrsinaceae: *Myrsine guianensis* (Aubl.) Kuntze
8544. Clusiaceae: Indet.
8545. Euphorbiaceae: *Senefelderopsis croizatii* Steyerl.
8546. Sapindaceae: Indet.
8547. Gnetaceae: *Gnetum urens* (Aubl.) Blume
8548. Rubiaceae: *Ferdinandusa* sp.
8549. Lauraceae: *Licaria cannella* (Meisn.) Kosterm.
8550. Orchidaceae: *Rudolfiella aurantiaca* (Lindl.) Hoehne
8551. Rubiaceae: *Remijia roraimae* (Benth.) K. Schum.
8552. Flacourtiaceae: *Casearia* aff. *duckeana* Sleumer
8553. Menispermaceae: Indet.
8554. Incertae sedis: Indet.
8555. Burseraceae: *Dacryodes chimantensis* Steyerl. and Maguire
8556. Sapindaceae: Indet.
8557. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
8558. Orchidaceae: *Jacqiniella globosa* (Jacq.) Schltr.
8559. Gentianaceae: *Tapeinostemon spenneroides* Benth.
8560. Incertae sedis: Indet.
8561. Lauraceae: *Aniba cylindriflora* Kosterm.
8562. Orchidaceae: *Macroclinium wullschlaegelianum* (H. Focke) Dodson
8563. Orchidaceae: *Trichosalpinx* sp.
8564. Gesneriaceae: *Nautilocalyx fasciculatus* L. E. Skog and Steyerl.
8565. Cecropiaceae: *Pourouma minor* Benoist
8566. Piperaceae: *Peperomia rhombea* Ruiz and Pav.
8567. Blechnaceae: *Blechnum* nr. *gracile* Kaulf.
8568. Apocynaceae: *Forsteronia* sp.
8569. Leguminosae: Indet.
8570. Myrtaceae: Indet.
8571. Araceae: *Philodendron surinamense* (Miq.) Engl.
8572. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
8573. Melastomataceae: *Miconia centrodesma* Naudin
8574. Rubiaceae: *Psychotria deflexa* DC.
8575. Clusiaceae: Indet.
8576. Passifloraceae: *Passiflora coccinea* Aubl.
8577. Melastomataceae: *Clidemia* sp.
8578. Leguminosae-Mimosoideae: *Inga* sp.
8579. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
8580. Sapindaceae: *Vouarana guianensis* Aubl.
8581. Polygonaceae: Indet.
8582. Apocynaceae: *Tabernaemontana* sp.
8583. Incertae sedis: Indet.
8584. Boraginaceae: *Cordia nodosa* Lam.
8585. Myrtaceae: Indet.
8586. Hippocrateaceae: *Salacia cordata* (Miers) Mennega
8587. Orchidaceae: *Trichosalpinx* sp.
8588. Solanaceae: *Solanum costatum* M. Nee
8589. Annonaceae: *Duguetia guianensis* R. E. Fr.
8590. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson

8591. Woodsiaceae: *Diplazium* ? *celtidifolium* Kunze
8592. Araceae: *Philodendron panduriforme* (Kunth) Kunth
8593. Rubiaceae: *Psychotria uliginosa* Sw.
8594. Melastomataceae: *Bellucia grossularioides* (L.) Triana
8595. Melastomataceae: *Miconia brachybotrya* Triana
8596. Acanthaceae: *Justicia pectoralis* Jacq.
8597. Melastomataceae: *Miconia abbreviata* Markgr.
8598. Lauraceae: *Ocotea oblonga* (Meisn.) Mez
8599. Incertae sedis: Indet.
8600. Poaceae: *Pharus virescens* Döll
8601. Simaroubaceae: Indet.
8602. Clusiaceae: *Symphonia globulifera* L. f.
8603. Marantaceae: *Monotagma secundum* (Petersen) K. Schum.
8604. Myrtaceae: *Eugenia cupulata* Amshoff
8605. Smilacaceae: *Smilax* sp.
8606. Incertae sedis: Indet.
8607. Hippocrateaceae: Indet.
8608. Annonaceae: *Guatteria* sp.
8609. Bromeliaceae: *Tillandsia anceps* Lodd.
8610. Piperaceae: *Piper* sp.
8611. Aspleniaceae: *Asplenium zamiifolium* Willd.
8612. Anacardiaceae: *Tapirira guianensis* Aubl.
8613. Hippocrateaceae: *Cheiloclinium hippocrateoides* (Peyr.) A. C. Sm.
8614. Caryocaraceae: Indet.
8615. Orchidaceae: *Rudolfiella aurantiaca* (Lindl.) Hoehne
8616. Bryophyte: Indet.
8617. Bryophyte: Indet.
8618. Bryophyte: Indet.
8619. Vittariaceae: *Vittaria gardneriana* Fée
8620. Vittariaceae: *Vittaria lineata* (L.) Sm.
8621. Bombacaceae: *Catostemma fragrans* Benth.
8622. Icacinaceae: Indet.
8623. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
8624. Bromeliaceae: *Guzmania retusa* L. B. Sm.
8625. Moraceae: *Brosimum guianense* (Aubl.) Huber
8626. Selaginellaceae: *Selaginella flagellata* Spring
8627. Bryophyte: Indet.
8628. Polypodiaceae: *Microgramma tecta* (Kaulf.) Alston
8629. Bryophyte: Indet.
8630. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
8631. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
8632. Blechnaceae: *Blechnum* sp.
8633. Lycopodiaceae: *Huperzia taxifolia* (Sw.) Trevis.
8634. Bignoniaceae: *Memora tanaeciicarpa* A. H. Gentry
8635. Lygodiaceae: *Lygodium volubile* Sw.
8636. Woodsiaceae: *Diplazium* ? *celtidifolium* Kunze
8637. Poaceae: *Lasiacis ligulata* Hitchc. and Chase
8638. Pteridaceae: *Pteris pearcei* Baker
8639. Adiantaceae: *Adiantum obliquum* Willd.
8640. Poaceae: *Ichnanthus tenuis* (J. Presl) Hitchc. and Chase
8641. Polypodiaceae: *Pechuma pectinata* (L.) M. G. Price
8642. Poaceae: *Olyra latifolia* L.
8643. Rubiaceae: *Psychotria astrellantha* Wernham
8644. Commelinaceae: Indet.
8645. Cyperaceae: *Cyperus simplex* Kunth
8646. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
8647. Urticaceae: Indet.
8648. Piperaceae: *Piper* sp.
8649. Piperaceae: *Peperomia elongata* Kunth
8650. Rubiaceae: *Hamelia patens* Jacq.
8651. Apocynaceae: *Tabernaemontana heterophylla* Vahl
8652. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
8653. Rubiaceae: *Randia armata* (Sw.) DC.
8654. Piperaceae: *Piper* sp.
8655. Solanaceae: *Markea sessiliflora* Ducke
8656. Blechnaceae: *Blechnum* aff. *gracile* Kaulf.
8657. Adiantaceae: *Doryopteris collina* (Raddi) J. Sm.
8658. Dryopteridaceae: *Polystichum* ? *platylepis* Fée
8659. Bryophyte: Indet.
8660. Combretaceae: Indet.
8661. Bombacaceae: *Catostemma fragrans* Benth.
8662. Sapindaceae: Indet.
8663. Bignoniaceae: *Adenocalymna purpurascens* Rusby
8664. Orchidaceae: *Sarcoglottis* sp.
8665. Orchidaceae: *Hylaeorchis petiolaris* (Schltr.) Carnevali and G. A. Romero
8666. Orchidaceae: *Trichosalpinx* sp.
8667. Bryophyte: Indet.
8668. Bryophyte: Indet.
8669. Polypodiaceae: *Polypodium triseriale* Sw.
8670. Myrsinaceae: Indet.
8671. Incertae sedis: Indet.
8672. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
8673. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
8674. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
8675. Hymenophyllaceae: *Trichomanes crispum* L.

8676. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
8677. Aspleniaceae: *Asplenium serra* Langsd. and Fisch.
8678. Myrsinaceae: Indet.
8679. Anacardiaceae: *Tapirira guianensis* Aubl.
8680. Clusiaceae: Indet.
8681. Meliaceae: *Guarea silvatica* C. DC.
8682. Myrtaceae: *Siphoneugena dussii* (Krug and Urb.) Proença
8683. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne. ex Planch. and Linden
8684. Chrysobalanaceae: *Couepia canomensis* (Mart.) Benth. ex Hook. f.
8685. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
8686. Rubiaceae: *Remijia roraimae* (Benth.) K. Schum.
8687. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
8688. Sapindaceae: Indet.
8689. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
8690. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
8691. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
8692. Flacourtiaceae: *Casearia javitensis* Kunth
8693. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
8694. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
8695. Grammitidaceae: *Grammitis melanosticta* (Kunze) F. Seym.
8696. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
8697. Rubiaceae: *Ferdinandusa* sp.
8698. Smilacaceae: *Smilax* sp.
8699. Cyperaceae: *Mapania surinamensis* Uittien
8700. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
8701. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
8702. Mayacaceae: Indet.
8703. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
8704. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
8705. Orchidaceae: *Pleurothallis ephemera* Lindl.
8706. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
8707. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
8708. Cyclanthaceae: Indet.
8709. Lomariopsidaceae: *Bolbitis serratifolia* (Mert. ex Kaulf.) Schott
8710. Bryophyte: Indet.
8711. Cucurbitaceae: *Melothria* sp. Nov. *ined.* Cogn.
8712. Combretaceae: Indet.
8713. Clusiaceae: Indet.
8714. Leguminosae-Faboideae: *Dioclea malacocarpa* Ducke
8715. Clusiaceae: *Vismia* sp.
8716. Meliaceae: *Guarea kunthiana* A. Juss.
8717. Marantaceae: *Hylaeanthe unilateralis* (Poepp. and Endl.) A. M. E. Jonker and Jonker
8718. Leguminosae-Faboideae: *Centrosema* sp.
8719. Caricaceae: Indet.
8720. Rutaceae: *Zanthoxylum ekmanii* (Urb.) Alain
8721. Boraginaceae: *Tournefortia cuspidata* Kunth
8722. Moraceae: *Ficus paraensis* (Miq.) Miq.
8723. Arecaceae: *Geonoma baculifera* (Poit.) Kunth
8724. Dryopteridaceae: *Polybotrya caudata* Kunze
8725. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
8726. Lecythydaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
8727. Aspleniaceae: *Asplenium pearcei* Baker
8728. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
8729. Vittariaceae: *Antrophyum guayanense* Hieron.
8730. Piperaceae: *Piper* sp.
8731. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
8732. Sapotaceae: *Pouteria* sp.
8733. Hymenophyllaceae: *Trichomanes radicans* Sw.
8734. Rubiaceae: *Hamelia patens* Jacq.
8735. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
8736. Orchidaceae: *Erythrodes* aff. *hirtella* (Sw.) Fawc. and Rendle
8737. Aspleniaceae: *Asplenium salicifolium* L.
8738. Orchidaceae: *Dichaea splitgerberi* Rchb. f.
8739. Rubiaceae: *Psychotria astrellantha* Wernham
8740. Adiantaceae: *Adiantum macrophyllum* Sw.
8741. Cucurbitaceae: *Gurania nigrescens* C. Jeffrey
8742. Annonaceae: *Duguetia yeshidan* Sandwith
8743. Hymenophyllaceae: *Trichomanes "longifolium"* Desv.
8744. Rubiaceae: *Sipanea* sp.
8745. Incertae sedis: Indet.
8746. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze var. *lindeniana*
8747. Orchidaceae: *Trichosalpinx orbicularis* (Lindl.) Luer
8748. Lecythydaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori

8749. Orchidaceae: *Trichosalpinx* sp.
8750. Orchidaceae: *Pleurothallis archidiaconi* Ames
8751. Rubiaceae: *Psychotria lupulina* Benth.
8752. Annonaceae: *Unonopsis guatterioides* (A. DC.)
R. E. Fr.
8753. Sapindaceae: Indet.
8754. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil.
and Moq. var. *parvifolia* A. W. Benn.
8755. Hymenophyllaceae: *Trichomanes* ?
hostmannianum (Klotzsch) Kunze
8756. Annonaceae: *Duguetia latifolia* R. E. Fr.
8757. Asclepiadaceae: Indet.
8758. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
8759. Myrtaceae: *Eugenia feijoi* O. Berg
8760. Cyperaceae: *Hypolytrum longifolium* (Rich.)
Nees ssp. *sylvaticum* (Poepp. and Kunth)
T. Koyama
8761. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel.
8762. Chrysobalanaceae: Indet.
8763. Melastomataceae: *Aciotis* sp.
8764. Araceae: *Philodendron* ? *acutatum* Schott
8765. Leguminosae-Faboideae: *Machaerium* sp.
8766. Polypodiaceae: *Microgramma reptans* (Cav.)
A. R. Sm.
8767. Aspleniaceae: *Asplenium serratum* L.
8768. Rubiaceae: *Coussarea hirticalyx* Standl. var.
glabrior Steyerem.
8769. Myristicaceae: *Virola* cf. *surinamensis* (Rol. ex
Rottb.) Warb.
8770. Leguminosae-Faboideae: *Swartzia apiculata* R. S.
Cowan
8771. Vittariaceae: *Antrophyum guayanense* Hieron.
8772. Sapotaceae: Indet.
8773. Lygodiaceae: *Lygodium volubile* Sw.
8774. Meliaceae: *Trichilia quadrijuga* Kunth
8775. Clusiaceae: *Caraipa racemosa* Cambess.
8776. Hippocrateaceae: *Hippocratea volubilis* L.
8777. Annonaceae: *Gutteria megalophylla* Diels
8778. Annonaceae: *Pseudoxandra* sp.
8779. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex
Benth.
8780. Polygalaceae: *Securidaca paniculata* Rich.
8781. Araceae: *Philodendron brevispathum* Schott
8782. Rubiaceae: *Psychotria polycephala* Benth.
8783. Hippocrateaceae: *Tontelea laxiflora* (Benth.)
A. C. Sm.
8784. Polypodiaceae: *Dicranoglossum desvauxii*
(Klotzsch) Proctor
8785. Chrysobalanaceae: *Hirtella bicornis* Mart. and
Zucc. var. *pubescens* Ducke
8786. Violaceae: *Rinorea macrocarpa* (Mart. ex
Eichler) Kuntze
8787. Sapotaceae: *Pouteria sagotiana* (Baill.) Eyma
8788. Leguminosae-Faboideae: *Acosmium nitens*
(Vogel) Yakovlev
8789. Cyclanthaceae: Indet.
8790. Burseraceae: *Crepidospermum rhoifolium*
(Benth.) Triana and Planch.
8791. Cyperaceae: *Diplasia karatifolia* Rich.
8792. Areaceae: *Iriartella setigera* (Mart.) H. Wendl.
8793. Areaceae: *Geonoma deversa* (Poit.) Kunth
8794. Chrysobalanaceae: *Hirtella racemosa* Lam.
8795. Rubiaceae: *Malanea sarmentosa* Aubl.
8796. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
8797. Violaceae: *Rinorea bahiensis* (Moric.) Kuntze
8798. Myrtaceae: *Eugenia lambertiana* DC.
8799. Rubiaceae: *Genipa spruceana* Steyerem.
8800. Leguminosae-Caesalpinioideae: *Macrolobium*
acaciifolium (Benth.) Benth.
8801. Humiriaceae: Indet.
8802. Leguminosae-Faboideae: *Swartzia katawa* R. S.
Cowan
8803. Leguminosae-Faboideae: *Swartzia anomala* R. S.
Cowan
8804. Flacourtiaceae: *Homalium racemosum* Jacq.
8805. Leguminosae-Faboideae: *Swartzia anomala* R. S.
Cowan
8806. Leguminosae-Mimosoideae: *Hydrochorea*
corymbosa (Rich.) Barneby and J. W. Grimes
8807. Leguminosae-Faboideae: *Ormosia coarctata*
Jacks.
8808. Leguminosae-Mimosoideae: *Inga* sp.
8809. Leguminosae-Caesalpinioideae: *Eperua*
rubiginosa Miq.
8810. Annonaceae: *Unonopsis guatterioides* (A. DC.)
R. E. Fr.
8811. Rubiaceae: *Psychotria mapourioides* DC.
8812. Leguminosae-Caesalpinioideae: *Senna silvestris*
(Vell.) H. S. Irwin and Barneby var. *silvestris*
8813. Leguminosae-Faboideae: *Dioclea* aff. *virgata*
(Rich.) Amshoff
8814. Clusiaceae: Indet.
8815. Leguminosae-Caesalpinioideae: *Macrolobium*
angustifolium (Benth.) R. S. Cowan
8816. Hippocrateaceae: *Hippocratea volubilis* L.
8817. Chrysobalanaceae: Indet.
8818. Leguminosae-Mimosoideae: *Zygia cataractae*
(Kunth) L. Rico
8819. Lecythidaceae: *Eschweilera parvifolia* Mart.
ex DC.

8820. Meliaceae: *Guarea guidonia* (L.) Sleumer
8821. Bignoniaceae: *Cydista lilacina* A. H. Gentry
8822. Sapindaceae: Indet.
8823. Leguminosae-Mimosoideae: *Inga* sp.
8824. Celastraceae: *Goupia glabra* Aubl.
8825. Rubiaceae: *Psychotria astrellantha* Wernham
8826. Leguminosae-Caesalpinioideae: *Bauhinia guianensis* Aubl.
8827. Bignoniaceae: *Jacaranda copaia* (Aubl.) D. Don
8828. Cecropiaceae: *Coussapoa trinervia* Spruce ex Mildbr.
8829. Clusiaceae: *Clusia* sp.
8830. Leguminosae-Mimosoideae: *Inga* sp.
8831. Siparunaceae: *Siparuna cristata* (Poepp. and Endl.) A. DC.
8832. Chrysobalanaceae: *Couepia parillo* DC.
8833. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
8834. Celastraceae: *Goupia glabra* Aubl.
8835. Flacourtiaceae: *Laetia procera* (Poepp.) Eichler
8836. Poaceae: *Ichmanthus panicoides* P. Beauv.
8837. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
8838. Aspleniaceae: *Asplenium serratum* L.
8839. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
8840. Rubiaceae: *Faramea torquata* Müll. Arg.
8841. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
8842. Myristicaceae: *Iryanthera* sp.
8843. Bombacaceae: *Catostemma fragrans* Benth.
8844. Orchidaceae: *Epidendrum ramosum* Jacq.
8845. Polypodiaceae: *Polypodium bombycinum* Maxon
8846. Euphorbiaceae: *Hevea brasiliensis* (Willd. ex A. Juss.) Müll. Arg.
8847. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
8848. Humiriaceae: *Humiriastrum* cf. sp.
8849. Cecropiaceae: *Pourouma villosa* Trécul
8850. Orchidaceae: *Stelis argentata* Lindl.
8851. Annonaceae: *Duguetia cauliflora* R. E. Fr.
8852. Myrtaceae: Indet.
8853. Chrysobalanaceae: Indet.
8854. Leguminosae: Indet.
8855. Melastomataceae: *Mouriri* sp.
8856. Bombacaceae: *Ochroma pyramidale* (Cav. ex Lam.) Urb.
8857. Polypodiaceae: *Polypodium bombycinum* Maxon
8858. Orchidaceae: *Bulbophyllum* sp.
8859. Polypodiaceae: *Microgramma baldwinii* Brade
8860. Araceae: *Anthurium gracile* (Rudge) Schott
8861. Araceae: *Philodendron linnæi* Kunth
8862. Annonaceae: *Duguetia yeshidan* Sandwith
8863. Euphorbiaceae: *Mabea pulcherrima* Müll. Arg.
8864. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
8865. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
8866. Polygalaceae: *Securidaca paniculata* Rich.
8867. Orchidaceae: *Trigonidium* sp.
8868. Orchidaceae: *Prosthechea pygmaea* (Hook.) W. E. Higgins
8869. Orchidaceae: *Maxillaria camaridii* Rchb. f.
8870. Orchidaceae: *Maxillaria parviflora* (Poepp. and Endl.) Garay
8871. Orchidaceae: *Epidendrum nocturnum* Jacq.
8872. Orchidaceae: *Prosthechea calamaria* (Lindl.) W. E. Higgins
8873. Orchidaceae: *Epidendrum rigidum* Jacq.
8874. Orchidaceae: *Heterotaxis superflua* (Rchb. f.) F. Barros
8875. Combretaceae: *Combretum laxum* Jacq.
8876. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
8877. Loranthaceae: *Struthanthus dichotrianthus* Eichler
8878. Leguminosae: Indet.
8879. Araceae: *Anthurium clavigerum* Poepp.
8880. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
8881. Clusiaceae: *Vismia* sp.
8882. Rubiaceae: *Hillia illustris* (Vell.) K. Schum.
8883. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
8884. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni
8885. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
8886. Rubiaceae: *Duroia eriopila* L. f.
8887. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze
8888. Aspleniaceae: *Asplenium serratum* L.
8889. Lauraceae: *Cryptocarya guianensis* Meisn.
8890. Araceae: *Philodendron acutatum* Schott
8891. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
8892. Rubiaceae: *Psychotria lupulina* Benth.
8893. Chrysobalanaceae: Indet.
8894. Loganiaceae: *Strychnos* sp.
8895. Melastomataceae: *Mouriri* sp.
8896. Arecaceae: *Desmoncus* sp.

8897. Gesneriaceae: *Lampadaria rupestris* Feuillet and L. E. Skog
8898. Orchidaceae: *Habenaria* sp.
8899. Melastomataceae: *Leandra micropetala* (Naudin) Cogn.
8900. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steyerl.
8901. Rubiaceae: *Psychotria bostrychothyrus* Sandwith
8902. Rubiaceae: *Didymochlamys connellii* N. E. Br.
8903. Cyperaceae: *Mapania macrophylla* (Böck.) H. Pfeiff.
8904. Melastomataceae: *Miconia plukenetii* Naudin
8905. Orchidaceae: *Maxillaria reichenheimiana* Endres and Rchb. f.
8906. Orchidaceae: *Pleurothallis suspensa* Luer
8907. Lentibulariaceae: *Utricularia* sp.
8908. Clusiaceae: Indet.
8909. Melastomataceae: *Phainantha laxiflora* (Triana) Gleason
8910. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
8911. Piperaceae: *Piper insipiens* Trel. and Yunck.
8912. Hepaticae: Indet.
8913. Hepaticae: Indet.
8914. Hepaticae: Indet.
8915. Polypodiaceae: *Polypodium caceresii* Sodiro
8916. Piperaceae: *Piper brasiliense* C. DC.
8917. Rubiaceae: *Psychotria mapourioides* DC.
8918. Piperaceae: *Piper insipiens* Trel. and Yunck.
8919. Begoniaceae: *Begonia jenmanii* Tutin
8920. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
8921. Boraginaceae: *Cordia nodosa* Lam.
8922. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
8923. Loganiaceae: *Spigelia* sp.
8924. Rubiaceae: *Notopleura* aff. *patria* (Standl. and Steyerl.) C. M. Taylor
8925. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
8926. Melastomataceae: *Clidemia juruensis* (Pilg.) Gleason
8927. Rubiaceae: *Faramea quinqueflora* Poepp. and Endl.
8928. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
8929. Cyclanthaceae: *Dicranopygium angustissimum* (Sandwith) Harling
8930. Gentianaceae: *Tachia guianensis* Aubl.
8931. Cyatheaceae: *Cnemidaria roraimensis* (Domin) R. M. Tryon
8932. Heliconiaceae: *Heliconia stricta* Huber
8933. Myrsinaceae: Indet.
8934. Lomariopsidaceae: *Elaphoglossum crinitum* (L.) H. Christ
8935. Marantaceae: *Calathea casupito* (Jacq.) Schult.
8936. Melastomataceae: *Clidemia juruensis* (Pilg.) Gleason
8937. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
8938. Lentibulariaceae: *Utricularia* sp.
8939. Lentibulariaceae: *Utricularia* sp.
8940. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
8941. Rubiaceae: *Psychotria mapourioides* DC.
8942. Malpighiaceae: *Mascagnia arenicola* C. Anderson
8943. Commelinaceae: Indet.
8944. Hymenophyllaceae: *Trichomanes elegans* Rich.
8945. Leguminosae-Caesalpinioideae: *Cassia* sp.
8946. Rubiaceae: *Psychotria berteriana* DC.
8947. Grammitidaceae: *Lellingeria subsessilis* (Baker) A. R. Sm. and R. C. Moran
8948. Solanaceae: *Lycianthes pauciflora* (Vahl) Bitter
8949. Myrsinaceae: *Ardisia* sp.
8950. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
8951. Solanaceae: *Solanum stramonifolium* Jacq.
8952. Solanaceae: *Solanum proteanthum* Bohs
8953. Thelypteridaceae: *Thelypteris hispidula* (Decne.) C. F. Reed
8954. Cyclanthaceae: *Asplundia maguirei* Harling
8955. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
8956. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
8957. Melastomataceae: Indet.
8958. Bromeliaceae: *Vriesea splendens* (Brongn.) Lem.
8959. Clusiaceae: Indet.
8960. Piperaceae: *Piper rupununianum* Trel. and Yunck.
8961. Thelypteridaceae: *Thelypteris nesiotica* (Maxon and C. V. Morton) C. V. Morton
8962. Annonaceae: *Anaxagorea petiolata* R. E. Fr.
8963. Rubiaceae: *Psychotria tillettii* Steyerl.
8964. Bryophyte: Indet.
8965. Bryophyte: Indet.
8966. Araceae: *Philodendron ornatum* Schott
8967. Hymenophyllaceae: *Hymenophyllum apiculatum* Mett. ex Kuhn
8968. Orchidaceae: *Maxillaria bolivarensis* C. Schweinf.
8969. Begoniaceae: *Begonia jenmanii* Tutin

8970. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
8971. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
8972. Araceae: *Rhodospatha venosa* Gleason
8973. Anthoceroophyte: Indet.
8974. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
- 8974a. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
8975. Areaceae: *Socratea exorrhiza* (Mart.) H. Wendl.
8976. Sapindaceae: *Paullinia capreolata* (Aubl.) Radlk.
8977. Orchidaceae: *Maxillaria bolivarensis* C. Schweinf.
8978. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
8979. Gesneriaceae: *Anetanthus* sp.
8980. Myrsinaceae: *Cybianthus apiculatus* (Steyerem.) G. Agostini
8981. Orchidaceae: *Dichaea splitgerberi* Rchb. f.
8982. Bryophyte: Indet.
8983. Bryophyte: Indet.
8984. Bryophyte: Indet.
8985. Lomariopsidaceae: *Elaphoglossum decoratum* (Kunze) T. Moore
8986. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
8987. Thelypteridaceae: *Thelypteris* aff. *hispidula* (Decne.) C. F. Reed
8988. Orchidaceae: *Maxillaria bolivarensis* C. Schweinf.
8989. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
8990. Myrsinaceae: *Ardisia* sp.
8991. Passifloraceae: *Passiflora* sp.
8992. Polypodiaceae: *Polypodium loriceum* L.
8993. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
8994. Sapotaceae: *Pouteria* sp.
8995. Bryophyte: Indet.
8996. Malpighiaceae: Indet.
8997. Areaceae: *Dictyocaryum ptarianum* (Steyerem.) H. E. Moore and Steyerem.
8998. Ochnaceae: *Ouratea soderstromii* Sastre
8999. Grammitidaceae: *Lellingeria randallii* (Maxon) A. R. Sm. and R. C. Moran
9000. Melastomataceae: *Clidemia heptamera* Wurdack
9001. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
9002. Rubiaceae: *Psychotria plocamipes* Wernham
9003. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
9004. Ochnaceae: *Sauvagesia longipes* Steyerem.
9005. Rubiaceae: *Psychotria fanshawei* (Standl.) Steyerem.
9006. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
9007. Orchidaceae: *Epidendrum churunense* Garay and Dunst.
9008. Melastomataceae: *Macrocentrum minus* Gleason
9009. Bryophyte: Indet.
9010. Rubiaceae: *Psychotria platypoda* DC.
9011. Melastomataceae: *Miconia bracteata* (DC.) Triana
9012. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
9013. Rubiaceae: *Psychotria pakaraimensis* Steyerem.
9014. Melastomataceae: *Clidemia juruensis* (Pilg.) Gleason
9015. Euphorbiaceae: *Adenophaedra grandifolia* (Klotzsch) Müll. Arg.
9016. Areaceae: *Geonoma aspidiifolia* Spruce
9017. Melastomataceae: *Clidemia japurensis* DC.
9018. Cyperaceae: *Mapania* sp.
9019. Rapateaceae: *Rapatea paludosa* Aubl.
9020. Araceae: *Philodendron insigne* Schott
9021. Bryophyte: Indet.
9022. Rubiaceae: Indet.
9023. Gentianaceae: *Tapeinostemon spenneroides* Benth.
9024. Myrsinaceae: Indet.
9025. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
9026. Melastomataceae: *Clidemia involucrata* DC.
9027. Myrsinaceae: *Cybianthus apiculatus* (Steyerem.) G. Agostini
9028. Rubiaceae: Indet.
9029. Rubiaceae: *Psychotria cincta* Standl.
9030. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
9031. Chrysobalanaceae: Indet.
9032. Clusiaceae: *Caraipa* sp.
9033. Piperaceae: *Piper rupunuvianum* Trel. and Yunck.
9034. Piperaceae: *Piper avellanum* (Miq.) C. DC.
9035. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
9036. Euphorbiaceae: *Mabea piriri* Aubl.
9037. Clusiaceae: Indet.
9038. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
9039. Hymenophyllaceae: *Trichomanes arbuscula* Desv.
9040. Hymenophyllaceae: *Trichomanes celluloseum* Klotzsch
9041. Gesneriaceae: *Anetanthus* sp.
9042. Flacourtiaceae: *Laetia cupulata* Spruce ex Benth.
9043. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
9044. Clusiaceae: Indet.
9045. Myristicaceae: *Iryanthera macrophylla* (Benth.) Warb.
9046. Euphorbiaceae: *Adenophaedra grandifolia* (Klotzsch) Müll. Arg.

9047. Melastomataceae: *Leandra sanguinea* Gleason
ssp. *tepuiensis* Wurdack
9048. Verbenaceae: *Amasonia campestris* (Aubl.)
Moldenke
9049. Lentibulariaceae: *Utricularia* sp.
9050. Solanaceae: *Solanum leucocarpon* Dunal
9051. Solanaceae: *Solanum coriaceum* Dunal
9052. Lentibulariaceae: *Utricularia* sp.
9053. Loranthaceae: *Psittacanthus leptanthus* Sandwith
9054. Orchidaceae: Indet.
9055. Meliaceae: *Trichilia elegans* A. Juss.
9056. Dennstaedtiaceae: *Ormoloma imrayanum*
(Hook.) Maxon
9057. Orchidaceae: *Epidendrum churunense* Garay
and Dunst.
9058. Cyperaceae: *Didymiandrum stellatum* (Böck.)
Gilly
9059. Rubiaceae: Indet.
9060. Araliaceae: *Schefflera marahuacensis* (Maguire,
Steyerm. and Frodin) Frodin
9061. Rubiaceae: *Psychotria crococlhamys* Sandwith
9062. Rubiaceae: *Psychotria tillettii* Steyerm.
9063. Rubiaceae: *Psychotria transiens* Wernham
9064. Euphorbiaceae: *Senefelderopsis croizatii*
Steyerm.
9065. Viscaceae: *Phoradendron crassifolium* (Pohl ex
DC.) Eichler
9066. Clusiaceae: Indet.
9067. Melastomataceae: *Clidemia ostentata* Wurdack
9068. Cyperaceae: *Scleria cyperina* Willd. ex Kunth
9069. Eriocaulaceae: *Rondonanthus capillaceus*
(Klotzsch ex Körn.) Hensold and Giul.
9070. Verbenaceae: *Amasonia campestris* (Aubl.)
Moldenke
9071. Rapateaceae: *Stegolepis* aff. *ferruginea* Baker f.
9072. Melastomataceae: *Adelobotrys* sp.
9073. Podocarpaceae: *Podocarpus steyermarkii*
J. Buchholz and N. E. Gray
9074. Rubiaceae: *Calycophyllum merumense* Steyerm.
9075. Melastomataceae: *Clidemia tepuiensis* Wurdack
9076. Clusiaceae: Indet.
9077. Rubiaceae: Indet.
9078. Cyclanthaceae: *Stelestylis stylaris* (Gleason)
Harling
9079. Nyctaginaceae: *Neea ovalifolia* Spruce ex J. A.
Schmidt
9080. Dennstaedtiaceae: *Ormoloma imrayanum*
(Hook.) Maxon
9081. Piperaceae: *Peperomia tenella* (Sw.) A. Dietr.
9082. Hepaticae: Indet.
9083. Hepaticae: Indet.
9084. Bryophyte: Indet.
9085. Bryophyte: Indet.
9086. Bryophyte: Indet.
9087. Bryophyte: Indet.
9088. Bryophyte: Indet.
9089. Dennstaedtiaceae: *Lindsaea* ? *guianensis* (Aubl.)
Dryand.
9090. Humiriaceae: Indet.
9091. Apocynaceae: Indet.
9092. Bombacaceae: Indet.
9093. Orchidaceae: *Octomeria filifolia* C. Schweinf.
9094. Bryophyte: Indet.
9095. Anthoceroephyte: Indet.
9096. Bryophyte: Indet.
9097. Bryophyte: Indet.
9098. Bryophyte: Indet.
9099. Bryophyte: Indet.
9100. Bromeliaceae: *Aechmea politii* L. B. Sm.
9101. Orchidaceae: *Epidendrum amazonicoriifolium*
Hågsater
9102. Bromeliaceae: *Guzmania squarrosa* (Mez and
Sodirol) L. B. Sm. and Pittendr.
9103. Rubiaceae: *Psychotria pakaraimensis* Steyerm.
9104. Rubiaceae: *Psychotria pakaraimensis* Steyerm.
9105. Malpighiaceae: *Tetrapterys anomala* W. R.
Anderson
9106. Grammitidaceae: *Cochlidium serrulatum* (Sw.)
L. E. Bishop
9107. Cyperaceae: *Mapania* sp.
9108. Araceae: *Philodendron insigne* Schott
9109. Grammitidaceae: *Ceradenia kalbreyeri* (Baker)
L. E. Bishop
9110. Orchidaceae: *Stelis guianensis* Rolfe
9111. Grammitidaceae: *Cochlidium furcatum* (Hook.
and Grev.) C. Chr.
9112. Hymenophyllaceae: *Trichomanes celluloseum*
Klotzsch
9113. Bryophyte: Indet.
9114. Bryophyte: Indet.
9115. Lentibulariaceae: *Utricularia* sp.
9116. Piperaceae: *Piper* sp.
9117. Melastomataceae: *Clidemia pakaraimae*
Wurdack
9118. Rubiaceae: *Psychotria imthurniana* Oliv.
9119. Bromeliaceae: *Racinaea spiculosa* (Griseb.)
M. A. Spencer and L. B. Sm. var. *spiculosa*
9120. Bromeliaceae: *Guzmania sphaeroidea* (André)
André ex Mez
9121. Myrtaceae: *Myrcia* sp.

9122. Rubiaceae: *Psychotria fanshawei* (Standl.) Steyererm.
9123. Solanaceae: *Lycianthes pauciflora* (Vahl) Bitter
9124. Arecaceae: *Bactris simplicifrons* Mart.
9125. Melastomataceae: *Phainantha laxiflora* (Triana) Gleason
9126. Cyperaceae: *Calyptrrocarya glomerulata* (Brongn.) Urb.
9127. Hymenophyllaceae: *Hymenophyllum dependens* C. V. Morton
9128. Bryophyte: Indet.
9129. Hepaticae: Indet.
9130. Dennstaedtiaceae: *Lindsaea parkeri* (Hook.) Kuhn
9131. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
9132. Melastomataceae: *Macrocentrum minus* Gleason
9133. Bryophyte: Indet.
9134. Arecaceae: *Geonoma* sp.
9135. Cyatheaaceae: *Cyathea nanna* (Barrington) Lellinger
9136. Piperaceae: *Peperomia tenella* (Sw.) A. Dietr.
9137. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
9138. Melastomataceae: *Clidemia buntingii* Wurdack
9139. Ericaceae: Indet.
9140. Orchidaceae: *Habenaria floribunda* Lindl.
9141. Clusiaceae: Indet.
9142. Clusiaceae: Indet.
9143. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
9144. Icacinaceae: *Emmotum glabrum* Benth. ex Miers
9145. Zingiberaceae: *Renealmia thyrsoidea* (Ruiz and Pav.) Poepp. ssp. *chrysantha* Maas
9146. Clusiaceae: *Caraipa punctulata* Ducke
9147. Rubiaceae: Indet.
9148. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
9149. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
9150. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
9151. Piperaceae: *Piper rupunianum* Trel. and Yunck.
9152. Clusiaceae: Indet.
9153. Leguminosae-Mimosoideae: *Inga* sp.
9154. Rubiaceae: *Faramea morilloi* Steyererm.
9155. Olacaceae: *Heisteria maguirei* Sleumer
9156. Melastomataceae: *Miconia* sp.
9157. Piperaceae: *Piper inaequale* C. DC.
9158. Myrsinaceae: *Myrsine nitida* (Mez) Pipoly
9159. Ericaceae: *Thibaudia* cf. *formosa* (Klotzsch) Hoerold
9160. Melastomataceae: *Miconia* sp.
9161. Myrsinaceae: *Myrsine nitida* (Mez) Pipoly
9162. Rubiaceae: *Psychotria tepuiensis* (Steyererm.) Steyererm.
9163. Clusiaceae: Indet.
9164. Melastomataceae: *Graffenrieda intermedia* Triana
9165. Boraginaceae: *Cordia fanchoniae* Feuillet
9166. Monimiaceae: *Mollinedia ovata* Ruiz and Pav.
9167. Annonaceae: *Annona symphyocarpa* Sandwith
9168. Hepaticae: Indet.
9169. Grammitidaceae: *Lellingeria subsessilis* (Baker) A. R. Sm. and R. C. Moran
9170. Burseraceae: *Protium* sp. nov.
9171. Solanaceae: *Cestrum* sp.
9172. Clusiaceae: Indet.
9173. Clusiaceae: Indet.
9174. Melastomataceae: *Macrocentrum* cf. *repens* (Gleason) Wurdack
9175. Melastomataceae: *Miconia bracteata* (DC.) Triana
9176. Melastomataceae: *Miconia ciliata* (Rich.) DC.
9177. Grammitidaceae: *Cochlidium linearifolium* (Desv.) Maxon ex C. Chr.
9178. Orchidaceae: *Epidendrum miserrimum* Rchb. f.
9179. Selaginellaceae: *Selaginella* sp.
9180. Piperaceae: *Peperomia tenella* (Sw.) A. Dietr.
9181. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
9182. Orchidaceae: *Dichaea kegelii* Rchb. f.
9183. Indet.: Indet.
9184. Orchidaceae: *Epidendrum pseudoramosum* Schltr.
9185. Orchidaceae: *Maxillaria lasallei* Foldats
9186. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
9187. Lentibulariaceae: *Utricularia* sp.
9188. Piperaceae: *Peperomia reptans* C. DC.
9189. Campanulaceae: *Centropogon cornutus* (L.) Druce
9190. Compositae: *Mikania sprucei* Baker
9191. Bignoniaceae: Indet.
9192. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
9193. Bryophyte: Indet.
9194. Bryophyte: Indet.
- 9194a. Chloranthaceae: *Hedyosmum tepuiense* Todzia
9195. Myrtaceae: Indet.
9196. Clusiaceae: Indet.
- 9196a. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.

9197. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
9198. Orchidaceae: Indet.
9199. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
9200. Dennstaedtiaceae: *Ormoloma inrayanum* (Hook.) Maxon
9201. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
9202. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
9203. Gnetaceae: *Gnetum paniculatum* Spruce ex Benth.
9204. Araceae: *Anthurium scandens* (Aubl.) Engl.
9205. Myrtaceae: *Calyptranthes pulchella* DC.
9206. Bignoniaceae: Indet.
9207. Myrsinaceae: Indet.
9208. Melastomataceae: *Clidemia charadrophila* Tutin
9209. Commelinaceae: Indet.
9210. Ericaceae: *Sphyrropermum* cf. *cordifolium* Benth.
9211. Solanaceae: *Cestrum* sp.
9212. Araceae: *Philodendron* sp.
9213. Arecaceae: *Geonoma aspidiifolia* Spruce
9214. Marcgraviaceae: *Sarcopera tepuiensis* (de Roon) Bedell
9215. Piperaceae: *Peperomia purpurinervis* C. DC.
9216. Clusiaceae: Indet.
9217. Piperaceae: *Piper rupunuvianum* Trel. and Yunck.
9218. Clusiaceae: Indet.
9219. Melastomataceae: *Ochthephilus repentinus* Wurdack
9220. Melastomataceae: *Aciotis* sp.
9221. Melastomataceae: *Miconia fragrans* Cogn.
9222. Myrtaceae: *Myrcia* sp.
9223. Annonaceae: *Annona symphyocarpa* Sandwith
9224. Gentianaceae: *Symbolanthus elisabethae* (M. R. Schomb.) Gilg
9225. Orchidaceae: *Selenipedium steyermarkii* Foldats
9226. Orchidaceae: *Sobralia sessilis* Lindl.
9227. Orchidaceae: *Elleanthus arpophyllostachys* (Rchb. f.) Rchb. f.
9228. Orchidaceae: *Ornithidium aureum* Poepp. and Endl.
9229. Melastomataceae: *Miconia superba* Ule
9230. Myrtaceae: *Myrcia* sp.
9231. Clusiaceae: Indet.
9232. Hepaticae: Indet.
9233. Poaceae: *Paspalum petilum* Chase
9234. Cyperaceae: *Rhynchospora bolivarana* Steyerm.
9235. Poaceae: *Paspalum petilum* Chase
9236. Meliaceae: *Trichilia* sp.
9237. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
9238. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
9239. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
9240. Adiantaceae: *Adiantopsis radiata* (L.) Fée
9241. Lomariopsidaceae: *Elaphoglossum decoratum* (Kunze) T. Moore
9242. Myrsinaceae: Indet.
9243. Bromeliaceae: *Vriesea* cf. *splendens* (Brongn.) Lem.
9244. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
9245. Selaginellaceae: *Selaginella* aff. *palmiformis* Alston ex Crabbe and Jermy
9246. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
9247. Annonaceae: *Guatteria alticola* Scharf and Maas
9248. Loganiaceae: Indet.
9249. Gentianaceae: *Tapeinostemon spenneroides* Benth.
9250. Dryopteridaceae: *Arachniodes macrostegia* (Hook.) R. M. Tryon and D. S. Conant
9251. Orchidaceae: *Epidendrum urichianum* Carnevali, Foldats and I. Ramírez
9252. Araceae: *Anthurium roraimense* N. E. Br.
9253. Begoniaceae: *Begonia jenmanii* Tutin
9254. Arecaceae: *Bactris hirta* Mart. var. *jenmanii* A. J. Hend.
9255. Gesneriaceae: *Rhoogeton viviparus* Leeuwenb.
9256. Gesneriaceae: *Nautilocalyx coccineus* Feuillet and L. E. Skog
9257. Orchidaceae: *Octomeria filifolia* C. Schweinf.
9258. Combretaceae: *Buchenavia* sp.
9259. Orchidaceae: *Epidendrum durum* Lindl.
9260. Melastomataceae: *Tococa* cf. *erythrophylla* (Ule) Wurdack
9261. Polygonaceae: Indet.
9262. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
9263. Orchidaceae: *Vanilla wrightii* Rchb. f.
9264. Malpighiaceae: Indet.
9265. Lycopodiaceae: *Lycopodiella camporum* B. Øllg. and P. G. Windisch
9266. Cyperaceae: *Rhynchospora ayangannensis* M. T. Strong
9267. Cyatheaceae: *Cyathea macrosora* (Baker) Domin
9268. Clusiaceae: Indet.
9269. Rapateaceae: *Stegolepis ayangannae* P. E. Berry, sp. nov. ined.

9270. Dennstaedtiaceae: *Lindsaea schomburgkii*
Klotzsch f. *coriifolia* (Lindeman) K. U. Kramer
- 9270a. Dennstaedtiaceae: *Lindsaea portoricensis* Desv.
9271. Cyatheaceae: *Cyathea nanna* (Barrington)
Lellinger
9272. Rubiaceae: Indet.
9273. Bromeliaceae: *Racinaea spiculosa* (Griseb.)
M. A. Spencer and L. B. Sm. var. *stenoglossa*
(L. B. Sm.) M. A. Spencer and L. B. Sm.
9274. Rubiaceae: *Psychotria platypoda* DC.
9275. Clusiaceae: Indet.
9276. Lichen-Incert. sed.: Indet.
9277. Sphagnaceae: *Sphagnum* sp.
9278. Melastomataceae: *Tococa* cf. *erythrophylla* (Ule)
Wurdack
9279. Marcgraviaceae: *Marcgravia sororopaniana*
Steyerm.
9280. Melastomataceae: Indet.
9281. Melastomataceae: *Clidemia tepuiensis* Wurdack
9282. Polygonaceae: Indet.
9283. Campanulaceae: *Centropogon cornutus* (L.)
Druce
9284. Compositae: *Mikania duidensis* B. L. Rob.
9285. Grammitidaceae: *Lellingeria randallii* (Maxon)
A. R. Sm. and R. C. Moran
9286. Lentibulariaceae: *Utricularia* sp.
9287. Lentibulariaceae: *Utricularia* sp.
9288. Dennstaedtiaceae: *Lindsaea* sp.
9289. Myrtaceae: *Myrcia bolivarensis* (Steyerm.)
McVaugh
- 9289a. Melastomataceae: Indet.
9290. Loranthaceae: *Psittacanthus leptanthus* Sandwith
9291. Adiantaceae: *Adiantopsis monticola* (Gardner)
T. Moore
9292. Cyatheaceae: *Cyathea dissimilis* (C. V. Morton)
Stolze
9293. Arecaceae: *Bactris ptariana* Steyerm.
9294. Cyperaceae: *Scleria* s.l. *secans* (L.) Urb.
9295. Cyperaceae: *Calyptrocarya glomerulata*
(Brongn.) Urb.
9296. Solanaceae: *Solanum leucocarpon* Dunal
9297. Hymenophyllaceae: *Hymenophyllum hirsutum*
(L.) Sw.
9298. Bryophyte: Indet.
9299. Bryophyte: Indet.
9300. Bryophyte: Indet.
9301. Araliaceae: *Schefflera* cf. *umbellata* (N. E. Br.)
R. Vig.
9302. Verbenaceae: *Aegiphila* sp.
9303. Rubiaceae: *Psychotria transiens* Wernham
9304. Rubiaceae: *Psychotria everardii* Wernham
9305. Rubiaceae: Indet.
9306. Piperaceae: *Piper rupunumianum* Trel. and Yunck.
9307. Arecaceae: *Geonoma appuniana* Spruce
9308. Verbenaceae: *Aegiphila* sp.
9309. Cyatheaceae: *Cyathea nanna* (Barrington)
Lellinger
9310. Bryophyte: Indet.
9311. Hepaticae: Indet.
9312. Hepaticae: Indet.
9313. Hepaticae: Indet.
9314. Orchidaceae: *Pleurothallis tepuiensis* Carnevali
and I. Ramírez
9315. Verbenaceae: *Aegiphila* sp.
9316. Polygalaceae: Indet.
9317. Annonaceae: *Annona* aff. *symphyocarpa*
Sandwith
9318. Lauraceae: *Ocotea* sp.
9319. Aquifoliaceae: *Ilex* sp.
9320. Erythroxylaceae: *Erythroxylum oreophilum*
(O. E. Schulz ex Pilg.) Steyerm. and Maguire
9321. Rubiaceae: Indet.
9322. Gentianaceae: *Chorisepalum psychotrioides*
Ewan
9323. Rubiaceae: *Notopleura tapajozensis* (Standl.)
Bremek.
9324. Rutaceae: *Spathelia ulei* (Engl. ex Harms) R. S.
Cowan and Brizicky
9325. Melastomataceae: *Meriania crassiramis* (Naudin)
Wurdack
9326. Xyridaceae: Indet.
9327. Ericaceae: Indet.
9328. Clusiaceae: Indet.
9329. Clusiaceae: Indet.
9330. Rubiaceae: *Psychotria parvibractea* Steyerm.
9331. Melastomataceae: *Leandra edentula* Gleason
9332. Melastomataceae: *Miconia* sp.
9333. Rubiaceae: Indet.
9334. Compositae: *Mikania sprucei* Baker
9335. Ochnaceae: *Adenanthe bicarpellata* Maguire,
Steyerm. and Wurdack
9336. Rubiaceae: *Psychotria transiens* Wernham
9337. Hymenophyllaceae: *Trichomanes caliginum*
Lellinger
9338. Compositae: *Stenopadus talaumifolius* S. F. Blake
9339. Lentibulariaceae: *Utricularia humboldtii* R. H.
Schomb.
9340. Clusiaceae: Indet.
9341. Malpighiaceae: *Byrsonima pachypoda* W. R.
Anderson

9342. Myrsinaceae: *Cybianthus apiculatus* (Steyerm.)
G. Agostini
9343. Rubiaceae: Indet.
9344. Hepaticae: Indet.
9345. Melastomataceae: *Macrocentrum* cf.
brevipedicellatum Wurdack
9346. Bryophyte: Indet.
9347. Bryophyte: Indet.
9348. Sphagnaceae: *Sphagnum* sp.
9349. Bryophyte: Indet.
9350. Rubiaceae: *Psychotria tillettii* Steyerm.
9351. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand.
var. *jamesoniiformis* K. U. Kramer
9352. Melastomataceae: *Miconia acutifolia* Ule
9353. Polygonaceae: Indet.
9354. Myrtaceae: *Calyptranthes pulchella* DC.
9355. Lichen-Incert. sed.: Indet.
9356. Sapotaceae: *Micropholis* cf. *venulosa* (Mart. and
Eichler) Pierre
9357. Loranaceae: Indet.
9358. Viscaceae: *Phoradendron inaequidentatum* Rusby
9359. Gleicheniaceae: *Sticherus bifidus* (Willd.) Ching
9360. Dennstaedtiaceae: *Ormoloma imrayanum*
(Hook.) Maxon
9361. Compositae: *Baccharis brachylaenoides* DC.
9362. Araliaceae: *Schefflera* cf. *marahuacensis*
(Maguire, Steyerm. and Frodin) Frodin
9363. Rubiaceae: *Psychotria everardii* Wernham
9364. Gentianaceae: *Macrocarpaea ayangannae* J. R.
Grant, Struwe and J. K. Boggan
9365. Grammitidaceae: *Grammitis* sp. A sensu A. R.
Sm., Fl. Venez. Guayana v.2 p.153
9366. Bryophyte: Indet.
9367. Hepaticae: Indet.
9368. Adiantaceae: *Pterozonium terrestre* Lellinger
9369. Sapotaceae: *Chrysophyllum prieurii* A. DC.
9370. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
9371. Solanaceae: Indet.
9372. Rubiaceae: *Psychotria everardii* Wernham
9373. Viscaceae: *Phoradendron chrysocladon* A. Gray
9374. Clusiaceae: Indet.
9375. Cunoniaceae: *Weinmannia velutina* O. C. Schmidt
9376. Viscaceae: *Dendrophthora elliptica* (Gardner)
Krug and Urb.
9377. Rubiaceae: Indet.
9378. Malpighiaceae: *Byrsonima tillettii* W. R. Anderson
9379. Compositae: *Stenopadus* sp.
9380. Marcgraviaceae: *Sarcopera tepuiensis* (de Roon)
Bedell
9381. Compositae: *Mikania boomii* Pruski
- 9381a. Dioscoreaceae: *Dioscorea* sp.
9382. Orchidaceae: *Epidendrum durum* Lindl.
9383. Elaeocarpaceae: *Sloanea crassifolia* Earle Sm.
9384. Cyrillaceae: *Cyrilla racemiflora* L.
9385. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
9386. Clusiaceae: Indet.
9387. Euphorbiaceae: *Phyllanthus vacciniifolius* (Müll.
Arg.) Müll. Arg.
9388. Ericaceae: *Thibaudia* sp.
9389. Clusiaceae: Indet.
9390. Rutaceae: *Raveniopsis ruellioides* (Oliv.) R. S.
Cowan
9391. Ericaceae: *Thibaudia* sp.
9392. Cyrillaceae: *Cyrilla racemiflora* L.
9393. Melastomataceae: *Miconia superba* Ule
9394. Aquifoliaceae: *Ilex theezans* Mart.
9395. Melastomataceae: *Blakea/Topobea* sp.
9396. Melastomataceae: *Miconia acutifolia* Ule
9397. Malpighiaceae: *Byrsonima chalcophylla* Nied.
9398. Myrtaceae: *Calyptranthes* sp.
9399. Polygalaceae: *Monnina cacumina* N. E. Br.
9400. Bryophyte: Indet.
9401. Bryophyte: Indet.
9402. Melastomataceae: *Miconia acutifolia* Ule
9403. Marcgraviaceae: *Marcgravia sororopaniana*
Steyerm.
9404. Cyatheaceae: *Cyathea dissimilis* (C. V. Morton)
Stolze
9405. Poaceae: *Chusquea linearis* N. E. Br.
9406. Compositae: Indet.
9407. Viscaceae: *Phoradendron inaequidentatum* Rusby
9408. Loranaceae: *Phthirusa stelis* (L.) Kuijt
9409. Bryophyte: Indet.
9410. Melastomataceae: *Leandra procumbens* Ule
9411. Myrsinaceae: *Cybianthus fabiolae* Pipoly
9412. Passifloraceae: Indet.
9413. Xyridaceae: *Orectanthe* sp.
9414. Selaginellaceae: *Selaginella* ? *amazonica* Spring
9415. Compositae: *Stenopadus connellii* (N. E. Br.)
S. F. Blake
9416. Ericaceae: *Thibaudia nutans* Klotzsch ex Mansf.
9417. Rubiaceae: *Psychotria ayangannensis* Steyerm.
9418. Bryophyte: Indet.
9419. Rubiaceae: *Psychotria everardii* Wernham
9420. Melastomataceae: *Miconia* sp.
9421. Chloranthaceae: *Hedyosmum* cf. *intermedium*
Todzia
9422. Rubiaceae: Indet.
9423. Piperaceae: *Piper rupununianum* Trel. and Yunck.
9424. Malpighiaceae: *Byrsonima concinna* Benth.

9425. Piperaceae: *Peperomia tenella* (Sw.) A. Dietr.
 9426. Blechnaceae: *Blechnum violaceum* (Fée) C. Chr.
 9427. Melastomataceae: *Miconia* sp.
 9428. Rubiaceae: *Psychotria everardii* Wernham
 9429. Gleicheniaceae: *Sticherus remotus* (Kaulf.) Chrysler
 9430. Incertae sedis: Indet.
 9431. Orchidaceae: *Prescottia stachyodes* (Sw.) Lindl.
 9432. Bryophyte: Indet.
 9433. Bryophyte: Indet.
 9434. Gleicheniaceae: *Sticherus revolutus* (Kunth) Ching
 9435. Adiantaceae: *Eriosorus hispidulus* (Kunze) Vareschi
 9436. Bryophyte: Indet.
 9437. Bryophyte: Indet.
 9438. Bryophyte: Indet.
 9439. Orchidaceae: *Helonoma bifida* (Ridl. ex Thurn) Garay
 9440. Adiantaceae: *Eriosorus flexuosus* (Kunth) Copel.
 9441. Campanulaceae: *Centropogon cornutus* (L.) Druce
 9442. Ericaceae: Indet.
 9443. Rubiaceae: *Notopleura tapajozensis* (Standl.) Bremek.
 9444. Gesneriaceae: *Nautilocalyx coccineus* Feuillet and L. E. Skog
 9445. Melastomataceae: *Marcetia taxifolia* (A. St.-Hil.) DC.
 9446. Lentibulariaceae: *Utricularia* sp.
 9447. Orchidaceae: *Brachionidium longicaudatum* Ames and C. Schweinf.
 9448. Compositae: *Baccharis schomburgkii* Baker
 9449. Compositae: Indet.
 9450. Compositae: Indet.
 9451. Ochnaceae: *Sauvagesia imthurniana* (Oliv.) Dwyer
 9452. Myrtaceae: Indet.
 9453. Melastomataceae: *Miconia acutifolia* Ule
 9454. Liliaceae: *Nietneria corymbosa* Klotzsch and M. R. Schomb. ex B. D. Jacks.
 9455. Compositae: *Baccharis schomburgkii* Baker
 9456. Orchidaceae: *Octomeria connellii* Rolfe
 9457. Orchidaceae: *Epidendrum alsum* Ridl. ex Thurn
 9458. Orchidaceae: *Prescottia carnosus* C. Schweinf.
 9459. Myrsinaceae: Indet.
 9460. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
 9461. Compositae: *Guayania roupalifolia* (B. L. Rob.) R. M. King and H. Rob.
 9462. Ericaceae: Indet.
 9463. Cunoniaceae: *Weinmannia laxiramea* Killip and A. C. Sm.
 9464. Poaceae: *Myriocladus distantiflorus* Swallen
 9465. Cunoniaceae: *Weinmannia* sp.
 9466. Myrsinaceae: *Cybianthus crotonoides* (M. R. Schomb. ex Mez) G. Agostini
 9467. Myrsinaceae: Indet.
 9468. Rubiaceae: *Psychotria everardii* Wernham
 9469. Eriocaulaceae: *Paepalanthus* sp.
 9470. Gentianaceae: *Curtia ayangannae* L. Cobb and Jans.-Jac.
 9471. Xyridaceae: *Xyris albescens* Steyererm.
 9472. Liliaceae: *Isidrogalvia schomburgkiana* (Oliv.) Cruden
 9473. Selaginellaceae: *Selaginella* sp.
 9474. Myrtaceae: *Myrcia* sp.
 9475. Melastomataceae: *Meriania crassiramis* (Naudin) Wurdack
 9476. Myrtaceae: *Myrcia* sp.
 9477. Myrtaceae: *Ugni myricoides* (Kunth) O. Berg
 9478. Myrtaceae: *Ugni myricoides* (Kunth) O. Berg
 9479. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
 9480. Orchidaceae: *Helonoma bifida* (Ridl. ex Thurn) Garay
 9481. Bryophyte: Indet.
 9482. Bryophyte: Indet.
 9483. Lichen-Incert. sed.: Indet.
 9484. Droseraceae: *Drosera communis* A. St.-Hil.
 9485. Bryophyte: Indet.
 9486. Rubiaceae: *Psychotria transiens* Wernham
 9487. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *jamesoniiiformis* K. U. Kramer
 9488. Blechnaceae: *Blechnum atropurpureum* A. R. Sm.
 9489. Ochnaceae: *Sauvagesia imthurniana* (Oliv.) Dwyer
 9490. Rubiaceae: Indet.
 9491. Araliaceae: *Schefflera monosperma* Maguire, Steyererm. and Frodin
 9492. Compositae: *Baccharis brachylaenoides* DC.
 9493. Rubiaceae: *Psychotria everardii* Wernham
 9494. Melastomataceae: *Miconia acutifolia* Ule
 9495. Clusiaceae: Indet.
 9496. Clusiaceae: Indet.
 9497. Podocarpaceae: *Podocarpus steyermarkii* J. Buchholz and N. E. Gray
 9498. Podocarpaceae: *Podocarpus steyermarkii* J. Buchholz and N. E. Gray
 9499. Xyridaceae: *Orectanthe sceptrum* (Oliv.) Maguire
 9500. Cyperaceae: *Everardia disticha* T. Koyama and Maguire
 9501. Cyperaceae: *Machaerina ayangannensis* M. T. Strong
 9502. Cyperaceae: *Rhynchospora roraimae* Kük.

9503. Droseraceae: *Drosera kaieteurensis* Brumm.-Ding.
 9504. Bryophyte: Indet.
 9505. Arecaceae: *Geonoma* sp.
 9506. Bryophyte: Indet.
 9507. Rubiaceae: *Psychotria concinna* Oliv.
 9508. Clusiaceae: Indet.
 9509. Myrsinaceae: Indet.
 9510. Lentibulariaceae: *Utricularia* sp.
 9511. Bromeliaceae: Indet.
 9512. Orchidaceae: Indet.
 9513. Hymenophyllaceae: *Trichomanes roraimense*
 Jenman
 9514. Hepaticae: Indet.
 9515. Hepaticae: Indet.
 9516. Erythroxylaceae: *Erythroxylum oreophilum*
 (O. E. Schulz ex Pilg.) Steyerl. and Maguire
 9517. Melastomataceae: *Miconia theizans* (Bonpl.)
 Cogn.
 9518. Bromeliaceae: Indet.
 9519. Myrsinaceae: *Myrsine minima* (Steyerl.) Pipoly
 9520. Orchidaceae: *Epidendrum durum* Lindl.
 9521. Podocarpaceae: *Podocarpus steyermarkii*
 J. Buchholz and N. E. Gray
 9522. Viscaceae: *Dendrophthora elliptica* (Gardner)
 Krug and Urb.
 9523. Aquifoliaceae: *Ilex* aff. *amazonensis* Edwin
 9524. Bonnetiaceae: *Bonnetia* sp.
 9525. Dioscoreaceae: *Dioscorea sororopana* Steyerl.
 9526. Ericaceae: Indet.
 9527. Araliaceae: *Schefflera monosperma* Maguire,
 Steyerl. and Frodin
 9528. Verbenaceae: Indet.
 9529. Myrtaceae: *Myrcia* sp.
 9530. Araliaceae: *Schefflera monosperma* Maguire,
 Steyerl. and Frodin
 9531. Myrsinaceae: Indet.
 9532. Rubiaceae: *Palicourea obtusata* K. Krause
 9533. Rubiaceae: *Notopleura tapajozensis* (Standl.)
 Bremek.
 9534. Compositae: Indet.
 9535. Bonnetiaceae: *Bonnetia* sp.
 9536. Cyrillaceae: *Cyrilla racemiflora* L.
 9537. Melastomataceae: *Miconia acutifolia* Ule
 9538. Cunoniaceae: *Weinmannia* sp.
 9539. Orchidaceae: *Octomeria* cf. *parvifolia* Rolfe
 9540. Clusiaceae: Indet.
 9541. Blechnaceae: *Blechnum schomburgkii* (Klotzsch)
 C. Chr.
 9542. Melastomataceae: *Miconia acutifolia* Ule
 9543. Melastomataceae: *Tococa nitens* (Benth.) Triana
 9544. Adiantaceae: *Eriosorus flexuosus* (Kunth) Copel.
 var. *flexuosus*
 9545. Cunoniaceae: *Weinmannia velutina* O. C. Schmidt
 9546. Melastomataceae: *Miconia* ? sp.
 9547. Melastomataceae: *Miconia* sp.
 9548. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic.
 Serm.
 9549. Orchidaceae: *Brachionidium brevicaudatum*
 Rolfe
 9550. Podocarpaceae: *Podocarpus steyermarkii*
 J. Buchholz and N. E. Gray
 9551. Bryophyte: Indet.
 9552. Clusiaceae: Indet.
 9553. Gentianaceae: *Macrocarpaea rugosa* Steyerl.
 9554. Gentianaceae: *Chorisepalum psychotrioides* Ewan
 9555. Hepaticae: Indet.
 9556. Myrsinaceae: *Myrsine maguireana* Pipoly
 9557. Melastomataceae: *Miconia* sp.
 9558. Compositae: *Stenopadus connellii* (N. E. Br.)
 S. F. Blake
 9559. Rubiaceae: *Psychotria spelunca* Standl. and
 Steyerl.
 9560. Lentibulariaceae: *Utricularia* sp.
 9561. Rubiaceae: *Psychotria glandulicalyx* Steyerl.
 9562. Piperaceae: *Piper* sp.
 9563. Rubiaceae: *Psychotria transiens* Wernham
 9564. Solanaceae: *Markea* aff. *longiflora* Miers
 9565. Rubiaceae: *Psychotria tillettii* Steyerl.
 9566. Blechnaceae: *Salpichlaena hookeriana* (Kuntze)
 Alston
 9567. Clusiaceae: Indet.
 9568. Scrophulariaceae: *Vellosiella spathacea* (Oliv.)
 Melch.
 9569. Orchidaceae: *Octomeria cordilabia* C. Schweinf.
 9570. Aquifoliaceae: *Ilex* sp.
 9571. Compositae: *Mikania nigropunctulata* Hieron.
 9572. Malpighiaceae: *Byrsonima concinna* Benth.
 9573. Erythroxylaceae: *Erythroxylum oreophilum*
 (O. E. Schulz ex Pilg.) Steyerl. and Maguire
 9574. Nyctaginaceae: *Neea* sp.
 9575. Clusiaceae: Indet.
 9576. Chrysobalanaceae: *Licania* sp.
 9577. Rubiaceae: *Malanea microphylla* Standl. and
 Steyerl.
 9578. Rubiaceae: *Faramea cardonae* Standl. and
 Steyerl.
 9579. Rubiaceae: *Psychotria aubletiana* Steyerl.
 9580. Araliaceae: *Schefflera* cf. *marahuacensis*
 (Maguire, Steyerl. and Frodin) Frodin
 9581. Rubiaceae: Indet.

9582. Rubiaceae: Indet.
 9583. Myrtaceae: *Calyptanthes pulchella* DC.
 9584. Rubiaceae: *Pagamea thyrsoflora* Spruce ex Benth.
 9585. Compositae: *Mikania duidensis* B. L. Rob.
 9586. Loranthaceae: *Psittacanthus brachynema* Eichler
 9587. Clusiaceae: Indet.
 9588. Rubiaceae: Indet.
 9589. Clusiaceae: Indet.
 9590. Malpighiaceae: *Byrsonima pachypoda* W. R. Anderson
 9591. Melastomataceae: *Miconia* cf. *stenostachya* DC.
 9592. Solanaceae: *Solanum leucocarpon* Dunal
 9593. Melastomataceae: *Clidemia sandwithii* Wurdack
 9594. Compositae: *Mikania psilostachya* DC.
 9595. Bromeliaceae: *Vriesea duidae* (L. B. Sm.) Gouda
 9596. Malpighiaceae: *Byrsonima chalcophylla* Nied.
 9597. Cyatheaceae: *Cyathea* aff. *nanna* (Barrington) Lellinger
 9598. Cyperaceae: *Scleria* s.l. *secans* (L.) Urb.
 9599. Clusiaceae: Indet.
 9600. Clusiaceae: Indet.
 9601. Leguminosae-Mimosoideae: *Abarema barbouriana* (Standl.) Barneby and J. W. Grimes
 9602. Melastomataceae: *Blakea/Topobea* ? sp. nov.
 9603. Piperaceae: *Piper* vs. *nematanthera* (Miq.) C. DC.
 9604. Chrysobalanaceae: Indet.
 9605. Araceae: *Philodendron* sp.
 9606. Orchidaceae: *Psilochilus dusenianus* Kraenzl. ex Garay and Dunst.
 9607. Melastomataceae: *Miconia bracteata* (DC.) Triana
 9608. Melastomataceae: *Clidemia japurensis* DC.
 9609. Myrsinaceae: Indet.
 9610. Loranthaceae: Indet.
 9611. Polypodiaceae: *Polypodium sessilifolium* Desv.
 9612. Cyatheaceae: *Cyathea dissimilis* (C. V. Morton) Stolze
 9613. Euphorbiaceae: Indet.
 9614. Orchidaceae: *Stelis aviceps* Lindl.
 9615. Bryophyte: Indet.
 9616. Grammitidaceae: *Lellingeria moranii* Labiak
 9617. Piperaceae: *Peperomia* sp.
 9618. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
 9619. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
 9620. Orchidaceae: *Selenipedium steyermarkii* Foldats
 9621. Cyperaceae: *Scleria* s.l. *secans* (L.) Urb.
 9622. Melastomataceae: *Clidemia buntingii* Wurdack
 9623. Rapateaceae: *Epidryos guayanensis* Maguire
 9624. Annonaceae: *Guatteria ayangannae* Scharf and Maas
 9625. Araceae: *Philodendron* sp.
 9626. Araceae: *Anthurium expansum* Gleason
 9627. Apocynaceae: Indet.
 9628. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
 9629. Orchidaceae: *Aspidogyne robusta* (C. Schweinf.) Garay
 9630. Commelinaceae: Indet.
 9631. Simaroubaceae: Indet.
 9632. Rubiaceae: Indet.
 9633. Piperaceae: *Peperomia tenella* (Sw.) A. Dietr.
 9634. Bryophyte: Indet.
 9635. Bryophyte: Indet.
 9636. Humiriaceae: Indet.
 9637. Rubiaceae: *Duroia* cf. *bolivarensis* Steyererm.
 9638. Clusiaceae: *Moronobea* sp.
 9639. Leguminosae-Caesalpinioideae: Indet.
 9640. Sapindaceae: Indet.
 9641. Clusiaceae: Indet.
 9642. Annonaceae: *Duguetia rigida* R. E. Fr.
 9643. Bryophyte: Indet.
 9644. Euphorbiaceae: *Micrandra* aff. *lopezii* R. E. Schult.
 9645. Piperaceae: *Piper obliquum* Ruiz and Pav.
 9646. Orchidaceae: *Palmorchis* sp.
 9647. Lomariopsidaceae: *Elaphoglossum longifolium* (Sw.) J. Sm.
 9647a. Lomariopsidaceae: *Elaphoglossum* cf. *flaccidum* (Fée) T. Moore
 9648. Rubiaceae: Indet.
 9649. Rubiaceae: *Psychotria mazaruniensis* Standl.
 9650. Lomariopsidaceae: *Elaphoglossum horridulum* (Kaulf.) J. Sm.
 9651. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
 9652. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
 9653. Aspleniaceae: *Asplenium salicifolium* L.
 9654. Orchidaceae: *Bollea* ? *hemixantha* Rchb. f.
 9655. Piperaceae: *Peperomia* sp.
 9656. Menisperm/Euphorb.: Indet.
 9657. Polypodiaceae: *Polypodium caceresii* Sodiro
 9658. Polypodiaceae: *Polypodium caceresii* Sodiro
 9659. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
 9660. Acanthaceae: *Justicia potarensis* (Bremek.) Wassh.
 9661. Leguminosae-Mimosoideae: *Inga* sp.
 9662. Meliaceae: *Guarea scabra* A. Juss.

9663. Passifloraceae: *Passiflora* sp.
 9664. Loganiaceae: Indet.
 9665. Cucurbitaceae: *Helmontia leptantha* (Schltdl.) Cogn.
 9666. Rubiaceae: Indet.
 9667. Araceae: *Philodendron rudgeanum* Schott
 9668. Melastomataceae: *Maguireanthus ayangananae* Wurdack
 9669. Araceae: *Rhodospatha oblongata* Poepp.
 9670. Clusiaceae: Indet.
 9671. Tectariaceae: *Tectaria trifoliata* (L.) Cav.
 9672. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
 9673. Annonaceae: *Unonopsis glaucopetala* R. E. Fr.
 9674. Melastomataceae: *Clidemia conglomerata* DC.
 9675. Nyctaginaceae: *Neea floribunda* Poepp. and Endl.
 9676. Zingiberaceae: *Renealmia orinocensis* Rusby
 9677. Thelypteridaceae: *Thelypteris nesiotica* (Maxon and C. V. Morton) C. V. Morton
 9678. Orchidaceae: *Microchilus campanulatus* Ormerod
 9679. Melastomataceae: *Miconia* sp.
 9680. Rubiaceae: *Notopleura uliginosa* (Sw.) Bremek.
 9681. Melastomataceae: *Leandra* sp.
 9682. Compositae: *Rolandra fruticosa* (L.) Kuntze
 9683. Myrsinaceae: *Cybianthus guyanensis* (A. DC.) Miq.
 9684. Leguminosae-Faboideae: *Desmodium* sp.
 9685. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
 9686. Piperaceae: *Piper anonifolium* (Kunth) C. DC. var. *parkerianum* (C. DC.) Steyerf.
 9687. Melastomataceae: *Miconia plukenetii* Naudin
 9688. Gesneriaceae: *Columnea guianensis* C. V. Morton
 9689. Hymenophyllaceae: *Trichomanes elegans* Rich.
 9690. Marantaceae: *Ischnosiphon foliosus* Gleason
 9691. Lomariopsidaceae: *Bolbitis* cf. *nicotianifolia* (Sw.) Alston
 9692. Nyctaginaceae: *Neea floribunda* Poepp. and Endl.
 9693. Melastomataceae: *Aciotis* sp.
 9694. Smilacaceae: *Smilax* sp.
 9695. Chrysobalanaceae: *Hirtella silicea* Griseb.
 9696. Rubiaceae: Indet.
 9697. Simaroubaceae: Indet.
 9698. Rapateaceae: *Spathanthus unilateralis* (Rudge) Desv.
 9699. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
 9700. Orchidaceae: *Octomeria exigua* C. Schweinf.
 9701. Hymenophyllaceae: *Trichomanes diversifrons* (Bory) Mett. ex Sadeb.
 9702. Solanaceae: *Solanum leucocarpon* Dunal
 9703. Piperaceae: *Piper* sp.
 9704. Piperaceae: *Piper rupunuvianum* Trel. and Yunk.
 9705. Bryophyte: Indet.
 9706. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
 9707. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
 9708. Annonaceae: *Unonopsis glaucopetala* R. E. Fr.
 9709. Malpighiaceae: *Byrsonima christianeae* W. R. Anderson
 9710. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
 9711. Orchidaceae: *Epidendrum miserrimum* Rchb. f.
 9712. Orchidaceae: *Trichosalpinx* sp.
 9713. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
 9714. Rapateaceae: *Epidryos guayanensis* Maguire
 9715. Melastomataceae: *Henriettea* sp.
 9716. Malpighiaceae: *Byrsonima krukoffii* W. R. Anderson
 9717. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtntant
 9718. Euphorbiaceae: *Micrandra glabra* (R. E. Schult.) R. E. Schult.
 9719. Orchidaceae: *Maxillaria nasuta* Rchb. f.
 9720. Orchidaceae: *Polystachya stenophylla* Schltr.
 9721. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *spiculosa*
 9722. Orchidaceae: *Sobralia valida* Rolfe
 9723. Ericaceae: Indet.
 9724. Orchidaceae: *Maxillaria porrecta* Lindl.
 9725. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
 9726. Orchidaceae: *Vanilla wrightii* Rchb. f.
 9727. Lentibulariaceae: *Utricularia* sp.
 9728. Ericaceae: Indet.
 9729. Clusiaceae: Indet.
 9730. Ochnaceae: *Ouratea soderstromii* Sastre
 9731. Chrysobalanaceae: Indet.
 9732. Rubiaceae: *Psychotria mazaruniensis* Standl.
 9733. Orchidaceae: *Scaphyglottis graminifolia* (Ruiz and Pav.) Poepp. and Endl.
 9734. Bromeliaceae: *Vriesea incurva* (Griseb.) Read
 9735. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
 9736. Rubiaceae: *Notopleura guadalupensis* (DC.) C. M. Taylor
 9737. Orchidaceae: *Stelis* sp.
 9738. Orchidaceae: *Octomeria* sp.

9739. Orchidaceae: *Cryptocentrum dunstervilleorum*
Carnevali and G. A. Romero
9740. Orchidaceae: Indet.
9741. Orchidaceae: *Maxillaria reichenheimiana* Endres
and Rchb. f.
9742. Grammitidaceae: *Grammitis randallii* (Maxon)
Proctor
- 9742a. Orchidaceae: *Pleurothallidinae* sp.
9743. Bryophyte: Indet.
9744. Olacaceae: Indet.
9745. Annonaceae: *Guatteria clusiifolia* D. M. Johnson
and N. A. Murray
9746. Dryopteridaceae: *Cyclodium meniscioides*
(Willd.) C. Presl
9747. Orchidaceae: *Cryptocentrum dunstervilleorum*
Carnevali and G. A. Romero
9748. Cecropiaceae: *Coussapoa microcephala* Trécul
9749. Clusiaceae: Indet.
9750. Euphorbiaceae: *Micrandra glabra* (R. E. Schult.)
R. E. Schult.
9751. Gentianaceae: *Tachia schomburgkiana* Benth.
9752. Orchidaceae: *Maxillaria nasuta* Rchb. f.
9753. Orchidaceae: *Elleanthus caravata* (Aubl.) Rchb. f.
9754. Ericaceae: Indet.
9755. Meliaceae: *Trichilia septentrionalis* C. DC.
9756. Bryophyte: Indet.
9757. Clusiaceae: Indet.
9758. Compositae: *Mikania nigropunctulata* Hieron.
9759. Gentianaceae: *Irlbachia* sp.
9760. Ochnaceae: *Ouratea sodestromii* Sastre
9761. Passifloraceae: *Passiflora fanchonae* Feuillet
9762. Clusiaceae: *Vismia* sp.
9763. Rubiaceae: *Psychotria potaroensis* (Sandwith)
Steyerm.
9764. Apocynaceae: Indet.
9765. Annonaceae: *Duguetia neglecta* Sandwith
9766. Myrtaceae: *Myrcia* ? sp.
9767. Erythroxylaceae: *Erythroxylum mucronatum*
Benth.
9768. Leguminosae-Mimosoideae: *Inga* sp.
9769. Verbenaceae: *Aegiphila* sp.
9770. Clusiaceae: Indet.
9771. Verbenaceae: *Amasonia campestris* (Aubl.)
Moldenke
9772. Chrysobalanaceae: *Hirtella racemosa* Lam. var.
racemosa
9773. Annonaceae: *Anaxagorea petiolata* R. E. Fr.
9774. Clusiaceae: Indet.
9775. Leguminosae-Faboideae: *Mucuna sloanei* Fawc.
and Rendle
9776. Piperaceae: *Piper* sp.
9777. Myristicaceae: *Iryanthera* sp.
9778. Loganiaceae: *Strychnos peckii* B. L. Rob.
9779. Orchidaceae: *Vanilla wrightii* Rchb. f.
9780. Asclepiadaceae: Indet.
9781. Clusiaceae: Indet.
9782. Euphorbiaceae: *Micrandra glabra* (R. E. Schult.)
R. E. Schult.
9783. Myrsinaceae: Indet.
9784. Dioscoreaceae: *Dioscorea* sp.
9785. Rubiaceae: Indet.
9786. Compositae: *Mikania psilostachya* DC.
9787. Orchidaceae: *Octomeria exigua* C. Schweinf.
9788. Malpighiaceae: *Byrsonima christianaeae* W. R.
Anderson
9789. Compositae: Indet.
9790. Loranthaceae: *Phthirusa stelis* (L.) Kuijt
9791. Sapotaceae: *Micropholis venulosa* (Mart. and
Eichler) Pierre
9792. Clusiaceae: Indet.
9793. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
9794. Clusiaceae: Indet.
9795. Leguminosae-Mimosoideae: *Inga* sp.
9796. Rubiaceae: *Notopleura* cf. *perpapillifera*
(Steyerm.) C. M. Taylor
9797. Orchidaceae: *Maxillaria porrecta* Lindl.
9798. Orchidaceae: *Maxillaria brachybulbon* Schltr.
9799. Ericaceae: *Cavendishia callista* Donn. Sm.
9800. Clusiaceae: Indet.
9801. Myrtaceae: *Myrcia* sp.
9802. Melastomataceae: *Aciotis* sp.
9803. Clusiaceae: *Vismia* sp.
9804. Incertae sedis: Indet.
9805. Dilleniaceae: *Davilla* cf. *nitida* (Vahl) Kubitzki
9806. Loranthaceae: *Psittacanthus leptanthus* Sandwith
9807. Bignoniaceae: *Tabebuia* cf. *chrysantha* (Jacq.)
G. Nicholson
9808. Araceae: *Rhodospatha oblongata* Poepp.
9809. Melastomataceae: *Henriettea* cf. *multiflora* Naudin
9810. Melastomataceae: *Miconia plukenetii* Naudin
9811. Rubiaceae: *Isertia hypoleuca* Benth.
9812. Bombacaceae: Indet.
9813. Apocynaceae: Indet.
9814. Lacistemataceae: *Lacistema aggregatum* (P. J.
Bergius) Rusby
9815. Sapotaceae: Indet.
9816. Clusiaceae: Indet.
9817. Loganiaceae: Indet.
9818. Lecythidaceae: *Eschweilera pedicellata* (Rich.)
S. A. Mori

9819. Annonaceae: *Gutteria ayangannae* Scharf and Maas
9820. Orchidaceae: *Octomeria integrilabia* C. Schweinf.
9821. Orchidaceae: *Stelis guianensis* Rolfe
9822. Malpighiaceae: *Pterandra guianensis* W. R. Anderson
9823. Orchidaceae: *Habenaria* sp.
9824. Rutaceae: *Hortia regia* Sandwith
9825. Euphorbiaceae: *Conceveiba ptariana* (Steyerm.) Jabl.
9826. Passifloraceae: *Passiflora* sp.
9827. Melastomataceae: *Miconia* cf. *marginata* Triana
9828. Melastomataceae: *Miconia marginata* Triana
9829. Cecropiaceae: *Coussapoa microcephala* Trécul
9830. Leguminosae-Faboideae: *Desmodium* sp.
9831. Melastomataceae: *Leandra sanguinea* Gleason ssp. *tepuiensis* Wurdack
9832. Solanaceae: *Solanum stramonifolium* Jacq.
9833. Cyperaceae: *Cyperus luzulae* (L.) Rottb. ex Retz.
9834. Eriocaulaceae: *Paepalanthus fasciculatus* (Rottb.) Kunth
9835. Melastomataceae: *Pterolepis glomerata* (Rottb.) Miq.
9836. Adiantaceae: *Pityrogramma calomelanos* (L.) Link
9837. Poaceae: *Andropogon bicornis* L.
9838. Rubiaceae: Indet.
9839. Melastomataceae: *Nepsera aquatica* (Aubl.) Naudin
9840. Orchidaceae: *Cheiradenia cuspidata* Lindl.
9841. Leguminosae-Caesalpinioideae: *Chamaecrista adiantifolia* (Spruce ex Benth.) H. S. Irwin and Barneby var. *pteridophylla* (Sandwith) H. S. Irwin and Barneby
9842. Orchidaceae: *Maxillaria bolivarensis* C. Schweinf.
9843. Apocynaceae: Indet.
9844. Malpighiaceae: *Byrsonima carraoana* Steyerm.
9845. Erythroxylaceae: *Erythroxylum kapplerianum* Peyr.
9846. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
9847. Poaceae: *Panicum polygonatum* Schrad.
9848. Poaceae: *Paspalum* cf. *altsonii* Chase
9849. Thelypteridaceae: *Thelypteris hispidula* (Decne.) C. F. Reed
9850. Lomariopsidaceae: *Elaphoglossum macrophyllum* (Mett. ex Kuhn) H. Christ
9851. Orchidaceae: *Erycina pusilla* (L.) N. H. Williams and M. W. Chase
9852. Passifloraceae: *Passiflora* sp.
9853. Leguminosae-Caesalpinioideae: *Macrolobium bifolium* (Aubl.) Pers.
9854. Melastomataceae: *Leandra sanguinea* Gleason ssp. *tepuiensis* Wurdack
9855. Sapindaceae: *Paullinia capreolata* (Aubl.) Radlk.
9856. Marcgraviaceae: *Marcgravia sororopaniana* Steyerm.
9857. Viscaceae: *Phoradendron perrottetii* (DC.) Eichler
9858. Polygonaceae: Indet.
9859. Loranthaceae: *Phthirusa stelis* (L.) Kuijt
9860. Melastomataceae: *Henriettea ramiflora* (Sw.) DC.
9861. Euphorbiaceae: *Plukenetia polyadenia* Müll. Arg.
9862. Leguminosae-Caesalpinioideae: *Dicymbe pharangophila* R. S. Cowan
9863. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
9864. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
9865. Orchidaceae: *Octomeria lancipetala* C. Schweinf.
9866. Araceae: *Stenospermation ammiticum* G. S. Bunting
9867. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
9868. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
9869. Leguminosae-Mimosoideae: *Acacia* sp.
9870. Marcgraviaceae: *Marcgravia pedunculosa* Triana and Planch.
9871. Clusiaceae: Indet.
9872. Dilleniaceae: *Davilla nitida* (Vahl) Kubitzki
9873. Clusiaceae: *Vismia* sp.
9874. Poaceae: *Paspalum* cf. *pilosum* Lam.
9875. Melastomataceae: Indet.
9876. Ochnaceae: *Sauvagesia erecta* L. ssp. *erecta*
9877. Passifloraceae: *Passiflora vespertilio* L.
9878. Melastomataceae: *Tococa aristata* Benth.
9879. Sapindaceae: *Serjania membranacea* Splitg.
9880. Compositae: *Bidens pilosa* L.
9881. Asclepiadaceae: Indet.
9882. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
9883. Araceae: *Urospatha sagittifolia* (Rudge) Schott
9884. Compositae: *Erechtites valerianaefolius* (Wolf) Link ex Spreng.
9885. Malpighiaceae: *Byrsonima carraoana* Steyerm.
9886. Araceae: *Philodendron ecordatum* Schott
9887. Leguminosae-Mimosoideae: *Calliandra* sp.
9888. Orchidaceae: *Otostylis brachystalix* (Rchb. f.) Schltr.

9889. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
9890. Rubiaceae: Indet.
9891. Scrophulariaceae: *Scoparia dulcis* L.
9892. Orchidaceae: *Sobralia valida* Rolfe
9893. Piperaceae: *Piper* sp.
9894. Rubiaceae: *Duroia* cf. *bolivarensis* Steyererm.
9895. Rubiaceae: Indet.
9896. Cyatheaceae: *Cyathea microdonta* (Desv.) Domin
9897. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
9898. Rubiaceae: *Psychotria pakaraimensis* Steyererm.
9899. Selaginellaceae: *Selaginella mazaruniense* Jenman
9900. Solanaceae: *Solanum rugosum* Dunal
9901. Orchidaceae: *Sobralia valida* Rolfe
9902. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
9903. Rubiaceae: *Palicourea guianensis* Aubl.
9904. Leguminosae-Caesalpinioideae: *Senna* sp.
9905. Gesneriaceae: *Paradrymonia ciliosa* (Mart.) Wiehler
9906. Boraginaceae: *Tournefortia paniculata* Cham.
9907. Passifloraceae: *Passiflora garckeii* Mast.
9908. Passifloraceae: *Passiflora* sp.
9909. Menispermaceae: *Cissampelos fasciculata* Benth.
9910. Myrsinaceae: Indet.
9911. Grammitidaceae: *Enterosora campbellii* Baker
9912. Orchidaceae: *Octomeria exigua* C. Schweinf.
9913. Orchidaceae: *Cryptocentrum dunstervilleorum* Carnevali and G. A. Romero
9914. Orchidaceae: *Maxillaria porrecta* Lindl.
9915. Orchidaceae: Indet.
9916. Melastomataceae: *Miconia bracteata* (DC.) Triana
9917. Melastomataceae: *Leandra* cf. *divaricata* (Naudin) Cogn.
9918. Compositae: *Ageratum conyzoides* L.
9919. Cyperaceae: *Cyperus luzulae* (L.) Rottb. ex Retz.
9920. Poaceae: *Eleusine indica* (L.) Gaertn.
9921. Cyperaceae: *Cyperus sphacelatus* Rottb.
9922. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
- 9922a. Grammitidaceae: *Cochlidium linearifolium* (Desv.) Maxon ex C. Chr.
9923. Melastomataceae: *Clidemia* sp.
- 9923a. Melastomataceae: *Clidemia* sp.
9924. Cyperaceae: *Rhynchospora marisculus* Nees
9925. Melastomataceae: *Henriettea* cf. *multiflora* Naudin
9926. Leguminosae-Caesalpinioideae: *Brownea* sp.
9927. Melastomataceae: Indet.
9928. Clusiaceae: *Vismia* sp.
9929. Araceae: *Dieffenbachia seguine* (Jacq.) Schott
9930. Oleandraceae: *Nephrolepis pendula* (Raddi) J. Smith
9931. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
9932. Passifloraceae: *Passiflora kawensis* Feuillet
9933. Rubiaceae: *Palicourea guianensis* Aubl.
9934. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
9935. Melastomataceae: *Pterolepis glomerata* (Rottb.) Miq.
9936. Orchidaceae: *Sarcoglottis metallica* (Rolfe) Schltr.
9937. Solanaceae: *Solanum stramoniiifolium* Jacq.
9938. Melastomataceae: *Adelobotrys permixta* Wurdack
9939. Compositae: *Mikania psilostachya* DC.
9940. Poaceae: *Paspalum altsonii* Chase
9941. Pteridophyte: Indet.
9942. Poaceae: *Panicum pycnocladus* Tutin
9943. Rubiaceae: *Mitracarpus* sp.
9944. Melastomataceae: *Clidemia sericea* D. Don
9945. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvatica* (Poepp. and Kunth) T. Koyama
9946. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
9947. Sapindaceae: *Matayba peruviana* Radlk. ssp. *oligandra* (Sandw.) Acev.-Rodr.
9948. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
9949. Rubiaceae: *Notopleura* sp.
9950. Myrsinaceae: Indet.
9951. Gentianaceae: *Tachia schomburgkiana* Benth.
9952. Clusiaceae: Indet.
9953. Lauraceae: Indet.
9954. Rubiaceae: *Manettia alba* (Aubl.) Wernham
9955. Ochnaceae: Indet.
9956. Melastomataceae: *Miconia marginata* Triana
9957. Rubiaceae: *Psychotria tepuiensis* (Steyererm.) Steyererm.
9958. Myrsinaceae: Indet.
9959. Melastomataceae: *Miconia ciliata* (Rich.) DC.
9960. Rubiaceae: *Psychotria apoda* Steyererm.
9961. Gentianaceae: *Tapeinostemon spenneroides* Benth.
9962. Cyperaceae: *Mapania macrophylla* (Böck.) H. Pfeiff.
9963. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steyererm.
9964. Dryopteridaceae: *Cyclodium varians* (Fée) A. R. Sm.

9965. Araceae: *Philodendron insigne* Schott
 9966. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
 9967. Hymenophyllaceae: Indet.
 9968. Hymenophyllaceae: Indet. [immature]
 9969. Compositae: *Mikania trinitaria* DC.
 9970. Bromeliaceae: Indet.
 9971. Bromeliaceae: *Guzmania altsonii* L. B. Sm.
 9972. Araceae: *Stenospermation ammiticum* G. S. Bunting
 9973. Orchidaceae: *Jacquiniella globosa* (Jacq.) Schltr.
 9974. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
 9974a. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
 9975. Gentianaceae: *Tachia grandiflora* Maguire and Weaver
 9976. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
 9977. Orchidaceae: Indet.
 9978. Leguminosae-Faboideae: *Cajanus cajan* (L.) Millsp.
 9979. Poaceae: *Panicum pycnocladus* Tutin
 9980. Hymenophyllaceae: Indet.
 9981. Pteridophyte: Indet.
 9982. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
 9983. Campanulaceae: Indet.
 9984. Adiantaceae: *Pityrogramma calomelanos* (L.) Link
 9985. Poaceae: *Raddiella esenbeckii* (Steud.) C. E. Calderón and Soderstr.
 9986. Gleicheniaceae: *Sticherus remotus* (Kaulf.) Chrysler
 9987. Malpighiaceae: Indet.
 9988. Orchidaceae: Indet.
 9989. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
 9990. Lentibulariaceae: *Utricularia* sp.
 9991. Orchidaceae: Indet.
 9992. Orchidaceae: Indet.
 9993. Orchidaceae: Indet.
 9994. Orchidaceae: Indet.
 9995. Orchidaceae: Indet.
 9996. Orchidaceae: Indet.
 9997. Orchidaceae: Indet.
 9998. Burmanniaceae: *Gymnosiphon* sp.
 9999. Boraginaceae: *Cordia nodosa* Lam.
 10000. Leguminosae-Caesalpinioideae: *Brownea* sp.
 10001. Chrysobalanaceae: *Hirtella silicea* Griseb.
 10002. Orchidaceae: Indet.
 10003. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
 10004. Annonaceae: *Duguetia decurrens* R. E. Fr.
 10005. Rubiaceae: *Psychotria muscosa* (Jacq.) Steyerem.
 10006. Melastomataceae: *Macrocentrum minus* Gleason
 10007. Hymenophyllaceae: Indet.
 10008. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
 10009. Dennstaedtiaceae: *Lindsaea cyclophylla* K. U. Kramer
 10010. Pteridophyte: Indet.
 10011. Hymenophyllaceae: Indet.
 10012. Orchidaceae: Indet.
 10013. Orchidaceae: Indet.
 10014. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
 10015. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
 10016. Rapateaceae: *Epidryos guayanensis* Maguire
 10017. Pteridophyte: Indet.
 10018. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
 10019. Hepaticae: Indet.
 10020. Rubiaceae: *Didymochlamys connellii* N. E. Br.
 10021. Ericaceae: Indet.
 10022. Rubiaceae: *Psychotria bostrychothyrus* Sandwith
 10023. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
 10024. Orchidaceae: Indet.
 10024a. Marantaceae: *Ischnosiphon puberulus* Loes. var. *verruculosus* (J. F. Macbr.) L. Andersson
 10025. Cyclanthaceae: Indet.
 10026. Orchidaceae: *Elleanthus caravata* (Aubl.) Rchb. f.
 10027. Gesneriaceae: *Drymonia* sp.
 10028. Piperaceae: *Peperomia* ? sp. nov.
 10029. Violaceae: *Paypayrola* sp.
 10030. Hymenophyllaceae: Indet.
 10031. Myrtaceae: Indet.
 10032. Melastomataceae: *Tococa aristata* Benth.
 10033. Rubiaceae: *Psychotria iodotricha* Müll. Arg.
 10034. Rubiaceae: *Coccocypselum* sp.
 10035. Bryophyte: Indet.
 10036. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
 10037. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
 10038. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 10039. Melastomataceae: *Clidemia involucrata* DC.
 10040. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
 10041. Zingiberaceae: *Renealmia orinocensis* Rusby
 10042. Melastomataceae: *Adelobotrys permixta* Wurdack
 10043. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey

10044. Clusiaceae: Indet.
 10045. Cyclanthaceae: Indet.
 10046. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
 10047. Ochnaceae: *Ouratea superba* Engl.
 10048. Pteridophyte: Indet.
 10049. Bromeliaceae: Indet.
 10050. Araceae: *Philodendron wittianum* Engl.
 10051. Sapindaceae: *Serjania membranacea* Splitg.
 10052. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *spiculosa*
 10053. Arecaceae: *Bactris oligoclada* Burret
 10054. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
 10055. Bryophyte: Indet.
 10056. Lichen-Incert. sed.: Indet.
 10057. Leguminosae-Caesalpinioideae: *Cassia* sp.
 10058. Gesneriaceae: *Besleria insolita* C. V. Morton
 10059. Rubiaceae: Indet.
 10060. Bryophyte: Indet.
 10061. Piperaceae: *Piper* sp.
 10062. Pteridophyte: Indet.
 10063. Melastomataceae: *Leandra purpurea* Gleason
 10064. Begoniaceae: *Begonia jenmanii* Tutin
 10065. Tectariaceae: *Tectaria plantaginea* (Jacq.) Maxon
 10066. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
 10067. Bryophyte: Indet.
 10068. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
 10069. Hymenophyllaceae: *Trichomanes elegans* Rich.
 10070. Hymenophyllaceae: *Trichomanes elegans* Rich.
 10071. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
 10072. Orchidaceae: Indet.
 10073. Orchidaceae: Indet.
 10074. Cyclanthaceae: Indet.
 10075. Arecaceae: *Bactris simplicifrons* Mart.
 10076. Costaceae: *Costus arabicus* L.
 10077. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
 10078. Pteridophyte: Indet.
 10079. Leguminosae: Indet.
 10080. Loganiaceae: Indet.
 10081. Connaraceae: Indet.
 10082. Rubiaceae: *Psychotria apoda* Steyerm.
 10083. Pteridophyte: Indet.
 10084. Orchidaceae: Indet.
 10085. Dryopteridaceae: *Polybotrya caudata* Kunze
 10086. Lomariopsidaceae: *Elaphoglossum laminarioides* (Bory ex Fée) T. Moore
 10087. Polypodiaceae: *Polypodium caceresii* Sodiro
 10088. Marantaceae: *Calathea casupito* (Jacq.) Schult.
 10089. Orchidaceae: Indet.
 10090. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
 10091. Aspleniaceae: *Asplenium pteropus* Kaulf.
 10092. Melastomataceae: *Aciotis purpurascens* (Aubl.) Triana
 10093. Dryopteridaceae: *Olfersia cervina* (L.) Kunze
 10094. Piperaceae: *Piper* sp.
 10095. Piperaceae: *Piper* sp.
 10096. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
 10097. Piperaceae: *Peperomia* ? sp. nov.
 10098. Melastomataceae: *Miconia mariae* Wurdack
 10099. Rubiaceae: *Psychotria* sp.
 10100. Polypodiaceae: *Polypodium caceresii* Sodiro
 10101. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
 10102. Cyperaceae: *Mapania* sp.
 10103. Apocynaceae: *Bonafousia* sp.
 10104. Euphorbiaceae: Indet.
 10105. Tectariaceae: *Tectaria trifoliata* (L.) Cav.
 10106. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
 10107. Leguminosae-Caesalpinioideae: *Dicymbe* sp.
 10108. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
 10109. Melastomataceae: *Miconia plukenetii* Naudin
 10110. Leguminosae: Indet.
 10111. Piperaceae: *Peperomia ouabiana* C. DC.
 10112. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
 10113. Hymenophyllaceae: Indet.
 10114. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
 10115. Bryophyte: Indet.
 10116. Hepaticae: Indet.
 10117. Hymenophyllaceae: Indet.
 10118. Bryophyte: Indet.
 10119. Bryophyte: Indet.
 10120. Bryophyte: Indet.
 10121. Acanthaceae: *Justicia potarensis* (Bremek.) Wassh.
 10122. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
 10123. Malpighiaceae: *Byrsonima* sp.
 10124. Poaceae: *Ichnanthus panicoides* P. Beauv.
 10125. Rubiaceae: *Psychotria aetantha* (Sandwith) Steyerm.

10126. Poaceae: *Parodiolyra micrantha* (Kunth) Davidse and Zuloaga
10127. Polypodiaceae: *Polypodium dulce* Poir.
10128. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
10129. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
10130. Compositae: *Mikania rondonensis* V. M. Badillo
10131. Rhamnaceae: *Ziziphus cinnamomum* Triana and Planch.
10132. Myrtaceae: Indet.
10133. Melastomataceae: *Clidemia involucrata* DC.
10134. Annonaceae: *Anaxagorea petiolata* R. E. Fr.
10135. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
10136. Cyclanthaceae: Indet.
10137. Orchidaceae: Indet.
10138. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
10139. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
10140. Passifloraceae: *Ancistrothyrsus* sp.
10141. Lichen-Incert. sed.: Indet.
10142. Grammitidaceae: *Cochlidium serrulatum* (Sw.) L. E. Bishop
10143. Orchidaceae: Indet.
10144. Orchidaceae: Indet.
10145. Orchidaceae: Indet.
10146. Piperaceae: *Peperomia* ? sp. nov.
10147. Commelinaceae: Indet.
10148. Compositae: *Mikania banisteriae* DC.
10149. Melastomataceae: *Miconia* sp.
10150. Melastomataceae: *Leandra sanguinea* Gleason
10151. Leguminosae-Mimosoideae: *Inga* sp.
10152. Lauraceae: Indet.
10153. Sapindaceae: *Paullinia capreolata* (Aubl.) Radlk.
10154. Campanulaceae: *Centropogon cornutus* (L.) Druce
10155. Solanaceae: *Solanum proteanthum* Bohs
10156. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
10157. Pteridophyte: Indet.
10158. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
10159. Melastomataceae: *Miconia fragrans* Cogn.
10160. Begoniaceae: *Begonia jenmanii* Tutin
10161. Heliconiaceae: *Heliconia psittacorum* L. f.
10162. Passifloraceae: *Passiflora balbis* Feuillet
10163. Melastomataceae: *Miconia plukenetii* Naudin
10164. Malpighiaceae: Indet.
10165. Clusiaceae: Indet.
10166. Rubiaceae: *Psychotria bostrychothyrsus* Sandwith
10167. Gentianaceae: *Tachia schomburgkiana* Benth.
10168. Rubiaceae: *Ronabea latifolia* Aubl.
10169. Euphorbiaceae: *Mabea speciosa* Müll. Arg.
10170. Lichen-Incert. sed.: Indet.
10171. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
10172. Gesneriaceae: *Alloplectus cristatus* (L.) Mart. var. *epirotus* Leeuwenb.
10173. Orchidaceae: Indet.
10174. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev. ssp. *surinamensis* (Miq.) T. D. Penn.
10175. Clusiaceae: Indet.
10176. Myrtaceae: Indet.
10177. Sapotaceae: *Micropholis longipedicellata* Aubrév.
10178. Rubiaceae: *Psychotria crocochlamys* Sandwith
10179. Myrsinaceae: Indet.
10180. Myrtaceae: Indet.
10181. Chloranthaceae: *Hedyosmum tepuiense* Todzia
10182. Melastomataceae: *Tococa aristata* Benth.
10183. Solanaceae: *Markea* sp.
10184. Nyctaginaceae: Indet.
10185. Piperaceae: Indet.
10186. Piperaceae: Indet.
10187. Dennstaedtiaceae: *Ormoloma imrayanum* (Hook.) Maxon
10188. Pteridophyte: Indet.
10189. Melastomataceae: *Clidemia heptamera* Wurdack
10190. Myrsinaceae: Indet.
10191. Heliconiaceae: *Heliconia psittacorum* L. f.
10192. Piperaceae: *Peperomia* sp.
10193. Melastomataceae: *Clidemia ostentata* Wurdack
10194. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
10195. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
10196. Rubiaceae: *Psychotria officinalis* (Aubl.) Rausch. ex Sandwith
10197. Melastomataceae: *Clidemia pakaraimae* Wurdack
10198. Ochnaceae: *Sauvagesia* sp.
10199. Myrtaceae: *Myrcia* aff. *fenzliana* O. Berg
10200. Rubiaceae: Indet.
10201. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
10202. Cyperaceae: *Mapania* sp.
10203. Commelinaceae: Indet.
10204. Rubiaceae: *Pagamea coriacea* Spruce ex Benth. var. *acuta* Steyerm.
10205. Incertae sedis: Indet.
10206. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
10207. Smilacaceae: *Smilax* sp.

10208. Polypodiaceae: *Polypodium sessilifolium* Desv.
 10209. Hymenophyllaceae: Indet.
 10210. Pteridophyte: Indet.
 10211. Dennstaedtiaceae: *Lindsaea tenuis* Klotzsch
 10212. Rubiaceae: Indet.
 10213. Grammitidaceae: *Grammitis kalbreyeri* (Baker)
 C. V. Morton
 10214. Melastomataceae: *Macrocentrum droseroides*
 Triana
 10215. Grammitidaceae: *Cochlidium linearifolium*
 (Desv.) Maxon ex C. Chr.
 10216. Grammitidaceae: *Cochlidium furcatum* (Hook.
 and Grev.) C. Chr.
 10217. Bryophyte: Indet.
 10218. Rubiaceae: *Didymochlamys connellii* N. E. Br.
 10219. Orchidaceae: Indet.
 10220. Orchidaceae: Indet.
 10221. Orchidaceae: Indet.
 10222. Orchidaceae: Indet.
 10223. Piperaceae: *Peperomia purpurinervis* C. DC.
 10224. Ericaceae: *Sphyraspermum cordifolium* Benth.
 10225. Melastomataceae: *Macrocentrum*
brevipedicellatum Wurdack
 10226. Gentianaceae: *Chorisepalum psychotrioides* Ewan
 10227. Nyctaginaceae: *Neea ovalifolia* Spruce ex J. A.
 Schmidt
 10228. Myrtaceae: *Calyptranthes pulchella* DC.
 10229. Apocynaceae: *Bonafousia* sp.
 10230. Araceae: *Philodendron insigne* Schott
 10231. Bromeliaceae: *Guzmania squarrosa* (Mez and
 Sodiro) L. B. Sm. and Pittendr.
 10232. Orchidaceae: Indet.
 10233. Sapotaceae: *Pradosia* ? sp.
 10234. Clusiaceae: Indet.
 10235. Melastomataceae: *Phainantha maguirei* Wurdack
 10236. Hymenophyllaceae: Indet.
 10237. Bromeliaceae: *Guzmania sphaeroidea* (André)
 André ex Mez
 10238. Annonaceae: *Annona symphyocarpa* Sandwith
 10239. Gesneriaceae: *Paradrymonia ciliosa* (Mart.)
 Wiehler
 10240. Piperaceae: *Piper* sp.
 10241. Myrsinaceae: Indet. cf.
 10242. Pteridophyte: Indet.
 10243. Rapateaceae: *Stegolepis steyermarkii* Maguire
 10244. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
 10245. Burmanniaceae: *Dictyostega orobanchoides*
 (Hook.) Miers ssp. *orobanchoides*
 10246. Burmanniaceae: *Gymnosiphon divaricatus*
 (Benth.) Benth. and Hook. f.
 10247. Burmanniaceae: Indet.
 10248. Loranthaceae: *Psittacanthus leptanthus* Sandwith
 10249. Myrsinaceae: Indet.
 10250. Bromeliaceae: *Brocchinia micrantha* (Baker) Mez
 10251. Cyclanthaceae: Indet.
 10252. Gentianaceae: *Tapeinostemon spenneroides* Benth.
 10253. Myrtaceae: Indet.
 10254. Gesneriaceae: *Paradrymonia anisophylla* Feuillet
 and L. E. Skog
 10255. Dennstaedtiaceae: *Lindsaea tenuis* Klotzsch
 10256. Verbenaceae: *Aegiphila bracteolosa* Moldenke
 10257. Dennstaedtiaceae: *Ormoloma imrayanum*
 (Hook.) Maxon
 10258. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
 10259. Orchidaceae: *Epidendrum carpophorum* Barb.
 Rodr.
 10260. Araliaceae: *Schefflera* sp.
 10261. Lentibulariaceae: *Utricularia* sp.
 10262. Melastomataceae: *Tococa guianensis* Aubl.
 10263. Piperaceae: *Piper* sp.
 10264. Rubiaceae: *Rudgea* sp.
 10265. Myrtaceae: Indet.
 10266. Rubiaceae: *Schradera* sp.
 10267. Melastomataceae: *Adelobotrys* aff. *monticola*
 Gleason
 10268. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
 10269. Melastomataceae: *Graffenrieda intermedia* Triana
 10270. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
 10271. Cyatheaceae: *Cnemidaria roraimensis* (Domin)
 R. M. Tryon
 10272. Marattiaceae: *Danaea elliptica* Sm.
 10273. Cyclanthaceae: Indet.
 10274. Rapateaceae: *Rapatea paludosa* Aubl.
 10275. Marantaceae: *Calathea casupito* (Jacq.) Schult.
 10276. Melastomataceae: *Macrocentrum repens*
 (Gleason) Wurdack
 10277. Rubiaceae: *Psychotria tepuiensis* (Steyerm.)
 Steyerm.
 10278. Erythroxylaceae: *Erythroxylum amazonicum*
 Peyr.
 10279. Flacourtiaceae: Indet.
 10280. Myrtaceae: *Myrcia bolivarensis* (Steyerm.)
 McVaugh
 10281. Leguminosae-Mimosoideae: *Inga* sp.
 10282. Rubiaceae: *Isertia hypoleuca* Benth.
 10283. Orchidaceae: Indet.
 10284. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
 10285. Flacourtiaceae: Indet.
 10286. Annonaceae: *Guatteria wokomungensis* Scharf
 and Maas

10287. Boraginaceae: *Cordia* sp.
 10288. Bryophyte: Indet.
 10289. Hymenophyllaceae: Indet.
 10290. Arecaceae: *Geonoma aspidiifolia* Spruce
 10291. Melastomataceae: *Miconia* sp.
 10292. Bryophyte: Indet.
 10293. Melastomataceae: *Graffenrieda intermedia*
 Triana
 10294. Polypodiaceae: *Polypodium loriceum* L.
 10295. Gesneriaceae: *Nautilocalyx coccineus* Feuillet
 and L. E. Skog
 10296. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
 10297. Gesneriaceae: *Nautilocalyx cordatus* (Gleason)
 L. E. Skog
 10298. Cyperaceae: *Mapania* sp.
 10299. Viscaceae: *Phoradendron crassifolium* (Pohl ex
 DC.) Eichler
 10300. Myrtaceae: Indet.
 10301. Melastomataceae: *Macrocentrum cristatum*
 (DC.) Triana
 10302. Piperaceae: *Peperomia lancifolia* Hook.
 10303. Annonaceae: *Anaxagorea petiolata* R. E. Fr.
 10304. Gesneriaceae: *Napeanthus rupicola* Feuillet and
 L. E. Skog
 10305. Hymenophyllaceae: Indet.
 10306. Orchidaceae: *Psilochilus dusenianus* Kraenzl. ex
 Garay and Dunst.
 10307. Pteridophyte: Indet.
 10308. Sphagnaceae: *Sphagnum* sp.
 10309. Sphagnaceae: *Sphagnum* sp.
 10310. Melastomataceae: *Tococa erythrophylla* (Ule)
 Wurdack
 10311. Melastomataceae: *Macrocentrum stipulaceum*
 Wurdack
 10312. Gesneriaceae: Indet.
 10313. Myrsinaceae: Indet.
 10314. Rubiaceae: *Psychotria aubletiana* Steyerem.
 10315. Compositae: *Guayania roupalifolia* (B. L. Rob.)
 R. M. King and H. Rob.
 10316. Poaceae: *Isachne rigens* (Sw.) Trin.
 10317. Campanulaceae: *Centropogon cornutus* (L.)
 Druce
 10318. Lentibulariaceae: *Utricularia* sp.
 10319. Lentibulariaceae: *Utricularia* sp.
 10320. Chloranthaceae: *Hedyosmum tepuiense* Todzia
 10321. Rubiaceae: *Psychotria officinalis* (Aubl.)
 Raeusch. ex Sandwith
 10322. Myrsinaceae: Indet.
 10323. Piperaceae: *Piper* sp.
 10324. Melastomataceae: *Graffenrieda intermedia*
 Triana
 10325. Pteridophyte: Indet.
 10326. Adiantaceae: *Doryopteris conformis* K. U.
 Kramer and R. M. Tryon
 10327. Blechnaceae: *Blechnum lherminieri* (Bory) C. Chr.
 10328. Compositae: *Baccharis brachylaenoides* DC.
 10329. Rubiaceae: *Palicourea perquadrangularis*
 Wernham
 10330. Melastomataceae: *Miconia bracteata* (DC.)
 Triana
 10331. Dennstaedtiaceae: *Lindsaea tenuis* Klotzsch
 10332. Bryophyte: Indet.
 10333. Melastomataceae: *Macrocentrum stipulaceum*
 Wurdack
 10334. Anthocerophyte: Indet.
 10335. Lichen-Incert. sed.: Indet.
 10336. Bryophyte: Indet.
 10337. Hepaticae: Indet.
 10338. Orchidaceae: Indet.
 10339. Grammitidaceae: *Grammitis asplenifolia* (L.)
 Proctor
 10340. Compositae: *Baccharis brachylaenoides* DC.
 10341. Rubiaceae: *Psychotria tillettii* Steyerem.
 10342. Eriocaulaceae: Indet.
 10343. Orchidaceae: Indet.
 10344. Melastomataceae: *Boyania ayangannae* Wurdack
 10345. Hymenophyllaceae: Indet.
 10346. Pteridophyte: Indet.
 10347. Cyperaceae: *Mapania* sp.
 10348. Pteridophyte: Indet.
 10349. Ochnaceae: *Sauvagesia* sp.
 10350. Gesneriaceae: *Rhoogeton cyclophyllus* Leeuwenb.
 10351. Gesneriaceae: *Napeanthus rupicola* Feuillet and
 L. E. Skog
 10352. Ochnaceae: Indet. cf.
 10353. Bonnetiaceae: *Bonnetia paniculata* Spruce ex
 Benth.
 10354. Piperaceae: *Piper* sp.
 10355. Myrtaceae: Indet.
 10356. Clusiaceae: Indet.
 10357. Arecaceae: *Geonoma appuniana* Spruce
 10358. Hymenophyllaceae: Indet.
 10359. Bromeliaceae: *Vriesea duidae* (L. B. Sm.) Gouda
 10360. Orchidaceae: Indet.
 10361. Pteridophyte: Indet.
 10362. Pteridophyte: Indet.
 10363. Hymenophyllaceae: Indet.
 10364. Bryophyte: Indet.

10365. Rubiaceae: *Faramea cardonae* Standl. and Steyerl.
 10366. Compositae: *Mikania sprucei* Baker
 10367. Myrsinaceae: Indet.
 10368. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
 10369. Chloranthaceae: *Hedyosmum tepuiense* Todzia
 10370. Sapotaceae: *Pouteria* sp.
 10371. Clusiaceae: Indet.
 10372. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
 10373. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
 10374. Rubiaceae: *Psychotria* sp.
 10375. Melastomataceae: *Leandra sanguinea* Gleason ssp. *tepuiensis* Wurdack
 10376. Chrysobalanaceae: Indet.
 10377. Melastomataceae: *Adelobotrys monticola* Gleason
 10378. Compositae: *Mikania micrantha* Kunth
 10379. Rubiaceae: *Psychotria apoda* Steyerl.
 10380. Euphorbiaceae: *Croton matourensis* Aubl.
 10381. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
 10382. Melastomataceae: *Miconia loreyoides* Triana
 10383. Erythroxylaceae: *Erythroxylum* sp.
 10384. Melastomataceae: *Miconia loreyoides* Triana
 10385. Rubiaceae: Indet.
 10386. Loganiaceae: *Spigelia* sp.
 10387. Melastomataceae: *Graffenrieda intermedia* Triana
 10388. Polypodiaceae: *Polypodium loriceum* L.
 10389. Melastomataceae: *Boyania ayangannae* Wurdack
 10390. Marattiaceae: *Danaea moritziana* C. Presl
 10391. Lichen-Incert. sed.: Indet.
 10392. Orchidaceae: Indet.
 10393. Dennstaedtiaceae: *Lindsaea quadrangularis* Raddi ssp. *antillensis* K. U. Kramer
 10394. Myrsinaceae: Indet.
 10395. Rubiaceae: *Psychotria plocamipes* Wernham
 10396. Pteridophyte: Indet.
 10397. Orchidaceae: Indet.
 10398. Hymenophyllaceae: Indet.
 10399. Bryophyte: Indet.
 10400. Hymenophyllaceae: Indet.
 10401. Bryophyte: Indet.
 10402. Bryophyte: Indet.
 10403. Lomariopsidaceae: *Elaphoglossum* vel aff. *vanderwerffii* Mickel
 10404. Clusiaceae: Indet.
 10405. Ochnaceae: *Ouratea microcalyx* (Engl.) Sastre
 10406. Clusiaceae: Indet.
 10407. Anthocerophyte: Indet.
 10408. Bryophyte: Indet.
 10409. Rubiaceae: Indet.
 10410. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
 10411. Gesneriaceae: *Alloplectus cristatus* (L.) Mart. var. *epirotos* Leeuwenb.
 10412. Gleicheniaceae: *Gleichenia remota* Kaulf.
 10413. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
 10414. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
 10415. Leguminosae-Mimosoideae: *Inga* sp.
 10416. Passifloraceae: *Passiflora balbis* Feuillet
 10417. Melastomataceae: *Miconia* sp.
 10418. Lichen-Incert. sed.: Indet.
 10419. Orchidaceae: Indet.
 10420. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
 10421. Pteridophyte: Indet.
 10422. Sapindaceae: Indet.
 10423. Euphorbiaceae: *Drypetes variabilis* Uittien
 10424. Leguminosae-Mimosoideae: *Inga* sp.
 10425. Myrtaceae: *Myrcia deflexa* (Poir.) DC.
 10426. Chloranthaceae: *Hedyosmum tepuiense* Todzia
 10427. Myrsinaceae: Indet.
 10428. Piperaceae: *Peperomia reptans* C. DC.
 10429. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
 10430. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
 10431. Orchidaceae: Indet.
 10432. Hymenophyllaceae: Indet.
 10433. Orchidaceae: Indet.
 10434. Orchidaceae: Indet.
 10435. Orchidaceae: Indet.
 10436. Hepaticae: Indet.
 10437. Bryophyte: Indet.
 10438. Hepaticae: Indet.
 10439. Bryophyte: Indet.
 10440. Bryophyte: Indet.
 10441. Pteridophyte: Indet.
 10442. Rubiaceae: *Elaeagia* sp.
 10443. Myrtaceae: *Myrcia* sp.
 10444. Rubiaceae: *Psychotria apoda* Steyerl.
 10445. Melastomataceae: *Miconia fragrans* Cogn.
 10446. Orchidaceae: *Dichaea hystricina* Rchb. f.
 10447. Hymenophyllaceae: Indet.

10448. Melastomataceae: *Henriettea stellaris* O. Berg ex Triana
10449. Marcgraviaceae: *Marcgravia sororopaniana* Steyerl.
10450. Rubiaceae: *Elaeagia* sp.
10451. Rubiaceae: *Coussarea* sp.
10452. Melastomataceae: *Graffenrieda intermedia* Triana
10453. Rubiaceae: *Psychotria* sp.
10454. Orchidaceae: *Octomeria* sp.
10455. Myrtaceae: Indet.
10456. Annonaceae: *Guatteria wokomungensis* Scharf and Maas
10457. Clusiaceae: Indet.
10458. Clusiaceae: Indet.
10459. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
10460. Chrysobalanaceae: Indet.
10461. Flacourtiaceae: Indet.
10462. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
10463. Myrtaceae: Indet.
10464. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
10465. Smilacaceae: *Smilax* sp.
10466. Marcgraviaceae: *Marcgravia maguirei* de Roon
10467. Melastomataceae: *Miconia* sp.
10468. Melastomataceae: *Adelobotrys monticola* Gleason
10469. Melastomataceae: *Topobea* ? sp. nov.
10470. Hymenophyllaceae: Indet.
10471. Clusiaceae: *Vismia* sp.
10472. Ericaceae: *Cavendishia callista* Donn. Sm.
10473. Rutaceae: Indet.
10474. Melastomataceae: *Miconia superba* Ule
10475. Lentibulariaceae: *Utricularia* sp.
10476. Hymenophyllaceae: Indet.
10477. Myrtaceae: *Eugenia* sp.
10478. Rubiaceae: *Coussarea* sp.
10479. Lomariopsidaceae: *Elaphoglossum flaccidum* (Fée) T. Moore
10480. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
10481. Solanaceae: *Lycianthes pauciflora* (Vahl) Bitter
10482. Hepaticae: Indet.
10483. Solanaceae: Indet.
10484. Grammitidaceae: *Grammitis kalbreyeri* (Baker) C. V. Morton
10485. Hepaticae: Indet.
10486. Myrtaceae: Indet.
10487. Piperaceae: *Piper* sp.
10488. Hepaticae: Indet.
10489. Cladoniaceae: *Cladonia* sp.
10490. Piperaceae: *Peperomia purpurinervis* C. DC.
10491. Orchidaceae: Indet.
10492. Araliaceae: *Schefflera* sp.
10493. Annonaceae: *Guatteria wokomungensis* Scharf and Maas
10494. Solanaceae: *Markea* sp.
10495. Orchidaceae: Indet.
10496. Cunoniaceae: *Weinmannia* sp.
10497. Moraceae: *Ficus americana* Aubl. ssp. *americana*
10498. Melastomataceae: *Leandra* sp.
10499. Boraginaceae: *Tournefortia melanochaeta* DC.
10500. Orchidaceae: Indet.
10501. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
10502. Melastomataceae: *Miconia affinis* DC.
10503. Clusiaceae: Indet.
10504. Clusiaceae: Indet.
10505. Clusiaceae: Indet.
10506. Bonnetiaceae: Indet. cf.
10507. Piperaceae: *Piper* sp.
10508. Rubiaceae: *Psychotria tillettii* Steyerl.
10509. Grammitidaceae: *Grammitis flabelliformis* (Poir.) C. V. Morton
10510. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
10511. Cecropiaceae: *Cecropia kavanayensis* Cuatrec.
10512. Pteridophyte: Indet.
10513. Bryophyte: Indet.
10514. Gentianaceae: Indet. ?
10515. Bonnetiaceae: Indet.
10516. Orchidaceae: Indet.
10517. Compositae: *Mikania boomii* Pruski
10518. Marcgraviaceae: *Marcgravia sororopaniana* Steyerl.
10519. Cyperaceae: *Rhynchospora ayangannensis* M. T. Strong
10520. Eriocaulaceae: *Paepalanthus tortilis* (Bong.) Körn.
10521. Campanulaceae: *Centropogon roraimanus* E. Wimm.
10522. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
10523. Araliaceae: *Schefflera* sp.
10524. Cladoniaceae: *Cladonia* sp.
10525. Araliaceae: *Schefflera* sp.
10526. Droseraceae: *Drosera roraimae* (Klotzsch ex Diels) Maguire and J. R. Laundon
10527. Adiantaceae: *Eriosorus flexuosus* (Kunth) Copel.
10528. Rubiaceae: *Psychotria ayangannensis* Steyerl.
10529. Dioscoreaceae: *Dioscorea* sp.
10530. Myrtaceae: *Calypttranthes pulchella* DC.
10531. Orchidaceae: Indet.

10532. Orchidaceae: Indet.
 10533. Pteridophyte: Indet.
 10534. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
 10535. Compositae: *Stenopadus connellii* (N. E. Br.)
 S. F. Blake
 10536. Passifloraceae: *Passiflora* sp.
 10537. Myrtaceae: Indet. cf.
 10538. Podocarpaceae: *Podocarpus steyermarkii*
 J. Buchholz and N. E. Gray
 10539. Podocarpaceae: *Podocarpus steyermarkii*
 J. Buchholz and N. E. Gray
 10540. Aquifoliaceae: *Ilex* cf. sp.
 10541. Marcgraviaceae: *Marcgravia sororopaniana*
 Steyerl.
 10542. Pteridophyte: Indet.
 10543. Pteridophyte: Indet.
 10544. Lentibulariaceae: *Utricularia* sp.
 10545. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
 10546. Compositae: *Baccharis brachylaenoides* DC.
 10547. Lythraceae: Indet. sp.
 10548. Rubiaceae: *Psychotria heteroneura* Steyerl.
 10549. Malpighiaceae: Indet.
 10550. Bryophyte: Indet.
 10551. Bonnetiaceae: *Bonnetia paniculata* Spruce ex
 Benth.
 10552. Myrsinaceae: Indet.
 10553. Erythroxylaceae: *Erythroxylum oreophilum*
 (O. E. Schulz ex Pilg.) Steyerl. and Maguire
 10554. Verbenaceae: *Aegiphila bracteolosa* Moldenke
 10555. Compositae: *Guayania roupalifolia* (B. L. Rob.)
 R. M. King and H. Rob.
 10556. Compositae: *Chromolaena pharcidodes* (B. L.
 Rob.) R. M. King and H. Rob.
 10557. Clusiaceae: Indet.
 10558. Myrtaceae: Indet.
 10559. Viscaceae: *Dendrophthora elliptica* (Gardner)
 Krug and Urb.
 10560. Melastomataceae: *Tococa erythrophylla* (Ule)
 Wurdack
 10561. Lentibulariaceae: *Utricularia* sp.
 10562. Bryophyte: Indet.
 10563. Orchidaceae: Indet.
 10564. Orchidaceae: *Octomeria* sp.
 10565. Melastomataceae: *Macrocentrum*
brevipedicellatum Wurdack
 10566. Gentianaceae: *Irbachia* sp.
 10567. Bonnetiaceae: Indet.
 10568. Lycopodiaceae: *Lycopodiella caroliniana* (L.) Pic.
 Serm. var. *meridional* (Underwood and Lloyd) B.
 Ollg. and Widisch
 10569. Malpighiaceae: Indet.
 10570. Moraceae: *Ficus americana* Aubl. ssp. *americana*
 10571. Gnetaceae: *Gnetum nodiflorum* Brongn.
 10572. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand.
 10573. Orchidaceae: Indet.
 10574. Cyperaceae: *Didymiandrum stellatum* (Böck.)
 Gilly
 10575. Bryophyte: Indet.
 10576. Bryophyte: Indet.
 10577. Graphidaceae: *Graphis* sp.
 10578. Parmeliaceae: *Usnea* sp.
 10579. Graphidaceae: *Graphis* sp.
 10580. Cladoniaceae: *Cladonia* sp.
 10581. Lichen-Incert. sed.: Indet.
 10582. Selaginellaceae: *Selaginella flagellata* Spring
 10583. Orchidaceae: Indet.
 10584. Pteridophyte: Indet.
 10585. Pteridophyte: Indet.
 10586. Pteridophyte: Indet.
 10587. Orchidaceae: Indet.
 10588. Rubiaceae: *Psychotria tillettii* Steyerl.
 10589. Melastomataceae: *Macrocentrum fasciculatum*
 (Rich. ex DC.) Triana
 10590. Orchidaceae: Indet.
 10591. Orchidaceae: Indet.
 10592. Compositae: *Mikania micrantha* Kunth
 10593. Ericaceae: Indet.
 10594. Pteridophyte: Indet.
 10595. Apocynaceae: *Mandevilla* sp.
 10596. Clusiaceae: Indet.
 10597. Rubiaceae: *Malanea* sp.
 10598. Melastomataceae: *Miconia* sp.
 10599. Melastomataceae: *Miconia* sp.
 10600. Ericaceae: Indet.
 10601. Bryophyte: Indet.
 10602. Hymenophyllaceae: Indet.
 10603. Melastomataceae: *Macrocentrum*
brevipedicellatum Wurdack
 10604. Compositae: *Mikania psilostachya* DC.
 10605. Compositae: *Mikania duidensis* B. L. Rob.
 10606. Cyperaceae: *Machaerina ayangannensis* M. T.
 Strong
 10607. Adiantaceae: *Eriosorus hispidulus* (Kunze)
 Vareschi
 10608. Melastomataceae: *Phainantha maguirei* Wurdack
 10609. Melastomataceae: *Miconia bracteata* (DC.)
 Triana
 10610. Orchidaceae: *Octomeria* sp.
 10611. Hymenophyllaceae: Indet.
 10612. Bromeliaceae: *Brocchinia* sp.

10613. Lentibulariaceae: *Utricularia* sp.
 10614. Bryophyte: Indet.
 10615. Lentibulariaceae: *Utricularia* sp.
 10616. Graphidaceae: *Graphis* sp.
 10617. Pteridophyte: Indet.
 10618. Lichen-Incert. sed.: Indet.
 10619. Poaceae: *Chusquea linearis* N. E. Br.
 10620. Clusiaceae: Indet.
 10621. Rapateaceae: *Stegolepis* cf. *guianensis* Klotzsch ex Körn.
 10622. Solanaceae: *Solanum* sp.
 10623. Cunoniaceae: *Weinmannia* sp.
 10624. Cyperaceae: *Rhynchospora hieronymii* Böck.
 10625. Xyridaceae: *Orectanthe sceptrum* (Oliv.) Maguire
 10626. bryophyte: Indet.
 10627. Poaceae: *Neurolepis angusta* Swallen
 10628. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyerl. and Maguire
 10629. Cunoniaceae: *Weinmannia* sp.
 10630. Sapindaceae: *Allophylus robustus* Radlk.
 10631. Melastomataceae: *Graffenrieda intermedia* Triana
 10632. Rubiaceae: *Coussarea* sp.
 10633. Myrtaceae: Indet.
 10634. Euphorbiaceae: *Drypetes variabilis* Uittien
 10635. Myrsinaceae: Indet.
 10636. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
 10637. Solanaceae: *Solanum leucocarpon* Dunal
 10638. Rubiaceae: *Hoffmannia* sp.
 10639. Orchidaceae: Indet.
 10640. Clusiaceae: *Caraipea* cf. sp.
 10641. Sapindaceae: Indet.
 10642. Clusiaceae: Indet.
 10643. Myrtaceae: *Myrcia deflexa* (Poir.) DC.
 10644. Euphorbiaceae: *Croton roraimensis* Croizat
 10645. Clusiaceae: Indet.
 10646. Melastomataceae: *Miconia* sp.
 10647. Clusiaceae: Indet.
 10648. Rubiaceae: *Elaeagia maguirei* Standl.
 10649. Cyclanthaceae: Indet.
 10650. Nyctaginaceae: Indet.
 10651. Bryophyte: Indet.
 10652. Lichen-Incert. sed.: Indet.
 10653. Bryophyte: Indet.
 10654. Lichen-Incert. sed.: Indet.
 10655. Bryophyte: Indet.
 10656. Bryophyte: Indet.
 10657. Hepaticae: Indet.
 10658. Bryophyte: Indet.
 10659. Leguminosae-Caesalpinioideae: *Cassia* sp.
 10660. Pteridophyte: Indet.
 10661. Clusiaceae: Indet.
 10662. Solanaceae: *Markea* sp.
 10663. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
 10664. Myrtaceae: *Eugenia* sp.
 10665. Myrtaceae: *Myrcia* sp.
 10666. Rubiaceae: *Rudgea* sp.
 10667. Cucurbitaceae: *Gurania simplicifolia* (Steyerl.) C. Jeffrey
 10668. Melastomataceae: *Miconia tillettii* Wurdack
 10669. Clusiaceae: Indet.
 10670. Araceae: *Anthurium pentaphyllum* (Aubl.) G. Don
 10671. Erythroxylaceae: *Erythroxylum* cf. *divaricatum* Peyr.
 10672. Verbenaceae: *Aegiphila venezuelensis* Moldenke var. *serrata* Moldenke
 10673. Piperaceae: *Piper* sp.
 10674. Annonaceae: *Annona symphyocarpa* Sandwith
 10675. Annonaceae: Indet.
 10676. Clusiaceae: Indet.
 10677. Clusiaceae: *Moronobea* sp.
 10678. Passifloraceae: *Passiflora balbis* Feuillet
 10679. Sapotaceae: *Micropholis* aff. *mensalis* (Baehni) Aubrév.
 10680. Adiantaceae: *Adiantum latifolium* Lam.
 10681. Loranthaceae: *Psittacanthus leptanthus* Sandwith
 10682. Rubiaceae: *Psychotria heteroneura* Steyerl.
 10683. Clusiaceae: Indet.
 10684. Graphidaceae: *Graphis* cf. sp.
 10685. Piperaceae: *Piper* sp.
 10686. Leguminosae-Caesalpinioideae: Indet. cf.
 10687. Lecythidaceae: *Eschweilera sagotiana* Miers
 10688. Melastomataceae: Indet.
 10689. Flacourtiaceae: Indet.
 10690. Araliaceae: *Schefflera* sp.
 10691. Chrysobalanaceae: *Licania* sp.
 10692. Sapotaceae: *Micropholis* aff. *mensalis* (Baehni) Aubrév.
 10693. Gentianaceae: *Symbolanthus* sp.
 10694. Melastomataceae: *Phainantha maguirei* Wurdack
 10695. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
 10696. Orchidaceae: Indet.
 10697. Rubiaceae: *Notopleura* sp.
 10698. Rapateaceae: *Epidryos guayanensis* Maguire
 10699. Compositae: *Mikania micrantha* Kunth
 10700. Myrtaceae: Indet.

10701. Orchidaceae: Indet.
 10702. Hymenophyllaceae: *Trichomanes bicornne* Hook.
 10703. Cyperaceae: *Rhynchospora tepuiana* Steyererm.
 10704. Orchidaceae: Indet.
 10705. Melastomataceae: *Macrocentrum brevipedicellatum* Wurdack
 10706. Gentianaceae: Indet.
 10707. Myrsinaceae: Indet.
 10708. Rubiaceae: *Psychotria heteroneura* Steyererm.
 10709. Melastomataceae: *Meriania crassiramis* (Naudin) Wurdack
 10710. Erythroxylaceae: *Erythroxylum* sp.
 10711. Compositae: *Baccharis brachylaenoides* DC.
 10712. Orchidaceae: *Octomeria* sp.
 10713. Rubiaceae: *Psychotria tillettii* Steyererm.
 10714. Compositae: *Stenopadus connellii* (N. E. Br.) S. F. Blake
 10715. Rubiaceae: *Psychotria ayangannensis* Steyererm.
 10716. Marcgraviaceae: *Marcgravia sororopaniana* Steyererm.
 10717. Melastomataceae: *Miconia bracteata* (DC.) Triana
 10718. Pteridophyte: Indet.
 10719. Clusiaceae: Indet.
 10720. Myrtaceae: Indet.
 10721. Boraginaceae: *Cordia* sp.
 10722. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
 10723. Compositae: *Baccharis brachylaenoides* DC.
 10724. Rubiaceae: Indet.
 10725. Leguminosae-Mimosoideae: *Abarema* sp.
 10726. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyererm. and Maguire
 10727. Rubiaceae: *Psychotria ayangannensis* Steyererm.
 10728. Rubiaceae: *Psychotria glandulicalyx* Steyererm.
 10729. Campanulaceae: *Centropogon roraimanus* E. Wimm.
 10730. Orchidaceae: Indet.
 10731. Viscaceae: *Phoradendron chrysocladon* A. Gray
 10732. Rubiaceae: *Psychotria ayangannensis* Steyererm.
 10733. Flacourtiaceae: *Casearia* sp.
 10734. Selaginellaceae: *Selaginella* ? *revoluta* Baker
 10735. Lentibulariaceae: *Utricularia* sp.
 10736. Araliaceae: *Schefflera* sp.
 10737. Pteridophyte: Indet.
 10738. Bombacaceae: Indet.
 10739. Solanaceae: *Lycianthes pauciflora* (Vahl) Bitter
 10740. Solanaceae: *Solanum leucocarpon* Dunal
 10741. Verbenaceae: *Aegiphila venezuelensis* Moldenke var. *serrata* Moldenke
 10742. Celastraceae: Indet.
 10743. Loranthaceae: Indet.
 10744. Malpighiaceae: Indet.
 10745. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
 10746. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
 10747. Poaceae: *Neurolepis angusta* Swallen
 10748. Bromeliaceae: *Vriesea duidae* (L. B. Sm.) Gouda
 10749. Podocarpaceae: *Podocarpus steyermarkii* J. Buchholz and N. E. Gray
 10750. Ochnaceae: *Sauvagesia* sp.
 10751. Myrtaceae: *Calyptanthus pulchella* DC.
 10752. Xyridaceae: *Orectanthe sceptrum* (Oliv.) Maguire
 10753. Melastomataceae: *Miconia superba* Ule
 10754. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) Spencer and L. B. Sm.
 10755. Bromeliaceae: *Brocchinia tatei* L. B. Sm.
 10756. Ericaceae: *Bejaria aestuans* L.
 10757. Rubiaceae: *Psychotria tillettii* Steyererm.
 10758. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
 10759. Piperaceae: *Piper* sp.
 10760. Myrtaceae: Indet.
 10761. Dennstaedtiaceae: *Lindsaea portoricensis* Desv.
 10762. Boraginaceae: *Cordia* sp.
 10763. Euphorbiaceae: Indet. cf.
 10764. Ochnaceae: *Tyleria phelpsiana* Maguire and Steyererm.
 10765. Rapateaceae: *Stegolepis ayangannae* P. E. Berry, sp. nov. ined.
 10766. Melastomataceae: *Tococa* cf. *erythrophylla* (Ule) Wurdack
 10767. Cunoniaceae: *Weinmannia* sp.
 10768. Solanaceae: *Solanum* sp.
 10769. Chloranthaceae: *Hedyosmum tepuiense* Todzia
 10770. Myrtaceae: Indet.
 10771. Adiantaceae: *Eriosorus flexuosus* (Kunth) Copel.
 10772. Rubiaceae: *Hillia parasitica* Jacq.
 10773. Rubiaceae: *Psychotria aubletiana* Steyererm.
 10774. Ericaceae: *Thibaudia* sp.
 10775. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
 10776. Piperaceae: *Peperomia purpurinervis* C. DC.
 10777. Piperaceae: *Peperomia* aff. *hernandiifolia* (Vahl) A. Dietr.
 10778. Malpighiaceae: Indet.
 10779. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.

10780. Cyperaceae: *Mapania* sp.
 10781. Araceae: *Philodendron* sp.
 10782. Ochnaceae: *Sauvagesia* sp.
 10783. Pteridophyte: Indet.
 10784. Grammitidaceae: *Cochlidium serrulatum* (Sw.)
 L. E. Bishop
 10785. Pteridophyte: Indet.
 10786. Orchidaceae: *Octomeria* sp.
 10787. Melastomataceae: *Graffenrieda intermedia*
 Triana
 10788. Orchidaceae: *Octomeria* sp.
 10789. Gesneriaceae: *Rhoogeton cyclophyllus*
 Leeuwenb.
 10790. Pteridophyte: Indet.
 10791. Hepaticae: Indet.
 10792. Bryophyte: Indet.
 10793. Bryophyte: Indet.
 10794. Bryophyte: Indet.
 10795. Hepaticae: Indet.
 10796. Bryophyte: Indet.
 10797. Bryophyte: Indet.
 10798. Bryophyte: Indet.
 10799. Bryophyte: Indet.
 10800. Lichen-Incert. sed.: Indet.
 10801. Orchidaceae: Indet.
 10802. Bryophyte: Indet.
 10803. Dioscoreaceae: *Dioscorea* sp.
 10804. Bonnetiaceae: Indet.
 10805. Pteridophyte: Indet.
 10806. Mendonciaceae: *Mendoncia aspera* (Ruiz and
 Pav.) Nees
 10807. Cladoniaceae: *Cladonia* sp.
 10808. Poaceae: *Aulonemia nitida* Judz.
 10809. Boraginaceae: *Cordia* sp.
 10810. Bonnetiaceae: *Bonnetia paniculata* Spruce ex
 Benth.
 10811. Boraginaceae: *Cordia* sp.
 10812. Boraginaceae: *Cordia* sp.
 10813. Cyrillaceae: *Cyrilla racemiflora* L.
 10814. Polypodiaceae: *Polypodium loriceum* L.
 10815. Clusiaceae: Indet.
 10816. Orchidaceae: *Houlletia roraimensis* Rolfe
 10817. Gentianaceae: Indet.
 10818. Melastomataceae: *Tibouchina* aff. *longifolia*
 (Vahl) Baill.
 10819. Polygalaceae: *Monnina cacumina* N. E. Br.
 10820. Dioscoreaceae: Indet.
 10821. Clusiaceae: Indet.
 10822. Melastomataceae: Indet.
 10823. Compositae: *Mikania micrantha* Kunth
 10824. Malpighiaceae: Indet.
 10825. Hymenophyllaceae: *Hymenophyllum* sp.
 10826. Marcgraviaceae: *Marcgravia sororopaniana*
 Steyerl.
 10827. Adiantaceae: *Doryopteris conformis* K. U.
 Kramer and R. M. Tryon
 10828. Caprifoliaceae: *Viburnum tinoides* L. f. var.
roraimense (Killip and A. C. Sm.) Steyerl.
 10829. Clusiaceae: Indet.
 10830. Loranthaceae: Indet.
 10831. Araceae: Indet.
 10832. Lomariopsidaceae: *Elaphoglossum* vel aff.
vanderwerffii Mickel
 10833. Rapateaceae: *Stegolepis steyermarkii* Maguire
 10834. Rubiaceae: *Malanea sarmentosa* Aubl.
 10835. Pteridophyte: Indet.
 10836. Rubiaceae: *Faramea cardonae* Standl. and
 Steyerl.
 10837. Annonaceae: *Annona symphyocarpa* Sandwith
 10838. Myrtaceae: *Myrcia* sp.
 10839. Ochnaceae: *Sauvagesia* sp.
 10840. Hymenophyllaceae: Indet.
 10841. Poaceae: *Neurolepis angusta* Swallen
 10842. Gesneriaceae: *Napeanthus rupicola* Feuillet and
 L. E. Skog
 10843. Smilacaceae: *Smilax* sp.
 10844. Viscaceae: *Dendrophthora elliptica* (Gardner)
 Krug and Urb.
 10845. Marcgraviaceae: *Norantea* sp.
 10846. Clusiaceae: Indet.
 10847. Pteridophyte: Indet.
 10848. Melastomataceae: *Macrocentrum cristatum*
 (DC.) Triana
 10849. Araliaceae: *Schefflera* sp.
 10850. Bryophyte: Indet.
 10851. Lichen-Incert. sed.: Indet.
 10852. Myrtaceae: Indet.
 10853. Orchidaceae: Indet.
 10854. Rhizophoraceae: *Sterigmatopetalum resinum*
 Steyerl. and Liesner
 10855. Flacourtiaceae: Indet. cf.
 10856. Leguminosae-Mimosoideae: Indet.
 10857. Clusiaceae: Indet.
 10858. Annonaceae: *Xylopia emarginata* Mart.
 10859. Humiriaceae: *Vantanea minor* Benth.
 10860. Annonaceae: *Annona symphyocarpa* Sandwith
 10861. Annonaceae: *Guatteria pakaraimae* Scharf and
 Maas
 10862. Euphorbiaceae: *Hieronyma oblonga* (Tul.)
 Müll. Arg.

10863. Rubiaceae: *Psychotria* sp.
 10864. Thymelaeaceae: Indet. cf.
 10865. Clusiaceae: Indet.
 10866. Elaeocarpaceae: *Sloanea* sp.
 10867. Compositae: *Stenopadus connellii* (N. E. Br.)
 S. F. Blake
 10868. Clusiaceae: Indet.
 10869. Commelinaceae: Indet.
 10870. Cyclanthaceae: Indet.
 10871. Bombacaceae: Indet.
 10872. Myrtaceae: Indet.
 10873. Ericaceae: Indet.
 10874. Lentibulariaceae: *Utricularia* sp.
 10875. Orchidaceae: *Epidendrum amazonicoriifolium*
 Hágsater
 10876. Clusiaceae: Indet.
 10877. Leguminosae-Faboideae: *Swartzia* sp. nov. (Sect./
 Sect. *Recurvae*)
 10878. Gentianaceae: *Chorisepalum psychotrioides* Ewan
 10879. Myristicaceae: *Iryanthera lancifolia* Ducke
 10880. Myrsinaceae: Indet.
 10881. Thymelaeaceae: Indet. cf.
 10882. Rubiaceae: Indet.
 10883. Clusiaceae: Indet.
 10884. Areaceae: *Dictyocaryum ptarianum* (Steyserm.)
 H. E. Moore and Steyserm.
 10885. Violaceae: Indet.
 10886. Myrtaceae: Indet.
 10887. Melastomataceae: *Henriettella caudata* Gleason
 10888. Apocynaceae: *Bonafousia* sp.
 10889. Piperaceae: *Piper* sp.
 10890. Commelinaceae: Indet.
 10891. Malpighiaceae: Indet.
 10892. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
 10893. Chrysobalanaceae: *Hirtella* sp.
 10894. Marantaceae: *Monotagma spicatum* (Aubl.) J. F.
 Macbr.
 10895. Piperaceae: *Piper* sp.
 10896. Heliconiaceae: *Heliconia pendula* Wawra
 10897. Tectariaceae: *Tectaria plantaginea* (Jacq.) Maxon
 10898. Piperaceae: *Piper* sp.
 10899. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
 10900. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex
 Benth.
 10901. Hymenophyllaceae: *Trichomanes elegans* Rich.
 10902. Acanthaceae: *Justicia calycina* (Nees) V. A. W.
 Graham
 10903. Leguminosae: Indet.
 10904. Polygalaceae: *Securidaca paniculata* Rich.
 10905. Clusiaceae: *Vismia* sp.
 10906. Leguminosae-Caesalpinioideae: *Dicymbe* sp.
 10907. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
 10908. Tiliaceae: *Apeiba* sp.
 10909. Myrtaceae: *Marlierea schomburgkiana* O. Berg
 10910. Rubiaceae: *Psychotria mapourioides* DC.
 10911. Orchidaceae: *Maxillaria porrecta* Lindl.
 10912. Rubiaceae: *Notopleura* sp.
 10913. Lentibulariaceae: *Utricularia* sp.
 10914. Chrysobalanaceae: *Licania heteromorpha* Benth.
 10915. Hippocrateaceae: *Salacia* sp.
 10916. Chrysobalanaceae: *Hirtella* sp.
 10917. Clusiaceae: Indet.
 10918. Rubiaceae: *Sabicea* sp.
 10919. Leguminosae: Indet.
 10920. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.)
 Benth. and Hook. f. ex Nied.
 10921. Melastomataceae: *Henriettea multiflora* Naudin
 10922. Lecythidaceae: *Eschweilera micrantha* (O. Berg)
 Miers
 10923. Loranthaceae: *Phthirusa stelis* (L.) Kuijt
 10924. Convolvulaceae: Indet.
 10925. Rubiaceae: Indet.
 10926. Leguminosae: Indet.
 10927. Moraceae: *Ficus paraensis* (Miq.) Miq.
 10928. Myrtaceae: Indet.
 10929. Bignoniaceae: *Tabebuia subtilis* Sprague and
 Sandwith
 10930. Myrtaceae: Indet.
 10931. Lauraceae: Indet.
 10932. Clusiaceae: Indet.
 10933. Melastomataceae: *Leandra divaricata* (Naudin)
 Cogn.
 10934. Orchidaceae: *Pleurothallis ruscifolia* (Jacq.) R. Br.
 10935. Melastomataceae: *Tococa aristata* Benth.
 10936. Rubiaceae: *Psychotria iodotricha* Müll. Arg.
 10937. Orchidaceae: Indet.
 10938. Orchidaceae: *Sobralia* sp.
 10939. Burseraceae: *Protium demerarense* Swart
 10940. Marantaceae: *Calathea propinqua* (Poepp. and
 Endl.) Körn.
 10941. Gesneriaceae: *Nematanthus savannarum* (C. V.
 Morton) J. L. Clark
 10942. Sterculiaceae: *Sterculia* sp.
 10943. Rutaceae: Indet.
 10944. Burseraceae: *Protium cuneatum* Swart
 10945. Melastomataceae: *Clidemia conglomerata* DC.
 10946. Orchidaceae: *Elleanthus caravata* (Aubl.) Rchb. f.
 10947. Dennstaedtiaceae: *Lindsaea ? lancea* (L.) Bedd.
 var. *falcata* (Dryand.) Rosenst.
 10948. Areaceae: *Bactris simplicifrons* Mart.

10949. Rubiaceae: Indet.
 10950. Cyclanthaceae: Indet.
 10951. Chrysobalanaceae: Indet.
 10952. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
 10953. Euphorbiaceae: Indet. cf.
 10954. Melastomataceae: *Clidemia charadrophila* Tutin
 10955. Ochnaceae: *Ouratea* sp.
 10956. Araceae: *Philodendron* sp.
 10957. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
 10958. Orchidaceae: *Epidendrum pseudoramosum* Schltr.
 10959. Sapindaceae: *Serjania membranacea* Splitg.
 10960. Orchidaceae: Indet.
 10961. Aspleniaceae: *Asplenium serratum* L.
 10962. Orchidaceae: Indet.
 10963. Dennstaedtiaceae: *Lindsaea cyclophylla* K. U. Kramer
 10964. Dennstaedtiaceae: *Lindsaea dubia* Spreng.
 10965. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
 10966. Orchidaceae: Indet.
 10967. Hymenophyllaceae: *Trichomanes macilentum* Bosch
 10968. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
 10969. Loganiaceae: *Strychnos* sp.
 10970. Asclepiadaceae: Indet.
 10971. Malpighiaceae: *Byrsonima krukoffii* W. R. Anderson
 10972. Rubiaceae: *Chomelia malaneoides* Müll. Arg.
 10973. Loganiaceae: *Strychnos* sp.
 10974. Lecythydaceae: *Eschweilera* sp.
 10975. Bombacaceae: Indet.
 10976. Leguminosae-Mimosoideae: Indet.
 10977. Bignoniaceae: *Tabebuia obscura* (Bureau and K. Schum.) Sandwith
 10978. Rubiaceae: *Psychotria cornigera* Benth.
 10979. Clusiaceae: Indet.
 10980. Leguminosae-Mimosoideae: *Mimosa* sp.
 10981. Myrsinaceae: Indet.
 10982. Malpighiaceae: Indet.
 10983. Clusiaceae: Indet.
 10984. Ochnaceae: *Ouratea superba* Engl.
 10985. Clusiaceae: Indet.
 10986. Bignoniaceae: *Tabebuia insignis* (Miq.) Sandwith var. *insignis*
 10987. Bignoniaceae: Indet.
 10988. Lecythydaceae: *Lecythis zabucajo* Aubl.
 10989. Clusiaceae: Indet.
 10990. Marcgraviaceae: *Marcgravia coriacea* Vahl
 10991. Lomariopsidaceae: *Elaphoglossum luridum* (Fée) H. Christ
 10992. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
 10993. Malpighiaceae: Indet.
 10994. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
 10995. Chrysobalanaceae: Indet.
 10996. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.
 10997. Asclepiadaceae: Indet.
 10998. Meliaceae: *Guarea* sp.
 10999. Myrtaceae: Indet.
 11000. Leguminosae-Mimosoideae: *Inga* sp.
 11001. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
 11002. Lacistemataceae: *Lacistema polystachyum* W. Schnizl.
 11003. Dioscoreaceae: *Dioscorea* sp.
 11004. Annonaceae: *Guatteria paludosa* R. E. Fr.
 11005. Gentianaceae: *Irlbachia* sp.
 11006. Melastomataceae: *Miconia dodecandra* Cogn.
 11007. Melastomataceae: *Miconia marginata* Triana
 11008. Leguminosae-Faboideae: *Swartzia* sp.
 11009. Orchidaceae: *Sobralia valida* Rolfe
 11010. Boraginaceae: *Cordia* sp.
 11011. Poaceae: *Ischaemum guianense* Kunth ex Hack.
 11012. Poaceae: *Raddiella esenbeckii* (Steud.) C. E. Calderón and Soderstr.
 11013. Eriocaulaceae: Indet.
 11014. Myrtaceae: *Myrcia guianensis* (Aubl.) DC.
 11015. Hippocrateaceae: *Salacia* sp.
 11016. Leguminosae-Mimosoideae: Indet.
 11017. Lycopodiaceae: *Huperzia linifolia* (L.) Trevis.
 11018. Leguminosae-Mimosoideae: *Mimosa* sp.
 11019. Passifloraceae: *Passiflora coccinea* Aubl.
 11020. Leguminosae-Mimosoideae: *Pentaclethra* sp.
 11021. Leguminosae: Indet.
 11022. Passifloraceae: *Passiflora* sp.
 11023. Sapotaceae: *Pouteria virescens* Baehni
 11024. Orchidaceae: Indet.
 11025. Sapindaceae: *Talisia* sp.
 11026. Leguminosae-Caesalpinioideae: *Bauhinia* sp.
 11027. Moraceae: *Ficus americana* Aubl. ssp. *guianensis* (Desv.) C. C. Berg
 11028. Orchidaceae: Indet.
 11029. Orchidaceae: Indet.
 11030. Orchidaceae: Indet.
 11031. Orchidaceae: Indet.
 11032. Rubiaceae: *Faramea* sp.

11033. Polygalaceae: *Securidaca paniculata* Rich.
 11034. Orchidaceae: Indet.
 11035. Hepaticae: Indet.
 11036. Boraginaceae: *Heliotropium indicum* L.
 11037. Boraginaceae: *Heliotropium filiforme* Lehm.
 11038. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
 11039. Cyperaceae: *Cyperus luzulae* (L.) Rottb. ex Retz.
 11040. Solanaceae: *Solanum schomburgkii* Sendtn.
 11041. Rubiaceae: *Amaioua guianensis* Aubl.
 11042. Ebenaceae: *Diospyros artanthifolia* Mart. ex Miq.
 11043. Leguminosae-Caesalpinioideae: *Cassia* sp.
 11044. Hippocrateaceae: *Salacia amplexens* A. C. Sm.
 11045. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
 11046. Annonaceae: *Duguetia calycina* Benoist
 11047. Sapindaceae: *Toulicia guianensis* Aubl.
 11048. Apocynaceae: Indet.
 11049. Bignoniaceae: Indet.
 11050. Leguminosae-Faboideae: *Dioclea scabra* (Rich.) R. H. Maxwell
 11051. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
 11052. Rubiaceae: *Faramea sessilifolia* (Kunth) DC.
 11053. Poaceae: *Panicum laxum* Sw.
 11054. Rubiaceae: *Psychotria apoda* Steyerm.
 11055. Bromeliaceae: *Guzmania lingulata* (L.) Mez
 11056. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
 11057. Orchidaceae: *Pleurothallis* sp.
 11058. Polypodiaceae: *Microgramma baldwinii* Brade
 11059. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
 11060. Chrysobalanaceae: *Parinari campestris* Aubl.
 11061. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
 11062. Orchidaceae: *Epidendrum purpurascens* H. Focke
 11063. Aquifoliaceae: *Ilex jenmanii* Loes.
 11064. Ochnaceae: *Ouratea schomburgkii* (Planch.) Engl.
 11065. Rubiaceae: *Psychotria polycephala* Benth.
 11066. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
 11067. Acanthaceae: Indet.
 11068. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell
 11069. Turneraceae: *Piriqueta cistoides* (L.) Griseb.
 11070. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
 11071. Cyperaceae: *Cyperus odoratus* L.
 11072. Cyperaceae: *Cyperus haspan* L.
 11073. Podostemaceae: *Mourera fluviatilis* Aubl.
 11074. Loranthaceae: *Phthirusa rufa* (Mart.) Eichler
 11075. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
 11076. Clusiaceae: *Calophyllum brasiliense* Cambess.
 11077. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
 11078. Violaceae: *Rinorea amapensis* Hekking
 11079. Sapotaceae: *Pouteria ambelaniifolia* (Sandwith) T. D. Penn.
 11080. Adiantaceae: *Adiantum latifolium* Lam.
 11081. Orchidaceae: *Pleurothallis* sp.
 11082. Melastomataceae: *Miconia lasseri* Gleason
 11083. Poaceae: *Panicum pilosum* Sw.
 11084. Cyperaceae: *Scleria microcarpa* Nees ex Kunth
 11085. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
 11086. Verbenaceae: *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber
 11087. Orchidaceae: *Pleurothallis* sp.
 11088. Orchidaceae: *Pleurothallis* sp.
 11089. Olacaceae: *Heisteria cauliflora* Sm.
 11090. Bryophyte: Indet.
 11091. Piperaceae: *Peperomia elongata* Kunth
 11092. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
 11093. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
 11094. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
 11095. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
 11096. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
 11097. Liliaceae: *Hymenocallis tubiflora* Salisb.
 11098. Arecaceae: *Attalea maripa* (Aubl.) Mart.
 11098a. Arecaceae: *Geonoma baculifera* (Poit.) Kunth
 11099. Lecythidaceae: *Lecythis corrugata* Poit.
 11100. Bignoniaceae: *Cydista* sp.
 11101. Hymenophyllaceae: Indet.
 11102. Selaginellaceae: *Selaginella* sp.
 11103. Aspleniaceae: *Asplenium serratum* L.
 11104. Adiantaceae: *Adiantum tetraphyllum* Humb. and Bonpl. ex Willd.
 11105. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
 11106. Gentianaceae: *Voyria caerulea* Aubl.
 11107. Orchidaceae: *Dichaea* sp. Rchb. f.
 11108. Selaginellaceae: *Selaginella* sp.
 11109. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.

11110. Celastraceae: *Maytenus guyanensis* Klotzsch ex Reissek
11111. Melastomataceae: *Clidemia pustulata* DC.
11112. Leguminosae-Caesalpinioideae: *Cassia* sp.
11113. Heliconiaceae: *Heliconia hirsuta* L. f.
11114. Clusiaceae: *Vismia guianensis* (Aubl.) Choisy
11115. Meliaceae: *Trichilia* sp.
11116. Flacourtiaceae: *Laetia procera* (Poepp.) Eichler
11117. Bignoniaceae: *Jacaranda obtusifolia* Bonpl.
11118. Sapindaceae: *Toulicia guianensis* Aubl.
11119. Melastomataceae: *Clidemia anisophylla* DC.
11120. Rubiaceae: *Genipa spruceana* Steyererm.
11121. Cyperaceae: *Diplasia karatifolia* Rich.
11122. Liliaceae: Indet. ?
11123. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
11124. Bromeliaceae: *Ananas ananassoides* (Baker) L. B. Sm.
11125. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
11126. Sapindaceae: *Matayba camptoneura* Radlk.
11127. Myrtaceae: *Psidium acutangulum* DC.
11128. Leguminosae-Caesalpinioideae: *Copaifera guyanensis* Desf.
11129. Piperaceae: *Peperomia elongata* Kunth
11130. Aspleniaceae: *Asplenium angustum* Sw.
11131. Rubiaceae: *Psychotria polycephala* Benth.
11132. Flacourtiaceae: *Carpotroche surinamensis* Uittien
11133. Adiantaceae: *Adiantum latifolium* Lam.
11134. Orchidaceae: *Epidendrum* sp.
11135. Orchidaceae: *Dichaea* sp. Rehb. f.
11136. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
11137. Cyperaceae: *Scleria microcarpa* Nees ex Kunth
11138. Leguminosae-Mimosoideae: *Inga* sp.
11139. Rubiaceae: *Genipa spruceana* Steyererm.
11140. Mayacaceae: *Mayaca* cf. *fluviatilis* Aubl.
11141. Euphorbiaceae: *Euphorbia prostrata* Aiton
11142. Flacourtiaceae: *Homalium guianense* (Aubl.) Oken
11143. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
11144. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
11145. Violaceae: *Rinorea amapensis* Hekking
11146. Rubiaceae: *Diodia byssopifolia* (Willd. ex Roem. and Schult.) Cham. and Schltld.
11147. Piperaceae: *Peperomia rotundifolia* (L.) Kunth
11148. Rubiaceae: *Faramea irwinii* Steyererm.
11149. Rubiaceae: *Psychotria albert-smithii* Standl.
11150. Bombacaceae: *Catostemma* sp.
11151. Caryocaraceae: *Caryocar microcarpum* Ducke
11152. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
11153. Adiantaceae: *Adiantum tetraphyllum* Humb. and Bonpl. ex Willd.
11154. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
11155. Ochnaceae: *Sauvagesia erecta* L.
11156. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
- 11156a. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
11157. Leguminosae-Mimosoideae: *Inga* sp.
11158. Selaginellaceae: *Selaginella* sp.
11159. Malpighiaceae: *Tetrapterys glabrifolia* (Griseb.) Small
11160. Violaceae: *Rinorea amapensis* Hekking
11161. Piperaceae: *Piper* sp.
11162. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
11163. Bromeliaceae: *Guzmania lingulata* (L.) Mez
11164. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
11165. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
11166. Flacourtiaceae: *Carpotroche* sp.
11167. Vitaceae: *Cissus erosa* Rich.
11168. Flacourtiaceae: *Carpotroche surinamensis* Uittien
11169. Cyperaceae: *Scleria microcarpa* Nees ex Kunth
11170. Poaceae: *Pariana radiciflora* Sagot ex Döll
11171. Myrtaceae: Indet.
11172. Costaceae: *Costus scaber* Ruiz and Pav.
11173. Heliconiaceae: *Heliconia acuminata* Rich.
11174. Myrtaceae: *Eugenia* sp.
11175. Melastomataceae: *Clidemia japurensis* DC.
11176. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
11177. Poaceae: *Panicum pilosum* Sw.
11178. Tiliaceae: *Apeiba glabra* Aubl.
11179. Olacaceae: *Heisteria densifrons* Engl.
11180. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
11181. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
11182. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
11183. Euphorbiaceae: *Amanoa guianensis* Aubl.
11184. Areaceae: *Geonoma baculifera* (Poit.) Kunth
11185. Sapindaceae: *Toulicia guianensis* Aubl.
11186. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
11187. Poaceae: *Panicum laxum* Sw.

11188. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
11189. Ochnaceae: *Sauvagesia erecta* L.
11190. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
11191. Euphorbiaceae: *Euphorbia prostrata* Aiton
11192. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
11193. Ochnaceae: *Ouratea leblondii* (Tiegh.) Lemée
11194. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
11195. Orchidaceae: *Maxillaria uncata* Lindl.
11196. Orchidaceae: *Maxillaria* (Heterotaxis, s.s.)
11197. Rubiaceae: *Morinda tenuiflora* (Benth.) Steyerem.
11198. Bromeliaceae: *Tillandsia bulbosa* Hook.
11199. Bromeliaceae: *Guzmania lingulata* (L.) Mez
11200. Orchidaceae: *Maxillaria camaridii* Rchb. f.
11201. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
11202. Leguminosae-Mimosoideae: *Calliandra* sp.
11203. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
11204. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
11205. Ochnaceae: *Sauvagesia erecta* L.
11206. Turneraceae: *Piriqueta cistoides* (L.) Griseb.
11207. Olacaceae: *Heisteria cauliflora* Sm.
11208. Myristicaceae: *Virola sebifera* Aubl.
11209. Orchidaceae: *Maxillaria camaridii* Rchb. f.
11210. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
11211. Violaceae: *Rinorea amapensis* Hekking
11212. Flacourtiaceae: *Carpotroche surinamensis* Uittien
11213. Bignoniaceae: Indet.
11214. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
11215. Meliaceae: *Trichilia surinamensis* (Miq.) C. DC.
11216. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
11217. Poaceae: *Panicum stoloniferum* Poir.
11218. Cyperaceae: *Scleria microcarpa* Nees ex Kunth
11219. Poaceae: *Panicum stoloniferum* Poir.
11220. Liliaceae: *Hymenocallis tubiflora* Salisb.
11221. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
11222. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
11223. Olacaceae: *Heisteria cauliflora* Sm.
11224. Adiantaceae: *Adiantum latifolium* Lam.
11225. Gesneriaceae: *Codonanthe calcarata* (Miq.) Hanst.
11226. Violaceae: *Rinorea amapensis* Hekking
11227. Ixonanthaceae: *Cyrrilopsis paraensis* Kuhlm.
11228. Flacourtiaceae: *Carpotroche surinamensis* Uittien
11229. Piperaceae: *Piper* sp.
11230. Piperaceae: *Piper* sp.
11231. Marantaceae: *Calathea* sp.
11232. Marantaceae: *Ischnosiphon* sp.
11233. Rubiaceae: *Psychotria albert-smithii* Standl.
11234. Violaceae: *Rinorea amapensis* Hekking
11235. Areaceae: *Geonoma macrostachys* Mart. var. *poiteauana* (Kunth) A. J. Hend.
11236. Heliconiaceae: *Heliconia acuminata* Rich.
11237. Annonaceae: *Duguetia inconspicua* Sagot
11238. Rubiaceae: *Psychotria albert-smithii* Standl.
11239. Sapindaceae: *Matayba camptoneura* Radlk.
11240. Olacaceae: *Heisteria ovata* Benth.
11241. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
11242. Araceae: *Caladium bicolor* (Aiton) Vent.
11243. Violaceae: *Rinorea amapensis* Hekking
11244. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
11245. Sapindaceae: *Talisia longifolia* (Benth.) Radlk.
11246. Leguminosae-Faboideae: *Alexa surinamensis* Yakovlev
11247. Lecythidaceae: *Eschweilera* sp.
11248. Rubiaceae: *Psychotria polycephala* Benth.
11249. Marantaceae: *Ischnosiphon* sp.
11250. Mayacaceae: *Mayaca fluviatilis* Aubl.
11251. Poaceae: *Olyra longifolia* Kunth
11252. Lecythidaceae: *Gustavia augusta* L.
11253. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
11254. Lauraceae: *Endlicheria multiflora* (Miq.) Mez
11255. Apocynaceae: Indet.
11256. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
11257. Vochysiaceae: *Vochysia tetraphylla* (G. Mey.) DC.
11258. Ebenaceae: *Diospyros artanthifolia* Mart. ex Miq.
11259. Rubiaceae: *Isertia parviflora* Vahl
11260. Podostemaceae: *Mourera fluviatilis* Aubl.
11261. Araceae: *Montrichardia arborescens* (L.) Schott
11262. Rubiaceae: *Faramea sessilifolia* (Kunth) DC.
11263. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
11264. Cyperaceae: *Diplasia karatifolia* Rich.
- 11264a. Cyperaceae: *Fimbristylis dichotoma* (L.) Vahl
11265. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
11266. Turneraceae: *Piriqueta cistoides* (L.) Griseb.
11267. Turneraceae: *Turnera rupestris* Aubl. var. *frutescens* (Aubl.) Urb.
11268. Violaceae: *Rinorea amapensis* Hekking
11269. Solanaceae: *Solanum schomburgkii* Sendtn.
11270. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell

11271. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
11272. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
11273. Rubiaceae: *Diodia hyssopifolia* (Willd. ex Roem. and Schult.) Cham. and Schtdl.
11274. Chrysobalanaceae: *Hirtella racemosa* Lam.
11275. Euphorbiaceae: *Mabea piriri* Aubl.
11276. Podostemaceae: *Apinagia surumuensis* (Engl.) P. Royen
11277. Rubiaceae: *Genipa spruceana* Steyererm.
11278. Poaceae: *Panicum pilosum* Sw.
11279. Cyperaceae: *Rhynchospora cephalotes* (L.) Vahl
11280. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
11281. Bignoniaceae: Indet.
11282. Marantaceae: *Ischnosiphon* sp.
11283. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
11284. Melastomataceae: *Miconia prasina* (Sw.) DC.
11285. Rubiaceae: *Posoqueria longiflora* Aubl.
11286. Verbenaceae: *Petrea volubilis* L.
11287. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
11288. Apocynaceae: Indet.
11289. Pontederiaceae: Indet. ?
11290. Nymphaeaceae: *Nymphaea glandulifera* Rodschied
11291. Piperaceae: Indet.
11292. Olacaceae: *Heisteria cauliflora* Sm.
11293. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
11294. Euphorbiaceae: *Alchorneopsis floribunda* (Benth.) Müll. Arg.
11295. Sapotaceae: *Pouteria sagotiana* (Baill.) Eyma
11296. Araceae: *Monstera adansonii* Schott
11297. Bignoniaceae: Indet.
11298. Cucurbitaceae: *Cayaponia cruegeri* (Naudin) Cogn.
11299. Combretaceae: *Combretum pyramidatum* Desv.
11300. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
11301. Eriocaulaceae: *Tonina fluviatilis* Aubl.
11302. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
11303. Ochnaceae: *Sauvagesia* sp.
11304. Onagraceae: *Ludwigia* sp.
11305. Myrtaceae: *Psidium acutangulum* DC.
11306. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
11307. Cyperaceae: *Cyperus odoratus* L.
11308. Gentianaceae: *Coutoubea ramosa* Aubl.
11309. Araceae: *Montrichardia linifera* (Arruda) Schott
11310. Convolvulaceae: *Aniseia* cf. *martinicensis* (Jacq.) Choisy
11311. Compositae: *Struchium sparganophorum* (L.) Kuntze
11312. Vitaceae: *Cissus verticillata* (L.) Nicolson and C. E. Jarvis
11313. Apocynaceae: Indet.
11314. Melastomataceae: *Miconia prasina* (Sw.) DC.
11315. Melastomataceae: *Henriettea* aff. *succosa* (Aubl.) DC.
11316. Gentianaceae: *Coutoubea ramosa* Aubl.
11317. Poaceae: *Panicum pilosum* Sw.
11318. Onagraceae: *Ludwigia latifolia* (Benth.) H. Hara
11319. Cyperaceae: *Cyperus miliifolius* Poepp. and Kunth
11320. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
11321. Rubiaceae: *Palicourea croceoides* Desv. ex Ham.
11322. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
11323. Leguminosae-Caesalpinioideae: *Copaifera guyanensis* Desf.
11324. Flacourtiaceae: *Carpotroche surinamensis* Uittien
11325. Anacardiaceae: *Spondias mombin* L.
11326. Ochnaceae: *Ouratea leblondii* (Tiegh.) Lemée
11327. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
11328. Sapindaceae: *Toulicia guianensis* Aubl.
11329. Araceae: *Philodendron* ? *acutatum* Schott
11330. Proteaceae: *Panopsis sessilifolia* (Rich.) Sandwith
11331. Lecythidaceae: *Couratari guianensis* Aubl.
11332. Euphorbiaceae: *Conceveiba guianensis* Aubl.
11333. Rubiaceae: *Psychotria polycephala* Benth.
11334. Rubiaceae: Indet.
11335. Melastomataceae: *Miconia* cf. *prasina* (Sw.) DC.
11336. Siparunaceae: *Siparuna decipiens* (Tul.) A. DC.
11337. Moraceae: *Maquira guianensis* Aubl. var. *guianensis*
11338. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
11339. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
11340. Mayacaceae: *Mayaca longipes* Mart. ex Seub.
11341. Malpighiaceae: *Hiraea faginea* (Sw.) Nied.
11342. Solanaceae: Indet.
11343. Turneraceae: *Piriqueta cistoides* (L.) Griseb.
11344. Verbenaceae: *Vitex compressa* Turcz.

11345. Rubiaceae: *Genipa spruceana* Steyerl.
 11346. Aquifoliaceae: *Ilex jenmanii* Loes.
 11347. Melastomataceae: *Miconia aplostachya* (Bonpl.) DC.
 11348. Bromeliaceae: *Tillandsia bulbosa* Hook.
 11349. Rubiaceae: *Isertia parviflora* Vahl
 11350. Orchidaceae: *Maxillaria* (Heterotaxis, s.s.)
 11351. Melastomataceae: *Tibouchina aspera* Aubl.
 11352. Gesneriaceae: *Codonanthe crassifolia* (H. Focke) C. V. Morton
 11353. Aquifoliaceae: *Ilex jenmanii* Loes.
 11354. Ochnaceae: *Ouratea leblondii* (Tiegh.) Lemée
 11355. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
 11356. Rubiaceae: *Faramea sessilifolia* (Kunth) DC.
 11357. Heliconiaceae: *Heliconia acuminata* Rich.
 11358. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
 11359. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
 11360. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
 11361. Marantaceae: *Ischnosiphon* sp.
 11362. Olacaceae: *Heisteria cauliflora* Sm.
 11363. Chrysobalanaceae: *Acioa guianensis* Aubl.
 11364. Lecythydaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
 11365. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
 11366. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
 11367. Meliaceae: *Trichilia surinamensis* (Miq.) C. DC.
 11368. Cyperaceae: *Cyperus luzulae* (L.) Rottb. ex Retz.
 11369. Poaceae: *Panicum laxum* Sw.
 11370. Bromeliaceae: *Vriesea procera* (Mart. ex Schult. f.) Wittm.
 11371. Tectariaceae: *Tectaria* ? *trifoliata* (L.) Cav.
 11372. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
 11373. Verbenaceae: *Petrea volubilis* L.
 11373a. Verbenaceae: *Petrea macrostachya* Benth.
 11374. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
 11375. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
 11376. Olacaceae: *Heisteria cauliflora* Sm.
 11377. Bromeliaceae: *Ananas ananassoides* (Baker) L. B. Sm.
 11378. Moraceae: *Sorocea muriculata* Miq. ssp. *uaupensis* (Baill.) C. C. Berg
 11379. Rubiaceae: *Psychotria apoda* Steyerl.
 11380. Bignoniaceae: Indet.
 11381. Violaceae: *Rinorea amapensis* Hekking
 11382. Heliconiaceae: *Heliconia acuminata* Rich.
 11383. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
 11384. Marantaceae: *Ischnosiphon* sp.
 11385. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
 11386. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
 11387. Rubiaceae: Indet.
 11388. Clusiaceae: *Vismia* sp.
 11389. Compositae: *Stenopadus talaumifolius* S. F. Blake
 11390. Leguminosae: Indet.
 11391. Lauraceae: *Ocotea* sp.
 11392. Araceae: *Heteropsis melinonii* (Engl.) A. M. E. Jonker and Jonker
 11393. Bromeliaceae: *Navia* sp.
 11394. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
 11395. Orchidaceae: Indet.
 11396. Pteridophyte: Indet.
 11397. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
 11398. Metaxyaceae: *Metaxya rostrata* (Kunth) C. Presl
 11399. Pteridophyte: Indet.
 11400. Clusiaceae: Indet.
 11401. Poaceae: *Olyra micrantha* Kunth
 11402. Rubiaceae: *Palicourea triphylla* DC.
 11403. Selaginellaceae: *Selaginella* sp.
 11404. Schizaeaceae: *Schizaea elegans* (Vahl) Sw.
 11405. Cyclanthaceae: Indet.
 11406. Melastomataceae: *Miconia maguirei* Gleason
 11407. Melastomataceae: *Maieta guianensis* Aubl.
 11408. Rubiaceae: *Psychotria bostrychothyrus* Sandwith
 11409. Pteridophyte: Indet.
 11410. Hymenophyllaceae: Indet.
 11411. Myrtaceae: *Marlierea schomburgkiana* O. Berg
 11412. Heliconiaceae: *Heliconia psittacorum* L. f.
 11413. Melastomataceae: *Macairea pachyphylla* Benth.
 11414. Burseraceae: *Protium subserratum* (Engl.) Engl.
 11415. Burseraceae: *Trattinnickia burserifolia* Mart.
 11416. Leguminosae: Indet.
 11417. Leguminosae-Caesalpinioideae: *Dimorphandra cuprea* Sprague and Sandwith
 11418. Sapindaceae: Indet. cf.
 11419. Humiriaceae: Indet.
 11420. Clusiaceae: *Clusia grandiflora* Splitg.
 11421. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
 11422. Erythroxylaceae: *Erythroxylum* sp.

11423. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
11424. Cyperaceae: *Scleria secans* (L.) Urb.
11425. Melastomataceae: *Clidemia capitata* Benth.
11426. Rubiaceae: *Psychotria iodotricha* Müll. Arg.
11427. Myrsinaceae: Indet.
11428. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steyerm.
11429. Rubiaceae: *Pagamea thyrsoiflora* Spruce ex Benth.
11430. Gentianaceae: *Irlbachia* sp.
11431. Rubiaceae: *Palicourea triphylla* DC.
11432. Dryopteridaceae: *Arachniodes macrostegia* (Hook.) R. M. Tryon and D. S. Conant
11433. Annonaceae: Indet.
11434. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hispida* Prance
11435. Araceae: *Philodendron callosum* K. Krause
11436. Burmanniaceae: *Burmannia bicolor* Mart.
11437. Rubiaceae: Indet.
11438. Melastomataceae: *Siphanthera* vel aff. *hostmannii* Cogn.
11439. Cyperaceae: *Exochogyne amazonica* C. B. Clarke
11440. Hymenophyllaceae: *Trichomanes humboldtii* (Bosch) Lellinger
11441. Humiriaceae: Indet.
11442. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
11443. Melastomataceae: *Desmoscelis villosa* (Aubl.) Naudin
11444. Eriocaulaceae: *Paepalanthus fasciculatus* (Rottb.) Kunth
11445. Eriocaulaceae: Indet.
11446. Eriocaulaceae: *Syngonanthus gracilis* (Bong.) Ruhland
11447. Lentibulariaceae: *Utricularia* sp.
11448. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
11449. Cyperaceae: *Cyperus ligularis* L.
11450. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
11451. Bryophyte: Indet.
11452. Bryophyte: Indet.
11453. Rubiaceae: *Perama dichotoma* Poepp.
11454. Campanulaceae: *Centropogon cornutus* (L.) Druce
11455. Rubiaceae: Indet.
11456. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
11457. Cyperaceae: *Calyptrocarya poeppigiana* Kunth
11458. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
11459. Poaceae: *Panicum pilosum* Sw.
11460. Leguminosae-Caesalpinioideae: *Dimorphandra macrostachya* Benth. ssp. *glabrifolia* (Ducke) M. F. Silvan
11461. Dilleniaceae: *Doliocarpus amazonicus* Sleumer
11462. Melastomataceae: Indet.
11463. Cladoniaceae: *Cladonia* sp.
11464. Orchidaceae: Indet.
11465. Rubiaceae: *Psychotria bostrychothyrsus* Sandwith
11466. Loranthaceae: Indet.
11467. Menispermaceae: Indet.
11468. Leguminosae: Indet.
11469. Hymenophyllaceae: *Trichomanes elegans* Rich.
11470. Hymenophyllaceae: Indet.
11471. Gesneriaceae: Indet. cf.
11472. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
11473. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steyerm.
11474. Piperaceae: *Piper* sp.
11475. Gesneriaceae: *Besleria parviflora* L. E. Skog and Steyerm.
11476. Piperaceae: *Piper* sp.
11477. Solanaceae: *Cestrum schlechtendablii* G. Don
11478. Cyclanthaceae: *Asplundia* sp.
11479. Indet.: Indet.
11480. Myrsinaceae: Indet.
11481. Orchidaceae: Indet.
11482. Lobariaceae: *Sticta* sp.
11483. Melastomataceae: Indet.
11484. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
11485. Melastomataceae: *Miconia* sp.
11486. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
11487. Araceae: *Rhodospatha oblongata* Poepp.
11488. Arecaceae: *Geonoma euspatha* Burret ssp. *karvaiana* (Steyerm.) A. J. Hend. ined.
11489. Pteridophyte: Indet.
11490. Araceae: *Philodendron insigne* Schott
11491. Lobariaceae: *Sticta* sp.
11492. Hymenophyllaceae: Indet.
11493. Rubiaceae: *Notopleura uliginosa* (Sw.) Bremek.
11494. Bryophyte: Indet.
11495. Picramniaceae: *Picramnia nuriensis* Steyerm.
11496. Solanaceae: Indet. cf.
11497. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
11498. Bromeliaceae: Indet.
11499. Rubiaceae: Indet.
11500. Rubiaceae: Indet.

11501. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
11502. Apocynaceae: Indet.
11503. Rubiaceae: *Psychotria parvibractea* Steyererm.
11504. Piperaceae: Indet.
11505. Gesneriaceae: *Besleria penduliflora* Fritsch
11506. Myrsinaceae: Indet.
11507. Cyatheaaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon var. *spectabilis*
11508. Marattiaceae: *Danaea elliptica* Sm.
11509. Orchidaceae: *Scaphosepalum* sp.
11510. Orchidaceae: Indet.
11511. Orchidaceae: Indet.
11512. Pteridophyte: Indet.
11513. Orchidaceae: Indet.
11514. Bryophyte: Indet.
11515. Bryophyte: Indet.
11516. Arthoniaceae: *Cryptothecia* sp.
11517. Lichen-Incert. sed.: Indet.
11518. Pteridophyte: Indet.
11519. Pteridophyte: Indet.
11520. Bryophyte: Indet.
11521. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
11522. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
11523. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
11524. Pteridophyte: Indet.
11525. Sphagnaceae: *Sphagnum* sp.
11526. Arecaceae: *Geonoma appuniana* Spruce
11527. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
11528. Cyperaceae: *Mapania* sp.
11529. Rubiaceae: Indet.
11530. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
11531. Sapotaceae: Indet.
11532. Leguminosae-Mimosoideae: *Inga* sp.
11533. Melastomataceae: *Adelobotrys monticola* Gleason
11534. Melastomataceae: *Miconia affinis* DC.
11535. Melastomataceae: *Leandra sanguinea* Gleason
11536. Lauraceae: *Ocotea aciphylla* (Nees and Mart. ex Nees) Mez
11537. Rubiaceae: *Palicourea perquadragularis* Wernham
11538. Araceae: *Anthurium roraimense* N. E. Br.
11539. Araliaceae: *Schefflera* sp.
11540. Solanaceae: Indet.
11541. Monimiaceae: *Mollinedia ovata* Ruiz and Pav.
11542. Annonaceae: *Guatteria minutiflora* Scharf and Maas
11543. Rapateaceae: *Epidryos guayanensis* Maguire
11544. Sapotaceae: Indet.
11545. Myrsinaceae: *Myrsine coriacea* (Sw.) R. Br. ex Roem. and Schult.
11546. Rubiaceae: *Emmeorbiza umbellata* (Spreng.) K. Schum.
11547. Sapindaceae: Indet.
11548. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
11549. Chloranthaceae: *Hedyosmum tepuiense* Todzia
11550. Annonaceae: *Annona symphyocarpa* Sandwith
11551. Bromeliaceae: *Pitcairnia viridantha* Gouda
11552. Gesneriaceae: Indet.
11553. Melastomataceae: *Miconia theizans* (Bonpl.) Cogn.
11554. Bryophyte: Indet.
11555. Ochnaceae: *Sauvagesia* sp.
11556. Bromeliaceae: Indet.
11557. Poaceae: *Paspalum* aff. *petilum* Chase
11558. Orchidaceae: Indet.
11559. Pteridophyte: Indet.
11560. Piperaceae: *Piper* sp.
11561. Bromeliaceae: *Pitcairnia brittoniana* Mez
11562. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
11563. Passifloraceae: *Passiflora* sp.
11564. Pteridophyte: Indet.
11565. Rubiaceae: Indet.
11566. Rubiaceae: Indet.
11567. Blechnaceae: *Blechnum lehmannii* Hieron.
11568. Woodsiaceae: *Diplazium lechleri* (Mett.) T. Moore
11569. Hepaticae: Indet.
11570. Orchidaceae: Indet.
11571. Orchidaceae: Indet.
11572. Rosaceae: *Rubus guyanensis* Focke
11573. Ericaceae: *Spherospermum buxifolium* Poepp. and Endl.
11574. Piperaceae: *Peperomia bernandiifolia* (Vahl) A. Dietr.
11575. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
11576. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
11577. Orchidaceae: Indet.
11578. Cyperaceae: *Rhynchospora tuerckheimii* C. B. Clarke ex Kük.

11579. Hippocrateaceae: *Salacia multiflora* (Lam.) DC.
ssp. *multiflora*
11580. Solanaceae: Indet.
11581. Arthoniaceae: *Cryptothecia* sp.
11582. Anthocerophyte: Indet.
11583. Bryophyte: Indet.
11584. Orchidaceae: Indet.
11585. Piperaceae: *Peperomia jamesoniana* C. DC.
11586. Hymenophyllaceae: Indet.
11587. Pteridophyte: Indet.
11588. Cyperaceae: *Rhynchospora tuerckheimii* C. B.
Clarke ex Kük.
11589. Ericaceae: *Psammisia urichiana* (Britton)
A. C. Sm.
11590. Piperaceae: *Piper* sp.
11591. Orchidaceae: Indet.
11592. Orchidaceae: Indet.
11593. Heliconiaceae: *Heliconia psittacorum* L. f.
11594. Orchidaceae: Indet.
11595. Orchidaceae: Indet.
11596. Phytolaccaceae: *Phytolacca rivinoides* Kunth and
Bouché
11597. Campanulaceae: *Centropogon cornutus* (L.)
Druce
11598. Selaginellaceae: *Selaginella* sp.
11599. Campanulaceae: *Centropogon roraimanus*
E. Wimm.
11600. Leguminosae-Mimosoideae: *Inga* sp.
11601. Solanaceae: Indet.
11602. Melastomataceae: *Miconia loreyoides* Triana
11603. Gesneriaceae: Indet.
11604. Bryophyte: Indet.
11605. Pteridophyte: Indet.
11606. Pteridophyte: Indet.
11607. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
11608. Grammitidaceae: *Cochlidium* aff. *rostratum*
(Hook.) Maxon ex C. Chr.
11609. Bryophyte: Indet.
11610. Bryophyte: Indet.
11611. Grammitidaceae: *Enterosora trifurcata* (L.) L. E.
Bishop
11612. Orchidaceae: Indet.
11613. Gesneriaceae: *Columnea guianensis* C. V. Morton
11614. Myrsinaceae: Indet.
11615. Rubiaceae: *Emmeorrhiza umbellata* (Spreng.)
K. Schum.
11616. Melastomataceae: *Miconia* sp.
11617. Rubiaceae: *Psychotria berteriana* DC.
11618. Piperaceae: *Peperomia hernandiifolia* (Vahl)
A. Dietr.
11619. Cyclanthaceae: Indet.
11620. Pteridophyte: Indet.
11621. Piperaceae: *Piper* sp.
11622. Rubiaceae: *Psychotria glandulicalyx* Steyererm.
11623. Nyctaginaceae: Indet.
11624. Gentianaceae: *Chorisepalum psychotrioides* Ewan
11625. Marcgraviaceae: *Marcgravia coriacea* Vahl
11626. Piperaceae: *Piper* sp.
11627. Pteridophyte: Indet.
11628. Pteridophyte: Indet.
11629. Aspleniaceae: *Asplenium cirrhatum* Rich. ex Willd.
11630. Orchidaceae: Indet.
11631. Bryophyte: Indet.
11632. Hepaticae: Indet.
11633. Orchidaceae: Indet.
11634. Piperaceae: *Peperomia reptans* C. DC.
11635. Pteridophyte: Indet.
11636. Orchidaceae: Indet.
11637. Hymenophyllaceae: Indet.
11638. Rubiaceae: *Pagamea standleyana* Steyererm.
11639. Loranthaceae: Indet.
11640. Rubiaceae: *Notopleura guadalupensis* (DC.)
C. M. Taylor
11641. Clusiaceae: *Vismia* sp.
11642. Compositae: *Stenopadus connellii* (N. E. Br.)
S. F. Blake
11643. Loranthaceae: Indet.
11644. Melastomataceae: *Miconia* sp.
11645. Bombacaceae: *Catostemma durifolius* W. S.
Alverson
11646. Rubiaceae: *Psychotria campylopoda* Standl.
11647. Clusiaceae: Indet.
11648. Pteridophyte: Indet.
11649. Hymenophyllaceae: Indet.
11650. Melastomataceae: *Macrocentrum minus* Gleason
11651. Rubiaceae: *Psychotria glandulicalyx* Steyererm.
11652. Compositae: *Chromolaena pharcidodes* (B. L.
Rob.) R. M. King and H. Rob.
11653. Dennstaedtiaceae: *Lindsaea tenuis* Klotzsch
11654. Rubiaceae: *Notopleura tapajozensis* (Standl.)
Bremek.
11655. Bromeliaceae: *Racinaea spiculosa* (Griseb.)
M. A. Spencer and L. B. Sm. var. *stenoglossa*
(L. B. Sm.) M. A. Spencer and L. B. Sm.
11656. Marcgraviaceae: *Norantea guianensis* Aubl.
11657. Aspleniaceae: *Asplenium dissectum* Sw.
11658. Hymenophyllaceae: Indet.
11659. Bonnetiaceae: *Bonnetia* sp.
11660. Lomariopsidaceae: *Lomariopsis japurensis*
(Mart.) J. Sm.

11661. Pteridophyte: Indet.
 11662. Woodsiaceae: *Diplazium celtidifolium* Kunze
 11663. Rubiaceae: *Notopleura uliginosa* (Sw.) Bremek.
 11664. Ochnaceae: *Poecilandra retusa* Tul. var.
sclerophylla (Ule) Sastre
 11665. Hymenophyllaceae: Indet.
 11666. Hymenophyllaceae: Indet.
 11667. Rubiaceae: Indet.
 11668. Hymenophyllaceae: Indet.
 11669. Pteridophyte: Indet.
 11670. Compositae: *Baccharis schomburgkii* Baker
 11671. Compositae: *Mikania boomii* Pruski
 11672. Rubiaceae: *Psychotria transiens* Wernham
 11673. Rubiaceae: *Psychotria imthurniana* Oliv.
 11674. Myrsinaceae: *Cybianthus roraimae* (Steyerm.)
 G. Agostini
 11675. Rubiaceae: *Notopleura aligera* (Steyerm.) C. M.
 Taylor
 11676. Rubiaceae: *Psychotria transiens* Wernham
 11677. Aquifoliaceae: *Ilex* sp.
 11678. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
 11679. Rubiaceae: *Malanea microphylla* Standl. and
 Steyerm.
 11680. Bonnetiaceae: Indet.
 11681. Loranthaceae: Indet.
 11682. Gentianaceae: *Chorisepalum psychotrioides*
 Ewan
 11683. Rubiaceae: *Psychotria campylopoda* Standl.
 11684. Hymenophyllaceae: Indet.
 11685. Melastomataceae: *Miconia acutifolia* Ule
 11686. Bryophyte: Indet.
 11687. Xyridaceae: *Orectanthe sceptrum* (Oliv.) Maguire
 11688. Ericaceae: *Ledothamnus sessiliflorus* N. E. Br.
 11689. Xyridaceae: *Abolboda acaulis* Maguire
 11690. Lentibulariaceae: *Utricularia* sp.
 11691. Lentibulariaceae: *Utricularia* sp.
 11692. Lentibulariaceae: *Utricularia* sp.
 11692. Lentibulariaceae: *Utricularia* sp.
 11693. Lentibulariaceae: *Utricularia* sp.
 11694. Lentibulariaceae: *Utricularia humboldtii* R. H.
 Schomb.
 11695. Myrsinaceae: *Cybianthus crotonoides* (M. R.
 Schomb. ex Mez) G. Agostini
 11696. Orchidaceae: *Spiranthes* sp.
 11697. Clusiaceae: Indet.
 11698. Melastomataceae: *Marcetia taxifolia*
 (A. St.-Hil.) DC.
 11699. Orchidaceae: Indet.
 11700. Orchidaceae: Indet.
 11701. Xyridaceae: *Xyris albescens* Steyerm.
 11702. Ochnaceae: *Adenanthe bicarpellata* Maguire,
 Steyerm. and Wurdack
 11703. Rubiaceae: *Maguireothamnus speciosus*
 (N. E. Br.) Steyerm.
 11704. Rubiaceae: *Psychotria everardii* Wernham
 11705. Melastomataceae: *Meriania crassiramis* (Naudin)
 Wurdack
 11706. Compositae: *Calea lucidivenia* Gleason and S. F.
 Blake
 11707. Liliaceae: Indet.
 11708. Ochnaceae: *Sauvagesia* sp.
 11709. Bonnetiaceae: *Bonnetia* sp.
 11710. Cyrillaceae: *Cyrilla racemiflora* L.
 11711. Bryophyte: Indet.
 11712. Droseraceae: *Drosera roraimae* (Klotzsch ex
 Diels) Maguire and J. R. Laundon
 11713. Aquifoliaceae: *Ilex* sp.
 11714. Compositae: Indet.
 11715. Compositae: Indet. cf.
 11716. Rubiaceae: *Psychotria everardii* Wernham
 11717. Liliaceae: *Isidrogalvia schomburgkiana* (Oliv.)
 Cruden
 11718. Eriocaulaceae: *Paepalanthus* sp.
 11719. Ericaceae: *Thibaudia* sp.
 11720. Xyridaceae: *Xyris witsenioides* Oliv. ex Thurn
 11721. Clusiaceae: Indet.
 11722. Cyperaceae: *Everardia angusta* N. E. Br.
 11723. Araliaceae: *Schefflera* sp.
 11724. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
 11725. Myrsinaceae: *Cybianthus quelchii* (N. E. Br.)
 G. Agostini
 11726. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
 11727. Rubiaceae: Indet.
 11728. Araliaceae: *Schefflera* sp.
 11729. Myrsinaceae: *Cybianthus ptariensis* (Steyerm.)
 Pipoly
 11730. Eriocaulaceae: Indet.
 11731. Bonnetiaceae: Indet.
 11732. Sarraceniaceae: *Heliamphora nutans* Benth.
 11733. Orchidaceae: Indet.
 11734. Rapateaceae: *Stegolepis ferruginea* Baker f.
 11735. Myrtaceae: *Ugni* ? sp.
 11736. Orchidaceae: Indet.
 11737. Eriocaulaceae: *Rondonanthus duidae* (Gleason)
 Hensold and Giul.
 11738. Eriocaulaceae: *Paepalanthus* sp.
 11739. Incertae sedis: Indet.
 11740. Loranthaceae: Indet. cf.
 11741. Orchidaceae: Indet.
 11742. Cunoniaceae: *Weinmannia* sp.

11743. Eriocaulaceae: *Paepalanthus* sp.
 11744. Grammitidaceae: *Cochlidium* ? *attenuatum*
 A. C. Sm.
 11745. Orchidaceae: Indet.
 11746. Bromeliaceae: *Tillandsia turneri* Baker var.
orientalis L. B. Sm.
 11747. Compositae: *Mikania boomii* Pruski
 11748. Rubiaceae: *Notopleura tapajozensis* (Standl.)
 Bremek.
 11749. Orchidaceae: Indet.
 11750. Cyperaceae: *Everardia disticha* T. Koyama and
 Maguire
 11751. Lichen-Incert. sed.: Indet.
 11752. Lichen-Incert. sed.: Indet.
 11753. Orchidaceae: Indet.
 11754. Droseraceae: *Drosera kaieteurensis* Brumm.-Ding.
 11755. Hymenophyllaceae: Indet.
 11756. Poaceae: *Cortaderia roraimensis* (N. E. Br.) Pilg.
 11757. Myrsinaceae: *Cybianthus crotonoides* (M. R.
 Schomb. ex Mez) G. Agostini
 11758. Cyperaceae: *Everardia angusta* N. E. Br.
 11759. Lichen-Incert. sed.: Indet. cf.
 11760. Cladoniaceae: *Cladonia* sp.
 11761. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand.
 11762. Cyperaceae: *Didymiandrum stellatum* (Böck.)
 Gilly
 11763. Lycopodiaceae: *Lycopodiella alopecuroides* (L.)
 Cranfill
 11764. Polypodiaceae: *Polypodium sessilifolium* Desv.
 11765. Euphorbiaceae: *Phyllanthus* sp.
 11766. Lycopodiaceae: *Lycopodiella alopecuroides* (L.)
 Cranfill
 11767. Cyperaceae: *Rhynchospora roraimae* Kük.
 11768. Ochnaceae: *Poecilandra retusa* Tul. var.
sclerophylla (Ule) Sastre
 11769. Bromeliaceae: *Racinaea spiculosa* (Griseb.)
 M. A. Spencer and L. B. Sm. var. *stenoglossa*
 (L. B. Sm.) M. A. Spencer and L. B. Sm.
 11770. Lichen-Incert. sed.: Indet.
 11771. Lichen-Incert. sed.: Indet.
 11772. Orchidaceae: Indet.
 11773. Bryophyte: Indet.
 11774. Xyridaceae: *Orectanthe sceptrum* (Oliv.) Maguire
 11775. Bromeliaceae: *Brocchinia* sp.
 11776. Sphagnaceae: *Sphagnum* sp.
 11777. Anthoceroophyte: Indet.
 11778. Bryophyte: Indet.
 11779. Lichen-Incert. sed.: Indet.
 11780. Orchidaceae: Indet.
 11781. Pteridophyte: Indet.
 11782. Erythroxylaceae: *Erythroxylum oreophilum*
 (O. E. Schulz ex Pilg.) Steyerl. and Maguire
 11783. Dennstaedtiaceae: *Lindsaea tenuis* Klotzsch
 11784. Melastomataceae: *Macrocentrum minus* Gleason
 11785. Hymenophyllaceae: Indet.
 11786. Bromeliaceae: *Racinaea spiculosa* (Griseb.)
 M. A. Spencer and L. B. Sm. var. *stenoglossa*
 (L. B. Sm.) M. A. Spencer and L. B. Sm.
 11787. Orchidaceae: *Octomeria* sp.
 11788. Clusiaceae: *Clusia* sp.
 11789. Lauraceae: *Ocotea* sp.
 11790. Euphorbiaceae: *Hieronyma oblonga* (Tul.)
 Müll. Arg.
 11791. Rubiaceae: *Hillia parasitica* Jacq.
 11792. Euphorbiaceae: *Hieronyma oblonga* (Tul.)
 Müll. Arg.
 11793. Piperaceae: *Peperomia* cf. *striata* Ruiz and Pav.
 11794. Orchidaceae: Indet.
 11795. Caprifoliaceae: *Viburnum tinoides* L. f. var.
roraimense (Killip and A. C. Sm.) Steyerl.
 11796. Winteraceae: *Drimys roraimensis* (A. C. Sm.)
 Ehrend. and Gottsb.
 11797. Rosaceae: *Rubus guyanensis* Focke
 11798. Gesneriaceae: *Columnea guianensis* C. V. Morton
 11799. Rubiaceae: *Psychotria aubletiana* Steyerl.
 11800. Orchidaceae: Indet.
 11801. Pteridophyte: Indet.
 11802. Aspleniaceae: *Asplenium serra* Langsd. and Fisch.
 11803. Pteridophyte: Indet.
 11804. Grammitidaceae: *Zygophlebia sectifrons* (Kunze
 ex Mett.) L. E. Bishop
 11805. Pteridophyte: Indet.
 11806. Vittariaceae: *Vittaria gardneriana* Fée
 11807. Hymenophyllaceae: Indet.
 11808. Araceae: *Anthurium scandens* (Aubl.) Engl.
 11809. Bryophyte: Indet.
 11810. Hepaticae: Indet.
 11811. Pteridophyte: Indet.
 11812. Bryophyte: Indet.
 11813. Piperaceae: *Peperomia reptans* C. DC.
 11814. Piperaceae: *Peperomia* aff. *jamesoniana* C. DC.
 11815. Pteridophyte: Indet.
 11816. Orchidaceae: Indet.
 11817. Orchidaceae: Indet.
 11818. Orchidaceae: Indet.
 11819. Lentibulariaceae: *Utricularia* sp.
 11820. Orchidaceae: Indet.
 11821. Orchidaceae: Indet.
 11822. Hepaticae: Indet.
 11823. Bryophyte: Indet.

11824. Bryophyte: Indet.
 11825. Hepaticae: Indet.
 11826. Bryophyte: Indet.
 11827. Cladoniaceae: *Cladonia* sp.
 11828. Myrtaceae: *Myrcia sylvatica* (G. Mey.) DC.
 11829. Clusiaceae: Indet.
 11830. Myrsinaceae: *Cybianthus roraimae* (Steyerm.) G. Agostini
 11831. Araceae: *Anthurium roraimense* N. E. Br.
 11832. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
 11832a. Polypodiaceae: *Pecluma pectinata* (L.) M. G. Price
 11833. Rubiaceae: *Psychotria venulosa* Müll. Arg.
 11834. Ericaceae: *Psammisia urichiana* (Britton) A. C. Sm.
 11835. Orchidaceae: Indet.
 11836. Picramniaceae: *Picramnia nuriensis* Steyerm.
 11837. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
 11838. Verbenaceae: *Aegiphila* sp.
 11839. Malpighiaceae: *Byrsonima chalcophylla* Nied.
 11840. Orchidaceae: Indet.
 11841. Orchidaceae: Indet.
 11842. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
 11843. Piperaceae: *Peperomia manarae* Steyerm.
 11844. Rosaceae: *Prunus myrtifolia* (L.) Urb. var. *accumulans* Koehne
 11845. Orchidaceae: Indet.
 11846. Orchidaceae: Indet.
 11847. Compositae: *Mikania sprucei* Baker
 11848. Malpighiaceae: *Banisteriopsis pulcherrima* (Sandwith) B. Gates
 11849. Gesneriaceae: Indet.
 11850. Chrysobalanaceae: Indet.
 11851. Loranthaceae: Indet.
 11852. Magnoliaceae: *Dugandiodendron ptaritepuianum* (Steyerm.) Lozano
 11853. Araliaceae: *Schefflera* sp.
 11854. Hepaticae: Indet.
 11855. Hymenophyllaceae: Indet.
 11856. Ericaceae: *mixed* collection sp.
 11857. Hymenophyllaceae: Indet.
 11858. Lichen-Incert. sed.: Indet.
 11859. Lobariaceae: *Sticta* sp.
 11860. Lichen-Incert. sed.: *Peltigera* cf. sp.
 11861. Lichen-Incert. sed.: Indet.
 11862. Lichen-Incert. sed.: Indet.
 11863. Melastomataceae: *Leandra sanguinea* Gleason
 11864. Loranthaceae: Indet.
 11865. Loranthaceae: Indet.
 11866. Melastomataceae: *Miconia dodecandra* Cogn.
 11867. Leguminosae-Mimosoideae: *Inga* sp.
 11868. Bromeliaceae: Indet.
 11869. Leguminosae-Caesalpinioideae: *Cassia* sp.
 11870. Compositae: *Mikania banisteriae* DC.
 11871. Solanaceae: *Solanum* sp.
 11872. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
 11873. Passifloraceae: *Passiflora* cf. *tuberosa* Jacq.
 11874. Orchidaceae: Indet.
 11875. Orchidaceae: *Pleurothallis* sp.
 11876. Leguminosae-Caesalpinioideae: *Dialium* ? *guianense* (Aubl.) Sandwith
 11877. Sapindaceae: *Cardiospermum halicacabum* L.
 11878. Rubiaceae: *Psychotria spelunca* Standl. and Steyerm.
 11879. Compositae: *Pentacalia freemania* (Britton and Greenm.) Cuatrec.
 11880. Melastomataceae: *Miconia* sp.
 11881. Hymenophyllaceae: Indet.
 11882. Hymenophyllaceae: Indet.
 11883. Bryophyte: Indet.
 11884. Araceae: *Anthurium scandens* (Aubl.) Engl.
 11885. Anthoceroophyte: Indet.
 11886. Euphorbiaceae: *Croton roraimensis* Croizat
 11887. Campanulaceae: *Centropogon roraimanus* E. Wimm.
 11888. Melastomataceae: *Phainantha* cf. *maguirei* Wurdack
 11889. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
 11890. Orchidaceae: *Maxillaria meridensis* Lindl.
 11891. Aspleniaceae: *Asplenium radicans* L.
 11892. Bryophyte: Indet.
 11893. Aspleniaceae: *Asplenium cirrhatum* Rich. ex Willd.
 11894. Dryopteridaceae: *Arachniodes ochropteroides* (Baker) Lellinger
 11895. Pteridophyte: Indet.
 11896. Cyclanthaceae: Indet.
 11897. Arthoniaceae: *Cryptothecia* sp.
 11898. Sphagnaceae: *Sphagnum* sp.
 11899. Parmeliaceae: *Usnea* sp.
 11900. Vittariaceae: *Vittaria gardneriana* Fée
 11901. Orchidaceae: *Pleurothallis* sp.
 11901a. Orchidaceae: *Maxillaria* cf. *alpestris* Lindl.
 11902. Orchidaceae: *Trichosalpinx* sp.
 11903. Orchidaceae: *Stelis* sp.
 11904. Orchidaceae: *Epidendrum* sp.
 11905. Pteridophyte: Indet.

11906. Woodsiaceae: *Diplazium celtidifolium* Kunze
 11907. Pteridophyte: Indet.
 11908. Cyclanthaceae: *Asplundia* sp.
 11909. Dryopteridaceae: *Olfersia cervina* (L.) Kunze
 11910. Arecaceae: *Prestoea tenuiramosa* (Dammer)
 H. E. Moore
 11911. Arecaceae: *Geonoma appuniana* Spruce
 11912. Rubiaceae: Indet.
 11913. Melastomataceae: *Macrocentrum repens*
 (Gleason) Wurdack
 11914. Verbenaceae: *Aegiphila longifolia* Turcz.
 11915. Annonaceae: *Annona symphyocarpa* Sandwith
 11916. Annonaceae: *Guatteria minutiflora* Scharf and
 Maas
 11917. Rubiaceae: *Psychotria capitata* Ruiz and Pav.
 11918. Melastomataceae: *Miconia tillettii* Wurdack
 11919. Dryopteridaceae: *Cyclodium guianense*
 (Klotzsch) van der Werff ex L. D. Gómez
 11920. Bromeliaceae: *Vriesea duidae* (L. B. Sm.) Gouda
 11921. Myrtaceae: *Myrcia fallax* (Rich.) DC.
 11922. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D.
 Jacks.
 11923. Mendonciaceae: *Mendoncia aspera* (Ruiz and
 Pav.) Nees
 11924. Campanulaceae: *Centropogon roraimanus*
 E. Wimm.
 11925. Piperaceae: *Piper* sp.
 11926. Gesneriaceae: *Besleria penduliflora* Fritsch
 11927. Gesneriaceae: *Alloplectus savannarum* C. V.
 Morton
 11928. Rubiaceae: *Faramea cardonae* Standl. and Steyerl.
 11929. Cyatheaaceae: *Cnemidaria spectabilis* (Kunze)
 R. M. Tryon var. *spectabilis*
 11930. Chrysobalanaceae: Indet. cf.
 11931. Pteridophyte: Indet.
 11932. Araliaceae: *Schefflera* sp.
 11933. Leguminosae: Indet.
 11934. Rubiaceae: Indet.
 11935. Melastomataceae: *Miconia marginata* Triana
 11936. Melastomataceae: *Henriettea stellaris* O. Berg ex
 Triana
 11937. Myrtaceae: *Eugenia spruceana* O. Berg
 11938. Araceae: *Philodendron linnaei* Kunth
 11939. Orchidaceae: *Myoxanthus* sp.
 11940. Orchidaceae: *Pleurothallis* sp.
 11941. Orchidaceae: *Pleurothallis* sp.
 11942. Orchidaceae: *Pleurothallis* sp.
 11943. Gesneriaceae: Indet.
 11944. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex
 Benth.
 11945. Cyperaceae: *Rhynchospora tuerckheimii* C. B.
 Clarke ex Kük.
 11946. Melastomataceae: *Miconia* sp.
 11947. Lentibulariaceae: *Utricularia* sp.
 11948. Melastomataceae: *Miconia loreyoides* Triana
 11949. Ericaceae: *Sphyrnospermum buxifolium* Poepp.
 and Endl.
 11950. Mendonciaceae: *Mendoncia aspera* (Ruiz and
 Pav.) Nees
 11951. Pteridophyte: Indet.
 11952. Rubiaceae: *Psychotria speluncae* Standl. and
 Steyerl.
 11953. Solanaceae: Indet.
 11954. Rubiaceae: *Faramea cardonae* Standl. and
 Steyerl.
 11955. Bryophyte: Indet.
 11956. Bryophyte: Indet.
 11957. Pteridophyte: Indet.
 11958. Dryopteridaceae: *Cyclodium inerme* (Fée)
 A. R. Sm.
 11959. Melastomataceae: *Miconia* sp.
 11960. Campanulaceae: *Centropogon cornutus* (L.)
 Druce
 11961. Ericaceae: *Psammisia coarctata* (R. and P.)
 A. C. Sm.
 11962. Melastomataceae: *Clidemia pakaraimae* Wurdack
 11963. Melastomataceae: *Clidemia heptamera* Wurdack
 11964. Rubiaceae: Indet.
 11965. Clusiaceae: Indet.
 11966. Hepaticae: Indet.
 11967. Orchidaceae: *Stelis* sp.
 11968. Cyclanthaceae: *Asplundia* sp.
 11969. Tectariaceae: *Lastreopsis amplissima* (C. Presl)
 Tindale
 11970. Pteridophyte: Indet.
 11971. Moraceae: *Ficus americana* Aubl. ssp. *guianensis*
 (Desv.) C. C. Berg
 11972. Cunoniaceae: *Weinmannia* sp.
 11973. Rubiaceae: *Psychotria berteriana* DC.
 11974. Piperaceae: *Piper* sp.
 11975. Piperaceae: *Piper* sp.
 11976. Rubiaceae: *Notopleura guadalupensis* (DC.)
 C. M. Taylor
 11977. Melastomataceae: *Adelobotrys monticola*
 Gleason
 11978. Melastomataceae: *Miconia* sp.
 11979. Heliconiaceae: *Heliconia psittacorum* L. f.
 11980. Melastomataceae: *Clidemia minutiflora* (Triana)
 Cogn.
 11981. Piperaceae: *Piper* sp.

11982. Passifloraceae: *Passiflora* sp.
 11983. Oleandraceae: *Oleandra articulata* (Sw.) C. Presl
 11984. Annonaceae: *Guatteria minutiflora* Scharf and Maas
 11985. Passifloraceae: *Passiflora* sp.
 11986. Pteridophyte: Indet.
 11987. Pteridophyte: Indet.
 11988. Woodsiaceae: *Diplazium expansum* Willd.
 11989. Pteridophyte: Indet.
 11990. Woodsiaceae: *Diplazium radicans* Desv.
 11991. Pteridophyte: Indet.
 11992. Tectariaceae: *Lastreopsis amplissima* (C. Presl) Tindale
 11993. Pteridophyte: Indet.
 11994. Pteridophyte: Indet.
 11995. Pteridophyte: Indet.
 11996. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
 11997. Flacourtiaceae: *Casearia* sp.
 11998. Verbenaceae: *Aegiphila* sp.
 11999. Rubiaceae: Indet.
 12000. Hymenophyllaceae: Indet.
 12001. Bryophyte: Indet.
 12002. Orchidaceae: *Epidendrum* aff. *strobiliferum* Rchb. f.
 12003. Gesneriaceae: Indet.
 12004. Cyclanthaceae: Indet.
 12005. Blechnaceae: *Salpichlaena volubilis* (Kaulf.) J. Sm.
 12006. Araceae: *Philodendron grandifolium* (Jacq.) Schott
 12007. Clusiaceae: Indet.
 12008. Gesneriaceae: *Besleria* sp.
 12009. Rubiaceae: *Psychotria poeppigiana* Müll. Arg.
 12010. Myrsinaceae: Indet.
 12011. Picramniaceae: *Picramnia nuriensis* Steyererm.
 12012. Orchidaceae: *Malaxis* sp.
 12013. Bromeliaceae: *Vriesea splendens* (Brongn.) Lem.
 12014. Bromeliaceae: *Guzmania retusa* L. B. Sm.
 12015. Rubiaceae: *Elaeagia maguirei* Standl.
 12016. Melastomataceae: *Henriettella caudata* Gleason
 12017. Clusiaceae: *Caraipa* sp.
 12018. Araceae: *Heteropsis spruceana* Schott
 12019. Hippocrateaceae: *Cheiloclinium cognatum* (Miers) A. C. Sm.
 12020. Lauraceae: *Aniba* sp.
 12021. Cucurbitaceae: *Cayaponia botryocarpa* C. Jeffrey
 12022. Menispermaceae: Indet.
 12023. Leguminosae-Mimosoideae: *Inga* sp.
 12024. Selaginellaceae: *Selaginella* sp.
 12025. Melastomataceae: *Clidemia heptamera* Wurdack
 12026. Melastomataceae: *Miconia fragrans* Cogn.
 12027. Sapotaceae: Indet.
 12028. Piperaceae: *Piper* sp.
 12029. Rubiaceae: *Psychotria parvibractea* Steyererm.
 12030. Orchidaceae: *Pleurothallis* sp.
 12031. Dichapetalaceae: Indet.
 12032. Melastomataceae: *Clidemia pakaraimae* Wurdack
 12033. Pteridophyte: Indet.
 12034. Araceae: *Stenospermatum ammiticum* G. S. Bunting
 12035. Cyclanthaceae: Indet.
 12036. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne. ex Planch. and Linden
 12037. Cyperaceae: *Pleurostachys puberula* Böck.
 12038. Arecaceae: *Geonoma euspatha* Burret
 12039. Euphorbiaceae: *Alchornea triplinervia* (Spreng.) Müll. Arg.
 12040. Rhizophoraceae: *Sterigma petalum resinum* Steyererm. and Liesner
 12041. Malpighiaceae: *Byrsonima stipulacea* A. Juss.
 12042. Hymenophyllaceae: Indet.
 12043. Orchidaceae: *Myoxanthus* sp.
 12044. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
 12045. Orchidaceae: *Pleurothallis* sp.
 12046. Polygonaceae: Indet.
 12047. Orchidaceae: *Lepanthes* sp.
 12048. Apocynaceae: Indet.
 12049. Melastomataceae: *Clidemia involucreta* DC.
 12050. Orchidaceae: *Scaphosepalum* sp.
 12051. Orchidaceae: *Octomeria* sp.
 12052. Piperaceae: *Piper* sp.
 12053. Bromeliaceae: *Guzmania retusa* L. B. Sm.
 12054. Dryopteridaceae: *Cyclodium akawaiaorum* A. R. Sm.
 12055. Orchidaceae: *Dichaea morrisii* Fawc. and Rendle
 12056. Moraceae: *Ficus albert-smithii* Standl.
 12057. Orchidaceae: *Pleurothallis* sp.
 12058. Orchidaceae: *Myoxanthus* sp.
 12059. Pteridophyte: Indet.
 12060. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
 12061. Dichapetalaceae: Indet.
 12062. Orchidaceae: *Psilochilus* sp.
 12063. Rubiaceae: *Elaeagia maguirei* Standl.
 12064. Leguminosae-Mimosoideae: *Inga* sp.
 12065. Polypodiaceae: *Polypodium loriceum* L.
 12066. Pteridophyte: Indet.
 12067. Arecaceae: *Bactris ptariana* Steyererm.

12068. Bromeliaceae: *Guzmania squarrosa* (Mez and Sodiro) L. B. Sm. and Pittendr.
12069. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
12070. Rubiaceae: *Psychotria muscosa* (Jacq.) Steyerl.
12071. Myrsinaceae: Indet.
12072. Rubiaceae: *Psychotria tepuiensis* (Steyerl.) Steyerl.
12073. Solanaceae: *Lycianthes pauciflora* (Vahl) Bitter
12074. Annonaceae: *Duguetia rigida* R. E. Fr.
12075. Bromeliaceae: *Guzmania lingulata* (L.) Mez
12076. Orchidaceae: *Lepanthes* sp.
12077. Orchidaceae: *Scaphosepalum* sp.
12078. Orchidaceae: *Masdevallia* cf. sp.
12079. Hymenophyllaceae: Indet.
12080. Arthoniaceae: *Cryptothecia* cf. sp.
12081. Parmeliaceae: *Usnea* sp.
12082. Lichen-Incert. sed.: Indet.
12083. Burseraceae: *Dacryodes nitens* Cuatrec.
12084. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
12085. Clusiaceae: Indet.
12086. Piperaceae: *Piper* sp.
12087. Myrsinaceae: Indet.
12088. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
12089. Euphorbiaceae: *Plukenetia polyadenia* Müll. Arg.
12090. Gentianaceae: *Irbachia purpurascens* (Aubl.) Maas
12091. Polygalaceae: Indet.
12092. Boraginaceae: *Cordia nodosa* Lam.
12093. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
12094. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
12095. Hymenophyllaceae: *Trichomanes trollii* Bergdolt
12096. Rubiaceae: Indet.
12097. Ochnaceae: *Cespedesia* sp.
12098. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm.
12099. Piperaceae: *Piper* sp.
12100. Piperaceae: *Peperomia* ? sp. nov.
12101. Orchidaceae: Indet.
12102. Orchidaceae: Indet.
12103. Smilacaceae: *Smilax* sp.
12104. Flacourtiaceae: *Casearia* sp.
12105. Pteridophyte: Indet.
12106. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
12107. Orchidaceae: Indet.
12108. Bignoniaceae: *Schlegelia spruceana* K. Schum.
12109. Burseraceae: *Protium* cf. *opacum* Swart ssp. *exaggeratum* Daly
12110. Cecropiaceae: *Cecropia distachya* Huber
12111. Heliconiaceae: *Heliconia bibai* (L.) L.
12112. Heliconiaceae: *Heliconia* sp.
12113. Orchidaceae: Indet.
12114. Arecaceae: *Dictyocaryum ptarianum* (Steyerl.) H. E. Moore and Steyerl.
12115. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
12116. Apocynaceae: *Aspidosperma* sp.
12117. Lichen-Incert. sed.: Indet.
12118. Lichen-Incert. sed.: Indet.
12119. Orchidaceae: Indet.
12120. Orchidaceae: Indet.
12121. Orchidaceae: Indet.
12122. Aspleniaceae: *Asplenium pteropus* Kaulf.
12123. Melastomataceae: *Miconia plukenetii* Naudin
12124. Araceae: *Stenospermation* sp.
12125. Passifloraceae: *Passiflora* cf. *auriculata* Kunth
12126. Melastomataceae: *Miconia* cf. *amplexans* (Crueg.) Cogn.
12127. Melastomataceae: *Miconia ampla* Triana
12128. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
12129. Poaceae: *Panicum rivale* Swallen
12130. Gesneriaceae: Indet.
12131. Poaceae: *Paspalum pumilum* Nees
12132. Orchidaceae: *Ionopsis* sp.
12133. Orchidaceae: Indet.
12134. Gesneriaceae: Indet.
12135. Meliaceae: *Trichilia septentrionalis* C. DC.
12136. Araceae: *Anthurium scandens* (Aubl.) Engl.
12137. Orchidaceae: Indet.
12138. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
12139. Ochnaceae: *Ouratea* sp.
12140. Meliaceae: *Guarea* ? *humaitensis* T. D. Penn.
12141. Meliaceae: *Guarea* sp.
12142. Leguminosae-Mimosoideae: *Inga* sp.
12143. Olacaceae: *Minuartia guianensis* Aubl.
12144. Bignoniaceae: *Schlegelia* sp.
12145. Euphorbiaceae: *Richeria grandis* Vahl
12146. Polygalaceae: Indet.
12147. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
12148. Leguminosae-Caesalpinioideae: Indet.
12149. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
12150. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith

12151. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
12152. Compositae: *Clibadium surinamense* L.
12153. Metaxyaceae: *Metaxya lanosa* A. R. Sm. and H. Tuomisto
12154. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 12155a. Xyridaceae: *Xyris involucrate* Nees
- 12155b. Cyperaceae: *Lagenocarpus amazonicus* (C. B. Clarke) H. Pfeiff.
12156. Melastomataceae: *Siphanthera* vel aff. *hostmannii* Cogn.
12157. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
12158. Dennstaedtiaceae: *Lindsaea semilunata* (C. Chr.) C. Chr.
12159. Orchidaceae: Indet.
12160. Orchidaceae: Indet.
12161. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
12162. Rubiaceae: *Psychotria apoda* Steyerl.
12163. Araceae: *Philodendron callosum* K. Krause
12164. Gentianaceae: *Voyria aphylla* (Jacq.) Pers.
12165. Burmanniaceae: *Burmannia bicolor* Mart.
12166. Rubiaceae: Indet.
12167. Eriocaulaceae: *Syngonanthus gracilis* (Bong.) Ruhland
12168. Solanaceae: *Solanum subinerme* Jacq.
12169. Costaceae: *Costus spiralis* (Jacq.) Roscoe var. *spiralis*
12170. Araceae: *Spathiphyllum cannifolium* (Dryand. ex Sims) Schott
12171. Rubiaceae: *Spermacoce capitata* Ruiz and Pav.
12172. Cladoniaceae: *Cladonia* sp.
12173. Lentibulariaceae: *Utricularia* sp.
12174. Burmanniaceae: *Apteria aphylla* (Nutt.) Barnhart ex Small
12175. Acanthaceae: Indet. cf.
12176. Eriocaulaceae: *Paepalanthus oyapockensis* Herzog
12177. Piperaceae: *Piper* sp.
12178. Cladoniaceae: *Cladonia* sp.
- 12178a. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
12179. Lichen-Incert. sed.: Indet.
12180. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
12181. Melastomataceae: *Tococa aristata* Benth.
12182. Gesneriaceae: Indet.
12183. Melastomataceae: *Miconia* aff. *prasina* (Sw.) DC.
12184. Cyperaceae: *Calyptrocarya poeppigiana* Kunth
12185. Poaceae: *Raddiella esenbeckii* (Steud.) C. E. Calderón and Soderstr.
12186. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne. ex Planch. and Linden
12187. Marantaceae: Indet.
12188. Cyperaceae: *Eleocharis debilis* Kunth
12189. Areaceae: *Desmoncus polyacanthos* Mart.
12190. Orchidaceae: Indet.
12191. Orchidaceae: Indet.
12192. Schizaeaceae: *Schizaea stricta* Lellinger
12193. Lentibulariaceae: Indet.
12194. Orchidaceae: Indet.
12195. Gentianaceae: *Tachia schomburgkiana* Benth.
12196. Melastomataceae: *Miconia rugosa* Triana
12197. Myrtaceae: *Eugenia kaieteurensis* Amshoff
12198. Rapateaceae: *Rapatea paludosa* Aubl.
12199. Myrsinaceae: *Myrsine guianensis* (Aubl.) Kuntze
12200. Araceae: *Rhodospatha latifolia* Poepp.
12201. Rubiaceae: *Psychotria crococlhamys* Sandwith
12202. Rubiaceae: *Geophila repens* (L.) I. M. Johnst.
12203. Clusiaceae: Indet.
12204. Compositae: *Stenopadus talaumifolius* S. F. Blake
12205. Dennstaedtiaceae: *Lindsaea schomburgkii* Klotzsch f. *schomburgkii*
12206. Melastomataceae: *Miconia bracteata* (DC.) Triana
12207. Melastomataceae: *Tococa aristata* Benth.
12208. Orchidaceae: Indet.
12209. Gesneriaceae: *Lampadaria* cf. sp.
12210. Melastomataceae: *Clidemia epibaterium* DC.
12211. Leguminosae-Caesalpinioideae: *Dicymbe fraterna* R. S. Cowan
12212. Clusiaceae: Indet.
12213. Clusiaceae: Indet.
12214. Rubiaceae: *Ronabea latifolia* Aubl.
12215. Chrysobalanaceae: Indet. cf.
12216. Lauraceae: *Endlicheria chalisea* Chanderbali
12217. Dichapetalaceae: Indet.
12218. Rapateaceae: *Saxofridericia regalis* R. H. Schomb.
12219. Orchidaceae: Indet.
12220. Lauraceae: *Ocotea* sp.
12221. Orchidaceae: Indet.
12222. Orchidaceae: Indet.
12223. Araceae: *Philodendron linnaei* Kunth
12224. Leguminosae-Caesalpinioideae: Indet.
12225. Clusiaceae: Indet.
12226. Bromeliaceae: *Tillandsia monadelphica* (E. Morren) Baker
12227. Bromeliaceae: *Araeococcus micranthus* Brongn.
12228. Araceae: *Anthurium clavigerum* Poepp.

12229. Araceae: *Spathiphyllum* ? *cuspidatum* Schott
 12230. Leguminosae-Mimosoideae: *Inga* sp.
 12231. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
 12232. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
 12233. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
 12234. Piperaceae: *Piper* sp.
 12235. Melastomataceae: *Maieta guianensis* Aubl.
 12236. Rubiaceae: *Faramea multiflora* A. Rich. ex DC.
 12237. Campanulaceae: *Centropogon cornutus* (L.) Druce
 12238. Heliconiaceae: *Heliconia acuminata* Rich.
 12239. Euphorbiaceae: Indet.
 12240. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
 12241. Asclepiadaceae: Indet.
 12242. Polypodiaceae: *Polypodium caceresii* Sodiro
 12243. Compositae: *Clibadium surinamense* L.
 12244. Annonaceae: *Duguetia pycnastera* Sandwith
 12245. Pteridophyte: Indet.
 12246. Bryophyte: Indet.
 12247. Rubiaceae: *Perama dichotoma* Poepp.
 12248. Melastomataceae: *Macairea pachyphylla* Benth.
 12249. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
 12250. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
 12251. Melastomataceae: *Miconia gratissima* Benth. ex Triana
 12252. Compositae: *Mikania sprucei* Baker
 12253. Rubiaceae: *Palicourea triphylla* DC.
 12254. Leguminosae-Faboideae: *Mucuna* sp.
 12255. Orchidaceae: Indet.
 12256. Orchidaceae: Indet.
 12257. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
 12258. Orchidaceae: Indet.
 12259. Orchidaceae: Indet.
 12260. Rubiaceae: Indet.
 12261. Araceae: *Monstera adansonii* Schott
 12262. Verbenaceae: *Stachytarpheta cayennensis* (Rich.) Vahl
 12263. Melastomataceae: *Tococa guianensis* Aubl.
 12264. Marantaceae: Indet.
 12265. Leguminosae-Mimosoideae: *Inga* sp.
 12266. Orchidaceae: Indet.
 12267. Orchidaceae: Indet.
 12268. Orchidaceae: Indet.
 12269. Piperaceae: *Peperomia* sp.
 12270. Myrsinaceae: *Cybianthus lepidotus* (Gleason) G. Agostini
 12271. Orchidaceae: Indet.
 12272. Violaceae: *Rinorea* sp.
 12273. Clusiaceae: Indet.
 12274. Orchidaceae: Indet.
 12275. Melastomataceae: *Phainantha* aff. *laxiflora* (Triana) Gleason
 12276. Araceae: *Anthurium scandens* (Aubl.) Engl.
 12277. Dichapetalaceae: Indet.
 12278. Ochnaceae: *Oouratea* sp.
 12279. Clusiaceae: Indet.
 12280. Orchidaceae: *Dichaea* sp.
 12281. Polygonaceae: *Coccoloba* sp.
 12282. Orchidaceae: Indet.
 12283. Pteridophyte: Indet.
 12284. Orchidaceae: *Epidendrum strobiliferum* Rchb. f.
 12285. Moraceae: *Ficus paraensis* (Miq.) Miq.
 12286. Bromeliaceae: *Tillandsia monadelphica* (E. Morren) Baker
 12287. Orchidaceae: Indet.
 12288. Piperaceae: Indet.
 12289. Flacourtiaceae: *Casearia* sp.
 12290. Bignoniaceae: *Schlegelia violacea* (Aubl.) Griseb.
 12291. Apocynaceae: Indet.
 12292. Oleandraceae: *Nephrolepis pectinata* (Willd.) Schott
 12293. Euphorbiaceae: Indet. cf.
 12294. Myrtaceae: *Myrcia fallax* (Rich.) DC.
 12295. Leguminosae-Mimosoideae: *Inga* sp.
 12296. Melastomataceae: *Miconia traillii* Cogn.
 12297. Moraceae: *Ficus paraensis* (Miq.) Miq.
 12298. Moraceae: *Ficus maxima* Mill.
 12299. Rubiaceae: *Psychotria polycephala* Benth.
 12300. Ericaceae: *Sphyrnospermum* cf. *ellipticum* Sleumer
 12301. Araceae: *Monstera obliqua* Miq.
 12302. Chrysobalanaceae: *Hirtella racemosa* Lam.
 12303. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
 12304. Chrysobalanaceae: Indet.
 12305. Dilleniaceae: *Davilla kunthii* A. St.-Hil.
 12306. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
 12307. Xyridaceae: *Abolboda grandis* Griseb.
 12308. Apocynaceae: *Mandevilla benthamii* (A. DC.) K. Schum.
 12309. Myrsinaceae: Indet.
 12310. Poaceae: *Echinolaena inflexa* (Poir.) Chase
 12311. Clusiaceae: *Vismia* sp.

12312. Poaceae: *Panicum micranthum* Kunth
 12313. Malpighiaceae: *Byrsonima crassifolia* (L.) Kunth
 12314. Ochnaceae: Indet.
 12315. Bonnetiaceae: *Archytaea triflora* Mart.
 12316. Melastomataceae: *Tococa nitens* (Benth.) Triana
 12317. Humiriaceae: Indet.
 12318. Malpighiaceae: *Banisteriopsis pulcherrima* (Sandwith) B. Gates
 12319. Loranthaceae: Indet.
 12320. Humiriaceae: Indet.
 12321. Euphroniaceae: *Euphronia guianensis* (R. H. Schomb.) Hallier f.
 12322. Leguminosae-Caesalpinioideae: *Dimorphandra cuprea* Sprague and Sandwith
 12323. Lentibulariaceae: *Utricularia* sp.
 12324. Euphorbiaceae: Indet.
 12325. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
 12326. Rubiaceae: *Perama dichotoma* Poepp.
 12327. Rubiaceae: *Perama dichotoma* Poepp.
 12328. Melastomataceae: *Macairea lasiophylla* (Benth.) Wurdack
 12329. Lentibulariaceae: *Utricularia* sp.
 12330. Eriocaulaceae: Indet.
 12331. Lentibulariaceae: *Utricularia* sp.
 12332. Lentibulariaceae: *Utricularia* sp.
 12333. Orchidaceae: *Habenaria* sp.
 12334. Orchidaceae: *Habenaria* sp.
 12335. Orchidaceae: *Habenaria* sp.
 12336. Xyridaceae: *Xyris surinamensis* A. Spreng.
 12337. Bignoniaceae: *Digomphia laurifolia* Benth.
 12338. Melastomataceae: *Clidemia* aff. *novemnervia* (DC.) Triana
 12339. Polygalaceae: Indet.
 12340. Euphorbiaceae: Indet. cf.
 12341. Melastomataceae: *Rhynchanthera grandiflora* (Aubl.) DC.
 12342. Schizaeaceae: *Actinostachys subtrijuga* (Mart.) C. Presl
 12343. Rubiaceae: *Perama hirsuta* Aubl.
 12344. Rubiaceae: Indet.
 12345. Polygalaceae: Indet.
 12346. Cyperaceae: *Scleria verticillata* Muhl. ex Willd.
 12347. Ixonanthaceae: *Ochthocosmus longipedicellatus* Steyerl. and Luteyn
 12348. Leguminosae-Faboideae: *Swartzia* sp. nov. aff. *S. panacoco* (Aubl.) R. S. Cowan
 12349. Humiriaceae: Indet.
 12350. Melastomataceae: *Acisanthera uniflora* (Vahl) Gleason
 12351. Cladoniaceae: *Cladonia* sp.
 12352. Poaceae: *Panicum micranthum* Kunth
 12353. Cyperaceae: *Rhynchospora albida* (Nees) Böck.
 12354. Chrysobalanaceae: Indet.
 12355. Ochnaceae: *Ouratea* sp.
 12356. Lauraceae: *Endlicheria* ? sp. nov.
 12357. Poaceae: *Panicum micranthum* Kunth
 12358. Rubiaceae: Indet.
 12359. Cyperaceae: *Rhynchospora pubera* (Vahl) Böck. ssp. *pubera*
 12360. Cyperaceae: *Cyperus sphacelatus* Rottb.
 12361. Cyperaceae: *Rhynchospora barbata* (Vahl) Kunth
 12362. Rubiaceae: *Spermacoce verticillata* L.
 12363. Leguminosae: Indet.
 12364. Poaceae: *Andropogon leucostachyus* Kunth
 12365. Poaceae: *Eragrostis maypurensis* (Kunth) Steud.
 12366. Gentianaceae: *Irlbachia caerulescens* (Aubl.) Griseb.
 12367. Scrophulariaceae: *Buchnera* sp.
 12368. Cladoniaceae: *Cladonia* sp.
 12369. Ochnaceae: Indet.
 12370. Bromeliaceae: Indet.
 12371. Droseraceae: *Drosera kaieteurensis* Brumm.-Ding.
 12372. Poaceae: *Panicum nervosum* Lam.
 12373. Polygalaceae: Indet.
 12374. Melastomataceae: *Miconia alborufescens* Naudin
 12375. Rubiaceae: Indet.
 12376. Ternstroemiaceae: *Ternstroemia* cf. sp.
 12377. Dilleniaceae: *Doliocarpus paucinervis* Kubitzki
 12378. Pteridophyte: Indet.
 12379. Ericaceae: *Notopora schomburgkii* Hook. f.
 12380. Dilleniaceae: *Tetracera maguirei* Aymard and B. M. Boom
 12381. Ochnaceae: *Sauvagesia* sp.
 12382. Rubiaceae: *Pagamea capitata* Benth.
 12383. Myrtaceae: *Calycolpus cochleatus* McVaugh
 12384. Orchidaceae: Indet.
 12385. Myrtaceae: *Myrcia porphyrea* McVaugh
 12385A Loranthaceae: Indet.
 12386. Melastomataceae: *Miconia* cf. *ciliata* (Rich.) DC.
 12387. Melastomataceae: *Clidemia capitata* Benth.
 12388. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
 12389. Rubiaceae: *Psychotria egensis* Müll. Arg.
 12390. Myrsinaceae: Indet.
 12391. Myrtaceae: *Eugenia anastomosans* DC.
 12392. Ochnaceae: *Ouratea* sp.
 12393. Loranthaceae: Indet. cf.
 12394. Loranthaceae: Indet.
 12395. Araceae: *Philodendron callosum* K. Krause

12396. Lauraceae: *Cassytha filiformis* L.
 12397. Bromeliaceae: *Tillandsia bulbosa* Hook.
 12398. Hymenophyllaceae: Indet.
 12399. Cyperaceae: *Scleria cyperina* Willd. ex Kunth
 12400. Bignoniaceae: *Tabebuia subtilis* Sprague and Sandwith
 12401. Humiriaceae: Indet.
 12402. Chrysobalanaceae: Indet.
 12403. Myrtaceae: *Myrcia fallax* (Rich.) DC.
 12404. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.
 12405. Compositae: *Chromolaena laevigata* (Lam.) R. M. King and H. Rob.
 12406. Lecythidaceae: *Couratari riparia* Sandwith
 12407. Ericaceae: *Bejaria aestuans* L.
 12408. Monotaceae: *Pakaraimaea dipterocarpacea* Maguire and P. S. Ashton
 12409. Proteaceae: *Panopsis sessilifolia* (Rich.) Sandwith
 12410. Chrysobalanaceae: Indet.
 12411. Leguminosae: Indet.
 12412. Rubiaceae: Indet.
 12413. Malpighiaceae: *Byrsonima concinna* Benth.
 12414. Leguminosae-Faboideae: *Ormosia* sp.
 12415. Myrtaceae: *Myrcia fallax* (Rich.) DC.
 12416. Leguminosae-Caesalpinioideae: *Macrolobium* sp.
 12417. Bombacaceae: *Catostemma altsonii* Sandwith
 12418. Polygalaceae: Indet.
 12419. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
 12420. Chrysobalanaceae: Indet.
 12421. Malpighiaceae: *Tetrapteryx styloptera* A. Juss.
 12422. Myrsinaceae: Indet.
 12423. Gnetaceae: *Gnetum* sp.
 12424. Bombacaceae: *Pachira minor* (Sims) Hemsl.
 12425. Chrysobalanaceae: Indet.
 12426. Polygalaceae: Indet.
 12427. Myrtaceae: *Myrcia platyclada* DC.
 12428. Clusiaceae: Indet.
 12429. Clusiaceae: Indet.
 12430. Sapotaceae: Indet.
 12431. Clusiaceae: Indet.
 12432. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke
 12433. Leguminosae: Indet.
 12434. Leguminosae-Mimosoideae: *Inga* sp.
 12435. Lichen-Incert. sed.: Indet.
 12436. Lichen-Incert. sed.: Indet.
 12437. Lichen-Incert. sed.: Indet.
 12438. Acanthaceae: *Ruellia tuberosa* L.
 12439. Acanthaceae: *Asystasia gangetica* (L.) T. Anderson
 12440. Acanthaceae: *Asystasia gangetica* (L.) T. Anderson
 12441. Acanthaceae: *Barleria cristata* L.
 12442. Acanthaceae: *Justicia betonica* L.
 12443. Acanthaceae: *Asystasia gangetica* (L.) T. Anderson

IV. Collections by Determined Taxa

FUNGI

Indet.: 1825, 1938

Clavicipitaceae

Claviceps sp.: 5875

Cordyceps sp.: 1632, 4491, 4638, 4880, 5513

Polyporaceae

Microporellus ? sp.: 7972

Xylariaceae

Xylaria sp.: 7969

LICHENS

Indet.: 2379, 2411, 2425, 2462, 2633, 2634, 3116, 4394, 4477, 4541, 4720, 4864, 5353, 5580, 5602, 5694, 5789, 5814, 5821, 5822, 5824, 5837, 5842, 5864, 5900, 5904, 5908, 5918, 6036, 6848, 6874, 6875, 7375, 7706, 8541, 9276, 9355, 9483, 10056, 10141, 10170, 10335, 10391, 10418, 10581, 10618, 10652, 10654, 10800, 10851, 11517, 11751, 11752, 11759, 11770, 11771, 11779, 11858, 11861, 11862, 12082, 12117, 12118, 12179, 12435, 12436, 12437

Lichenized basidiomycete

Dictyonema glabratum: 3679

Dictyonema sp.: 5723

Arthoniaceae

Cryptothecia rubrocincta: 3689, 4863, 4915, 5899

Cryptothecia sp.: 11516, 11581, 11897, 12080

Bacidiaceae

Crocynia sp.: 4485, 4540

Phyllopsora sp.: 5006, 5325

Cladoniaceae

Cladia aggregata: 5693, 5879

Cladina densissima: 5263

Cladina s.l. *rotundata*: 5261

Cladina sp.: 5816

Cladonia ceratophylla: 5773

Cladonia corallifera: 2339, 2357, 2463, 2464, 5283, 5847, 5880

Cladonia didyma: 3372, 5774
Cladonia peltastica: 2356
Cladonia polyscypha: 2338
Cladonia secundana: 5283a
Cladonia signata: 5692
Cladonia sp.: 5286, 5322, 6834, 7034, 10489, 10524,
 10580, 10807, 11463, 11760, 11827, 12172, 12178,
 12351, 12368

Cladonia subreticulata: 5262

Cladonia vareschii: 5838

Indet.: 5260, 5280, 5284

Coccocarpiaceae

Coccocarpia sp.: 4505, 5903

Collemataceae

Leptogium sp.: 4604, 6539

Graphidaceae

Fissurina sp.: 4721

Graphis sp.: 4504, 10577, 10579, 10616, 10684

Indet.: 4862a

Gyalectaceae

Coenogonium sp.: 2424, 4707, 4900, 5357, 6080

Lobariaceae

Lobaria sp.: 5234, 5235, 5236

Pseudocyphellaria sp.: 5886, 5910

Sticta sp.: 5770, 11482, 11491, 11859

Sticta weigeli: 2412, 5686

Parmeliaceae

Bulbothrix sp.: 5356

Hypotrachya sp.: 5909

Parmotrema sp.: 1991, 2380, 5960

Rimelia sp.: 3678, 4427, 5199

Usnea sp.: 4955, 5823, 8063, 10578, 11899, 12081

Peltigeraceae

Peltigera cf. sp.: 11860

Physciaceae

Heterodermia sp.: 5591

Indet.: 5960a

Ramalinaceae

Ramalina anceps: 1833, 2674

Thelotre mataceae

Indet.: 4862, 5352

LIVERWORTS

1361, 2593, 3216, 5170, 5641, 5642, 5766, 5806, 8912,
 8913, 8914, 9082, 9083, 9129, 9168, 9232, 9311, 9312,
 9313, 9344, 9367, 9514, 9515, 9555, 10019, 10116,
 10337, 10436, 10438, 10482, 10485, 10488, 10657,
 10791, 10795, 11035, 11569, 11632, 11810, 11822,
 11825, 11854, 11966

HORNWORTS

8973, 9095, 10334, 10407, 11582, 11777, 11885

BRYOPHYTES

Funariaceae

Funaria hygrometrica var. *calvescens*: 855

Leucobryaceae

Leucobryum cf. sp.: 1881, 2581, 3045

Sphagnaceae

Sphagnum sp.: 6872, 6882, 7288, 8527, 9277, 9348,
 10308, 10309, 11525, 11776, 11898

Indet.: 1065, 1287, 1418, 1428, 1480, 1832, 1880, 2027,
 2049, 2127, 2129, 2183, 2325, 2326, 2337, 2392, 2475,
 2493, 2531, 2533, 2534, 2548, 2558, 2559, 2578, 2582,
 2584, 2585, 2590, 2591, 2592, 2617, 2670, 2671, 2884,
 2920, 2933, 2943, 2945, 3046, 3159, 3184, 3200, 3245,
 3246, 3340, 3469, 3504, 3577, 3649, 3650, 3671, 3680,
 3682, 3797, 4005, 4006, 4103, 4199, 4233, 4417, 4418,
 4429, 4431, 4437, 4536, 4613b, 4613a, 4627, 4689,
 4690, 4706, 4728, 4731, 4732, 4733, 4734, 4735, 4901,
 4903, 4904, 4942, 5009, 5169, 5268, 5269, 5270, 5271,
 5272, 5273, 5287, 5307, 5321, 5326, 5334, 5354, 5378,
 5379, 5380, 5437, 5458, 5464, 5479, 5495, 5573, 5574,
 5575, 5577, 5578, 5601, 5630, 5638, 5640, 5656, 5661,
 5662, 5663, 5687, 5688, 5689, 5697, 5698, 5720, 5721,
 5722, 5739, 5763, 5771, 5797, 5798, 5805, 5819, 5820,
 5866, 5867, 5877, 5878, 5902, 5907, 5968, 5977, 6011,
 6012, 6026, 6072, 6131, 6234, 6235, 6236, 6250, 6285,
 6322, 6323, 6336, 6362, 6376, 6377, 6378, 6379, 6380,
 6381, 6566, 6649, 6744, 6753, 6827, 6828, 6829, 6842,
 6873, 6963, 6964, 6976, 7155, 7169, 7173, 7178, 7208,
 7209, 7290, 7291, 7325, 7374, 7379, 7390, 7438, 7648,
 7970, 7971, 7991, 8066, 8173, 8372, 8373, 8374, 8402,
 8403, 8404, 8405, 8406, 8407, 8526, 8616, 8617, 8618,
 8627, 8629, 8659, 8667, 8668, 8710, 8964, 8965, 8982,
 8983, 8984, 8995, 9009, 9021, 9084, 9085, 9086, 9087,
 9088, 9094, 9096, 9097, 9098, 9099, 9113, 9114, 9128,
 9133, 9193, 9194, 9298, 9299, 9300, 9310, 9346, 9347,
 9349, 9366, 9400, 9401, 9409, 9418, 9432, 9433, 9436,
 9437, 9438, 9481, 9482, 9485, 9504, 9506, 9551, 9615,
 9634, 9635, 9643, 9705, 9743, 9756, 10035, 10055,
 10060, 10067, 10115, 10118, 10119, 10120, 10217,
 10288, 10292, 10332, 10336, 10364, 10399, 10401,
 10402, 10408, 10437, 10439, 10440, 10513, 10550,
 10562, 10575, 10576, 10601, 10614, 10626, 10651,
 10653, 10655, 10656, 10658, 10792, 10793, 10794,
 10796, 10797, 10798, 10799, 10802, 10850, 11090,
 11451, 11452, 11494, 11514, 11515, 11520, 11554,
 11583, 11604, 11609, 11610, 11631, 11686, 11711,

11773, 11778, 11809, 11812, 11823, 11824, 11826, 11883, 11892, 11955, 11956, 12001, 12246

LYCOPHYTES

Lycopodiaceae

Huperzia dichotoma: 6555, 8114

Huperzia funiformis: 7442

Huperzia linifolia: 11017

Huperzia taxifolia: 8281, 8633

Lycopodiella alopecuroides: 11763, 11766

Lycopodiella camporum: 9265

Lycopodiella caroliniana var. *meridionalis*: 2660, 5579, 10568

Lycopodiella cernua: 558, 739, 1063, 2665, 5103, 5582, 8940, 9479, 9548, 9934, 10545, 10745, 12249

Selaginellaceae

Selaginella ? *amazonica*: 9414

Selaginella epirrhizos: 1942, 4281, 6470

Selaginella flagellata: 8626, 10582

Selaginella cf. *hirsuta*: 5481

Selaginella mazaruniense: 9899

Selaginella aff. *palmiformis*: 9245

Selaginella parkeri: 258, 315, 676, 1277, 1886, 2184, 2872, 3158, 4472, 5402, 6583, 7081, 7624, 7945

Selaginella pedata: 3607

Selaginella porelloides: 5496

Selaginella producta: 3654

Selaginella ? *revoluta*: 10734

Selaginella seemannii: 5957, 6068, 6069

Selaginella sp.: 5480, 9179, 9473, 11102, 11108, 11158, 11403, 11598, 12024

PTERIDOPHYTES

Indet.: 1840, 2274, 2275, 2285, 2364, 2365, 5008, 5690, 5989, 7170, 7292, 9941, 9981, 10010, 10017, 10048, 10062, 10078, 10083, 10157, 10188, 10210, 10242, 10307, 10325, 10346, 10348, 10361, 10362, 10396, 10421, 10441, 10512, 10533, 10542, 10543, 10584, 10585, 10586, 10594, 10617, 10660, 10718, 10737, 10783, 10785, 10790, 10805, 10835, 10847, 11396, 11399, 11409, 11489, 11512, 11518, 11519, 11524, 11559, 11564, 11587, 11605, 11606, 11620, 11627, 11628, 11635, 11648, 11661, 11669, 11781, 11801, 11803, 11805, 11811, 11815, 11895, 11905, 11907, 11931, 11951, 11957, 11970, 11986, 11987, 11989, 11991, 11993, 11994, 11995, 12033, 12059, 12066, 12105, 12245, 12283, 12378

Adiantaceae

Adiantopsis monticola: 9291

Adiantopsis radiata: 2962, 4703, 4745, 6324, 7345, 8195, 9240

Adiantum adiantoides: 3956

Adiantum argutum: 4682, 6222, 6919

Adiantum asperum: 1937, 4526, 4701

Adiantum cajennense: 844, 1917, 2016, 2608, 2714, 2796, 3157, 4525, 5187a, 6413, 11162, 11372

Adiantum glaucescens: 6350

Adiantum latifolium: 1146, 2185, 3405, 3481, 6455, 6760, 8155, 10680, 11080, 11133, 11224

Adiantum leprieurii: 2014

Adiantum lucidum: 6349

Adiantum macrophyllum: 8740

Adiantum obliquum: 5991, 8639

Adiantum olivaceum: 1204

Adiantum petiolatum: 6746, 6909

Adiantum phyllitidis: 1084, 1203, 2426, 4307

Adiantum pulverulentum: 3403, 6223, 6757

Adiantum serratodentatum: 5126

Adiantum terminatum: 2327, 2792, 4280, 4388, 4452, 6694, 7107, 7109, 7625, 7946, 10171

Adiantum tetraphyllum: 6020, 11104, 11153

Adiantum tomentosum: 2254, 2473, 7842

Doryopteris collina: 5160, 8657

Doryopteris conformis: 1697, 10326, 10827

Doryopteris pedata var. *multipartita*: 8191, 8211

Doryopteris sagittifolia: 2456, 4665, 4909, 6000, 8122, 8197, 8293, 8652

Eriosorus flexuosus: 9440, 9544, 10527, 10771

Eriosorus hispidulus: 9435, 10607

Hemionitis palmata: 8203

Hemionitis rufa: 6017, 6032

Pityrogramma calomelanos: 4847, 9836, 9984

Pterozonium terrestre: 9368

Aspleniaceae

Asplenium abscissum: 8291

Asplenium angustum: 1905, 4083, 4962, 6398, 7679, 11130

Asplenium auritum: 3058, 3211, 3767, 4750, 5217, 5407, 6070, 6561, 7111, 7497, 7810, 8292

Asplenium cirrhatum: 11629, 11893

Asplenium cristatum: 5993

Asplenium cuneatum: 4684, 5021, 8000, 8310

Asplenium dissectum: 11657

Asplenium feei: 7529

Asplenium juglandifolium: 1908, 4749

Asplenium pearcei: 4004, 8314, 8727

Asplenium pteropus: 10091, 12122

Asplenium radicans: 11891

Asplenium salicifolium: 4257, 7253, 7564, 8737, 9653

Asplenium serra: 5346, 8677, 11802

Asplenium serratum: 373, 634, 1842, 1933, 2201, 2306, 2847, 3468, 3635, 4016, 4082, 4225, 4474, 5963, 6008, 6307, 7337, 7807, 7958, 8014, 8463, 8767, 8838, 8888, 10961, 11103

Asplenium zamiifolium: 8611

Blechnaceae

Blechnum atropurpureum: 9488

Blechnum divergens: 5559

Blechnum nr. *gracile*: 8567, 8656

Blechnum lehmannii: 11567

Blechnum lherminieri: 10327

Blechnum occidentale: 6019

Blechnum schomburgkii: 9541

Blechnum serrulatum: 718, 1010

Blechnum sp.: 8632

Blechnum violaceum: 9426

Salpichlaena hookeriana: 7429, 9566

Salpichlaena volubilis: 2795, 5530, 7543, 10128, 10296, 11472, 12005

Cyatheaceae

Cnemidaria roraimensis: 8931, 10271

Cnemidaria spectabilis: 4131, 4241, 5445, 6484, 7544, 10636, 11507, 11929

Cyathea cyatheoides: 1925, 2172, 6865

Cyathea dissimilis: 5418, 9292, 9404, 9612

Cyathea macrocarpa: 5331

Cyathea macrosora: 9267

Cyathea microdonta: 9896

Cyathea nanna: 9135, 9271, 9309, 9597

Cyathea pungens: 4120, 4278a

Cyathea aff. *simplex*: 5803

Cyathea sp.: 5550, 7120

Cyathea surinamensis: 843, 1171, 5180, 5417, 6898

Cyathea traillii: 2861, 7177, 8089, 8263

Dennstaedtiaceae

Lindsaea ? *cultriformis*: 5660

Lindsaea cyclophylla: 10009, 10963

Lindsaea divaricata: 2791, 5296, 7950

Lindsaea dubia: 2889, 5403, 10964

Lindsaea ? *guianensis*: 9089, 5368

Lindsaea lancea: 842, 1921, 2248, 2793, 3137, 4115, 5178, 5516, 5912, 6863, 7071, 7094, 7191, 7360, 7382, 9149, 10008, 10947

Lindsaea parkeri: 9130

Lindsaea pendula: 982

Lindsaea portoricensis: 7002, 9270a, 10761

Lindsaea quadrangularis ssp. *antillensis*: 5125, 5717, 10393

Lindsaea reniformis: 5395

Lindsaea sagittata: 1920, 2026, 5483, 5489, 6841

Lindsaea schomburgkii: 5295, 5309, 9270, 12205

Lindsaea semilunata: 3093, 5297, 5313, 12158

Lindsaea sp.: 9288

Lindsaea stricta: 3692, 4711, 5825, 5871, 9351, 9487, 10572, 11761

Lindsaea tenuis: 5589, 10211, 10255, 10331, 11653, 11783

Lindsaea tetraptera: 5291

Ormoloma imrayanum: 5543, 5672, 9056, 9080, 9200, 9360, 10187, 10257

Saccoloma elegans ssp. *chartaceum*: 1434

Saccoloma inaequale: 2938, 4132, 5484, 6415, 7504, 7999

Dryopteridaceae

Arachniodes macrostegia: 5471, 9250, 11432

Arachniodes ochropteroides: 11894

Cyclodium akawaiorum: 12054

Cyclodium guianense: 2879, 7368, 7514, 8093, 9199, 9699, 10414, 11919

Cyclodium inerme: 375, 2569, 4126, 4207, 5490, 5946, 8928, 10071, 11527, 11958

Cyclodium meniscioides: 827, 1206, 1926, 2794, 4116, 5203, 5383, 5384, 7083, 7420, 7660, 8837, 9150, 9659, 9746, 10037, 10054, 10462

Cyclodium varians: 9964

Didymochlaena truncatula: 6226

Olfersia cervina: 8457, 10093, 11909

Polybotrya caudata: 7568, 8159, 8724, 10085

Polystichum ? *platylepis*: 8658

Stigmatopteris rotundata: 8029

Gleicheniaceae

Dicranopteris flexuosa: 710

Dicranopteris nervosa: 5844

Gleichenia remota: 10412

Sticherus bifidus: 9359

Sticherus remotus: 9429, 9986

Sticherus revolutus: 9434

Grammitidaceae

Ceradenia kalbreyeri: 9109

Cochlidium ? *attenuatum*: 11744

Cochlidium furcatum: 2536, 5450, 6040, 6839, 6890, 9111, 9131, 10014, 10216, 12178a

Cochlidium linearifolium: 4106, 5799, 9177, 9922a, 10215

Cochlidium aff. *rostratum*: 11608

Cochlidium serrulatum: 2028, 2867, 4287, 5299, 5452, 5499, 5682, 5901, 6880, 7477, 8376, 8694, 8956, 9106, 9186, 9192, 9922, 10018, 10142, 10784

Cochlidium tepuiense: 5604, 5683, 5817, 5914

Enterosora campbellii: 5727, 9911

Enterosora trifurcata: 5515, 10420, 11521, 11611

- Grammitis asplenifolia*: 10339, 10373, 11832, 11889
Grammitis blanchetii: 4898
Grammitis bryophila: 5800
Grammitis flabelliformis: 10509
Grammitis kalbreyeri: 5635, 5715, 10213, 10484
Grammitis leptopoda: 5919
Grammitis melanosticta: 5449, 8695
Grammitis randallii: 9742
Grammitis sp. A sensu A. R. Sm., Fl. Venez. Guayana v.2 p.153: 9365
Grammitis subsessilis: 8974, 10077, 10156, 10510
Grammitis taxifolia: 5525, 7361, 7468, 8412, 12106
Lellingeria moranii: 9616
Lellingeria randallii: 5385, 8999, 9285
Lellingeria subsessilis: 5524, 8947, 9169
Lellingeria suspensa: 3247
Micropolypodium nanum: 3685, 5348
Micropolypodium taenifolium: 5571, 5600, 5726, 6881, 7260, 7397, 8232, 8377, 9197
Zygophlebia sectifrons: 11804
- Hymenophyllaceae**
- Hymenophyllum apiculatum*: 5818, 8967
Hymenophyllum decurrens: 2866, 5517, 6854
Hymenophyllum dependens: 5927, 9127
Hymenophyllum fendlerianum: 5911
Hymenophyllum hirsutum: 6822, 9297
Hymenophyllum kaieteurum: 5544a
Hymenophyllum polyanthos: 2586, 3185, 3683, 3684, 5266
Hymenophyllum aff. *sericeum*: 5240
Hymenophyllum sp.: 10825
Hymenophyllum trichomanoides: 1884, 5332, 5955, 7710, 8257, 8676
 Indet.: 2345, 2944, 7380, 9967, 9968, 9980, 10007, 10011, 10030, 10113, 10117, 10209, 10236, 10289, 10305, 10345, 10358, 10363, 10398, 10400, 10432, 10447, 10470, 10476, 10602, 10611, 10840, 11101, 11410, 11470, 11492, 11586, 11637, 11649, 11658, 11665, 11666, 11668, 11684, 11755, 11785, 11807, 11855, 11857, 11881, 11882, 12000, 12042, 12079, 12398
Trichomanes "longifolium": 8743
Trichomanes accedens: 8391
Trichomanes ankersii: 4157, 4582, 4884, 7440, 7518, 11484
Trichomanes arbuscula: 535, 5467, 5477, 5576, 5637, 9001, 9038, 9039
Trichomanes bicorne: 2846, 3139, 10702
Trichomanes caliginum: 5544, 8925, 9030, 9337
Trichomanes cellulosum: 1064, 5498, 5716, 5757, 5921, 9040, 9112
Trichomanes crinitum: 1034, 5780
Trichomanes crispum: 3082, 5316, 5468, 5470, 6876, 8530, 8675
Trichomanes cristatum: 3681, 7266, 7389
Trichomanes diaphanum: 2806, 5482
Trichomanes diversifrons: 4118, 8472, 9701
Trichomanes eglerti: 5593
Trichomanes elegans: 2877, 8944, 9689, 10069, 10070, 10901, 11469
Trichomanes hostmannianum: 2785, 8755
Trichomanes humboldtii: 11440
Trichomanes krausii: 3160, 3637, 3938
Trichomanes longifolium: 6411, 7175
Trichomanes macilentum: 10967
Trichomanes pedicellatum: 2421, 2726, 2878, 4101, 5441, 6868, 7783, 9012, 11486
Trichomanes pellucens: 7263
Trichomanes pinnatum: 675, 1571, 1903, 2186, 2499, 2572, 2800, 3156, 3725, 4532, 5167, 5444, 5954, 6965, 7092, 7431, 11190
Trichomanes punctatum: 2265, 4522
Trichomanes radicans: 8166, 8454, 8733
Trichomanes rigidum: 7097, 7435
Trichomanes roraimense: 5696, 9513
Trichomanes sp.: 2263
Trichomanes spruceanum: 3092
Trichomanes sprucei: 5584, 5639
Trichomanes steyermarkii: 5920
Trichomanes trollii: 652, 1883, 2570, 5404, 7121, 7335, 9989, 10284, 12095
Trichomanes tuerckheimii: 5175
Trichomanes vandenboschii: 2821
Trichomanes vittaria: 2198, 2241, 3629, 11165
- Lomariopsidaceae**
- Bolbitis nicotianifolia*: 7560, 8028, 8334, 8731, 9691
Bolbitis semipinnatifida: 4146, 4244, 4259, 6086, 7437, 7686
Bolbitis serratifolia: 8295, 8709
Elaphoglossum crinitum: 8934
Elaphoglossum decoratum: 5519, 8985, 9241
Elaphoglossum flaccidum: 7539, 9647a, 10479
Elaphoglossum glabellum: 4096, 4743, 5275, 5951, 6601, 10015
Elaphoglossum herminieri: 3741
Elaphoglossum horridulum: 9650
Elaphoglossum laminarioides: 10086
Elaphoglossum lingua: 5781, 7801
Elaphoglossum longifolium: 9647
Elaphoglossum luridum: 1949, 4290, 10991
Elaphoglossum macrophyllum: 6860, 9850

- Elaphoglossum minutum*: 3763, 4963
Elaphoglossum nigrescens: 5453
Elaphoglossum peltatum: 5684
Elaphoglossum plumosum: 3709, 5344
Elaphoglossum praetermissum: 7283
Elaphoglossum sp.: 5245, 7493, 8273
Elaphoglossum strictum: 4135
Elaphoglossum vel aff. *vanderwerffii*: 10403, 10832
Lomariopsis japurensis: 1919, 2818, 3798, 4341, 4367, 4555, 6695, 6696, 11660
- Lygodiaceae**
Lygodium volubile: 1906, 3971, 4361, 8635, 8773
- Marattiaceae**
Danaea elliptica: 4148, 5558, 7364, 7527, 10272, 11508
Danaea moritziana: 10390
Danaea simplicifolia: 4187
- Metaxyaceae**
Metaxya lanosa: 12153
Metaxya rostrata: 374, 801, 1907, 2194, 3203, 5370, 6414, 7371, 11398
- Oleandraceae**
Nephrolepis biserrata: 731, 2502, 4001
Nephrolepis cordifolia: 1044, 5670, 6885
Nephrolepis pectinata: 12292
Nephrolepis pendula: 9930
Nephrolepis rivularis: 4626, 7301, 8531, 9931
Oleandra articulata: 2560, 6892, 7274, 8233, 8687, 8974a, 9868, 9948, 10480, 11607, 11983
Oleandra pilosa: 4002
- Polypodiaceae**
Campyloneurum latum: 3766, 6058
Campyloneurum phyllitidis: 3473, 4030, 4295, 4781, 4893, 8885, 11181
Campyloneurum repens: 1154, 1486, 2324, 4448, 4697, 5204, 6345, 7528, 8461, 8725
Dicranoglossum desvauxii: 2264, 2976, 3672, 4092, 4561, 4744, 6309, 6692, 8728, 8784, 11365
Microgramma baldwinii: 3141, 8859, 11058
Microgramma fuscopunctata: 2807, 4256, 4865, 7575, 8033, 9652
Microgramma lycopodioides: 419, 1083, 1887, 2849, 3642, 5197, 6524, 6807, 7739
Microgramma persicariifolia: 2231, 4032, 4666, 6443, 6516
Microgramma reptans: 1509, 3482, 4229, 4332, 4858, 4989, 6473b, 8766, 8865, 11164, 11320
Microgramma tecta: 3997, 6221, 8628
Microgramma thurnii: 183, 2797, 7090, 7657, 7952
Niphidium crassifolium: 604, 1208, 4063, 4205, 4252, 4507, 4795, 6473a, 7471, 10068, 12303
- Pecluma pectinata*: 7525, 8073, 8641, 11832a
Pecluma plumula: 3486, 4024, 4042b, 4509, 5958, 6585, 7021, 11180, 11523
Phlebodium pseudoaureum: 2436
Pleopeltis percussa: 1492, 2323, 2978, 3470, 3764, 4031, 4696, 5956, 6616, 8311, 8706, 8876, 11144, 11186, 11355
Polypodium bombycinum: 8151, 8312, 8845, 8857
Polypodium caceresii: 951, 5218, 5292, 7373, 7515, 8915, 9657, 9658, 10087, 10100, 12242
Polypodium dissimile: 7507
Polypodium dulce: 2936, 4325, 4683, 7512, 7531, 10127
Polypodium fraxinifolium: 7463
Polypodium loriceum: 5335, 8992, 10294, 10388, 10814, 12065
Polypodium panorense: 7165
Polypodium polypodioides: 1836, 1940, 4023
Polypodium sessilifolium: 5308, 5643, 5915, 9611, 10208, 11764
Polypodium triseriale: 1036, 3708, 4964, 8669
- Pteridaceae**
Pteris pearcei: 8638
Pteris pungens: 4223
- Salviniaceae**
Salvinia radula: 1395, 1479
- Schizaeaceae**
Actinostachys pennula: 865, 5231, 7003
Actinostachys subtrijuga: 12342
Anemia flexuosa: 2446, 3686, 6891
Anemia hirta: 5151
Anemia pastinacaria: 1831
Anemia phyllitidis: 857, 1220, 8196
Anemia villosa: 1692
Schizaea elegans: 3086, 5305, 5891, 5985, 6861, 6970, 7098, 7202, 7402, 7962, 8674, 9137, 10258, 11404
Schizaea fluminensis: 5506, 5518
Schizaea incurvata: 811, 5229, 6091, 6138
Schizaea stricta: 12192
- Tectariaceae**
Ctenitis refulgens: 3892, 5998, 6203
Cyclopeltis semicordata: 3404, 4015, 8167
Lastreopsis amplissima: 5535, 11969, 11992
Lastreopsis effusa: 8168
Tectaria heracleifolia: 4180
Tectaria incisa: 6031, 7654, 8153
Tectaria cf. *plantaginea*: 1945, 2503, 4156, 4317, 7348, 8031, 10065, 10897
Tectaria trifoliata: 1142, 2066, 4261, 9671, 10105, 11371
Triplophyllum acutilobum: 5186
Triplophyllum dicksonioides: 1904, 4685

Triplophyllum funestum: 2247, 2271, 2316, 2822, 4117, 4389, 5168, 5187, 6412, 6864, 7106, 7343, 7550, 10101, 10139, 11105

Thelypteridaceae

Thelypteris abrupta: 6918

Thelypteris arborescens: 4572

Thelypteris decussata: 7646

Thelypteris hispidula: 8953, 8987, 9849

Thelypteris kunthii: 5713

Thelypteris leprieurii: 5202

Thelypteris nesiotica: 8961, 9677

Thelypteris opulenta: 1099, 1841, 3406, 4200, 6014, 6327, 6759, 6776, 6905

Thelypteris pennata: 853, 4222, 6022

Thelypteris serrata: 3817

Thelypteris tetragona: 1193

Vittariaceae

Ananthacorus angustifolius: 1894, 4027, 4797, 9239

Anetium citrifolium: 4234, 4492

Antrophyum cajenense: 9651, 10046, 11366, 12257

Antrophyum guayanense: 1470, 2413, 2801, 3643, 3886, 4581, 4704, 4892, 6310, 6584, 7421, 7490, 7559, 8030, 8729, 8771

Antrophyum jenmanii: 2632

Hecistopteris pumila: 3378, 4537, 4567, 7767

Vittaria gardneriana: 8619, 11806, 11900

Vittaria graminifolia: 2535

Vittaria lineata: 3746, 4686, 4742, 8620

Vittaria remota: 7461

Woodsiaceae

Diplazium ? *celtidifolium*: 8591, 8636, 11662, 11906

Diplazium centripetale: 7530, 8343

Diplazium cristatum: 1100, 1143, 8150, 8169

Diplazium expansum: 11988

Diplazium gracilescens: 7540

Diplazium lechleri: 5551, 11568

Diplazium radicans: 11990

Diplazium riedelianum: 6074

GYMNOSPERMS

Gnetaceae

Gnetum nodiflorum: 1526, 4958, 6856, 6954, 7206, 7848, 10571

Gnetum paniculatum: 9203

Gnetum sp.: 12423

Gnetum urens: 8547

Podocarpaceae

Podocarpus steyermarkii: 9073, 9497, 9498, 9521, 9550, 10538, 10539, 10749

Podocarpus tepuiensis: 5658

DICOTS

Acanthaceae

Aphelandra pulcherrima: 8326

Asystasia gangetica: 760, 12439, 12440, 12443

Barleria cristata: 12441

Gynocraterium guianense: 4386

Indet.: 8157, 11067, 12175

Justicia betonica: 12442

Justicia calycina: 609, 636, 2495, 2517, 2526, 4212, 7352, 7995, 10902, 12151

Justicia guianensis: 6205

Justicia pectoralis: 8596

Justicia potarensis: 3488, 9660, 10121

Justicia schomburgkiana: 399, 2304

Justicia sp.: 7473

Justicia wurdackii: 1912

Lepidagathis alopecuroidea: 6517

Pachystachys coccinea: 8140, 8241

Polylychnis radicans: 1893, 6670, 7642, 7766, 8118, 8476

Ruellia geminiflora var. *angustifolia*: 1725

Ruellia tuberosa: 12438

Trichanthera gigantea: 1261

Amaranthaceae

Alternanthera brasiliensis: 1998

Indet.: 2783, 3379, 6930, 7871, 8205, 8449

Pfaffia glomerata var. *glomerata*: 382

Anacardiaceae

Anacardium occidentale: 2165, 6098

Astronium ulei: 6791

Loxopterygium sagotii: 6126

Spondias mombin: 3491, 6912, 11325

Tapirira guianensis: 1610, 3816, 6418, 6462, 6855, 6987, 7255, 7398, 8050, 8236, 8418, 8612, 8679

Tapirira ? sp.: 3218

Annonaceae

Anaxagorea acuminata: 4888, 7935, 8833, 11339, 11359, 11383

Anaxagorea brevipes: 2204, 2811, 2823, 2964, 7240, 7735

Anaxagorea dolichocarpa: 313, 592, 830, 1150, 1180, 1400, 1415, 2512, 2567, 2629, 4198, 4251, 5205, 6056, 6059, 11293, 12147, 12150

Anaxagorea petiolata: 8962, 9773, 10134, 10303

Anaxagorea sp.: 2881, 3570, 3622, 4817, 7662

Annona ambotay: 7213

Annona haematantha: 2576

Annona hypoglauca: 1542, 2011, 3878, 5031, 6525

Annona sericea: 545

Annona sp.: 1746, 1863, 2125, 2282

- Annona symphyocarpa*: 583, 1187, 2644, 9167, 9223, 9317, 10238, 10674, 10837, 10860, 11550, 11915
Bocageopsis multiflora: 4544, 7837, 8426
Cymbopetalum brasiliense: 1892, 4079, 4152, 4265, 4382, 4430, 4529, 4890, 6669, 7658, 8064, 8482, 8491
Duguetia calycina: 192, 526, 1985, 2054, 2518, 3240, 3809, 4318, 4562, 11046
Duguetia cauliflora: 2195, 3170, 4556, 4804, 8851
Duguetia decurrens: 1214, 1215, 10004
Duguetia guianensis: 7908, 8036, 8480, 8589
Duguetia inconspicua: 4324, 11237
Duguetia latifolia: 4633, 8756
Duguetia macrocalyx: 4480, 4580
Duguetia neglecta: 187, 1416, 1902, 2480, 3602, 4316, 9765
Duguetia paraensis: 1448
Duguetia pycnastera: 12244
Duguetia quitarensis: 4792, 6284, 6427, 6523
Duguetia rigida: 9642, 12074
Duguetia sp.: 2286
Duguetia surinamensis: 2566, 3947
Duguetia yeshidan: 161, 229, 1275, 1455, 2269, 2407, 3412, 4362, 6200, 6242, 6684, 8742, 8862
Fusaea longifolia: 1396, 3573, 3611, 3628, 3953, 4330, 4396, 4470, 4780, 4882
Guatteria alticola: 9247
Guatteria anthracina: 3224, 8018
Guatteria ayanganmae: 9624, 9819
Guatteria citriodora: 670
Guatteria clusiifolia: 9745
Guatteria megalophylla: 8777
Guatteria minutiflora: 11542, 11916, 11984
Guatteria pakaraimae: 10861
Guatteria paludosa: 11004
Guatteria procera: 7211, 7299, 7392
Guatteria punctata: 1813, 1817, 2032, 6084, 7279, 7319, 7583, 9707
Guatteria rubrinervis: 5048
Guatteria scandens: 330, 401, 1335, 4425
Guatteria sp.: 4760, 7132, 8180, 8481, 8608
Guatteria subsessilis: 5056
Guatteria wachenheimi: 554, 575, 623, 1087, 1429, 2496, 2515, 4139, 4195, 6474
Guatteria wokomungensis: 10286, 10456, 10493
 Indet.: 7153, 10675, 11433
Klarobelia sp.: 6750
Klarobelia sp. nov.: 3420
Pseudoxandra cuspidata: 5024
Pseudoxandra lucida: 3069, 3302, 3336, 6595, 7689, 7755, 7778
Pseudoxandra sp.: 4573, 8778
Trigynaea caudata: 233, 412
Unonopsis glaucopetala: 9673, 9708
Unonopsis guatteriioides: 539, 1544, 1963, 2216, 2772, 3006, 3503, 3973, 4783, 5055, 6534, 6605, 6643, 7909, 8752, 8810
Unonopsis rufescens: 4194
Unonopsis stipitata: 1466, 1560, 2729, 3122, 4308, 7060, 7613, 7776
Xylopiopsis benthamii: 1417, 4823
Xylopiopsis calophylla: 7104
Xylopiopsis discreta: 1558
Xylopiopsis emarginata: 10858
Xylopiopsis sp.: 3828
Apocynaceae
Allamanda cf. *cathartica*: 5884
Allamanda sp.: 568
Ambelania acida: 4578
Anartia cerea: 723
Anartia olivacea: 2037
Aspidosperma excelsum: 678, 1293, 3181
Aspidosperma macrophyllum: 6249, 6251
Aspidosperma sandwithianum: 1256
Aspidosperma sp.: 3172, 4941, 12116
Aspidosperma vargasii: 420
Bonafousia angulata: 4870
Bonafousia lorifera: 328, 1350, 2500, 3674, 4920, 6665
Bonafousia macrocalyx: 4873
Bonafousia muelleriana: 2888, 4551, 4590, 4636
Bonafousia obliqua: 5182, 5939
Bonafousia sananho: 6053
Bonafousia siphilitica: 3856
Bonafousia sp.: 10103, 10229, 10888
Bonafousia undulata: 171, 206, 207, 321, 408, 601, 1288, 1458, 1487, 1623, 2545, 2573, 2574, 2630, 3943, 4589, 4889, 6299
Condylocarpon sp.: 8483
Couma guianensis: 370
Couma rigida: 5392, 5619, 5649
Couma sp.: 7604
Forsteronia acouci: 6914
Forsteronia sp.: 4170, 5016, 7162, 7218, 8037, 8501, 8568
Galactophora schomburgkiana: 1040
Geissospermum argenteum: 7664, 7667
Himatanthus bracteatus: 1626, 2982
Himatanthus drasticus: 1699, 1788
Himatanthus sp.: 6133, 6754
 Indet.: 286, 4643, 4694, 6146, 6256, 6260, 7777, 9091, 9627, 9764, 9813, 9843, 11048, 11255, 11288, 11313, 11502, 12048, 12291

Lacmellea aculeata: 2419, 4640, 7668, 7953, 8008
Malouetia gracilis: 2763
Malouetia sp.: 4761
Malouetia tamaquarina: 162, 2730
Mandevilla benthamii: 881, 972, 5849, 12308
Mandevilla hirsuta: 1600, 1733
Mandevilla lasiocarpa: 6984
Mandevilla rugellosa: 1156, 1850, 4051, 4807
Mandevilla scaberula: 1783
Mandevilla sp.: 10595
Mandevilla vanheurckii: 815, 1017
Mesechites sp.: 4348
Mesechites trifida: 690, 1531, 1976, 3281, 3411, 3457, 3525, 3855, 4763, 5028, 6267, 6707, 11222
Odontadenia geminata: 4411
Odontadenia macrantha: 1348, 3076
Odontadenia nitida: 2656
Odontadenia puncticulosa: 3129, 3145, 7965
Odontadenia sp.: 2279
Plumeria rubra: 3675
Prestonia acutifolia: 306
Prestonia quinquangularis: 6507, 6710
Prestonia surinamensis: 1767
Rauwolfia sp.: 2080
Secondatia densiflora: 4035
Stemmadenia grandiflora: 1766
Tabernaemontana cerea: 7198
Tabernaemontana heterophylla: 1300, 3436, 4263, 4811, 7430, 7501, 8651
Tabernaemontana macrocalyx: 7571, 8019
Tabernaemontana sananho: 7681
Tabernaemontana cf. sp.: 1597, 7347, 7506, 7666, 7948, 8147, 8582
Tabernaemontana undulata: 7984, 8094, 8095
Aquifoliaceae
Ilex cf. *abscondita*: 3096
Ilex aff. *amazonensis*: 9523
Ilex jenmanii: 11063, 11346, 11353
Ilex karuaiana: 1229
Ilex martiniana: 785
Ilex cf. *ovalifolia*: 2301
Ilex retusa: 1022, 5731, 5737, 5743, 5835, 5876, 9370, 9385, 9460, 10522, 10534, 11678, 11724, 11726
Ilex sp.: 884, 995, 2096, 4725, 4923, 5248, 5328, 5457, 7939, 8231, 9319, 9570, 10540, 11677, 11713
Ilex cf. sp. nov.: 8534
Ilex theezans: 9394
 Indet.: 5857
Araliaceae
Dendropanax sp.: 6492

Indet.: 8369
Oreopanax capitatus var. *capitatus*: 5290
Schefflera marabuacensis: 9060, 9362, 9580
Schefflera monosperma: 9491, 9527, 9530
Schefflera sp.: 7589, 10260, 10492, 10523, 10525, 10690, 10736, 10849, 11539, 11723, 11728, 11853, 11932
Schefflera cf. *umbellata*: 9301
Aristolochiaceae
Aristolochia cornuta: 519
Aristolochia kanukuensis: 1855
Aristolochia sp.: 1634, 2957
Asclepiadaceae
 Indet.: 667, 713, 986, 1023, 1704, 1802, 2148, 2223, 2342, 3387, 4192, 5029, 5136, 5232, 6179, 7557, 7802, 8757, 9780, 9881, 10970, 10997, 12241
Mateleia stenopetala: 659
Balanophoraceae
Helosis cayennensis: 1516, 1574, 1837, 2588, 4489, 5520
Balsaminaceae
Impatiens balsamina: 1270
Begoniaceae
Begonia glabra: 6013
Begonia heloisana: 1137
Begonia humilis: 3852
Begonia jenmanii: 8919, 8969, 9253, 10064, 10160
Begonia prieurii: 4653
Begonia semiovata: 8075
Bignoniaceae
Adenocalymna inundatum: 276, 2737, 3600, 3822, 3933, 6514, 6625, 6727, 7764, 7815
Adenocalymna purpurascens: 8663
Anemopaegma oligoneuron: 1624
Anemopaegma sp.: 727, 6640, 8182
Arrabidaea bilabiata: 3514, 3980
Arrabidaea candicans: 782
Arrabidaea conjugata: 6204
Arrabidaea cf. *florida*: 5215
Arrabidaea mollissima: 1681, 1763, 2150
Arrabidaea nigrescens: 3524, 3814
Arrabidaea prancei: 8359
Callichlamys latifolia: 3522, 3528, 6630
Clytostoma binatum: 1548, 6565, 6639, 6717, 7692, 7809, 7847
Cuspidaria sp.: 1678
Cydista aequinoctialis: 269, 454, 2291b, 3905, 5001, 5010, 6447, 6521, 6628
Cydista lilacina: 6700, 8821
Cydista sp.: 11100
Digomphia laurifolia: 925, 973, 5858, 12337
Distictella elongata: 1404

- Distictella magnoliifolia*: 509, 3367
 Indet.: 2742, 6382, 6623b, 7846, 9191, 9206, 10987, 11049, 11213, 11281, 11297, 11380
Jacaranda copaia: 3350, 7768, 8827
Jacaranda obtusifolia: 466, 2744, 3386, 3467, 6278, 6587, 11117
Lundia corymbifera: 5155
Macfadyena uncata: 1769
Memora flavida: 1604, 6435
Memora schomburgkii: 264b, 435, 1329, 1369, 2812, 3270, 3615, 3772, 3972, 4093, 4769, 5038, 6277, 6436, 6453, 6489, 6623a, 7633, 8630, 11125
Memora tanaeciiarpa: 4238, 4343, 5017, 8634
Parabignonia steyermarkii: 4165
Paragonia pyramidata: 264a, 438, 1984, 2291a, 2697, 2700, 3024, 3366, 3513, 3866, 3965, 4845, 4997, 5043, 6444, 6622, 6712
Phryganocydia corymbosa: 5962
Pleonotoma clematis: 296, 691, 1330, 2736, 6274
Pyrostegia dichotoma: 6788
Schlegelia sp.: 12144
Schlegelia spruceana: 821, 959, 5220, 5369, 12108
Schlegelia cf. *violacea*: 1126, 6163, 6387, 7248, 7316, 8685, 10907, 12290
Tabebuia chrysantha: 6154, 9807
Tabebuia insignis var. *insignis*: 1121, 10986, 6939
Tabebuia obscura: 1812, 2083, 10977
Tabebuia serratifolia: 3462, 3547, 4046
Tabebuia ? sp. nov.: 1025, 5462
Tabebuia subtilis: 10929, 12400
- Bixaceae**
Bixa orellana: 2752, 3517, 3834, 6333, 6454, 6632
Cochlospermum orinocense: 1501, 3164
Cochlospermum vitifolium: 1685, 1696, 1750
- Bombacaceae**
Catostemma altsonii: 12417
Catostemma durifolius: 11645
Catostemma fragrans: 1823, 3167, 3262, 3670, 3940, 8621, 8661, 8843
Catostemma sp.: 11150
 Indet.: 6111, 6600, 9092, 9812, 10738, 10871, 10975
Ochroma pyramidale: 8856
Pachira aquatica: 1333, 2057, 5025
Pachira flaviflora: 3095
Pachira insignis: 349, 1442, 2308, 2930
Pachira minor: 1115, 6140, 6958, 12424
- Bonnetiaceae**
Archytaea triflora: 5744, 12315
Bonnetia paniculata: 5624, 5654, 10353, 10551, 10779, 10810
Bonnetia sessilis: 914, 917, 975, 5762, 5859
Bonnetia sp.: 9524, 9535, 11659, 11709
 Indet.: 5848, 10506, 10515, 10567, 10804, 11680, 11731
- Boraginaceae**
Cordia alliodora: 2143, 5122
Cordia curassavica: 1639
Cordia exaltata: 234, 366, 546
Cordia fanchoniae: 9165
Cordia grandiflora: 217, 1376, 2691, 2748
Cordia nodosa: 173, 430, 745, 1182, 1469, 1493, 2038, 2417, 2530, 2722, 3154, 3604, 3655, 4168, 4405, 4473, 5174, 5432, 6076, 6399, 6850, 7333, 7594, 7955, 8584, 8921, 9999, 12092
Cordia polycephala: 849
Cordia sagotii: 516
Cordia sp.: 1786, 2322, 2484, 3285, 3914, 3977, 4322, 6357, 10287, 10721, 10762, 10809, 10811, 10812, 11010
Cordia toqueve: 4047
Heliotropium filiforme: 1721, 11037
Heliotropium indicum: 11036
 Indet.: 2219, 6469
Tournefortia bicolor: 3361
Tournefortia candidula: 1213
Tournefortia cuspidata: 2002, 8721
Tournefortia hirsutissima: 304, 2693, 6708
Tournefortia melanochaeta: 10499
Tournefortia paniculata: 9906
Tournefortia sp.: 4857
- Burseraceae**
Crepidospermum rhoifolium: 3574, 7902, 8333, 8790
Crepidospermum sp.: 2834, 3149, 3950
Dacryodes chimantensis: 7717, 8555
Dacryodes nitens: 7038, 7138, 7199, 12083
Dacryodes ? sp.: 7046
 Indet.: 3102, 6422, 8024
Protium aracouchini: 2045, 4891, 7534, 7841, 8012, 8691, 9238
Protium crassipetalum: 2191
Protium cuneatum: 10944
Protium decandrum: 2474, 3237, 3330, 4339, 6083
Protium demerarensis: 10939
Protium giganteum: 2829, 3187
Protium s.s. *guianense*: 661
Protium heptaphyllum ssp. *heptaphyllum*: 394, 464, 2739, 2996, 3171, 3194, 3830, 4973, 6279, 6386, 7010, 11123
Protium llanorum: 6789
Protium cf. *opacum* ssp. *exaggeratum*: 2524, 4133, 4271, 12109
Protium polybotryum ssp. *blackii*: 4730
Protium s.l. *sagotianum*: 3318, 3949, 6082

- Protium* sp. nov.: 9170
Protium subserratum: 1161, 11414
Protium s.l. *tenuifolium*: 3722
Protium unifoliolatum: 4445
Tetragastris altissima: 1567
Tetragastris hostmannii: 2981, 3055, 4939, 5011, 11045
Tetragastris panamensis: 2055, 3945
Trattinnickia burserifolia: 2853, 6097, 6125, 11415
- Cactaceae**
Epiphyllum phyllanthus: 1286, 2203, 3912, 6108, 1286
Melocactus smithii: 1700
Pilosocereus oligolepis: 1804
Rhipsalis cf. *baccifera*: 3465, 4037, 4789, 8297, 11241
- Campanulaceae**
Centropogon cornutus: 618, 847, 1107, 4215, 5223, 5545, 8327, 8474, 9189, 9283, 9441, 10154, 10317, 11454, 11597, 11960, 12237
Centropogon roraimanus: 10521, 10729, 11599, 11887, 11924
 Indet.: 9983
- Capparaceae**
Cleome parviflora: 3539
Cleome viridiflora: 1096
Crateva tapia: 309
Capparidastrum sola: 8207
- Caprifoliaceae**
Viburnum tinoides var. *roraimense*: 10828, 11795
- Caricaceae**
 Indet.: 4835, 8719
Jacaratia spinosa: 4237
- Caryocaraceae**
Anthodiscus trifolius: 167, 2765
Caryocar glabrum: 2965, 5386
Caryocar microcarpum: 3306, 5078, 11151
Caryocar montanum: 579
Caryocar nuciferum: 327
Caryocar pallidum: 2250, 2258
Caryocar sp.: 3168
 Indet.: 8614
- Cecropiaceae**
Cecropia distachya: 12110
Cecropia kavanayensis: 10511
Cecropia latiloba: 3937
Coussapoa asperifolia: 341, 1377, 6644
Coussapoa ? *microcephala*: 666, 3660, 6823, 6897, 8278, 9748, 9829
Coussapoa trinervia: 7954, 8828
Coussapoa viridifolia: 2640
Pourouma bicolor ssp. *bicolor*: 3233
Pourouma minor: 2942, 6373, 8565
- Pourouma villosa*: 3130, 7907, 8849
- Celastraceae**
Gouppia glabra: 3243, 3297, 4000, 4978, 6610, 8824, 8834
 Indet.: 8382, 10742
Maytenus ? *ficiformis*: 7205, 7309
Maytenus guyanensis: 2769, 3566, 6784, 11110
Maytenus kanukuensis: 1859, 4036, 6801, 6802
Maytenus oblongata: 3212, 8284
Maytenus pruinosa: 6578
Maytenus sp.: 214, 2626, 3558, 6716
- Chloranthaceae**
Hedyosmum cf. *intermedium*: 9421
Hedyosmum sp.: 5755
Hedyosmum tepuiense: 9194a, 10181, 10320, 10369, 10426, 10769, 11549
- Chrysobalanaceae**
Acioa guianensis: 11363
Chrysobalanus icaco: 6941
Couepia bracteosa: 197, 198, 253, 254, 525
Couepia canomensis: 7164, 8684
Couepia comosa: 397, 688, 1646
Couepia guianensis ssp. *glandulosa*: 2189, 7890, 2997, 6270, 7548
Couepia parillo: 2598, 7190, 7924, 8832
Couepia sandwithii: 5015
Exellodendron barbatum: 2036, 3148, 4714, 4960
Hirtella bicornis var. *pubescens*: 7069, 7096, 7831, 7905, 8017, 8785
Hirtella bullata: 880
Hirtella duckei: 2851
Hirtella hispidula: 4577, 5208, 6213, 6257, 6756
Hirtella macrosepala: 3955
Hirtella obidensis: 8053, 8433
Hirtella paniculata: 280, 1233, 2755, 4058, 5247, 6281
Hirtella racemosa: 446, 1337, 1785, 2031, 2105, 2770, 3140, 4726, 4987, 5393, 5945, 6153, 6396, 6671, 6681, 6948, 6955, 7805, 8015, 8794, 9772, 11274, 11434, 12302
Hirtella silicea: 1464, 2019, 2610, 2871, 3941, 4127, 7422, 7610, 9695, 10001
Hirtella sp.: 219, 10893, 10916
Hirtella triandra: 6364, 8138, 8165
 Indet.: 2281, 2358, 2400, 3295, 3347, 3789, 4169, 4833, 4975, 7892, 8251, 8506, 8762, 8817, 8853, 8893, 9031, 9604, 9731, 10376, 10460, 10951, 10995, 11850, 11930, 12215, 12304, 12354, 12402, 12410, 12420, 12425
Licania alba: 2472, 2479
Licania apetala: 1231, 1370, 3287
Licania boyanii: 532

- Licania coriacea*: 2746, 7062
Licania densiflora: 1340, 6253, 6318
Licania granvillei: 3048
Licania guianensis ssp. *guianensis*: 7115
Licania heteromorpha: 3034, 5389, 5487, 5494, 7920, 10914
Licania incana: 236, 2655, 6961, 7888
Licania kunthiana: 2188, 7779
Licania lasseri: 902, 1005
Licania latifolia: 2859, 3097, 3324
Licania laxiflora: 5405
Licania leptostachya: 1331, 1970, 3435, 3975, 4974, 6272, 6518
Licania licaniiflora: 4210
Licania longistyla: 524, 1425, 3112
Licania majuscula: 1570, 1988, 3987, 5007, 6254, 6296, 6300, 7036
Licania micrantha: 3117, 5448
Licania octandra ssp. *octandra*: 4913, 6778
Licania ovalifolia: 3827
Licania pallida: 3235
Licania parvifructa: 3118
Licania persaudii: 312
Licania silvae: 1273
Licania sp.: 3022, 9576, 10691
Licania sprucei: 2175, 2251, 3293
Parinari campestris: 282, 346, 3027, 3812, 4433, 6637, 6962, 11060
Parinari excelsa: 7936
Clusiaceae
Calophyllum brasiliense: 11076
Caraipa densifolia: 3036, 3090, 3271
Caraipa grandifolia: 390, 1532
Caraipa punctulata: 4089, 9146
Caraipa racemosa: 7910, 8775
Caraipa cf. sp.: 7893, 9032, 10640, 12017
Chrysochlamys membranacea: 4547, 7513, 7570, 7684
Chrysochlamys weberbaueri: 2063, 2880
Clusia amazonica: 3083, 4709
Clusia cardonae: 5586, 5705, 5888
Clusia cerroana: 5614, 5898
Clusia columnaris: 2546, 2898, 5885
Clusia crassifolia: 7311
Clusia cuneata: 5485
Clusia flavida: 424, 646, 2547, 2924, 3317, 5987, 7277
Clusia fockeana: 216, 224, 241, 533
Clusia grandiflora: 220, 627, 901, 6135, 7225, 11420
Clusia guayanae: 5851
Clusia leprantha: 3563, 6596
Clusia maguireana: 5703
Clusia melchiori: 6419, 6463
Clusia minor: 2445, 3559, 6176, 6550
Clusia myriandra: 5387
Clusia nemorosa: 2678, 3054, 3091, 3191, 3720, 4029, 6410, 6592, 6798, 6804, 6870, 7276, 7287, 7447
Clusia obovata: 2896
Clusia palmicida: 1827, 2857, 4017, 4164, 5931, 5980, 6488, 6835
Clusia panapanari: 2764, 7223
Clusia pusilla: 974, 977, 5810, 5845
Clusia renggerioides: 3142, 7851
Clusia schomburgkiana: 860, 6134, 7001
Clusia sp.: 5256, 5509, 8110, 8829, 11788
Garcinia benthamiana: 1828, 2580, 6245, 6321, 6687, 6813, 7124, 7612
Garcinia macrophylla: 2711, 4530, 6758, 6910
Garcinia madruno: 2771
Garcinia martinii: 6271
 Indet.: 3765, 4434, 5129, 5259, 5265, 5685, 5790, 5889, 7897, 7974, 8038, 8059, 8091, 8201, 8238, 8280, 8285, 8299, 8356a, 8370, 8389, 8423, 8432, 8525, 8544, 8575, 8680, 8713, 8814, 8908, 8959, 9037, 9044, 9066, 9076, 9141, 9142, 9152, 9163, 9172, 9173, 9196, 9216, 9218, 9231, 9268, 9275, 9328, 9329, 9340, 9374, 9386, 9389, 9495, 9496, 9508, 9540, 9552, 9567, 9575, 9587, 9589, 9599, 9600, 9641, 9670, 9729, 9749, 9757, 9770, 9774, 9781, 9792, 9794, 9800, 9816, 9871, 9952, 10044, 10165, 10175, 10234, 10356, 10371, 10404, 10406, 10457, 10458, 10503, 10504, 10505, 10557, 10596, 10620, 10642, 10645, 10647, 10661, 10669, 10676, 10683, 10719, 10815, 10821, 10829, 10846, 10857, 10865, 10868, 10876, 10883, 10917, 10932, 10979, 10983, 10985, 10989, 11400, 11647, 11697, 11721, 11829, 11965, 12007, 12085, 12203, 12212, 12213, 12225, 12273, 12279, 12428, 12429, 12431
Lorostemon bombaciflorum: 7160, 7231
Mahurea exstipulata: 1122
Moronobea coccinea: 3000, 6974
Moronobea ptaritepuiana: 5566, 5753
Moronobea sp.: 9638, 10677
Platonia insignis: 6291
Symphonia globulifera: 7095, 7238, 8408, 8602
Tovomita brasiliensis: 7136
Tovomita brevistaminea: 4546
Tovomita carinata: 2568
Tovomita cephalostigma: 7125
Tovomita grata: 4918
Tovomita longifolia: 7270
Tovomita macrophylla: 6980
Tovomita obovata: 7145

Tovomita schomburgkii: 674, 1568, 5408, 6900, 7224, 7838
Tovomita spruceana: 6812, 7865
Tovomita weddelliana: 5486
Vismia cayennensis: 759, 1248, 1583, 3063, 3392, 3824, 4057, 4838, 4988, 6715
Vismia glaziovii: 4851
Vismia guianensis: 544, 898, 899, 1237, 6950, 11114
Vismia Japurensis: 503, 1073, 1110, 3360
Vismia macrophylla: 556
Vismia ? schultesii: 3222
Vismia sessilifolia: 709, 1616, 4286
Vismia sp.: 8715, 8881, 9762, 9803, 9873, 9928, 10471, 10905, 11388, 11641, 12311

Combretaceae

Buchenavia ? macrophylla: 271
Buchenavia megalophylla: 1380, 2757
Buchenavia sp.: 9258
Buchenavia viridiflora: 2230, 3534, 3807, 4771, 5060
Combretum fruticosum: 1658, 1771, 4778, 6497
Combretum laurifolium: 4756
Combretum laxum: 2232, 3013, 5074, 6437, 7731, 7737, 8875
Combretum pyramidatum: 3303, 3463, 3531, 3787, 3926, 7054, 7056, 11299
Combretum rotundifolium: 285, 357, 1378, 2749, 3476, 3873, 3924, 6433
Combretum sp.: 2391, 8009
 Indet.: 8660, 8712
Terminalia dichotoma: 6191, 6661

Compositae

Achyrocline vargasiana: 6106
Ageratum conyzoides: 9918
Baccharis brachylaenoides: 9361, 9492, 10328, 10340, 10546, 10711, 10723
Baccharis nitida: 1057
Baccharis schomburgkii: 9448, 9455, 11670
Bidens cynapiifolia: 4358
Bidens pilosa: 9880
Calea lucidivenia: 980, 5627, 11706
Calea oliveri: 908, 1167
Calea solidaginea ssp. *deltophylla*: 5932, 6102
Centratherum punctatum: 2310
Chaptalia nutans: 1236
Chromolaena laevigata: 1244, 5626, 12405
Chromolaena odorata: 741, 866
Chromolaena pharcidodes: 9262, 10556, 10722, 11652, 12069
Chromolaena squalida: 557
Clibadium surinamense: 783, 852, 12152, 12243
Condylidium iresinoides: 6772

Conyza bonariensis: 879, 6924
Eclipta prostrata: 1355
Elephantopus mollis: 837
Eleutheranthera ruderalis: 500
Erechtites hieracifolius: 831, 3867, 5115, 12404
Erechtites valerianaefolius: 9884
Gamochaeta simplicicaulis: 1039
Gongylolepis benthamiana: 979, 5846
Guayania roupalifolia: 9461, 10315, 10555
Ichthyothere terminalis: 1240
 Indet.: 9406, 9449, 9450, 9534, 9789, 11714, 11715
Lepidaploa bolivarensis: 1028, 6168
Lepidaploa gracilis: 3275, 6509, 6893, 6947
Mikania banisteriae: 1212, 10148, 11870
Mikania boomii: 9381, 10517, 11671, 11747
Mikania congesta: 262
Mikania duidensis: 9284, 9585, 10605
Mikania gleasonii: 4206, 7259
Mikania cf. *guaco*: 6190
Mikania micrantha: 10378, 10592, 10699, 10823
Mikania nigropunctulata: 9571, 9758
Mikania parviflora: 1328, 3221, 4034
Mikania psilostachya: 795, 9594, 9786, 9939, 10604
Mikania rondonensis: 10130
Mikania sprucei: 5669, 5923, 6100, 9190, 9334, 10366, 11847, 12252
Mikania trinitaria: 9969
Neurolaena lobata: 1271
Orthopappus angustifolius: 910
Pentacalia freemaniai: 11879
Piptocarpha leprosa: 6120
Piptocarpha opaca: 7189
Piptocarpha polycephala: 8422
Piptocarpha triflora: 3479, 3910, 4842
Porophyllum ruderales: 2160
Praxelis karuaiensis: 878
Rolandra fruticosa: 561, 9682
Stenopadus connellii: 9415, 9558, 10535, 10714, 10867, 11642
Stenopadus sp.: 9379
Stenopadus talaumifolius: 1018, 5459, 5750, 5775, 9338, 11389, 12204
Stomatochaeta condensata: 966, 5843
Struchium sparganophorum: 11311
Trichospira verticillata: 3848
Unxia camphorata: 764, 1052
Vernonanthura brasiliiana: 8522
Wulffia baccata: 779, 1602, 1735, 2147, 2685, 3885, 4602, 5114, 5990, 6207, 6913, 8105, 8220
Xiphochaeta aquatica: 3864

Connaraceae

- Connarus coriaceus*: 1849, 3439, 6714
Connarus incomptus: 2093
Connarus lambertii: 1334, 4059, 6269, 6679, 7708
Connarus megacarpus: 4171
Connarus perrottetii var. *perrottetii*: 1901, 3311, 7934
Connarus sp.: 3736
 Indet.: 3119, 3292, 6597, 8076, 10081
Pseudoconnarus macrophyllus: 4460
Rourea frutescens: 2967, 7724
Rourea grosourdyana var. *grosourdyana*: 1648, 1795, 5146
Rourea ligulata: 4727, 4856, 7836, 7853
Rourea surinamensis: 4953

Convolvulaceae

- Aniseia* cf. *martinicensis*: 11310
Dicranostyles ? *ampla* var. *castanea*: 169, 389
Dicranostyles sp.: 6392, 6461, 6501, 6825
Evolvulus alsinoides: 2442
Evolvulus sp.: 1642, 2118
 Indet.: 1249, 1672, 1673, 1778, 3383, 3384, 3934, 7990, 8190, 8355, 10924
Ipomoea phillomega: 4347
Ipomoea cf. sp.: 2305, 6483, 6540
Ipomoea tiliacea: 1382
Maripa glabra: 7603, 7680
Maripa scandens: 477, 3342, 4463, 5219
Maripa sp.: 1612
Merremia aturensis: 1579
Merremia macrocalyx: 1599

Cucurbitaceae

- Cayaponia botryocarpa*: 12021
Cayaponia cruegeri: 1972, 4839, 11298
Cayaponia racemosa: 5992
Gurania bignoniacea: 1194, 4141, 4186, 4288, 7103, 7450, 7552, 9882, 9897, 10043, 10090, 11253
Gurania lobata: 621, 4282
Gurania nigrescens: 8741
Gurania simplicifolia: 10667
Gurania subumbellata: 1089, 1119
Helmontia leptantha: 6404, 9665
 Indet.: 2315, 8356b
Melothria sp. nov. ined.: 8711
Momordica charantia: 1615

Cunoniaceae

- Weinmannia* aff. *balbisiana*: 5736
Weinmannia guyanensis: 5608
Weinmannia cf. *laxiramea*: 5668, 9463
Weinmannia sp.: 9465, 9538, 10496, 10623, 10629, 10767, 11742, 11972

Weinmannia velutina: 9375, 9545

Cuscutaceae

Cuscuta sp.: 2087

Cyrtillaceae

Cyrtilla racemiflora: 920, 1015, 5796, 9384, 9392, 9536, 10813, 11710

Dichapetalaceae

Dichapetalum pedunculatum: 4635, 5528, 6049, 8034, 9237, 10108, 10122

Dichapetalum rugosum: 3733

Indet.: 12031, 12061, 12217, 12277

Tapura capitulifera: 4440

Tapura guianensis: 522, 591, 1269, 1468, 2478, 2717, 2724, 2882, 3260, 3415, 3613, 3690, 3957, 4197, 4398, 6081, 6348, 7621

Tapura sp.: 751

Dilleniaceae

Curatella americana: 1656

Davilla kunthii: 552, 1621, 2983, 3595, 5108, 6951, 6978, 11421, 12138, 12305

Davilla cf. *nitida*: 9805, 9872

Doliocarpus amazonicus: 11461

Doliocarpus brevipedicellatus: 3752, 3986

Doliocarpus dentatus ssp. *dentatus*: 1995, 6928

Doliocarpus macrocarpus: 8279

Doliocarpus major: 2298

Doliocarpus paucinervis: 12377

Doliocarpus sp.: 4837

Doliocarpus spraguei: 1409, 4765

Indet.: 1847, 2352

Tetracera asperula: 773

Tetracera maguirei: 12380

Tetracera volubilis ssp. *volubilis*: 707

Droseraceae

Drosera communis: 9484

Drosera kaieteurensis: 5841a, 9503, 11754, 12371

Drosera roraimae: 5841, 10526, 11712

Drosera sp.: 924

Ebenaceae

Diospyros artanthifolia: 11042, 11258

Diospyros guianensis: 4779, 5590, 5613, 5751, 12432

Diospyros ierensis: 4267

Diospyros lissocarpoides: 227, 388, 1352, 1450, 4022, 6680, 6908

Diospyros sp.: 2406, 3269, 3335, 6395, 7857

Indet.: 6969

Elaeocarpaceae

Indet.: 3560

Sloanea crassifolia: 9383

Sloanea garckeana: 1457

Sloanea grandiflora: 2003, 2604, 4270, 6360
Sloanea guianensis: 4095
Sloanea sp.: 1168, 3131, 3332, 4020, 4531, 5012, 5712, 6372, 6821, 10866

Ericaceae

Bejaria cf. *aestuans*: 893, 10756, 12407
Bejaria sprucei: 981, 5242, 5253
Cavendishia callista: 5241, 5647, 9799, 10472
 Indet.: 5671, 7264, 7760, 9139, 9327, 9442, 9462, 9526, 9723, 9728, 9754, 10021, 10593, 10600, 10873
Ledothamnus sessiliflorus: 11688
mixed collection sp.: 11856
Notopora schomburgkii: 5754, 12379
Orthaea crinita: 1066
Psammisia coarctata: 5298, 7284, 7415, 7424, 10429, 11961
Psammisia urichiana: 11589, 11834
Satyria panurensis: 958, 2910, 2922, 3138, 3333, 5255, 6167, 7949, 7956, 8399, 8703, 10920
Sphyrropermum buxifolium: 11573, 11949
Sphyrropermum cordifolium: 955, 7294, 7399, 8275, 9210, 10224
Sphyrropermum cf. *ellipticum*: 12300
Thibaudia formosa: 5652, 9159
Thibaudia s.l. *nutans*: 1003, 9416
Thibaudia sp.: 9388, 9391, 10774, 11719
Vaccinium euryanthum: 1041, 5258
Vaccinium puberulum: 1016, 1021, 5237

Erythroxylaceae

Erythroxylum amazonicum: 10278
Erythroxylum citrifolium: 781, 6136
Erythroxylum cf. *divaricatum*: 10671
Erythroxylum kapplerianum: 9845
Erythroxylum lindemanni: 1853
Erythroxylum macrophyllum: 4067
Erythroxylum cf. *mucronatum*: 2498, 3052, 3124, 6370, 9767
Erythroxylum oreophilum: 9320, 9516, 9573, 10553, 10628, 10726, 11782
Erythroxylum sp.: 1645, 1649, 2074, 4786, 5142, 6767, 7304a, 10383, 10710, 11422
Erythroxylum suberosum: 2089, 2135
Erythroxylum vernicosum: 6805
 Indet.: 8230

Euphorbiaceae

Acidoton nicaraguensis: 1931
Adenophaedra grandifolia: 5514, 7089, 9015, 9046
Alchornea discolor: 3310
Alchornea triplinervia: 12039
Alchorneopsis floribunda: 11294

Amanoa guianensis: 3294, 3779, 11183
Aparisthmium cordatum: 799, 1185, 2941, 4130, 6388, 7448
Caperonia stenophylla: 3432
Chaetocarpus schomburgkianus: 3422
Cnidioscolus urens: 1689, 2447
Conceveiba guianensis: 3493, 3535, 11332
Conceveiba hostmannii: 3174
Conceveiba martiana: 2833, 7959
Conceveiba ptariana: 9825
Croton cuneatus: 1974, 2214, 4766, 5058
Croton galeopsifolius: 1807, 1808, 3721
Croton hostmannii: 1241
Croton matourensis: 1210, 10380
Croton pakaraimae: 2775
Croton pullei: 3888
Croton roraimensis: 10644, 11886
Croton schiedeanus: 6219, 6241
Croton trinitatis: 1590
Dalechampia affinis: 3935
Dalechampia parvibracteata: 176
Dalechampia aff. *triphylla*: 8375
Discocarpus essequeboensis: 414, 1445, 4982
Drypetes variabilis: 3257, 10423, 10634
Euphorbia prostrata: 11141, 11191
Gavarretia terminalis: 2950
Hevea brasiliensis: 5132, 8846
Hevea guianensis: 3176, 7091, 7221, 7832
Hevea ? sp.: 2911
Hieronyma oblonga: 679, 10862, 10996, 11790, 11792
 Indet.: 4498, 4548, 4784, 4948, 5064, 6340, 7456, 7593, 9613, 10104, 10763, 10953, 12239, 12293, 12324, 12340
Jablonskia congesta: 3419, 4680
Jablonskia sp.: 4872
Mabea cf. *piriri*: 577, 6297, 9036, 11275
Mabea pulcherrima: 3220, 3758, 6641, 8863
Mabea rubicunda: 1169
Mabea sp.: 3003
Mabea aff. *speciosa*: 2538, 2635, 7376, 10169
Mabea taquari: 3146, 3288, 3495, 3902, 7067
Manihot surinamensis: 6558
Margaritaria nobilis: 4010
Micrandra elata: 381
Micrandra glabra: 9718, 9750, 9782
Micrandra aff. *lopezii*: 9644
Micrandra sp.: 5358
Omphalea diandra: 816, 5503, 6255, 8198, 8488
Pausandra cf. *martinii*: 594, 1184, 2606, 2628, 2682, 4201, 7626, 7632

Pera schomburgkiana: 6960, 7047
Phyllanthus caroliniensis: 2768, 3015, 3276
Phyllanthus cf. *lindbergii*: 11096, 11192, 11204, 11302
Phyllanthus sp.: 11765
Phyllanthus vacciniifolius: 1007, 5585, 5873, 9387
Plukenetia lorentensis: 758, 2169
Plukenetia polyadenia: 9861, 12089
Plukenetia supraglandulosa: 622
Pogonophora schomburgkiana: 547
Rhodothyrsus macrophyllus: 2825, 3657, 3665
Richeria grandis: 12145
Sagotia racemosa: 329, 3147, 3659, 3794, 3829, 6312, 6317, 6608, 7912, 2836, 8288
Sandwithia guyanensis: 231, 2619
Sapium glandulosum: 4740
Sapium montanum: 4342
Senefelderopsis croizatii: 1070, 5767, 5883, 8545, 9064
Euphroniaceae
Euphronia guianensis: 12321
Flacourtiaceae
Banara guianensis: 786, 6171, 6173
Carpotroche ? sp.: 6853, 11166
Carpotroche surinamensis: 200, 1499, 1896, 3133, 6405, 7099, 7232, 7486, 7503, 7555, 8217, 8519, 11132, 11168, 11212, 11228, 11324
Casearia aculeata: 6424
Casearia commersoniana: 715, 1530, 4025, 4371, 4587, 4608, 6935
Casearia aff. *duckea*: 8552
Casearia grandiflora: 5966
Casearia javitensis: 4279, 4327, 7185, 7484, 8042, 8513, 8692
Casearia mariquitensis: 612, 1742, 2224, 6425, 6520
Casearia pitumba: 619, 4218, 4446, 4615, 4649, 4936, 7305, 7511, 8357, 8428
Casearia rusbyana: 752, 1566, 7167, 8364
Casearia singularis: 576, 1181, 1453, 2058, 2607, 2725, 3614, 4365, 4436, 4510, 6085
Casearia sp.: 10733, 11997, 12104, 12289
Casearia spinescens: 2134
Casearia sylvestris: 586, 2651, 4009, 4268, 4802, 6384, 6787, 7137, 7207, 8328, 6233
Casearia cf. *tremula*: 5137
Euceraea nitida: 870, 1074
Homalium guianense: 7849, 11142
Homalium racemosum: 1520, 6438, 8804
 Indet.: 3880, 10279, 10285, 10461, 10689, 10855
Laetia cupulata: 9042
Laetia procera: 4338, 8835, 11116
Mayna odorata: 7983

Ryania pyrifera: 1278
Ryania speciosa var. *subuliflora*: 4122, 5372, 5552, 6811, 7937
Gentianaceae
Chelonanthus angustifolius: 937
Chelonanthus grandiflorus: 505, 743, 8082
Chelonanthus purpurascens: 1885, 6833
Chelonanthus viridiflorus: 1050
Chorisepalum carnosum: 5730
Chorisepalum aff. *psychotrioides*: 5505, 5568, 9322, 9554, 10226, 10878, 11624, 11682
Coutoubea racemosa: 1717
Coutoubea ramosa: 499, 3277, 3494, 6432, 11308, 11316
Coutoubea spicata: 6956
Curtia ayangannae: 9470
 Indet.: 2346, 10514, 10706, 10817
Irlbachia alata: 3459, 6105
Irlbachia caerulescens: 12366
Irlbachia cardonae: 5264
Irlbachia nemorosa: 869, 988, 5827
Irlbachia purpurascens: 653, 1131, 2555, 7064, 7286, 7446, 8696, 9902, 12090
Irlbachia sp.: 2336, 6544, 9759, 10566, 11005, 11430
Macrocarpaea ayangannae: 9364
Macrocarpaea rugosa: 9553
Schultesia brachyptera: 1730
Symbolanthus comp. *calygonus*: 5560, 5610
Symbolanthus elisabethae: 9224
Symbolanthus sp.: 10693
Tachia grandiflora: 9975
Tachia guianensis: 7179, 8930
Tachia schomburgkiana: 5367, 9751, 9951, 10167, 12195
Tachia cf. *smithii*: 2949, 2959, 7785
Tapeinostemon spenneroides: 5423, 5631, 7426, 8559, 9023, 9249, 9961, 10252
Voyria aphylla: 530, 813, 1027, 2673, 4897, 5320, 8937, 10244, 11394, 12164
Voyria aurantiaca: 339, 6025
Voyria caerulea: 326, 6024, 11106
Voyria corymbosa: 154, 256, 520, 1209, 1280, 1294, 1463, 2571, 2621, 6809
Voyria parviflora: 2319, 2423
Voyria rosea: 1139, 1297, 2420, 2622
Voyriella parviflora: 338
Gesneriaceae
Alloplectus cristatus var. *epirotis*: 10172, 10411
Alloplectus savannarum: 1072, 5312, 5616, 8920, 10194, 11448, 11497, 11837, 11927
Anetanthus sp.: 8979, 9041
Besleria flavovirens: 4143

- Besleria insolita*: 10058
Besleria laxiflora: 615, 2525, 2931, 2932, 4258, 7411, 7494, 8021, 8144
Besleria parviflora: 11475
Besleria penduliflora: 5523, 5549, 11505, 11926
Besleria cf. sp.: 7372, 12008
Chrysothemis rupestris: 1820, 3441, 3645, 4619, 4693, 4908, 8013
Chrysothemis villosa: 2440
Codonanthe calcarata: 319, 444, 599, 645, 750, 1495, 1515, 1973, 1992, 2008, 2596, 2653, 3667, 3907, 4213, 9889, 11225
Codonanthe crassifolia: 250, 443, 1322, 1959, 3056, 3454, 4408, 4770, 11201, 11352
Columnnea guianensis: 5434, 9688, 11613, 11798
Corytoplectus deltoideus: 5526
Drymonia coccinea: 1929, 2196, 2844, 3646, 4369, 4454, 4616, 6475, 7818, 8102, 8158, 8431
Drymonia sp.: 10027
Episcia xantha: 4214, 4260
 Indet.: 10312, 11471, 11552, 11603, 11849, 11943, 12003, 12130, 12134, 12182
Kohleria hirsuta: 1138, 8113, 8185
Lampadaria rupestris: 8897
Lampadaria cf. sp.: 12209
Napeanthus rupicola: 10304, 10351, 10842
Nautilocalyx coccineus: 9256, 9444, 10295
Nautilocalyx cordatus: 1439, 4112, 10297, 11385, 12094, 12128
Nautilocalyx fasciculatus: 8564
Nautilocalyx mimuloides: 856, 6007
Nautilocalyx pictus: 2876, 2961, 7705, 9974, 10023, 10112
Nautilocalyx punctatus: 4392, 7998
Nematanthus savannarum: 10941
Paradrymonia anisophylla: 8950, 9006, 9202, 9618, 9619, 10254, 10413
Paradrymonia ciliosa: 9905, 10239
Paradrymonia densa: 638, 725, 2520
Paradrymonia maculata: 1928, 4181
Rhoogeton cyclophyllus: 10350, 10789
Rhoogeton viviparus: 9255
Sinningia incarnata: 2452, 5157
Sinningia schomburgkiana: 1790
- Hernandiaceae**
Hernandia guianensis: 7835
Sparattanthelium wonotoboense: 5158, 6178
- Hippocrateaceae**
Cheiloclinium belizense: 4712
Cheiloclinium brevipetiolatum: 3913, 7765
Cheiloclinium cognatum: 6368, 12019
Cheiloclinium hippocrateoides: 3325, 4564, 7773, 8613
Hippocratea volubilis: 260, 298, 449, 2698, 3466, 3480, 4757, 4773, 4983, 5070, 6423, 6614, 6678, 6711, 7917, 8776, 8816
Hylenaea comosa: 3990
Hylenaea unguiculata: 4723
 Indet.: 1939, 2393, 2832, 5165, 7986, 8320, 8607
Peritassa laevigata: 482, 1357, 3696, 7324, 7455
Peritassa pruinosa: 1488
Prionostemma aspera: 1603, 7638
Salacia amplexans: 11044
Salacia cordata: 8107, 8586
Salacia elliptica: 6982
Salacia impressifolia: 3307
Salacia insignis: 4924
Salacia maburensis: 320, 1306, 1443, 3418, 3638, 4091
Salacia multiflora: 2840, 7040, 11579
Salacia sp.: 10915, 11015
Tontelea attenuata: 514
Tontelea laxiflora: 4916, 8783
Tontelea mauritioides: 4822
Tontelea ovalifolia: 7180, 7318
Tontelea sp.: 3806
- Hugoniaceae**
Hebepetalum humiriifolium: 3230
Hebepetalum roraimense: 3103
Roucheria schomburgkii: 528
- Humiriaceae**
Endopleura uchi: 3175
Humiria balsamifera: 226, 656, 774, 776, 2654, 5111, 5243, 5862, 6944, 7009
Humiria crassifolia: 863, 976
Humiria sp.: 1606, 2359
Humiriastrum cf. sp.: 7827, 8848
 Indet.: 2048, 2824, 5104, 5105, 6166, 6169, 6803, 7644, 8801, 9090, 9636, 11419, 11441, 12317, 12320, 12349, 12401
Sacoglottis cydonioides: 1829, 3936, 4497
Sacoglottis guianensis: 1274, 2912
Sacoglottis ? sp.: 4018
Vantanea minor: 868, 885, 10859
- Icacinaceae**
Emmotum fagifolium: 668, 806
Emmotum glabrum: 5329, 5510, 5831, 9144
 Indet.: 8622
Leretia cordata: 4603
Pleurisanthes flava: 4552, 4932, 7788, 7840
- Ixonanthaceae**
Cyrillopsis paraensis: 11227
Ochthocosmus longipedicellatus: 12347

Krameriaceae*Krameria ixine*: 2095**Lacistemataceae***Lacistema aggregatum*: 585, 1609, 2044, 3047, 3353, 6064, 6112, 6852, 6981, 7474, 7751, 7839, 8579, 9814*Lacistema grandifolium*: 7141, 7685*Lacistema polystachyum*: 6815, 7576, 11002**Lamiaceae***Hyptis lanceolata*: 510*Hyptis* cf. *recurvata*: 3846

Indet.: 1160, 4407

Marsypianthes chamaedrys: 2102**Lauraceae***Aiouea laevis*: 2650*Aiouea longipetiolata*: 3128*Aniba citrifolia*: 7663, 7981*Aniba cylindriflora*: 8561*Aniba hostmanniana*: 2477*Aniba megaphylla*: 7996, 8065*Aniba panurensis*: 4309, 7217, 7479*Aniba parviflora*: 7533, 7722*Aniba* sp.: 3178, 8224, 12020*Aniba taubertiana*: 7148, 7204, 7289, 8313*Beilschmiedia curviramea*: 7584*Cassytha filiformis*: 703, 7018, 12396*Chlorocardium rodiei*: 188, 538, 1303, 1605*Cryptocarya guianensis*: 4834, 8889*Endlicheria chalisea*: 1465, 12216*Endlicheria gracilis*: 4414*Endlicheria multiflora*: 11254*Endlicheria pyriformis*: 2865, 7342, 7516, 7623, 7975, 8070*Endlicheria reflectens*: 1752, 3695, 4040, 6795*Endlicheria* ? sp. nov.: 12356*Endlicheria* aff. *szyszylowiczii*: 8397

Indet.: 649, 2056, 2562, 2636, 3205, 3962, 4372, 4442, 4699, 4716, 4832, 4885, 4921, 4931, 4946, 4998, 5057, 5536, 5973, 5979, 5986, 5988, 6147, 6155, 6385, 6579, 6849, 6972, 8381, 8539, 9953, 10152, 10931

Kubitzkia mezii: 6683, 8434*Licaria armeniaca*: 3362*Licaria aureosericea*: 7242, 7602, 7825*Licaria cannella*: 2642, 2893, 7142, 8248, 8549*Licaria chrysophylla*: 7239*Licaria debilis*: 2050, 2062, 2579, 4314, 7087, 7406*Licaria pachycarpa*: 7249*Licaria* s.l. *subbullata*: 7181, 7187, 8438*Nectandra amazonum*: 270, 1546, 2695, 3020, 3365*Nectandra* cf. *globosa*: 483*Nectandra* sp.: 2252, 3341, 6504, 6621, 6720*Ocotea aciphylla*: 8226, 8234, 8417, 11536*Ocotea cernua*: 1112, 7578*Ocotea crassifolia*: 7332*Ocotea cujumarum*: 8384*Ocotea discrepens*: 8020, 8164, 8289*Ocotea fasciculata*: 8099, 8193*Ocotea guianensis*: 2684, 3098, 3322*Ocotea neesiana*: 2443, 7444*Ocotea nigra*: 3053*Ocotea oblonga*: 8054, 8598*Ocotea persulcata*: 7101, 7452*Ocotea puberula*: 1108*Ocotea rhynchophylla*: 1637*Ocotea schomburgkiana*: 728, 3042*Ocotea* sp.: 2246, 3127, 3319, 3790, 3795, 4150, 8540, 9318, 11391, 11789, 12220*Ocotea* cf. *splendens*: 2267, 7078, 7824*Rhodostemonodaphne kunthiana*: 4277, 6477, 12060, 12088*Rhodostemonodaphne morii*: 2689*Rhodostemonodaphne praeclara*: 8345*Rhodostemonodaphne scandens*: 647b, 2527, 4113, 7243, 8398, 8557**Lecythidaceae***Couratari guianensis*: 8424, 11331*Couratari riparia*: 12406*Couratari stellata*: 6334*Eschweilera boltenii*: 4070*Eschweilera collina*: 7039*Eschweilera coriacea*: 2600, 2734, 3723, 4209, 4291, 4574, 6035, 6152, 6301, 7580, 12115, 12149*Eschweilera decolorans*: 2612*Eschweilera grandiflora*: 3209, 3328, 3346*Eschweilera micrantha*: 3166, 3188, 3616, 10922*Eschweilera parviflora*: 2240, 2970, 4947*Eschweilera parvifolia*: 4985, 6810, 7050, 7889, 8819*Eschweilera pedicellata*: 230, 1299, 1573, 1967, 2815, 2845, 3061, 3162, 6289, 6339, 6479, 7590, 7733, 8163, 8726, 8748, 8891, 9818*Eschweilera sagotiana*: 186, 572, 10687*Eschweilera simiorum*: 1459, 4333*Eschweilera* sp.: 6315, 10974, 11247*Eschweilera* cf. *subglandulosa*: 190, 273, 391, 2307, 3394, 3532, 3960, 4395, 6192, 6216, 6229, 6276, 6749, 11364*Gustavia augusta*: 1557, 1982, 3434, 3510, 3518, 4796, 6499, 6732, 11252*Gustavia hexapetala*: 2052, 2841, 3826, 4949, 8479*Lecythis alutacea*: 3109, 4052*Lecythis brancoensis*: 2071*Lecythis chartacea*: 1816, 5018

- Lecythis confertiflora*: 2471, 2854, 4087, 4088
Lecythis corrugata: 3031, 3312, 3433, 3811, 4585, 4736, 4855, 11099, 11214, 11306
Lecythis zabucajo: 4575, 10988
- Leguminosae**
Indet.: 2097, 5194, 6087, 6224, 6799, 7782, 8194, 8208, 8569, 8854, 8878, 10079, 10110, 10903, 10919, 10926, 11021, 11390, 11416, 11468, 11933, 12363, 12411, 12433
- Leguminosae-Caesalpinioideae**
Bauhinia glabra: 6564
Bauhinia guianensis: 7929, 8826
Bauhinia sp.: 1695, 1734, 2081, 2687, 3197, 3520, 3598, 3831, 3944, 3983, 4172, 5139, 8188, 11026
Bocoa alterna: 2894, 4868, 7077, 7150, 7356
Brownea coccinea ssp. *capitella*: 1145, 6062
Brownea sp.: 854, 9926, 10000
Campsiandra laurifolia: 279
Campsiandra sp.: 292, 363, 441, 2709
Cassia cowanii var. *guianensis*: 2620
Cassia moschata: 2082
Cassia sp.: 8945, 10057, 10659, 11043, 11112, 11869
Chamaecrista adiantifolia var. *pteridophylla*: 537, 9841
Chamaecrista desvauxii var. *mollissima*: 983
Chamaecrista diphylla: 1587b
Chamaecrista hispidula: 1582
Chamaecrista nictitans var. *disadena*: 502, 1413, 2466, 4691
Copaifera guyanensis: 11128, 11323
Copaifera sp.: 350
Crudia sp.: 303
Cynometra baubiniifolia: 5045, 6724
Cynometra sp.: 299, 345
Cynometra spruceana: 6634
Dialium guianense: 455, 1989, 2409, 3274, 3750, 4840, 4981, 11143, 11876
Dicymbe fraterna: 12211
Dicymbe pharangophila: 9862
Dicymbe sp.: 5456, 10107, 10906
Dimorphandra cuprea: 11417, 12322
Dimorphandra macrostachya: 5512, 6139, 11460
Dinizia excelsa: 2257, 4956
Elizabetha coccinea: 168, 1327, 2314, 3408, 3916, 5068
Elizabetha durissima: 753
Elizabetha princeps: 4202
Eperua falcata: 255, 680, 1633, 2613, 2719, 4084, 4211, 6642, 11085
Eperua grandiflora ssp. *guyanensis*: 7639
Eperua rubiginosa: 191, 2788a, 3101, 7748, 7918, 7968, 8809, 11375
Eperua schomburgkiana: 1353, 2743
Eperua sp.: 393, 442, 762, 6495
Hymenaea courbaril: 2404
Hymenaea sp.: 4426
Indet.: 9639, 10686, 12148, 12224
Macrobium acaciifolium: 457, 1373, 2704, 3021, 3349, 3536, 4785, 5085, 6262, 8800
Macrobium angustifolium: 5049, 6151, 7049, 7758, 8329, 8815
Macrobium cf. *bifolium*: 440, 1114, 7712, 9853
Macrobium multijugum: 3928, 6726
Macrobium sp.: 294, 4772, 12416
Martiodendron excelsum: 685, 1358
Paloue guianensis: 3289
Paloue induta: 3010, 3207, 7687, 7790
Paloue riparia: 11061, 11094, 11338, 11374
Peltogyne floribunda: 6783
Peltogyne venosa: 281, 468
Peltophorum dubium: 2103
Sclerolobium sp.: 7573, 7709
Senna bacillaris var. *bacillaris*: 1186
Senna latifolia: 777, 1093, 3891, 3979, 4236, 4420, 6513, 6986
Senna lourteigiana: 7216
Senna multijuga: 6330, 6627, 6739, 6911, 3836
Senna obtusifolia: 6210
Senna pendula var. *tenuifolia*: 2208
Senna quinquangulata: 433, 511, 639, 1617, 6195, 7480, 8142, 8441
Senna silvestris: 3279, 2328, 4809, 8812
Senna sp.: 9904
Senna splendida: 5130
Senna undulata: 6936, 6985
Tachigali guianensis: 6686, 7030
Tachigali paniculata: 277, 1364, 2009, 5027, 6215, 7794
Tachigali sp.: 6563, 7212, 7404
Vouacapoua macropetala: 3821
- Leguminosae-Faboideae**
Acosmium nitens: 379, 1379, 2206, 2207, 5149, 8788
Aeschynomene paniculata: 1729
Aeschynomene sp.: 569, 1389, 1399
Alexa imperatricis: 1305
Alexa sp.: 287, 450, 5928
Alexa surinamensis: 11246
Andira inermis: 3988
Bowdichia virgilioides: 2140
Cajanus cajan: 9978
Canavalia sp.: 4659
Centrosema sp.: 735, 8718
Clathrotropis macrocarpa: 4086

- Clitoria falcata*: 2450
Clitoria sp.: 1628
Crotalaria maypurensis: 2117
Dalbergia intermedia: 3909
Dalbergia monetaria: 3542
Dalbergia riedelii: 456
Dalbergia sp.: 1392, 1536, 1679, 3037
Desmodium adscendens: 1577, 2173, 4416
Desmodium axillare: 1217
Desmodium canum: 2076
Desmodium incanum: 1683
Desmodium sp.: 497, 3382, 3897, 6748, 6916, 9684, 9830
Dioclea guianensis: 2454, 4806, 5929, 6165, 6175, 7027, 7978
Dioclea macrocarpa: 603, 3150, 3173
Dioclea malacocarpa: 8347, 8714
Dioclea megacarpa: 4216
Dioclea reflexa: 848, 3968, 4356, 6922
Dioclea scabra: 1523, 11050
Dioclea sp.: 5026
Dioclea cf. *violacea*: 6033
Dioclea virgata: 343, 2750, 3033, 6343, 6448, 6718, 8813
Eriosema simplicifolium: 2158
Eriosema sp.: 571
Etaballia dubia: 1332, 1521
Galactia jussiaeana: 1775, 2099
Galactia sp.: 1580
Indigofera hirsuta: 2161
Indigofera lespedezioides: 1732, 1799, 2157, 5135
Lonchocarpus ? densiflorus: 3930
Lonchocarpus sp.: 687, 2694, 3358, 3755, 3835, 8003, 8332, 8473
Machaerium aristulatum: 340
Machaerium ferox: 1351, 6734
Machaerium floribundum var. *floribundum*: 451, 3903
Machaerium leiophyllum var. *crista-castrense*: 1533
Machaerium quinatum: 3002, 3511
Machaerium sp.: 1349, 2753, 3298, 3521, 7702, 8765
Mucuna sloanei: 9775
Mucuna sp.: 1551, 1961, 12254
Mucuna urens: 1102, 3223, 3620, 3757, 4014, 4351, 5948, 6511
Ormosia coarctata: 2222, 3296, 5035, 8807
Ormosia coccinea: 278, 352, 447
Ormosia coutinhoi: 523
Ormosia sp.: 2043, 2754, 3028, 3044, 4041, 7703, 12414
Paramachaerium ormosioides: 6127
Paramachaerium schomburgkii: 1368
Pterocarpus officinalis: 7114, 7746
Pterocarpus santalinoides: 3393, 3505, 5036
Pterocarpus sp.: 6500, 6638
Rhynchosia phaseoloides: 1257, 6932
Stylosanthes angustifolia: 1774
Swartzia anomala: 2210, 4836, 8803, 8805
Swartzia apiculata: 4039, 6264, 8770
Swartzia arborescens: 4954, 5014, 6503, 7088, 7133, 8172, 8517
Swartzia aff. *benthamiana*: 2646, 3035, 3123, 7721, 7754, 7863, 2616, 5020, 7579
Swartzia brachyrachis var. *glabrata*: 2972, 3226
Swartzia dipetala: 3490, 6657
Swartzia grandifolia: 3423, 3777, 7556
Swartzia katawa: 2916, 3113, 7738, 7927, 8340, 8802
Swartzia latifolia: 1671, 6733
Swartzia panacoco var. *cardonae*: 2623, 3065, 3111, 3151, 3301, 11056, 11093, 11280, 11322
Swartzia remiger: 7797, 7928, 8004, 8841
Swartzia reticulata: 3838
Swartzia sp.: 2278, 2280, 2603, 7041, 11008
Swartzia sp. nov. aff. *S. panacoco* (Aubl.) R. S. Cowan: 12348
Swartzia sp. nov. (Ser./Sect. *Recurvae*): 10877
Swartzia aff. *tilletii*: 2564, 2595
Swartzia xanthopetala: 540
Taralea oppositifolia: 3291, 3769
Tephrosia purpurea: 1702
Vigna luteola: 2213, 3068, 3871
Vigna sp.: 344, 460, 1356, 1740
Zornia latifolia: 1773
Zornia sp.: 740, 1587
Leguminosae-Mimosoideae
Abarema barbouriana: 9601
Abarema ferruginea: 7280, 7381, 7536
Abarema jupunba var. *trapezifolia*: 2541, 6439, 6844, 8249
Abarema mataybifolia: 2681, 2720
Abarema sp.: 10725
Acacia sp.: 2152, 5156, 6426, 6779, 8210, 9869
Acacia tenuifolia: 1994, 2144, 432
Albizia subdimidiata: 6735
Anadenanthera peregrina: 2468
Calliandra coriacea: 1916, 7565
Calliandra laxa var. *stipulacea*: 4033, 6263
Calliandra sp.: 3719, 9887, 11202
Calliandra surinamensis: 1118, 1120, 2979, 3192, 3368, 6156
Enterolobium schomburgkii: 2199, 8057, 8363, 8847
Hydrochorea corymbosa: 686, 3356, 3760, 3786, 6051, 6266, 6591, 6645, 7745, 7811, 8806
Indet.: 10856, 10976, 11016

- Inga alata*: 1990
Inga auristellae: 4334, 4508, 4818
Inga capitata: 4305, 6201
Inga disticha: 261, 2699, 3029, 4787, 6604
Inga edulis: 6217
Inga leiocalycina: 4304
Inga marginata: 4545
Inga meissneriana: 2012
Inga nobilis: 462, 1957, 3286, 3900, 3974, 5046, 6450, 6510
Inga pezizifera: 4296
Inga rubiginosa: 210
Inga sertulifera: 290, 6043, 6699
Inga sp.: 1124, 1252, 1815, 2403, 2511, 2708, 3329, 3538, 3541, 3545, 3648, 3759, 3784, 3854, 3920, 4432, 4853, 4990, 6158, 6220, 6431, 6505, 6506, 6635, 6651, 6740, 6796, 6934, 7100, 7127, 7171, 7300, 7320, 7478, 7509, 7601, 7614, 7615, 7622, 7636, 7643, 7715, 7729, 7747, 7772, 7826, 7916, 8010, 8011, 8077, 8085, 8109, 8131, 8139, 8430, 8448, 8462, 8496, 8578, 8808, 8823, 8830, 9153, 9661, 9768, 9795, 10151, 10281, 10415, 10424, 11000, 11138, 11157, 11532, 11600, 11867, 12023, 12064, 12142, 12230, 12265, 12295, 12434
Inga splendens: 2211, 3981, 4499, 4991
Inga stipularis: 4927
Inga thibaudiana: 1279, 1342
Macrosamanea pubiramea var. *pubiramea*: 1524, 1614
Mimosa camporum: 6182
Mimosa microcephala var. *cataractae*: 3371
Mimosa myriadenia: 445, 1080, 1401, 1414, 3966, 4977, 8989
Mimosa pellita: 689, 1375
Mimosa pudica var. *tetrandra*: 665, 1719
Mimosa rufescens var. *rufescens*: 793
Mimosa sp.: 3837, 10980, 11018
Neptunia plena: 1722
Parkia nitida: 4905, 7725
Parkia pendula: 6636
Parkia ulei var. *surinamensis*: 6966, 7048
Parkia velutina: 3631
Pentaclethra macroloba: 166, 453, 1125, 1227, 2735, 6034, 12240
Pentaclethra sp.: 11020
Pseudopiptadenia suaveolens: 4715
Stryphnodendron polystachyum: 8331
Stryphnodendron pulcherrimum: 7186
Stryphnodendron sp.: 6129
Zygia ampla: 2458, 3730
Zygia cataractae: 265, 297, 1367, 3026, 3040, 3352, 3449, 4043, 4759, 8818, 11075, 11203, 11256, 11327
Zygia inaequalis: 1839, 6275
Zygia latifolia: 2738, 1527, 7068
Zygia sp.: 1449
- Lentibulariaceae**
 Indet.: 240, 12193
Utricularia adpressa: 926b
Utricularia amethystina: 1001
Utricularia hispida: 886, 1046
Utricularia humboldtii: 9339, 11694
Utricularia juncea: 673, 897, 926a, 2657
Utricularia pubescens: 5501
Utricularia sp.: 2331, 2344, 2374, 2387, 2467, 2556, 5554, 5603, 5606, 5634, 5653, 5700, 5748, 5749a, 5765, 5869, 6886, 8907, 8938, 8939, 9049, 9052, 9115, 9187, 9286, 9287, 9446, 9510, 9560, 9727, 9990, 10261, 10318, 10319, 10475, 10544, 10561, 10613, 10615, 10735, 10874, 10913, 11447, 11690, 11691, 11692, 11692, 11693, 11819, 11947, 12173, 12323, 12329, 12331, 12332
Utricularia subulata: 926, 1000
- Linaceae**
 Indet.: 6991
Linum cf. sp.: 1718
- Lissocarpaceae**
Lissocarpa guianensis: 252
- Loganiaceae**
Antonia ovata: 1805, 7033
Bonyunia minor: 913, 1238
 Indet.: 9248, 9664, 9817, 10080
Mitreola sp.: 8456
Spigelia hamelioides: 1946, 2487, 4246, 5397
Spigelia multispica: 608
Spigelia sp.: 1891, 8923, 10386
Strychnos cf. *cogens*: 578
Strychnos hirsuta: 6282
Strychnos cf. *mitscherlichii*: 5032
Strychnos peckii: 9778
Strychnos sp.: 3259, 4072, 5047, 7082, 7742, 8894, 10969, 10973
- Loranthaceae**
Cladocolea micrantha: 6790, 6988, 7140, 7329, 7582, 8631, 8693, 10459
Gaiadendron punctatum: 5609, 5734
 Indet.: 7723, 9357, 9610, 10743, 10830, 11466, 11639, 11643, 11681, 11740, 11851, 11864, 11865, 12319, 12385a, 12393, 12394
Oryctanthus alveolatus: 311, 1130, 5961
Oryctanthus florulentus: 4764, 6530
Oryctanthus occidentalis: 2444
Oryctanthus spicatus: 6390

- Phthirusa pyrifolia*: 4758
Phthirusa rufa: 243, 11074
Phthirusa stelis: 1519, 4860, 5704, 9408, 9790, 9859, 10923
Phthirusa stenophylla: 757
Psittacanthus brachynema: 9586
Psittacanthus cordatus: 1650
Psittacanthus grandifolius: 4400, 4819
Psittacanthus leptanthus: 9053, 9290, 9806, 10248, 10681
Psittacanthus robustus: 7029
Struthanthus dichotrianthus: 8100, 8877
Struthanthus elegans: 1644
Struthanthus gracilis: 996
Struthanthus phylllyraeoides: 2123a, 3729, 4610
Struthanthus sp.: 3819
Struthanthus syringifolius: 5764
- Lythraceae**
- Cuphea antisiphilitica* var. *acutifolia*: 695, 1651, 2119, 2159, 5092
Cuphea carthagenensis: 2079
Cuphea sp.: 812, 1049, 1707, 2332, 2361, 5399, 6115
 Indet.: 861, 906, 2367, 7019
 Indet. sp.: 10547
- Magnoliaceae**
- Dugandiodendron ptaritepuianum*: 11852
- Malpighiaceae**
- Banisteriopsis lucida*: 1113, 3813, 6619, 11530
Banisteriopsis martiniana var. *martiniana*: 655
Banisteriopsis pulcherrima: 11848, 12318
Blepharandra hypoleuca: 1009
Bunchosia mollis: 1675, 1784, 2108, 2122b, 3442, 5138
Byrsonima aerugo: 1403, 1611, 2033, 4609
Byrsonima altissima: 3258
Byrsonima arthropoda: 2773, 3039, 3266
Byrsonima carraoana: 1075, 5342, 5740, 5745, 5850, 9844, 9885
Byrsonima chalcophylla: 9397, 9596, 11839
Byrsonima christianeae: 9709, 9788
Byrsonima coccolobifolia: 1796, 2088, 2136
Byrsonima concinna: 9424, 9572, 12413
Byrsonima crassifolia: 570, 771, 882, 1234, 1670, 1789, 5154, 7873, 12313
Byrsonima eugeniifolia: 2667, 6945
Byrsonima formosa: 3084, 3088
Byrsonima gymnocalycina: 7070, 7694, 7856
Byrsonima krukoffii: 9716, 10971
Byrsonima laevigata: 3633, 4569
Byrsonima pachypoda: 9341, 9590
Byrsonima schomburgkiana: 6952
Byrsonima sp.: 4045, 5040, 5063, 10123
- Byrsonima spicata*: 1852
Byrsonima stipulacea: 4824, 6088, 6118, 6983, 12041
Byrsonima tillettii: 9378
Excentradenia propinqua: 3970
Heteropterys s.l. *macradena*: 3592
Heteropterys macrostachya: 3931, 6280, 6508, 6647, 7756
Heteropterys multiflora: 1387
Heteropterys nervosa: 553
Heteropterys subhelicina: 1810, 2114, 4064, 6189
Heteropterys velutina: 1541
Hiraea fagifolia: 6144
Hiraea faginea: 289, 305, 1325, 2701, 3906, 4969, 6440, 6538, 6703, 7852, 8796, 11221, 11283, 11341
Hiraea graciana: 660
 Indet.: 1800, 2289, 2370, 2762a, 3234, 6626, 7350, 8445, 8489, 8494, 8996, 9264, 9987, 10164, 10549, 10569, 10744, 10778, 10824, 10891, 10982, 10993
Mascagnia arenicola: 8942
Mascagnia macrodisca: 4486
Mascagnia poeppigiana: 8061, 8439, 8508
Pterandra guianensis: 9822
Spachea elegans: 1806
Stigmaphyllon sinuatum: 335, 405, 506, 1255, 1565, 3527, 6188, 6476, 7026, 7634, 8339
Tetrapteryx anomala: 9105
Tetrapteryx discolor: 461, 1250, 1529, 2004, 3516, 3544, 3901, 3978
Tetrapteryx fimbripetala: 3375
Tetrapteryx glabrifolia: 11159
Tetrapteryx mucronata: 2731
Tetrapteryx pusilla: 936
Tetrapteryx styloptera: 3357, 3409, 3565, 4019, 6050, 6268, 7011, 7066, 12421
- Malvaceae**
- Abutilon* sp.: 8189
Hibiscus bifurcatus: 459
 Indet.: 6199
Pavonia angustifolia: 1728
Pavonia castaneifolia: 1262, 6027
Pavonia fruticosa: 1098
Peltaea trinervis: 693, 1652, 1723
Sida cordifolia: 1588, 1653, 7006
Sida linifolia: 1655
Sida sp.: 1247, 2073
Sida urens: 1095, 6549
- Marcgraviaceae**
- Indet.: 3182, 3894
Marcgravia coriacea: 1079, 5611, 7445, 7699, 7854, 10990, 11625
Marcgravia maguirei: 10466

- Marcgravia parviflora*: 4119, 4275
Marcgravia ? *pedunculosa*: 7532, 9870
Marcgravia purpurea: 7858
Marcgravia cf. *sororopaniana*: 3201, 6883, 7330, 8421, 9279, 9403, 9856, 10449, 10518, 10541, 10716, 10826
Norantea guianensis: 768, 2457, 3508, 3543, 3718, 6406, 11656
Norantea sp.: 10845
Sarcopera flammifera: 1042
Sarcopera tepuiensis: 5772, 9214, 9380, 1006
Souroubea dasystachya: 3251
Souroubea guianensis: 448, 2789, 2909, 3180, 3208, 3370, 3743, 4301, 6588, 6884
- Melastomataceae**
- Aciotis aequatorialis*: 3851
Aciotis annua: 7193, 7467
Aciotis indecora: 489
Aciotis laxa: 1913, 4313
Aciotis ornata: 6554, 8078
Aciotis purpurascens: 749, 832, 2782, 4376, 10092
Aciotis sp.: 495, 1101, 4159, 8763, 9220, 9693, 9802
Acisanthera uniflora: 2664a, 12350
Adelobotrys adscendens: 1177, 7322, 7408, 8385
Adelobotrys ciliata: 2542, 4129
Adelobotrys aff. *monticola*: 10267, 10377, 10468, 11533, 11977
Adelobotrys permixta: 5376, 9938, 10042
Adelobotrys sp.: 6862, 7774, 9072
Bellucia grossularioides: 1559, 3344, 3969, 4632, 7168, 7641, 8594
Blakea/Topobea sp.: 9395
Blakea/Topobea ? sp. nov.: 9602
Boyania ayanganmae: 10344, 10389
Clidemia anisophylla: 11119
Clidemia buntingii: 9138, 9622
Clidemia capitata: 1054, 5852, 6110, 11425, 12387
Clidemia capitellata: 697, 1164, 1749, 5422, 6104
Clidemia charadrophila: 9208, 10954
Clidemia conglomerata: 719, 722, 828, 5179, 7631, 9674, 10945
Clidemia dentata: 4520, 4521, 4705
Clidemia epibaterium: 12210
Clidemia heptamera: 5478, 9000, 10189, 11963, 12025
Clidemia heteroneura: 7074, 7967
Clidemia hirta: 2164, 3381, 6653, 6937, 2461, 4848, 1822, 6766
Clidemia involucrata: 841, 2494, 2869, 7412, 9026, 10039, 10133, 12049
Clidemia japurensis: 2300, 3624, 4874, 7804, 9017, 9608, 11175
Clidemia juruensis: 8926, 8936, 9014
Clidemia laevifolia: 6786
Clidemia minutiflora: 961, 5541, 6044, 7354, 8390, 11397, 11980
Clidemia novemnervia: 1592, 3985, 5091, 6184, 12338
Clidemia octona ssp. *guayanensis*: 850, 6029
Clidemia ostentata: 839, 5936, 9067, 10193
Clidemia pakaraimae: 9117, 10197, 11962, 12032
Clidemia pustulata: 3345, 3810, 4849, 6446, 6496, 11111
Clidemia sandwithii: 9593
Clidemia sericea: 2109, 5094, 9944
Clidemia silvicola: 3152
Clidemia sp.: 182, 4319, 5171, 5181, 5430, 5959, 8577, 9923, 9923a
Clidemia strigillosa: 7012
Clidemia tepuiensis: 5633, 9075, 9281
Clidemia venosa: 8453
Comolia microphylla: 3373
Comolia sp.: 989, 2433, 2455
Comolia vernicosa: 238
Comolia villosa: 551, 702, 1668, 1711, 1794, 2664, 5124
Desmoscelis villosa: 11443
Ernestia cf. *blackii*: 6836, 6889
Ernestia granvillei: 2905
Ernestia pullei: 3731, 7312
Graffenrieda intermedia: 5667, 5784, 8393, 8401, 9164, 10269, 10293, 10324, 10387, 10452, 10631, 10787
Graffenrieda sp.: 5969
Henriettea multiflora: 1412, 1619, 9809, 9925, 10921
Henriettea ramiflora: 754, 9860
Henriettea sp.: 1966, 9715
Henriettea stellaris: 3308, 4790, 10448, 11936
Henriettea succosa: 3038, 3751, 11315
Henriettella caudata: 6490, 8079, 10887, 12016
Henriettella duckeana: 7339
 Indet.: 2311, 2334, 2371, 7020, 7085, 7977, 8957, 9280, 9289a, 9875, 9927, 10688, 10822, 11462, 11483
 Indet. sp.: 7770
Leandra clidemioides: 7355
Leandra divaricata: 631, 2486, 2504, 2514, 2874, 4326, 5200, 5201, 7108, 7369, 8035, 9685, 9917, 10040, 10096, 10933, 10952, 11456, 12161, 12180
Leandra edentula: 9331
Leandra francavillana: 5531
Leandra cf. *micropetala*: 2507, 4321, 8899
Leandra procumbens: 9410
Leandra purpurea: 5184, 5416, 5940, 7403, 10063
Leandra sanguinea: 9047, 9831, 9854, 10150, 10375, 11535, 11863
Leandra solenifera: 1935, 4320, 4907

- Leandra* sp.: 5222, 9681, 10498
Loreya spruceana: 4190
Macairea lasiophylla: 889, 916, 12328
Macairea pachyphylla: 504, 864, 1019, 11413, 12248
Macairea thyrsoflora: 5861
Macrocentrum cf. *brevipedicellatum*: 9345, 10225, 10565, 10603, 10705
Macrocentrum cristatum: 738, 1438, 1882, 4108, 7159, 7201, 7359, 10301, 10848
Macrocentrum droseroides: 5451, 10214
Macrocentrum fasciculatum: 8623, 8910, 9181, 10381, 10589, 11562
Macrocentrum fruticosum: 2926, 7192
Macrocentrum minus: 9008, 9132, 10006, 11650, 11784
Macrocentrum repens: 5572, 9003, 9174, 10276, 11522, 11913
Macrocentrum sp.: 8250, 8415
Macrocentrum stipulaceum: 10311, 10333
Maguireanthus ayangannae: 9668
Maieta guianensis: 960, 5318, 5949, 6071, 11407, 12235
Maieta poeppigii: 485, 4335, 5173, 10066, 12233
Marcetia taxifolia: 985, 9445, 11698
Meriania crassiramis: 9325, 9475, 10709, 11705
Meriania sclerophylla: 921, 987
Meriania urceolata: 859, 1163, 5830
Miconia abbreviata: 4906, 8597
Miconia acutifolia: 5618, 9352, 9396, 9402, 9453, 9494, 9537, 9542, 11685
Miconia affinis: 1253, 10502, 11534
Miconia alata: 911, 6117
Miconia albicans: 3397, 4075
Miconia alborufescens: 12374
Miconia ampla: 1111, 12127
Miconia cf. *amplexans*: 12126
Miconia aplostachya: 11347
Miconia aff. *argyrophylla*: 3217, 3315
Miconia brachybotrya: 8595
Miconia bracteata: 7367, 9011, 9175, 9607, 9916, 10330, 10609, 10717, 12206
Miconia bubalina: 1549, 3523, 6079, 8572
Miconia centrodesma: 8573
Miconia ceramicarpa: 724, 838, 953, 4517, 7650
Miconia chrysophylla: 2928
Miconia ciliata: 654, 5112, 5398, 5443, 5975, 6816, 7014, 9176, 9959, 12386
Miconia crassinervia: 4718
Miconia diaphanea: 7151, 7341
Miconia dodecandra: 5425, 8254, 11006, 11866
Miconia dolichorrhyncha: 7163
Miconia fragrans: 5532, 9221, 10159, 10445, 12026
Miconia gratissima: 1950, 4553, 6101, 6845, 7158, 12251
Miconia holosericea: 5967, 6096, 7247
Miconia hypoleuca: 185, 712, 1086, 3099
Miconia impetiolaris var. *spruceanum*: 7915
Miconia lappacea: 4090, 5381, 5414
Miconia lasseri: 2313, 4404, 4755, 5052, 11082
Miconia lateriflora: 1819, 4378, 4571, 8002
Miconia lepidota: 7275
Miconia longifolia: 268, 2221, 2733, 4794
Miconia longispicata: 7196
Miconia loreyoides: 10382, 10384, 11602, 11948
Miconia macrothyrsa: 1584
Miconia maguirei: 11406
Miconia marginata: 817, 5365, 9827, 9828, 9956, 11007, 11935
Miconia mariae: 1173, 1266, 1436, 4142, 4184, 10098
Miconia mirabilis: 756, 1405, 2509, 2649, 2686, 5947, 6394, 7425, 8116, 12084, 12093
Miconia myriantha: 7244
Miconia navioensis: 2826, 3331
Miconia nervosa: 600, 640, 2885, 3893, 5996
Miconia platypoda: 2862
Miconia plukenetii: 5431, 8904, 9687, 9810, 10109, 10163, 12123
Miconia poeppigii: 3348
Miconia prasina: 1230, 1660, 2294, 2951, 3105, 3334, 3363, 3749, 5935, 6046, 7759, 11284, 11314, 11335, 12183
Miconia pseudoaplostachya: 1659, 2120
Miconia pseudocapsularis: 5537
Miconia pubipetala: 4622, 6196, 8493
Miconia radulaefolia: 4611, 4737, 7941
Miconia rugosa: 12196
Miconia serialis: 521
Miconia sp.: 787, 2293, 4496, 5003, 5212, 5529, 5538, 5964, 6143, 6185, 7080, 7147, 8237, 8435, 9156, 9160, 9332, 9420, 9427, 9546, 9547, 9557, 9679, 10149, 10291, 10417, 10467, 10598, 10599, 10646, 11485, 11616, 11644, 11880, 11946, 11959, 11978
Miconia splendens: 463, 1997, 3007, 6288, 6646, 7075
Miconia cf. *stenostachya*: 9591
Miconia superba: 9229, 9393, 10474, 10753
Miconia theizans: 9517, 11553
Miconia tillettii: 10668, 11918
Miconia tomentosa: 2774, 3309, 3808, 6078, 7157, 7245, 7744, 7931, 7961, 7973b, 8700
Miconia traillii: 4439, 4524, 12296
Mouriri acutiflora: 2740, 3032, 6736
Mouriri collocarpa: 2858, 2971
Mouriri duckeana: 3121

Mouriri francavillana: 3009, 3050, 6975
Mouriri grandiflora: 4410, 5065, 7793
Mouriri guianensis: 302, 2696, 3791, 6697
Mouriri sagotiana: 3326
Mouriri sp.: 2042, 3712, 4767, 4986, 5073, 5077, 7833, 8855, 8895
Myriaspora egensis: 4702, 4722, 6214, 6658
Nepsera aquatica: 736, 9839
Ochtheophilus repentinus: 9219
Pachyloma coriaceum: 7872
Phainantha laxiflora: 5377, 8909, 9125, 12275
Phainantha maguirei: 5569, 10235, 10608, 10694, 11888
Phainantha myrteoloides: 5587, 5709
Pterolepis glomerata: 494, 9835, 9935
Rhynchanthera grandiflora: 699, 900, 12341
Siphanthera cordifolia: 904, 1060
Siphanthera vel aff. *hostmannii*: 11438, 12156
Tibouchina aspera: 566, 1407, 1581, 7024, 7878, 11351
Tibouchina fraterna: 967, 1032, 5874
Tibouchina aff. *longifolia*: 10818
Tibouchina sp.: 2362, 2368
Tococa aristata: 223, 802, 1426, 5183, 5337, 5497, 5714, 5794, 6114, 9878, 10032, 10182, 10935, 12181, 12207
Tococa bolivarensis ssp. *bolivarensis*: 5834
Tococa cf. *erythrophylla*: 9260, 9278, 10310, 10560, 10766
Tococa guianensis: 903, 1166, 2779, 7771, 10262, 12263
Tococa nitens: 875, 5106, 7874, 9543, 12316
Tococa subciliata: 1393, 3071, 3265
Topobea ? sp. nov.: 10469
Meliaceae
Cabrarea canjerana: 7482, 8503
Carapa akuri: 365, 1304
Carapa guianensis: 3788, 4501, 7813
Carapa surinamensis: 3583
Guarea gomme: 3625, 3801
Guarea guidonia: 1264, 6494, 6738, 8134, 8820
Guarea ? *humaitensis*: 12140
Guarea juglandiformis: 4461
Guarea kunthiana: 7677, 8716
Guarea pubescens: 606, 1460, 2005, 2046, 2594, 3564, 6420, 6515, 7313, 8006
Guarea scabra: 3132, 6311, 9662
Guarea silvatica: 2245, 4597, 7574, 8681
Guarea sp.: 3610, 4586, 7932, 8136, 10998, 12141
Guarea trunciflora: 3627, 5004, 7117, 7719
Guarea velutina: 4594, 8056
 Indet.: 587
Trichilia cipo: 3014, 4992
Trichilia elegans: 9055
Trichilia martiana: 1999

Trichilia pallida: 2132, 3549
Trichilia pleeana: 6218
Trichilia quadrijuga: 3019, 7726, 8774
Trichilia schomburgkii: 2589, 2647, 3236, 4219, 4328
Trichilia septentrionalis: 9755, 12135
Trichilia sp.: 2605, 3417, 3608, 3793, 3942, 3963, 4074, 4739, 4917, 6231, 6232, 8214, 9236, 11115
Trichilia surinamensis: 6197, 6298, 6682, 11215, 11367
Trichilia surumuensis: 3399, 3594, 4668, 6562, 8098, 8202
Mendonciaceae
Mendoncia aspera: 1090, 10138, 10464, 10806, 11548, 11923, 11950
Mendoncia glabra: 8133
Mendoncia hoffmannseggiana: 4487, 4656, 7600
Menispermaceae
Abuta grandifolia: 3051
Abuta imene: 3590
Abuta obovata: 6487
Abuta rufescens: 1216, 4646
Abuta sp.: 4208
Cissampelos andromorpha: 3656, 4013, 5944
Cissampelos fasciculata: 9909
Cissampelos ovalifolia: 1703, 1801
Cissampelos pareira: 1104, 1751, 4355, 6023
Curarea candicans: 2723
 Indet.: 824, 3792, 3915, 7215, 7549, 7637, 7834, 7919, 7982, 8213, 8485, 8553, 11467, 12022
Orthomene schomburgkii: 170, 2702, 4776, 5054, 5059
Orthomene sp.: 3359
Molluginaceae
Glinus radiatus: 3850
Monimiaceae
 Indet.: 8040, 8048, 8067, 8223
Mollinedia grazielae: 582, 2583, 2645, 5527
Mollinedia laurina: 2544
Mollinedia ovata: 9166, 11541
Mollinedia ptariensis: 5785
Mollinedia sp.: 1900, 2018, 4623, 6366, 8152, 8400
Monotaceae
Pakaraimaea dipterocarpacea: 12408
Moraceae
Brosimum guianense: 2614, 8625
Brosimum lactescens: 307
Brosimum melanopotamicum: 3125
Brosimum rubescens: 5359
Clarisia ilicifolia: 165
Ficus albert-smithii: 6375, 7308, 12056
Ficus americana ssp. *americana*: 10497, 10570, 11027, 11971
Ficus broadwayi: 6590

- Ficus guianensis*: 8081
Ficus insipida ssp. *scabra*: 2001
Ficus maroniensis: 4563
Ficus mathewsii: 6273
Ficus maxima: 610, 5965, 12298
Ficus paraensis: 683, 1550, 2024, 3820, 5023, 7791, 8349, 8722, 10927, 12285, 12297
Ficus piresiana: 6054
Ficus schumacheri: 3578, 6572
Ficus sp.: 348, 542, 1481, 1613, 5082, 6347
Ficus trigona: 5075
 Indet.: 1055
Maquira guianensis var. *guianensis*: 11337
Maquira sclerophylla: 8362
Naucleopsis guianensis: 6401
Perebea guianensis ssp. *guianensis*: 2192, 3626, 7592, 7675, 8348
Sorocea muriculata ssp. *uaupensis*: 11378
Trymatococcus amazonicus: 2963, 3313
Trymatococcus oligandrus: 4599
Myristicaceae
 Indet.: 3114
Iryanthera juruensis: 3632, 7796
Iryanthera lancifolia: 4177, 10879
Iryanthera macrophylla: 2615, 9045
Iryanthera sp.: 2193, 3193, 3228, 3389, 6664, 7645, 7678, 7933, 7964, 8146, 8341, 8842, 9777
Osteophloeum platyspermum: 2855
Viola calophylla: 4397, 4549, 7116, 7787, 7923, 8051
Viola elongata: 3213, 3661, 3939, 4443, 4570, 6243, 7102, 7227, 7588, 7786
Viola michelii: 4458
Viola sebifera: 6122, 6485, 6725, 7154, 8209, 11208
Viola surinamensis: 1562, 3062, 3785, 7711, 8055, 8769
Myrsinaceae
Ardisia guianensis: 1877, 1969, 2061, 4254, 6057, 6148
Ardisia sp.: 5854, 8949, 8990
Cybianthus apiculatus: 8980, 9027, 9342
Cybianthus crotonoides: 5708, 5815, 9466, 11695, 11757
Cybianthus fabiolae: 9411
Cybianthus fulvopulverulentus ssp. *fulvopulverulentus*: 221, 1030, 2662
Cybianthus guyanensis: 6819, 6843, 9683
Cybianthus lepidotus: 12270
Cybianthus microbotrys: 4154
Cybianthus prieurii: 3701, 6107
Cybianthus ptariensis: 11729
Cybianthus quelchii: 11725
Cybianthus roraimae: 11674, 11830
Cybianthus surinamensis: 5345, 6103, 6851
Cybianthus venezuelanus: 732, 1267, 7306
 Indet.: 2299, 3919, 8227, 8253, 8330, 8514, 8670, 8678, 8933, 9024, 9207, 9242, 9459, 9467, 9509, 9531, 9609, 9783, 9910, 9950, 9958, 10179, 10190, 10241, 10249, 10313, 10322, 10367, 10394, 10427, 10552, 10635, 10707, 10880, 10981, 11427, 11480, 11506, 11614, 12010, 12071, 12087, 12309, 12390, 12422
Myrsine coriacea: 6858, 11545
Myrsine guianensis: 8543, 12199
Myrsine maguireana: 9556
Myrsine minima: 9519
Myrsine nitida: 9158, 9161
Stylogyne orinocensis: 611, 1965, 5051
Myrtaceae
Calycolpus cochleatus: 12383
Calycolpus roraimensis: 5424
Calycolpus surinamensis: 4421, 7156, 7346, 8386, 8411
Calycorectes bergii: 4121
Calyptanthes fasciculata: 3496, 4661, 6244, 6408, 6543, 6589
Calyptanthes pulchella: 9205, 9354, 9583, 10228, 10530, 10751
Calyptanthes sp.: 3444, 3581, 4929, 9398
Campomanesia grandiflora: 1777
Eugenia anastomosans: 2618, 12391
Eugenia arawakorum: 2901, 6464
Eugenia coffeifolia: 1838, 1986
Eugenia cf. *cribrata*: 1384
Eugenia cucullata: 172, 2030
Eugenia cupulata: 8604
Eugenia egensis: 3282, 3818, 6722
Eugenia eurycheila: 6177
Eugenia feijoi: 4831, 8325, 8759
Eugenia ferreiraeana: 7139
Eugenia s.l. *florida*: 267, 3742, 4972
Eugenia gomesiana: 7051, 7122, 7757
Eugenia kaieteurensis: 12197
Eugenia lambertiana: 308, 342, 1381, 2212, 3064, 6624, 7850, 8798
Eugenia latifolia: 4340
Eugenia macrocalyx: 7605
Eugenia cf. *mimus*: 2575
Eugenia patrisii: 3925
Eugenia pseudopsidium: 3206, 6580, 8199
Eugenia puniceifolia: 1243, 2090, 7016
Eugenia sp.: 416, 425, 2939, 3445, 3447, 4114, 4695, 4810, 4841, 6225, 8244, 10477, 10664, 11174
Eugenia spruceana: 11937
Eugenia tapacumensis: 377, 3715, 3982
Eugenia tetramera: 2940, 7510, 7769, 7828, 7989, 8486

Eugenia trinervia: 4663

Indet.: 1844, 1944, 2276, 2277, 2283, 3252, 3410, 3582, 4021, 4812, 4922, 4951, 5856, 6344, 6428, 6429, 7146, 7176, 7214, 7267, 7268, 7278, 7295, 7296, 7315, 7323, 7498, 7764a, 7812, 7922, 8265, 8367, 8413, 8535, 8570, 8585, 8852, 9195, 9452, 10031, 10132, 10176, 10180, 10253, 10265, 10300, 10355, 10455, 10463, 10486, 10537, 10558, 10633, 10700, 10720, 10760, 10770, 10852, 10872, 10886, 10928, 10930, 10999, 11171

Marlierea buxifolia: 5707

Marlierea schomburgkiana: 10909, 11411

Marlierea umbraticola: 3605

Myrcia albidotomentosa: 5257, 5802

Myrcia amazonica: 4943, 6826, 8528

Myrcia ? *bolivarensis*: 5548, 5733, 9289, 10280

Myrcia calycampa: 2761, 2980, 3714, 4827

Myrcia decorticans: 1390

Myrcia deflexa: 10425, 10643

Myrcia exploratoris: 5681, 5735

Myrcia fallax: 796, 1638, 2984, 3196, 5976, 6047, 6142, 11921, 12294, 12403, 12415

Myrcia aff. *fenzliana*: 10199

Myrcia graciliflora: 4871, 4933, 4950

Myrcia grandis: 4768

Myrcia guianensis: 2929, 3446, 3842, 4878, 5645, 6594, 11014

Myrcia inaequiloba: 1537, 3011, 3738

Myrcia minutiflora: 4471, 4495, 4542, 4875, 7930, 8307

Myrcia cf. *paivae*: 6160

Myrcia platyclada: 8228, 12427

Myrcia porphyrea: 12385

Myrcia aff. *quitarensis*: 1388

Myrcia sp.: 2914, 4729, 4971, 5728, 5732, 5881, 9121, 9222, 9230, 9474, 9476, 9529, 9766, 9801, 10443, 10665, 10838

Myrcia cf. *splendens*: 4639, 4793, 5081

Myrcia subobliqua: 476, 597, 692, 1323, 1482, 3354, 3921, 4791, 4970

Myrcia sylvatica: 534, 669, 767, 907, 1056, 2659, 6095, 6877, 7258, 8264, 10758, 11828

Myrciaria cf. *dubia*: 1485, 3030, 4774

Myrciaria floribunda: 1504, 6157

Myrciaria vismeifolia: 479, 1324, 2745, 3414, 3961, 11038, 11092, 11210, 11263, 11358, 12419

Plinia aff. *pinnata*: 1539, 4980, 6457

Plinia sp.: 4042, 6763

Psidium acutangulum: 284, 293, 295, 478, 1968, 2707, 3753, 6259, 6445, 6713, 11127, 11305

Psidium guineense: 1245, 1640, 1724, 2094, 2146

Psidium cf. *striatulum*: 1979, 3070, 3283, 3561, 6633

Siphoneugena dussii: 7281, 8235, 8262, 8378, 8682

Ugni myricoides: 9477, 9478

Ugni ? sp.: 11735

Nyctaginaceae

Guapira salicifolia: 5565

Indet.: 5102, 6247, 6371, 6904, 10184, 10650, 11623

Neea floribunda: 9675, 9692

Neea ovalifolia: 9079, 10227

Neea ? sp.: 8477, 9574

Nymphaeaceae

Nymphaea glandulifera: 11290

Ochnaceae

Adenanthem bicarpellata: 9335, 11702

Cespedesia sp.: 12097

Elvasia schomburgkii: 2977

Indet.: 1031, 2897, 7042, 7058, 9955, 10352, 12314, 12369

Ouratea angulata: 1720

Ouratea fasciculata: 2410, 4642, 4708, 4813, 7940, 8444

Ouratea gillyana: 891, 1029

Ouratea leblondii: 11193, 11326, 11354

Ouratea microcalyx: 5493, 10405

Ouratea rupununiensis: 364

Ouratea schomburgkii: 3557, 3839, 11064

Ouratea scottii: 3316

Ouratea soderstromii: 8998, 9730, 9760

Ouratea sp.: 247, 2360, 2958, 2985, 3198, 3219, 3249, 3443, 4879, 6997, 6999, 7072, 7195, 7302, 7433, 7798, 10955, 12139, 12278, 12355, 12392

Ouratea superba: 2112, 6730, 10047, 10984

Ouratea takutuensis: 4820

Perissocarpha steyermarkii: 5756

Poecilandra pumila: 5811

Poecilandra retusa: 5801, 11664, 11768

Sauvagesia angustifolia: 867, 984, 1922

Sauvagesia erecta: 496, 705, 1669, 3546, 5442, 6162, 9876, 11155, 11189, 11205

Sauvagesia imthurniana: 9451, 9489

Sauvagesia longipes: 9004

Sauvagesia roraimensis: 8532

Sauvagesia rubiginosa: 1713

Sauvagesia sp.: 992, 2333, 7200, 10198, 10349, 10750, 10782, 10839, 11303, 11555, 11708, 12381

Sauvagesia sprengelii: 2122a, 7885

Tyleria phelpiana: 10764

Olacaceae

Chaumochiton kappleri: 2999

Dulacia cf. *guianensis*: 6383, 7716

Heisteria cauliflora: 159, 378, 677, 1444, 2688, 2710, 2952, 7418, 11089, 11207, 11223, 11292, 11362, 11376

Heisteria densifrons: 11179
Heisteria maguirei: 9155
Heisteria ovata: 11240
Heisteria scandens: 4670
Heisteria sp.: 7110, 7617, 8366, 8466, 8502
 Indet.: 2249, 4543, 8001, 9744
Minuartia guianensis: 12143
Ptychopetalum olacoides: 2200
Onagraceae
Ludwigia foliobracteolata: 5224
Ludwigia byssopifolia: 2187, 3843, 11068, 11270
Ludwigia latifolia: 4071, 11318
Ludwigia leptocarpa: 1354
Ludwigia octovalvis: 6551, 11070, 11182, 11271
Ludwigia quadrangularis: 5041, 5225
Ludwigia rigida: 1406
Ludwigia sp.: 2218, 11304
Oxalidaceae
Oxalis frutescens: 362, 684, 1641, 2078, 2759, 3431, 6570, 6993
Passifloraceae
Ancistrothyrsus sp.: 10140
Dilkea clarkei: 1848, 2987
 Indet.: 9412
Mitostemma sp.: 6820
Passiflora amoena: 410, 602, 1282, 6369
Passiflora arta: 7230
Passiflora ascidia: 1162
Passiflora auriculata: 562, 4700, 12125
Passiflora balbis: 1757, 10162, 10416, 10678
Passiflora candida: 8520
Passiflora capparidifolia: 259, 1359, 1522, 1811, 3932
Passiflora cirrhiflora: 4094
Passiflora coccinea: 257, 431, 820, 1188, 2904, 4191, 6460, 7113, 8409, 8576, 11019
Passiflora costata: 4777, 5072
Passiflora fanchonae: 9761
Passiflora foetida: 1620, 1680, 6208
Passiflora garckeii: 7672, 9907
Passiflora glandulosa: 209, 518, 1281, 2543, 2956, 3134, 4484, 4605, 6239, 6355, 6365, 6663, 6817, 7377, 7432, 7449, 7629
Passiflora kawensis: 9932
Passiflora cf. *laurifolia*: 1598
Passiflora leptopoda: 1758, 3833
Passiflora longiracemosa: 7304
Passiflora rubra: 858, 1106
Passiflora sclerophylla: 919
Passiflora securiclata: 6430

Passiflora sp.: 1826, 4049, 6356, 6704, 8216, 8991, 9663, 9826, 9852, 9908, 10536, 11022, 11563, 11982, 11985
Passiflora cf. *tuberosa*: 11873
Passiflora vespertilio: 1518, 2217, 5039, 9877
Phytolaccaceae
Microtea maypurensis: 1874
Phytolacca rivinoides: 978, 8071, 8154, 8646, 11596, 11872
Picramniaceae
Picramnia guianensis: 7241, 7314, 7466
Picramnia latifolia: 620, 625, 2539, 2721, 4278b
Picramnia magnifolia: 4123
Picramnia nuriensis: 11495, 11836, 12011
Picramnia sellowii ssp. *spruceana*: 2839, 3918, 4650, 5067, 6065, 6149, 7808, 9246
Picramnia sp.: 7896, 8512
Piperaceae
 Indet.: 10185, 10186, 11291, 11504, 12288
Lepianthes umbellatum: 1103
Peperomia alata: 6001, 6060
Peperomia blanda: 2809
Peperomia elongata: 2810, 3402, 3438, 3775, 8649, 11091, 11129
Peperomia emarginella: 8978, 9725, 9946, 10114, 10965
Peperomia glabella: 3059, 3636, 3768, 4566, 6472, 7520, 7577, 7596
Peperomia hernandiifolia: 5592, 10777, 11574, 11618
Peperomia jamesoniana: 11585, 11814
Peperomia lancifolia: 10302
Peperomia macrostachya: 559, 595, 797, 949, 1191, 1346, 1494, 2268, 3299, 3663, 3756, 4003, 6335, 7073, 7763, 7993, 8300, 9867, 11001
Peperomia magnoliifolia: 6618, 7558, 7674
Peperomia maguirei: 7502
Peperomia manarae: 11843
Peperomia vs. *obtusifolia*: 4136, 4176
Peperomia ouabiana: 1437, 4128, 4306, 4899, 6471, 7475, 10111
Peperomia pellucida: 3450
Peperomia pilicaulis: 1175
Peperomia purpurinervis: 9215, 10223, 10490, 10776
Peperomia quadrangularis: 1747, 3451
Peperomia reptans: 9188, 10428, 11634, 11813
Peperomia rhombea: 8566
Peperomia rotundifolia: 2799, 3639, 4996, 5198, 6004, 11147
Peperomia serpens: 4255, 4801, 6346, 8475
Peperomia sp.: 9617, 9655, 10192, 12269
Peperomia ? sp. nov.: 10028, 10097, 10146, 12100
Peperomia cf. *striata*: 11793

- Peperomia tenella*: 5599, 9081, 9136, 9180, 9425, 9633
Peperomia urocarpa: 1147, 1201, 6002
Piper adenandrum: 2947, 7059
Piper aduncum: 968, 6021
Piper aequale: 5995
Piper alatabaccum: 3169
Piper anonifolium: 598, 1198, 3890, 4490, 4533, 4669, 7414, 9686
Piper arboreum: 1076, 1219, 2497, 2513, 3630, 4687, 6668, 7647
Piper augustum: 2934, 4500, 4583
Piper avellanum: 541, 9034
Piper bartlingianum: 316, 1289, 1314, 2035, 2259, 2329, 2405, 2886, 2902, 2946, 3232, 3351, 3425, 3609, 3884, 4475, 4535, 4867, 5997, 6313, 6491, 6691, 7119, 7194, 7237, 7451
Piper bolivarianum: 5476
Piper brasiliense: 8916
Piper cernuum: 6480
Piper cililimum: 3135, 3179, 4519
Piper consanguineum: 2808, 3100, 3143, 4373, 4538, 4644, 7551
Piper crassinervium: 3106
Piper cuyunianum: 5362, 5787
Piper demeraranum: 964, 1313, 4294, 5216, 7673
Piper duckei: 4385
Piper glabrescens: 1094
Piper gleasonii: 4481
Piper hirtilimum: 4391, 7830
Piper hispidum: 1218, 2935, 4283, 5131
Piper hostmannianum: 232, 404, 761, 834, 1618, 2170, 4066, 4354, 5209, 6193, 6227
Piper inaequale: 9157
Piper insipiens: 2489, 4144, 4179, 8911, 8918
Piper liesneri: 2805
Piper marginatum: 6745
Piper nematanthera: 3724, 3951, 9603
Piper obliquum: 4178, 5539, 6075, 7457, 9645
Piper oblongifolium: 4380
Piper paramaribense: 4534, 7546
Piper peltatum: 8161, 8458
Piper perstipulare: 5433
Piper piscatorum: 3144
Piper pseudoglabrescens: 5022
Piper pulleanum: 4516, 7676
Piper rupununianum: 8960, 9033, 9151, 9217, 9306, 9423, 9704
Piper sp.: 1745, 4539, 7366, 7464, 7973, 7979, 7985, 8046, 8088, 8123, 8148, 8178, 8206, 8225, 8266, 8315, 8316, 8318, 8361, 8388, 8419, 8436, 8450, 8492, 8500, 8610, 8648, 8654, 8730, 9116, 9562, 9703, 9776, 9893, 10061, 10094, 10095, 10240, 10263, 10323, 10354, 10487, 10507, 10673, 10685, 10759, 10889, 10895, 10898, 11161, 11229, 11230, 11474, 11476, 11560, 11590, 11621, 11626, 11925, 11974, 11975, 11981, 12028, 12052, 12086, 12099, 12177, 12234
Piper trichoneuron: 178, 434, 7669
Piper wachenheimii: 5492
Pothomorphe peltate: 2414, 6228
- Podostemaceae**
- Apinagia corymbosa*: 6560
Apinagia surumuensis: 11276
Mourera fluviatilis: 396, 471, 3290, 3596, 11073, 11260
- Polygalaceae**
- Bredemeyera floribunda*: 6145
 Indet.: 1712, 1798, 3025, 3908, 7696, 9316, 12091, 12146, 12339, 12345, 12373, 12418, 12426
Monnina cacumina: 5628, 9399, 10819
Moutabea guianensis: 392
Polygala adenophora: 700
Polygala appressa: 7869
Polygala blakeana: 877, 1710
Polygala longicaulis: 1239, 2091, 2092, 6942
Polygala sp.: 888, 905
Polygala violacea: 1684
Securidaca marginata: 400, 2762
Securidaca paniculata: 2209, 3305, 3748, 6186, 6187, 7640, 7743, 8780, 8866, 10904, 11033
Securidaca pyramidalis: 5971
Securidaca rivinifolia var. *parvifolia*: 3060, 3280, 4829, 7736, 8754, 8880
Securidaca sp.: 4968
- Polygonaceae**
- Coccoloba ascendens*: 663, 6150, 6498, 6967
Coccoloba cf. *conduplicata*: 3376
Coccoloba densifrons: 1517
Coccoloba cf. *excelsa*: 3700, 4854, 6654, 7007
Coccoloba gymnorrhachis: 3805, 4232
Coccoloba cf. *lucidula*: 3186, 3717
Coccoloba marginata: 4065, 4401, 5079
Coccoloba cf. *ovata*: 398, 6731
Coccoloba ? *padiformis*: 469
Coccoloba parimensis: 3267
Coccoloba sp.: 5100, 7331, 7481, 12281
Coccoloba ? sp. nov.: 1024
Coccoloba striata: 3702
 Indet.: 3261, 7741, 8529, 8581, 9261, 9282, 9353, 9858, 12046

Symmeria paniculata: 1360, 1374, 1483

Triplaris weigeltiana: 6728

Portulacaceae

Portulaca cf. *pilosa*: 1875

Talinum fruticosum: 2100

Proteaceae

Panopsis rubescens: 3304

Panopsis sessilifolia: 11330, 12409

Roupala montana var. *montana*: 2677

Roupala suaveolens: 6946

Quiinaceae

Indet.: 2039

Lacunaria crenata: 369

Lacunaria jenmanii: 3652

Quiina amazonica: 4926, 4934, 4984

Quiina cruegeriana: 5005

Quiina obovata: 4925

Quiina parvifolia: 4476

Quiina pteridophylla: 4062, 4073, 4413

Quiina rhytidopus: 1473

Rafflesiaceae

Apodanthes caseariae: 8358, 8499

Indet.: 632, 4511

Rhabdodendraceae

Rhabdodendron amazonicum: 706, 3323

Rhamnaceae

Gouania blanchetiana: 1564

Gouania sp.: 1091, 1776, 3395, 4606, 5134, 8069

Indet.: 2070, 2287

Ziziphus cinnamomum: 10131

Rhizophoraceae

Cassipourea guianensis: 417, 2599, 2601, 3364, 4648, 6465, 7063

Cassipourea lasiocalyx: 235

Indet.: 726, 5172

Sterigmapetalum resinosum: 10854, 12040

Rosaceae

Prunus myrtifolia var. *accumulans*: 11844

Rubus guyanensis: 11572, 11797

Rubiaceae

Alibertia acuminata: 6705

Alibertia myrciifolia: 6808

Alseis longifolia: 6246, 6351

Amaioua corymbosa: 1996

Amaioua guianensis: 175, 205, 336, 1347, 4228, 6593, 8537, 11041

Bertiera guianensis: 3998, 6400

Borreria capitata: 1601, 6093

Borreria latifolia: 4846

Borreria ovalifolia: 3862

Borreria cf. *prostrata*: 3067, 3484

Bothriospora corymbosa: 2228, 2288, 6737

Calycophyllum merumense: 9074

Capirona decorticans: 4468

Chalepophyllum guianense: 918, 5809

Chimarrhis microcarpa: 6353

Chimarrhis turbinata: 4174

Chiococca nitida: 2986, 5413, 5540, 5981, 6128

Chomelia malaneoides: 2919, 3735, 10972

Chomelia obtusa: 1386, 2703, 2747, 6702

Chomelia schomburgkii: 1835

Chomelia tenuiflora: 2113

Coccocypselum guianense: 493, 748, 7015

Coccocypselum sp.: 10034

Cordia myrciifolia var. *myrciifolia*: 2927

Cordia triflora: 8112

Cosmibuena grandiflora: 6164, 6878

Coussarea hirticalyx var. *glabrior*: 8768

Coussarea machadoana: 4928

Coussarea cf. *mapourioides*: 8443

Coussarea micrococca: 7489

Coussarea racemosa: 6287, 6459

Coussarea sp.: 4528, 8429, 10451, 10478, 10632

Coutarea hexandra: 2023

Declieuxia fruticosa: 5093

Declieuxia tenuiflora: 2432

Didymochlamys connellii: 8902, 10020, 10218

Diodella apiculata: 1667, 2098

Diodella teres: 2075

Diodia byssopifolia: 11146, 11273

Duroia cf. *bolivarensis*: 9637, 9894

Duroia eriopila: 189, 193, 1864, 2197, 3043, 3571, 4028, 6582, 7000, 7792, 7942, 8886

Duroia genipoides: 1394, 2641

Duroia micrantha: 6869

Elaeagia maguirei: 10648, 12015, 12063

Elaeagia sp.: 10442, 10450

Emmeorbiza umbellata: 11546, 11615

Faramea capillipes: 3390, 4026, 6283, 6403

Faramea cardonae: 9578, 10365, 10836, 11928, 11954

Faramea crassifolia: 2121, 6180

Faramea irwinii: 3780, 11148

Faramea maguirei: 825, 5176, 5429, 5943

Faramea morilloi: 9154

Faramea multiflora: 4515, 4576, 6402, 7545, 8707, 10135, 10892, 12236

Faramea occidentalis: 4161, 4220

Faramea quadricostata: 8395

Faramea quinqueflora: 8927

Faramea sessilifolia: 1471, 4788, 5044, 11052, 11262, 11356

- Faramea* sp.: 11032
Faramea torquata: 8840
Ferdinandusa goudotiana: 1158, 2041, 5371, 5391, 6824, 6903
Ferdinandusa sp.: 7184, 7233, 7780, 7784, 8548, 8697
Ferdinandusa uaupensis: 7035
Genipa americana: 5069
Genipa spruceana: 275, 355, 470, 1661, 2235, 2690, 3472, 6261, 6586, 6729, 7727, 8799, 11120, 11139, 11277, 11345
Geophila cordifolia: 1226, 2180
Geophila gracilis: 6938
Geophila repens: 12202
Geophila sp.: 7992b
Gonzalagunia dicocca: 613, 836, 1085, 1934, 2017, 2415, 2627, 4247, 5994, 6018, 6354, 7567, 7618, 8130
Guettarda acreana: 337
Guettarda argentea: 2141
Guettarda aromatica: 8106, 8306
Guettarda divaricata: 1643, 1693, 2145, 5127, 5140
Hamelia patens: 8143, 8650, 8734
Hillia illustris: 1554, 3057, 3744, 5768, 6486, 6662, 8296, 8704, 8882
Hillia parasitica: 8240, 10772, 11791
Hillia cf. sp.: 2397, 2398
Hillia ulei: 4911
Hoffmannia sp.: 10638
Indet.: 2284, 2341, 2376, 2388, 2389, 6526, 6896, 7781, 8096, 8204, 9022, 9028, 9059, 9077, 9147, 9272, 9305, 9321, 9333, 9343, 9377, 9422, 9490, 9581, 9582, 9588, 9632, 9648, 9666, 9696, 9785, 9838, 9890, 9895, 10059, 10200, 10212, 10385, 10409, 10724, 10882, 10925, 10949, 11334, 11387, 11437, 11455, 11499, 11500, 11529, 11565, 11566, 11667, 11727, 11912, 11934, 11964, 11999, 12096, 12166, 12260, 12344, 12358, 12375, 12412
Isertia hypoleuca: 492, 704, 2295, 2648, 3079, 6124, 7219, 7336, 7698, 7728, 9811, 10282
Isertia parviflora: 1596, 1741, 1756, 3699, 4076, 6901, 6953, 11259, 11349
Isertia spiciformis: 7126, 7405
Ixora ferrea: 228, 426, 1441, 2537, 2611, 2715, 6352, 6374, 6690, 6751, 6764, 6929, 7800
Ixora graciliflora: 4196
Ixora panurensis: 5097, 5113, 5366, 7161
Ixora parviflora: 5110, 6721
Ixora ulei: 2991
Kutchubaea neblinensis: 4957
Ladenbergia lambertiana: 807, 965, 5788, 6119, 11386, 12250
Maguireothamnus speciosus: 11703
Malanea gabrielensis: 5666
Malanea hypoleuca: 2563, 6977, 7222, 7317
Malanea macrophylla: 2988
Malanea microphylla: 9577, 11679
Malanea sarmentosa: 2190, 5099, 5390, 7183, 8795, 10834
Malanea sipapoensis: 6391
Malanea sp.: 10597
Manettia alba: 794, 3004, 8121, 8490, 9954
Manettia sp.: 5419
Mitracarpus frigidus: 1770
Mitracarpus hirtus: 2460
Mitracarpus sp.: 9943
Morinda calycina: 2892, 4329, 7023
Morinda tenuiflora: 215, 733, 1484, 1496, 1694, 1753, 2110, 6794, 11197
Notopleura aligera: 11675
Notopleura guadalupensis: 9736, 11640, 11976
Notopleura multiramosa: 7340
Notopleura aff. *patria*: 8924
Notopleura cf. *perpapillifera*: 9796
Notopleura sp.: 9949, 10697, 10912
Notopleura tapajozensis: 9323, 9443, 9533, 11654, 11748
Notopleura uliginosa: 9680, 11493, 11663
Oldenlandia lancifolia: 3591, 3858
Pagamea capitata: 237, 809, 894, 2668, 5246, 12382
Pagamea coriacea var. *acuta*: 10204
Pagamea guianensis: 772, 780
Pagamea sp.: 2385
Pagamea standleyana: 11638
Pagamea thyrsoiflora: 9584, 11429
Palicourea calophylla: 2262, 4374, 7344, 7627
Palicourea corymbifera: 2887, 2891, 2948, 7093, 7144, 7351, 7720, 7906, 8044, 8052, 8672
Palicourea crocea: 3823
Palicourea croceoides: 413, 565, 628, 708, 1109, 1165, 2215, 2481, 2482, 3895, 4081, 4550, 4560, 4748, 4940, 5933, 5982, 6141, 6940, 7013, 7866, 8041, 11109, 11194, 11216, 11321
Palicourea guianensis: 325, 581, 755, 770, 1265, 1310, 2418, 4137, 4399, 4624, 5953, 6899, 7037, 9903, 9933
Palicourea longiflora: 4919, 7492
Palicourea longistipulata: 3263, 792
Palicourea nitidella: 2863, 3089
Palicourea obtusata: 9532
Palicourea perquadrangularis: 10329, 11537
Palicourea rigida: 1797, 2084
Palicourea riparia: 791, 1535
Palicourea triphylla: 5374, 11402, 11431, 12253
Palicourea wurdackiana: 5711

- Patima guianensis*: 7297
Perama dichotoma: 814, 1047, 5808, 11453, 12247, 12326, 12327
Perama galioides: 7867
Perama hirsuta: 887, 990, 1709, 2330, 6994, 12343
Platycarpum rugosum: 5777
Posoqueria latifolia: 3747, 4828, 5084, 8183, 11077
Posoqueria longiflora: 1534, 11285
Posoqueria panamensis: 2060, 2303, 3562
Psychotria (subg. *Heteropsychotria*): 1268, 4753, 4877, 5190, 5191, 5588, 5629, 5702, 5769, 5793, 5896, 5897, 5983
Psychotria (subg. *Psychotria*): 1760
Psychotria acuminata: 4383, 4403, 4601, 5214, 5221, 5930, 7057, 8368
Psychotria adderleyi: 7298
Psychotria aetantha: 10125
Psychotria albert-smithii: 11149, 11233, 11238
Psychotria anceps: 1629, 5970, 6971
Psychotria apoda: 484, 826, 1422, 1451, 1914, 2427, 2519, 2804, 3204, 4111, 5189, 5938, 9960, 10082, 10379, 10444, 11054, 11379, 12162
Psychotria astrellantha: 800, 2913, 3407, 3959, 4387, 4600, 4647, 5211, 7203, 7236, 7459, 8484, 8643, 8739, 8825
Psychotria aubletiana: 9579, 10314, 10773, 11799
Psychotria ayangannensis: 9417, 10528, 10715, 10727, 10732
Psychotria bahiensis: 2777, 3339, 7487, 8471
Psychotria barbiflora: 3623, 4110, 5317, 5500, 5508
Psychotria berteriana: 5210, 8946, 11617, 11973
Psychotria bostrychothyrsus: 8901, 10022, 10166, 11408, 11465
Psychotria brachybotrya: 4514, 5937, 5941, 6206
Psychotria bracteocardia: 1132, 1447, 1508, 1738, 3995, 6921
Psychotria callithrix: 4710
Psychotria campylopoda: 1069, 11646, 11683
Psychotria capitata: 156a, 711, 1117, 2025, 2680, 3005, 3273, 5394, 6675, 9244, 9793, 10268, 10368, 11917
Psychotria cardiomorpha: 5098
Psychotria ceratantha: 5615, 5625
Psychotria cincta: 9029
Psychotria concinna: 9507
Psychotria cornigera: 10978
Psychotria crassa: 5622
Psychotria crococlamlays: 1061, 1071, 5288, 5455, 5710, 9061, 10178, 12201
Psychotria cupularis: 1116, 4160, 4231, 7084, 7370
Psychotria deflexa: 1225, 6397, 8039, 8574
Psychotria egensis: 12389
Psychotria erecta: 3355, 5333, 5364, 5972, 6045, 7416, 8394
Psychotria everardii: 5719, 9304, 9363, 9372, 9419, 9428, 9468, 9493, 11704, 11716
Psychotria fanshawei: 9005, 9122
Psychotria glandulicalyx: 9561, 10728, 11622, 11651
Psychotria gracilentia: 177, 323, 803, 8007
Psychotria hemicephaelis: 1062
Psychotria heteroneura: 10548, 10682, 10708
Psychotria hoffmannseggiana: 3774, 7310, 11095, 11287, 12232, 12388
Psychotria horizontalis: 1861, 8181
Psychotria imthurniana: 9118, 11673
Psychotria iodotricha: 822, 10033, 10936, 11426
Psychotria irwinii: 607, 637
Psychotria ligularis: 2402, 4364, 4366
Psychotria lupulina: 1962, 2732, 2776, 3338, 3437, 3601, 3879, 4402, 4614, 6290, 6338, 6536, 6611, 7734, 7913, 8751, 8892
Psychotria mapourioides: 2508, 3066, 5415, 6067, 6161, 7862, 8811, 8917, 8941, 10910
Psychotria mazaruniensis: 9649, 9732
Psychotria microbotrys: 4138, 4513, 6066
Psychotria multiramosa: 5244, 5507
Psychotria muscosa: 1435, 7434, 10005, 12070
Psychotria officinalis: 1157, 1890, 2540, 3673, 4869, 7436, 10196, 10321, 10501
Psychotria pacimonica: 3081, 3136
Psychotria pakaraimensis: 9013, 9103, 9104, 9898
Psychotria paniculata: 7413, 7488, 8062, 8319
Psychotria parvibractea: 5533, 9330, 11503, 12029
Psychotria platypoda: 2960, 4493, 6061, 9010, 9274
Psychotria plocamipes: 9002, 10395
Psychotria podocephala: 3320, 3621
Psychotria poeppigiana: 614, 788, 840, 952, 1176, 1918, 2162, 2177, 2505, 2521, 2790, 2864, 3244, 4253, 4450, 5166, 5934, 7285, 7303, 7353, 7925, 8410, 8993, 10038, 12009
Psychotria polycephala: 160, 488, 1452, 2270, 2317, 2780, 3104, 3464, 3569, 4370, 4381, 7947, 8782, 11065, 11131, 11248, 11333, 12299
Psychotria potaroensis: 8900, 9763, 9963, 11428
Psychotria racemosa: 1930, 4384, 4652, 6006, 6202, 6237, 6342, 6659, 8027
Psychotria sp.: 5542, 10099, 10374, 10453, 10863
Psychotria speluncae: 9559, 11878, 11952
Psychotria tapajozensis: 5564, 5657
Psychotria tepuiensis: 5521, 9162, 9957, 10277, 11473, 12072

- Psychotria tillettii*: 8963, 9062, 9350, 9565, 10341, 10508, 10588, 10713, 10757
Psychotria transiens: 9063, 9303, 9336, 9486, 9563, 11672, 11676
Psychotria uliginosa: 605, 846, 1192, 1433, 1947, 2523, 4140, 5185, 5428, 6042, 8170, 8593
Psychotria ulviformis: 4655, 8068
Psychotria variegata: 5435, 5436
Psychotria venulosa: 11833
Randia armata: 8126, 8200, 8653
Randia sp.: 4618, 4816
Remijia roraimae: 2895, 7149, 7262, 8380, 8551, 8686
Remijia sp.: 6099
Retiniphyllum chloranthum: 7282
Retiniphyllum laxiflorum var. *laxiflorum*: 890
Retiniphyllum scabrum: 5706, 5894
Retiniphyllum schomburgkii: 804, 2669, 3094, 7008
Ronabea latifolia: 10168, 12214
Rudgea cornifolia: 202, 1456, 1472, 6685
Rudgea crassiloba: 1326, 5101
Rudgea fissistipula: 1197
Rudgea hostmanniana: 584, 590, 789, 1431, 2492, 2516
Rudgea sp.: 7197, 10264, 10666
Rudgea stipulacea: 407, 2883
Sabicea aspera: 3713, 4415
Sabicea glabrescens: 501, 6931
Sabicea parva var. *brachycalyx*: 5109
Sabicea sp.: 10918
Sabicea velutina: 912, 1053
Schradera nilssonii: 5786
Schradera cf. *polycephala*: 5546
Schradera sp.: 10266
Sipanea cowanii: 2309, 4658
Sipanea galioides: 698, 876
Sipanea gleasonii: 4350
Sipanea hispida: 1879, 2459
Sipanea pratensis: 769, 1506, 1792, 6943, 6992
Sipanea sp.: 2354, 7992a, 8092, 8744
Sipanea wilson-brownei: 2554, 2992, 4158
Spermacoce capitata: 714, 1004, 1878, 3728, 6090, 11442, 12171
Spermacoce byssopifolia: 481, 701, 3284, 3519, 3853, 6533, 6569
Spermacoce latifolia: 2174, 3870
Spermacoce ocymifolia: 5096, 6174, 6557
Spermacoce remota: 3461
Spermacoce verticillata: 696, 6092, 12362
Tocoyena sp.: 1691, 5159
Uncaria guianensis: 274, 2706, 4775, 6441, 6701, 7898, 8761
Wittmackanthus stanleyanus: 1782
- Rutaceae**
Conchocarpus fanshawei: 402
Conchocarpus ucayalinus: 4447, 4453
Ertela trifolia: 1512, 1677, 1755, 2123b, 3161, 4631
Galipea davisii: 4466, 4660
Hortia regia: 9824
 Indet.: 2900, 2968, 10473, 10943
Raveniopsis ruellioides: 5620, 5623, 9390
Spathelia ulei: 9324
Ticorea foetida: 411
Zanthoxylum caribaeum: 1781
Zanthoxylum compactum: 1540, 2705
Zanthoxylum ekmanii: 8720
- Sabiaceae**
Meliosma herbertii: 7172, 7188, 7410, 7926
- Santalaceae**
Thesium tepuiense: 999
- Sapindaceae**
Allophylus robustus: 10630
Cardiospermum halicacabum: 11877
Cardiospermum sp.: 1254
Cupania hirsuta: 203, 334, 3644, 4866
Cupania cf. *latifolia*: 6581
Cupania rubiginosa: 3734, 3904, 4048
Cupania scrobiculata: 1630
Cupania sp.: 3512, 7900
 Indet.: 1251, 1682, 1686, 1764, 1964, 1987, 3658, 4424, 7903, 7938, 8103, 8129, 8135, 8174, 8179, 8184, 8268, 8383, 8416, 8505, 8546, 8556, 8662, 8688, 8753, 8822, 9640, 10422, 10641, 11418, 11547
Matayba arborescens: 6292, 6512, 7393, 7443, 8689, 8701, 11152, 11300
Matayba camptoneura: 387, 1308, 1528, 2234, 5080, 6535, 7795, 11126, 11239
Matayba inelegans: 7246, 7789
Matayba macrostylis: 301, 1543, 2229, 2741, 4844, 6607, 6609
Matayba opaca: 775
Matayba peruviana ssp. *oligandra*: 9947
Matayba ptariana: 1035, 5238
Paullinia capreolata: 8976, 9855, 10153
Paullinia cupana: 7517
Paullinia dasygonia: 3540, 3967, 6631
Paullinia ingaefolia: 7321
Paullinia isoptera: 6814, 7378, 7500, 7803
Paullinia latifolia: 616, 4203
Paullinia rugosa: 4239
Paullinia sp.: 1315
Paullinia tricornis: 4852, 5002

- Paullinia verrucosa*: 1687, 1846, 4664
Pseudima frutescens: 4462, 5033
Pseudima sp.: 3337
Serjania clematidifolia: 4651
Serjania membranacea: 9879, 10051, 10959
Serjania paucidentata: 1631
Talisia carinata: 2712
Talisia hemidasya: 2015
Talisia longifolia: 11245
Talisia megaphylla: 4193
Talisia mollis: 4227
Talisia pachycarpa: 4930
Talisia sp.: 4805, 6230, 11025
Thinouia myriantha: 3964
Toulicia guianensis: 3989, 11047, 11118, 11185, 11328
Vouarana guianensis: 2835, 3049, 3120, 4625, 4629, 8580
Sapotaceae
Chrysophyllum argenteum: 1260, 3396, 4412, 6493, 6927, 8427
Chrysophyllum prieurii: 3001, 3126, 3165, 4935, 9369
Chrysophyllum sparsiflorum: 6467
Ecclinusa guianensis: 196, 213, 529, 1419, 1993
 Indet.: 2065, 3229, 4782, 4886, 8120, 8298, 8437, 8772, 9815, 11531, 11544, 12027, 12430
Manilkara bidentata: 6752, 7616, 7693, 10174
Manilkara huberi: 2261
Manilkara zapota: 5133
Micropholis guyanensis: 2321, 3087, 3231, 4719, 7338, 7904, 7943, 8060, 8839
Micropholis longipedicellata: 10177
Micropholis aff. *mensalis*: 10679, 10692
Micropholis porphyrocarpa: 3502, 4061, 6265, 6599, 7061
Micropholis venulosa: 1608, 2828, 9356, 9791, 10968
Pouteria ambelaniifolia: 11079
Pouteria bangii: 6326
Pouteria bilocularis: 6258
Pouteria brachyandra: 3802
Pouteria cayennensis: 5388
Pouteria cladantha: 2966, 3195
Pouteria cuspidata: 266, 4441, 6303, 7043, 7901, 8758, 8884, 3778
Pouteria elegans: 5034, 5076
Pouteria engleri: 1607
Pouteria eugeniifolia: 6782
Pouteria filipes: 6755
Pouteria guianensis: 7535
Pouteria hispida: 3958, 4292, 4438, 7226
Pouteria melanopoda: 6252
Pouteria plicata: 4762
Pouteria reticulata: 4459
Pouteria rigida: 5778
Pouteria ? *rigidopsis*: 2713
Pouteria aff. *rostrata*: 3327
Pouteria sagotiana: 8787, 11295
Pouteria ? sp.: 4910, 7052, 7123, 7683, 8005, 8350, 8732, 8994, 10370
Pouteria sp., sect. *Pouteria*: 3242
Pouteria speciosa: 1207, 2718, 8442
Pouteria surumuensis: 1787, 1845, 3533, 3927, 4077, 4162, 6212, 6316, 6442
Pouteria ? *torta*: 195, 1312, 4173, 4713
Pouteria ? *venosa*: 7843, 1821, 2683, 4912, 7547, 8478
Pouteria virescens: 11023
Pradosia beardii: 1067
Pradosia ptychandra: 331
Pradosia schomburgkiana: 536, 997
Pradosia ? sp.: 10233
Pradosia surinamensis: 2758
Sarraceniaceae
Heliamphora nutans: 5832, 11732
Scrophulariaceae
Agalinis hispidula: 6949
Anisantherina hispidula: 1708
Bacopa serpyllifolia: 1706
Buchnera palustris: 6996
Buchnera rosea: 1043, 1578, 1662, 6998
Buchnera sp.: 12367
 Indet.: 1716
Lindernia diffusa: 3550
Scoparia dulcis: 3844, 9891
Stemodia pratensis: 507
Vellosiella spathacea: 9568
Simaroubaceae
 Indet.: 7269, 8601, 9631, 9697
Simaba cedron: 671
Simaba orinocensis: 5042
Siparunaceae
Siparuna cristata: 3202, 8831
Siparuna cuspidata: 318
Siparuna decipiens: 372, 1291, 1461, 2727, 3619, 4346, 4579, 5177, 6482, 7655, 8176, 8510, 9035, 9043, 9143, 10158, 10270, 10372, 10663, 11336
Siparuna guianensis: 179, 212, 409, 548, 1129, 1235, 1595, 3225, 3597, 3984, 4444, 4464, 4591, 7182, 7454, 8049, 8497
Siparuna pachyantha: 7661
Siparuna reginae: 4592, 6295, 6306
Solanaceae
Brunfelsia guianensis: 4937
Cestrum latifolium: 8125, 8446

- Cestrum megalophyllum*: 4182, 4221, 4300
Cestrum schlechtendablii: 11477
Cestrum sp.: 7349, 9171, 9211
 Indet. ? : 4876, 9371, 10483, 11342, 11496, 11540, 11580, 11601, 11953
Lycianthes pauciflora: 4188, 8948, 9123, 10481, 10739, 12073
Markea camponoti: 626
Markea coccinea: 2954, 3448, 3555, 4747, 6688, 7519, 7829, 7987
Markea longiflora: 3556, 7587, 9564
Markea sessiliflora: 574, 8655
Markea sp.: 6332, 10183, 10494, 10662
Schwenckia grandiflora: 2225, 4979, 7485
Schwenckia ? sp.: 650
Solandra longiflora: 8239
Solanum coriaceum: 512, 1408, 9051
Solanum costatum: 729, 1199, 7495, 8588
Solanum crinitum: 1563
Solanum leucocarpon: 617, 6925, 7563, 9050, 9296, 9592, 9702, 10637, 10740
Solanum monachophyllum: 475, 1385, 1977, 2692, 3008, 3278, 3537, 3868
Solanum oocarpum: 2437, 3385, 4672
Solanum paludosum: 1625
Solanum pensile: 288, 1552
Solanum proteanthum: 8952, 10155
Solanum rugosum: 823, 2786, 8221, 9900
Solanum schlechtendalianum: 624, 4185, 4299
Solanum schomburgkii: 11040, 11269
Solanum semotum: 2163, 2906, 8290, 8469
Solanum sp.: 10622, 10768, 11871
Solanum stramoniiifolium: 1586, 1622, 1954, 8951, 9832, 9937
Solanum subinerme: 4360, 6915, 7659, 12168
Solanum uncinellum: 4235
- Sphenocleaceae**
- Sphenoclea* cf. sp.: 2383
Sphenoclea zeylanica: 6990
- Sterculiaceae**
- Byttneria divaricata* var. *divaricata*: 2751, 6211, 6451
Byttneria genistella: 1715
Byttneria morii: 7129, 7143, 7210, 7419
Guazuma ulmifolia: 6920, 8119
Helicteres baruensis: 1674, 1791, 2133
Helicteres guazumifolia: 1647, 2107, 2156
Herrania kanukuensis: 8177
Herrania lemniscata: 1555
Herrania sp.: 3881
 Indet.: 2059
- Melochia melissifolia*: 6548
Melochia s.l. *spicata*: 1727
Sterculia pruriens: 3529
Sterculia rugosa: 3999, 4134
Sterculia sp.: 10942
Theobroma obovatum: 8215
Theobroma subincanum: 2013, 2202, 2955, 3612, 4451, 4821, 6293, 6304, 7653, 7775, 7819, 7899, 7944, 8371
Waltheria indica: 508, 763, 1589, 5152
Waltheria microphylla: 1654
- Styracaceae**
- Styrax oblongus*: 3268
Styrax sp.: 3012, 4861, 5061
- Symplocaceae**
- Symplocos* sp.: 1232, 1242
- Ternstroemiaceae**
- Ternstroemia punctata*: 242
Ternstroemia sp.: 805, 1038, 12376
- Theaceae**
- Indet.: 5082a, 5504, 6957
- Theophrastaceae**
- Clavija* cf. *lancifolia*: 1572, 3841, 4230, 4523, 4630, 6328, 6656, 6777, 8025, 8175
Clavija macrophylla: 1843, 1857, 2131, 5141
- Thymelaeaceae**
- Indet.: 10864, 10881
- Tiliaceae**
- Apeiba albiflora*: 3899
Apeiba glabra: 11178
Apeiba macropetala: 4724, 5019, 7572, 8455
Apeiba petoumo: 406, 1140, 3917, 6286
Apeiba schomburgkii: 1834, 2149, 6762
Apeiba sp.: 10908
Corchorus orinocensis: 2155
 Indet.: 1803, 2126, 4078, 8515
Luehea alternifolia: 1765, 2130
Mollia glabrescens: 3572, 6331
Mollia globularis: 1818, 7031
Vasivaea alchorneoides: 1391, 3478, 3875
- Trigoniaceae**
- Trigonia hypoleuca*: 310
Trigonia laevis: 184, 573, 662
Trigonia sp.: 1854
Trigonia cf. *subcymosa*: 6792
Trigonia villosa: 383, 2106, 3440, 3976, 4692, 6785
- Turneraceae**
- Indet.: 2154, 3551, 3869, 4850
Piriqueta cistoides: 11069, 11206, 11266, 11343, 2116, 6456
Turnera aurantiaca: 358, 1363, 2756

Turnera rupestris: 428, 11267*Turnera scabra*: 1591*Turnera* sp.: 1657, 1666, 1748, 4657, 6698**Ulmaceae***Trema micrantha*: 174, 829, 1263, 1779, 4357, 6028, 6926**Urticaceae**

Indet.: 8127, 8354, 8460, 8647

Pilea sp.: 8305*Urera caracasana*: 593, 6015*Urera* sp.: 8156**Verbenaceae***Aegiphila bracteolosa*: 10256, 10554*Aegiphila integrifolia*: 11423, 11575, 11842, 11922, 12231*Aegiphila longifolia*: 11914*Aegiphila macrantha*: 746*Aegiphila membranacea*: 4183, 4189, 4242, 8252*Aegiphila racemosa*: 4483*Aegiphila* sp.: 819, 9302, 9308, 9315, 9769, 11838, 11998*Aegiphila venezuelensis* var. *serrata*: 10672, 10741*Aegiphila villosa*: 664*Amasonia campestris*: 1593, 2104, 5147, 8922, 9048, 9070, 9771, 9966, 10003, 10201, 10410, 11450, 12157*Citharexylum macrophyllum*: 4331*Clerodendrum ternifolium*: 2153

Indet.: 2355, 9528

Lantana camara: 851, 1761, 6172, 8115*Lantana canescens*: 1762*Lippia alba*: 2101*Lippia betulifolia*: 3861*Lippia organoides*: 1690, 6183*Petrea bracteata*: 2565, 7619*Petrea macrostachya*: 208, 549, 721, 1190, 1318, 1345, 1462, 1983, 2624, 3380, 3666, 3946, 4080, 11373a*Petrea volubilis*: 11286, 11373*Stachytarpheta cayennensis*: 1576, 2168, 12262*Stachytarpheta sprucei*: 5161*Vitex capitata*: 1698*Vitex compressa*: 1768, 2072, 3991, 4999, 5053, 5143, 6648, 11344*Vitex orinocensis* var. *multiflora*: 3509, 3832, 11086*Vitex stabelii*: 1569*Vitex triflora*: 3300**Violaceae***Amphirrhox longifolia*: 158, 1491, 2903, 6358, 6478, 7611*Corynostylis arborea*: 380, 3343, 3922, 6434, 6709, 7860*Hybanthus calceolaria*: 2142*Hybanthus oppositifolius*: 6449

Indet.: 10885

Leonia cymosa: 7130*Leonia glycyarpa*: 6314, 6537, 7960*Noisettia orchidiflora*: 156*Paypayrola guianensis*: 7079, 7688*Paypayrola hulkiana*: 418, 423*Paypayrola longifolia*: 199, 324, 367, 490, 517, 790, 818, 1078, 1290, 1338, 2803, 3041, 3214, 4883, 7423*Paypayrola* sp.: 7135, 10029*Rinorea amapensis*: 11078, 11145, 11160, 11211, 11226, 11234, 11243, 11268, 11381*Rinorea bahiensis*: 8797*Rinorea brevipes*: 3398, 8022, 8498*Rinorea flavescens*: 1285, 3115*Rinorea lindeniana*: 3424, 3653, 3664, 4671, 6198, 6329, 7112, 7894, 8887, 8023, 8746*Rinorea macrocarpa*: 2827, 2848, 3210, 7988, 8786*Rinorea melanodonta*: 4469*Rinorea pubiflora*: 164, 314, 332, 588, 596, 1467, 1510, 2602, 2625, 2820, 3548, 3606, 3898, 4250, 4435, 4598, 5062, 6458, 6559, 6689, 7118, 7591, 7649, 8149*Rinorea riana*: 204, 1339, 1824, 2034, 3153, 3691, 4151, 4617, 4803, 4914, 7235, 7409, 7607, 7914*Rinorea* sp.: 7750, 12272**Viscaceae***Dendrophthora elliptica*: 895, 1008, 5315, 5890, 9376, 9522, 10559, 10844*Dendrophthora tepuiana*: 5776*Phoradendron bilineatum*: 1159*Phoradendron chrysocladon*: 5761, 5860, 9373, 10731*Phoradendron crassifolium*: 808, 1780, 4428, 4593, 5330, 5463, 5865, 6341, 6902, 6979, 7220, 9065, 10299*Phoradendron dipterum*: 8058*Phoradendron inaequidentatum*: 6797, 9358, 9407*Phoradendron pellucidulum*: 862*Phoradendron perrottetii*: 3253, 9857*Phoradendron piperoides*: 1127, 1410, 1851, 3023, 3732, 3754, 4166, 4488, 7861, 10994*Phoradendron racemosum*: 2375*Phoradendron strongyloclados*: 2974**Vitaceae***Cissus erosa*: 300, 1975, 2111, 2220, 2778, 3526, 3825, 3929, 4830, 5974, 11167*Cissus sicyoides*: 465*Cissus* sp.: 1980, 2233, 3815, 3865, 3923, 5030, 5050, 6452, 6612*Cissus verticillata*: 283, 1553, 11312

Indet.: 4634

Vochysiaceae

- Erismia uncinatum*: 3077
 Indet.: 1860
Qualea paraensis: 3314
Ruizterania albiflora: 3078
Ruizterania sp.: 3110
Vochysia ferruginea: 3272
Vochysia glaberrima: 7028
Vochysia guianensis: 3377
Vochysia sp.: 5725
Vochysia surinamensis var. *surinamensis*: 2643
Vochysia tetraphylla: 291, 439, 4055, 11257

Winteraceae

- Drimys roraimensis*: 11796

MONOCOTS**Agavaceae**

- Furcraea foetida*: 5148

Alismataceae

- Echinodorus subalatus* ssp. *subalatus*: 4056
Sagittaria guayanensis: 2469

Araceae

- Anthurium clavigerum*: 957, 2408, 2798, 7652, 7814, 7911, 8104, 8162, 8324, 8879, 12228
Anthurium ? *expansum*: 641, 2510, 4153, 5556, 6005, 9626
Anthurium ? *friedrichsthali*: 2817, 2868, 2899, 7508
Anthurium gracile: 630, 1547, 2006, 3430, 3911, 4085, 4628, 4859, 6109, 6116, 7469, 7700, 8860
Anthurium pentaphyllum: 2907, 3580, 6650, 7569, 8137, 8323, 8451, 10670
Anthurium ptarianum: 5466, 5795
Anthurium roraimense: 5289, 5460, 7273, 7307, 9252, 11538, 11831
Anthurium scandens: 950, 7384, 8261, 9204, 11808, 11884, 12136, 12276
Anthurium thrinax: 1430
Anthurium trinervium: 1876, 2007, 2638, 2843, 4098, 8392
Caladium bicolor: 1701, 1744, 2449, 2908, 3651, 11242
Dieffenbachia elegans: 7635, 8090
Dieffenbachia seguine: 6363, 8452, 9929
Dieffenbachia sp.: 4607
Heteropsis flexuosa: 1336, 1955, 2842, 3617, 3640, 4163, 4217, 4557, 4881, 7823, 11360
Heteropsis melinonii: 11392
Heteropsis spruceana: 1489, 4482, 12018
 Indet.: 6325, 10831
Monstera adansonii: 845, 1739, 1871, 4264, 4673, 4674, 6393, 6655, 7855, 8321, 8425, 11296, 12261

- Monstera obliqua*: 6077, 6337, 8083, 12301
Monstera sp.: 2390, 7537
Monstera spruceana: 4457, 4494, 4559
Montrichardia arborescens: 263, 11261
Montrichardia linifera: 11309
Philodendron acutatum: 7362, 7761, 8764, 8890, 11329
Philodendron brevispathum: 4449, 4568, 8781
Philodendron callosum: 744, 810, 874, 5617, 11435, 12163, 12395
Philodendron econdatum: 9886
Philodendron fragrantissimum: 513, 1276, 1497, 2047, 3618, 3889
Philodendron grandifolium: 798, 4717, 4752, 7817, 12006
Philodendron hederaceum: 1971, 6302, 8447
Philodendron hylaeae: 1498, 2967a
Philodendron insigne: 9020, 9108, 9965, 10230, 11490
Philodendron linnaei: 3804, 4645, 4751, 5267, 8465, 8861, 11938, 12223
Philodendron muricatum: 1372, 2870, 3579, 7816
Philodendron myrmecophilum: 157, 3662, 3954
Philodendron ornatum: 7542, 7585, 8322, 8504, 8966
Philodendron panduriforme: 8592
Philodendron pedatum: 1183, 4315, 7806
Philodendron ? *placidum*: 629, 1941, 4409, 4512
Philodendron rudgeanum: 1511, 3647, 3952, 6481, 7538, 7581, 7821, 9667
Philodendron solimoesense: 2435, 2998, 4344, 6598, 6672, 7820
Philodendron sp.: 7460, 9212, 9605, 9625, 10781, 10956
Philodendron ? sp. nov.: 7505
Philodendron surinamense: 7326, 8507, 8571
Philodendron tatei: 5306
Philodendron wittianum: 7428, 7462, 7541, 10050
Rhodospatha latifolia: 1141, 7523, 12200
Rhodospatha oblongata: 1927, 2501, 5491, 9669, 9808, 11487
Rhodospatha venosa: 8972
Spathiphyllum cannifolium: 945, 12170
Spathiphyllum cuspidatum: 633, 2491, 4243, 4269, 5475, 12229
Stenospermation ammiticum: 5239, 5347, 9866, 9972, 12034
Stenospermation maguirei: 2587, 4099, 4125, 9201, 10430, 10746, 10775, 11576
Stenospermation sp.: 2557, 12124
Syngonium podophyllum: 956, 1151, 2010, 3416, 4289, 7522, 8072, 8160
Urospatha sagittifolia: 555, 9883
Xanthosoma belophyllum: 2051
Xanthosoma sp.: 5228

Arecaceae

- Astrocaryum gynacanthum*: 1897a
Astrocaryum sciophilum: 1344
Astrocaryum sp.: 2053
Attalea maripa: 11098
Bactris corossilla: 4262, 4337
Bactris elegans: 1897, 2260, 2266, 2831, 7671
Bactris hirta var. *jenmanii*: 9254
Bactris maraja: 1152
Bactris oligoclada: 333, 487, 527, 10053
Bactris ptariana: 1898, 2597, 9293, 12067
Bactris simplicifrons: 2631, 4393, 5192, 5361, 7065, 9124, 10075, 10948
Bactris sp.: 531, 1292, 1309
Desmoncus polyacanthos: 181, 12189
Desmoncus sp.: 8896
Dictyocaryum ptarianum: 8997, 10884, 12114
Euterpe oleracea: 1284, 1427
Euterpe precatória: 7695
Geonoma appuniana: 9307, 10357, 11526, 11911
Geonoma aspidiifolia: 9016, 9213, 10290
Geonoma baculifera: 486, 1316, 1490, 3776, 4584, 7921, 8723, 11098a, 11184
Geonoma deversa: 1298, 2830, 3427, 4336, 6238, 7951, 8793
Geonoma euspatha: 12038, 11488
Geonoma interrupta var. *euspatha*: 1155
Geonoma leptospadix: 2243, 4558, 4896, 7234
Geonoma macrostachys: 7597, 2205, 4390, 8464, 11235
Geonoma maxima ssp. *ambigua*: 403, 648, 1899, 2242, 2532, 3177, 4167, 5213, 5978, 6294, 10129
Geonoma poiteauana: 2256
Geonoma sp.: 9134, 9505
Geonoma umbraculiformis: 4895
Hyospathe elegans: 3603, 4506, 4637, 4894, 7427, 7521, 8171
Indet.: 2343
Iriartella setigera: 2915, 7076, 7174, 7966, 8792
Oenocarpus bacaba: 1814
Prestoea tenuiramosa: 11910
Socratea exorrhiza: 1320, 2255, 4266, 8975

Bromeliaceae

- Aechmea bromeliifolia*: 155, 5916, 6800
Aechmea mertensii: 467, 1134, 1538, 1873, 2297, 2652, 2860, 3075, 3321, 3428, 3745, 4738, 4815, 6421, 8883, 11066
Aechmea politii: 9100
Aechmea tillandsioides: 1343, 1556, 4595
Aechmea tocantina: 3711
Ananas ananassoides: 11124, 11377

- Ananas parguazensis*: 376, 1505, 2766
Araeococcus micranthus: 1952, 12227
Brocchinia acuminata: 5650
Brocchinia micrantha: 10250
Brocchinia reducta: 930
Brocchinia sp.: 10612, 11775
Brocchinia tatei: 10755
Catopsis berteroniana: 883, 5254, 6416, 6541, 7670, 8117, 11272
Guzmania altsonii: 5274, 9971
Guzmania lingulata: 427, 1170, 3429, 3703, 4311, 4565, 8336, 11055, 11163, 11199, 12075
Guzmania melinonis: 7566
Guzmania retusa: 5373, 8624, 12014, 12053
Guzmania roezlii: 4302
Guzmania sphaeroidea: 9120, 10237
Guzmania squarrosa: 9102, 10231, 12068
Indet.: 5150, 6838, 6879, 9511, 9518, 9970, 10049, 11498, 11556, 11868, 12370
Lindmania guianensis var. *vestita*: 1011
Mezobromelia pleiosticha: 954
Navia sp.: 11393
Pitcairnia brittoniana: 11561
Pitcairnia caricifolia: 1321, 3477, 3739, 6502, 2814, 6546
Pitcairnia maidifolia: 2561, 6895, 8124, 8683, 12036, 12186
Pitcairnia viridantha: 11551
Racinaea spiculosa: 5251, 5324, 5598, 8271, 9119, 9196a, 9273, 9721, 10052, 10206, 10754, 11501, 11655, 11769, 11786, 11996, 12098
Tillandsia anceps: 1932, 2000, 8337, 8516, 8609
Tillandsia bulbosa: 2068, 3552, 11198, 11348, 12397
Tillandsia complanata: 5340
Tillandsia fendleri: 5195, 5360
Tillandsia monadelphica: 1951, 2852, 3737, 3803, 12226, 12286
Tillandsia paraensis: 3553, 3588, 6574
Tillandsia turneri var. *orientalis*: 11746
Vriesea duidae: 9595, 10359, 10748, 11920
Vriesea heliconioides: 6308
Vriesea heterandra: 7252
Vriesea incurva: 9734
Vriesea platynema: 3697
Vriesea procera: 11370
Vriesea splendens: 5406, 8958, 9243, 12013
Werauhia hygrometrica: 5612
Werauhia viridiflora: 1178
- Burmanniaceae**
Apteria aphylla: 2429, 12174
Burmannia bicolor: 1026, 5123, 11436, 12165

- Burmannia capitata*: 1048
Burmannia sp.: 2373
Campylosiphon purpurascens: 682, 7976
Dictyostega orobanchoides ssp. *orobanchoides*: 5319, 5522, 5659, 10195, 10245, 10695, 8274
Gymnosiphon breviflorus: 1421, 2040
Gymnosiphon divaricatus: 194, 2022, 4612, 9628, 10246
Gymnosiphon sp.: 9998
Indet.: 10247
- Commelinaceae**
Aneilema umbrosum ssp. *ovato-oblongum*: 2181, 4620
Commelina cf. *schomburgkiana*: 458
Dichorisandra hexandra: 2296, 4406, 4667
Indet.: 2312, 7980, 8186, 8309, 8644, 8943, 9209, 9630, 10147, 10203, 10869, 10890
Murdannia nudiflora: 2182
Tradescantia zanoniana: 1144, 5999
Tripogandra serrulata: 833
- Costaceae**
Costus arabicus: 1754, 1759, 4422, 6532, 6629, 6719, 10076
Costus scaber: 163, 658, 1105, 1311, 1872, 2609, 3391, 3453, 3882, 8074, 11172
Costus spiralis var. *spiralis*: 4959, 6009, 8032, 12169
- Cyclanthaceae**
Asplundia maguirei: 4273, 8954
Asplundia sp.: 1077, 1196, 11478, 11908, 11968
Dicranopygium angustissimum: 946, 5400, 6073, 8929
Indet.: 3239, 5553, 6818, 7651, 7749, 8708, 8789, 10025, 10045, 10074, 10136, 10251, 10273, 10649, 10870, 10950, 11405, 11619, 11896, 12004, 12035
Stelestylis stylaris: 9078
Thoracocarpus bissectus: 2716
- Cyperaceae**
Becquerelia cymosa ssp. *cymosa*: 672, 3215
Bisboeckelera irrigua: 2813, 3107, 7713
Bulbostylis conifera: 2086
Bulbostylis junciformis: 5230, 6089
Bulbostylis juncoides: 564
Bulbostylis lanata: 1663
Bulbostylis paradoxa: 1737
Calyptrocarya bicolor: 2176, 2320, 2428, 2728, 2837, 2875, 4368, 7656
Calyptrocarya glomerulata: 222, 251, 371, 647a, 720, 1476, 1477, 2476, 2784, 2838, 3108, 4248, 4297, 4479, 5226, 5401, 5473, 5474, 5782, 7363, 8317, 9025, 9126, 9295, 9863, 11059, 11136, 11244, 12325
Calyptrocarya poeppigiana: 1302, 11457, 12184
Cyperus cuspidatus: 5153
Cyperus haspan: 2666, 11072
Cyperus laxus: 6568
Cyperus ligularis: 716, 11449
Cyperus luzulae: 491, 2166, 9833, 9919, 11039, 11368
Cyperus miliifolius: 472, 3016, 3876, 6519, 6620, 11319
Cyperus odoratus: 11071, 11307
Cyperus schomburgkianus: 2151
Cyperus simplex: 1809, 3401, 3483, 3492, 4012, 8304, 8645
Cyperus sphacelatus: 3847, 5086, 9921, 12360
Didymiandrum stellatum: 1058, 5488, 5581, 5655, 9058, 9974a, 10574, 11762
Diplacrum capitatum: 550
Diplasia karatifolia: 1283, 2272, 3199, 8791, 11121, 11264
Eleocharis debilis: 5438, 12188
Everardia angusta: 11722, 11758
Everardia disticha: 9500, 11750
Everardia glaucifolia: 5840
Exochogyne amazonica: 7870, 11439
Fimbristylis complanata: 1398
Fimbristylis dichotoma: 2179, 5087, 11264a
Fimbristylis littoralis: 3877
Fimbristylis miliacea: 3845
Hypolytrum jenmanii: 1397, 1909
Hypolytrum longifolium: 361, 473, 480, 1136, 1474, 3017, 3018, 3499, 6159, 6677, 7714, 8760, 9945, 11156, 11176, 11188, 11265
Hypolytrum pulchrum: 909, 915, 1246, 2663, 12306
Kyllinga odorata: 5118
Indet.: 2340, 2369, 2386
Lagenocarpus amazonicus: 12155b
Lagenocarpus rigidus: 922, 1665, 5872, 7887
Lagenocarpus verticillatus: 778
Machaerina ayangannensis: 9501, 10606
Mapania macrophylla: 1911, 8903, 9962
Mapania sp.: 9018, 9107, 10102, 10202, 10298, 10347, 10780, 11528
Mapania sp. nov.: 2890
Mapania surinamensis: 2529, 7166, 7334, 8536, 8699
Mapania sylvatica: 635, 1202, 2577, 4293
Mapania tepuiana: 1013, 5895
Mapaniopsis effusa: 3254
Pleurostachys puberula: 12037
Pleurostachys sp.: 7472, 8414
Rhynchoscladium steyermarkii: 5583
Rhynchospora albida: 12353
Rhynchospora albomarginata: 694, 7032
Rhynchospora amazonica ssp. *amazonica*: 1478
Rhynchospora ayangannensis: 9266, 10519
Rhynchospora barbata: 563, 5088, 5120, 7883, 12361

- Rhynchospora bolivarana*: 5472, 9234
Rhynchospora brachychaeta: 923
Rhynchospora capillifolia: 1059
Rhynchospora cephalotes: 1133, 1889, 3489, 6048, 6113, 9976, 9982, 11154, 11156a, 11279
Rhynchospora ciliata: 2139
Rhynchospora comata: 1856, 3471, 3693
Rhynchospora exaltata: 6887, 7152
Rhynchospora globosa: 7882
Rhynchospora hieronymii: 10624
Rhynchospora marisculus: 9924
Rhynchospora nervosa ssp. *nervosa*: 1585
Rhynchospora polyphylla: 5420
Rhynchospora pubera: 5119, 12359
Rhynchospora reptans: 437, 6576
Rhynchospora roraimae: 9502, 11767
Rhynchospora rugosa: 7877
Rhynchospora rupicola: 2993, 3676
Rhynchospora sanariapensis: 2438
Rhynchospora tenella: 2553, 7880
Rhynchospora tepuiana: 10703
Rhynchospora tuerckheimii: 11578, 11588, 11945
Scleria bracteata: 6959, 6995
Scleria cyperina: 567, 5887, 7025, 9068, 12399
Scleria flagellum-nigrorum: 218, 3770, 7859
Scleria latifolia: 1088, 1943, 4554, 5421, 6747, 6917
Scleria macrogyne: 244
Scleria melaleuca: 1149, 2178, 2292, 4359, 6016, 6407
Scleria microcarpa: 3485, 3857, 11084, 11137, 11169, 11218
Scleria muehlenbergii: 5089
Scleria secans: 5447, 9294, 9598, 9621, 11424
Scleria splitgerberiana: 6673
Scleria verticillata: 12346
Dioscoreaceae
Dioscorea amazonum: 560
Dioscorea aff. *quinquefoliolata*: 3183
Dioscorea sororopana: 9525
Dioscorea sp.: 737, 1502, 1627, 2077, 3369, 3388, 5090, 5144, 6194, 7385, 7762, 7963, 8212, 8459, 9381a, 9784, 10529, 10803, 11003
 Indet.: 3716, 10820
Eriocaulaceae
Eriocaulon sp.: 717
Eriocaulon tenuifolium: 7884
 Indet.: 932, 2347, 2351, 2366, 2453, 5651, 5746, 5813, 5863, 10342, 11013, 11445, 11730, 12330
Paepalanthus bifidus: 730, 6130
Paepalanthus fasciculatus: 9834, 11444
Paepalanthus oyapockensis: 12176
Paepalanthus sp.: 1714, 5285, 9469, 11718, 11738, 11743
Paepalanthus tortilis: 10520
Rondonanthus capillaceus: 5695, 9069
Rondonanthus duidae: 11737
Syngonanthus gracilis: 933, 11446, 12167
Syngonanthus longipes: 934
Syngonanthus nitens: 5870
Syngonanthus umbellatus: 2658, 7868
Syngonanthus xeranthemoides: 927, 993
Tonina fluviatilis: 11301
Haemodoraceae
 Indet.: 2353
Schiekia orinocensis: 5095
Xiphidium caeruleum: 4353, 6571
Heliconiaceae
Heliconia acuminata: 180, 322, 835, 1296, 1500, 1895, 2483, 2781, 3507, 4224, 5382, 6417, 7470, 7562, 8387, 11173, 11236, 11357, 11382, 12238, 1174
Heliconia bibai: 1148, 1862, 4008, 4149, 6010, 12111
Heliconia chartacea: 474, 1594, 4345, 6361, 6907, 7665
Heliconia densiflora ssp. *densiflora*: 1258
Heliconia hirsuta: 6871, 11113
Heliconia lourteigiae: 4375, 4654
Heliconia pendula: 8108, 10896
Heliconia psittacorum: 938, 6181, 10161, 10191, 11412, 11593, 11979
Heliconia silvestris: 2953
Heliconia sp.: 1195, 12112
Heliconia spathocircinata: 6240, 8087
Heliconia stricta: 8932
Iridaceae
 Indet.: 931, 1772, 8128, 8187
Liliaceae
Bomarea edulis: 5128
Hippeastrum solandriflorum: 2469a
Hymenocallis tubiflora: 1870, 3475, 6170, 6547, 11097, 11220
 Indet. ?: 11122, 11707
Isidrogalvia schomburgkiana: 5855, 9472, 11717
Nietneria corymbosa: 9454
Nietneria paniculata: 928
Zephyranthes puertoricensis: 1731
Marantaceae
Calathea altissima: 5227
Calathea casupito: 5557, 8935, 10088, 10275
Calathea elliptica: 1507, 1561, 3426, 4068, 4226, 5013, 6063, 8342, 9706
Calathea cf. *mansonis*: 1736, 4621
Calathea micans: 4455

- Calathea propinqua*: 10940
Calathea sp.: 8132, 11231
Calathea zingiberina: 2816, 3421, 3799
Hylaeanthe unilateralis: 8084, 8717
 Indet.: 2000a, 2064, 12187, 12264
Ischnosiphon arouma: 963, 3238, 3887, 4069, 4323, 6359
Ischnosiphon enigmaticus: 5207, 8287
Ischnosiphon foliosus: 515, 643, 1423, 9690
Ischnosiphon hirsutus: 4467, 4527
Ischnosiphon leucophaeus ssp. *leucophaeus*: 2439
Ischnosiphon obliquus: 657, 1317, 3506, 6742, 8735
Ischnosiphon puberulus var. *scaber*: 7441, 7458, 8590, 9846, 10024a, 10957
Ischnosiphon sp.: 11232, 11249, 11282, 11361, 11384
Maranta arundinacea: 2138, 5162
Maranta gibba: 1259, 6030
Maranta protracta: 3456, 6556, 8097, 8192
Maranta rupicola: 3710
Monotagma laxum: 2253, 4363
Monotagma secundum: 4588, 8603
Monotagma spicatum: 368, 1295, 2431, 5206, 7465, 8955, 9148, 9710, 10106, 10894
Stromanthe tonckat: 8509
Mayacaceae
 Indet.: 8702
Mayaca cf. *fluviatilis*: 11140
Mayaca fluviatilis: 11250
Mayaca longipes: 11340
Orchidaceae
Aspasia variegata: 4044, 6769, 6923
Aspidogyne robusta: 9629
Batemannia colleyi: 4679, 7701
Bifrenaria longicornis: 249
Bifrenaria steyermarkii: 8308
Bollea hemixantha: 4754, 9654
Bollea violacea: 2506, 4284, 4310, 8338, 8440
Brachionidium brevicaudatum: 9549
Brachionidium longicaudatum: 9447
Braemia vittata: 5648
Brassavola martiana: 353, 359, 386, 1366, 4966
Brassavola sp.: 2760
Brassia bidens: 969
Brassia caudata: 6676, 8101
Brassia lanceana: 2239
Brassia cf. *neglecta*: 7844
Brassia sp.: 3452, 3568, 3761, 4741, 4808, 6553, 6894
Bulbophyllum sp.: 2975, 7599, 8858
Camaridium micranthum: 421
Campylocentrum fasciola: 1513, 5409
Campylocentrum micranthum: 1503, 4681, 4952, 7598
Catasetum discolor: 873, 943, 7017
Catasetum sp.: 1200, 2335, 2348, 2372, 2451
Cattleya violacea: 347, 351, 1365, 2069, 3575, 3589, 3698, 3840, 3996, 6602
Caularthron cf. *bilamellatum*: 384
Caularthron sp.: 3554, 3585
Cheiradenia cuspidata: 642, 1888, 1948, 2020, 4155, 4240, 5427, 9840
Cleisthes parviflora: 5729
Cleisthes sp.: 5868
Corymborkis sp.: 1221
Cryptarrhena guatemalensis: 4456
Cryptarrhena kegelii: 4175, 4678
Cryptocentrum dunstervilleorum: 9739, 9747, 9913
Cyclopogon sp.: 1097, 6468
Cyrtopodium parviflorum: 896, 998
Cyrtopodium sp.: 2448
Dichaea brachypoda: 4285
Dichaea hystricina: 10446
Dichaea kegelii: 9182
Dichaea morrisii: 12055
Dichaea sp.: 1953, 2021, 2237, 2522, 3458, 3781, 3783, 3994, 4107, 4800, 4995, 5301, 5646, 6055, 6846, 7400, 7476, 8272, 11107, 11135, 12280
Dichaea splitgerberi: 8738, 8981
Dichaea venezuelensis: 4285b, 5534
Dicrypta sp.: 7704
Dimerandra sp.: 354
Elleanthus arpophyllostachys: 9227
Elleanthus caravata: 4104, 5323, 9753, 10026, 10946
Elleanthus cephalotus: 4961
Elleanthus graminifolius: 1960, 3250, 5282, 5300, 5913, 8242, 8282, 8673, 8970, 9717
Elleanthus sp.: 1440, 5570, 5665
Encyclia aemula: 4503
Encyclia fragrans: 4967
Encyclia granitica: 2302, 7005
Encyclia vespa: 3074
Epidendrum alsium: 9457
Epidendrum amazonicoriifolium: 9101, 10875
Epidendrum anceps: 2236, 6209, 6660
Epidendrum carpophorum: 1924, 5314, 5792, 6859, 6866, 6867, 7453, 8246, 8269, 8690, 10259
Epidendrum churunense: 9007, 9057
Epidendrum compressum: 1958, 5327
Epidendrum durum: 5828, 9259, 9382, 9520
Epidendrum flexuosum: 7730
Epidendrum ibaguense: 939
Epidendrum macrocarpum: 1545
Epidendrum miserrimum: 5701, 9178, 9711

- Epidendrum* aff. *nocturnum*: 1128, 1525, 2549, 2672, 2675, 2679, 3073, 3189, 6774, 7254, 8871, 3727
Epidendrum orchidiflorum: 246, 1051, 1081
Epidendrum pachyphyton: 5759
Epidendrum paruimense: 5410
Epidendrum prostratum: 3576
Epidendrum pseudoramosum: 9184, 10958
Epidendrum purpurascens: 429, 2918, 2973, 3634, 3687, 3740, 6806, 7044, 7045, 11062
Epidendrum ramosum: 651, 1172, 4100, 6389, 6830, 7250, 7499, 8542, 8844
Epidendrum rigidum: 1362, 2227, 3500, 3515, 4843, 5071, 6575, 7752, 8873
Epidendrum cf. *saxatile*: 2465
Epidendrum secundum: 1002, 5826, 5829
Epidendrum smaragdinum: 4596
Epidendrum sp.: 940, 1033, 5411, 11134, 11904
Epidendrum strobiliferum: 3455, 3501, 12002, 12284
Epidendrum strobiloides: 5465
Epidendrum tumuc-humaciense: 970
Epidendrum urichianum: 5567, 5595, 5678, 9251
Epidendrum vincentinum: 5758
Epistephium sp.: 5752, 5779
Epistephium subrepens: 871, 991
Eriopsis biloba: 892, 971
Erycina pusilla: 8468a, 9851
Erythrodes aff. *hirtella*: 8736
Galeandra stylomisantha: 1726, 6123
Galeottia burkei: 1020
Galeottia jorisiana: 5804, 5922
Gongora maculata: 1224
Habenaria alterosula: 7496
Habenaria floribunda: 9140
Habenaria sp.: 2137, 4352a, 8898, 9823, 12333, 12334, 12335
Helonoma bifida: 9439, 9480
Heterotaxis superflua: 3762, 8874
Heterotaxis villosa: 8303
Heterotaxis violaceopunctata: 4677, 6529, 6606, 8344
Hexisea sp.: 5281, 5336
Houlletia odoratissima: 5563
Houlletia roraimensis: 10816
Houlletia sp.: 5783
Huntleya lucida: 7365
Huntleya meleagris: 5375
Hylaeorchis petiolaris: 8665
 Indet.: 2273, 2378, 2381, 2382, 2384, 2394, 2395, 2396, 5605, 5607, 5664, 5718, 5724, 9054, 9198, 9512, 9740, 9915, 9977, 9988, 9991, 9992, 9993, 9994, 9995, 9996, 9997, 10002, 10012, 10013, 10024, 10072, 10073, 10084, 10089, 10137, 10143, 10144, 10145, 10173, 10219, 10220, 10221, 10222, 10232, 10283, 10338, 10343, 10360, 10392, 10397, 10419, 10431, 10433, 10434, 10435, 10491, 10495, 10500, 10516, 10531, 10532, 10563, 10573, 10583, 10587, 10590, 10591, 10639, 10696, 10701, 10704, 10730, 10801, 10853, 10937, 10960, 10962, 10966, 11024, 11028, 11029, 11030, 11031, 11034, 11395, 11464, 11481, 11510, 11511, 11513, 11558, 11570, 11571, 11577, 11584, 11591, 11592, 11594, 11595, 11612, 11630, 11633, 11636, 11699, 11700, 11733, 11736, 11741, 11745, 11749, 11753, 11772, 11780, 11794, 11800, 11816, 11817, 11818, 11820, 11821, 11835, 11840, 11841, 11845, 11846, 11874, 12101, 12102, 12107, 12113, 12119, 12120, 12121, 12133, 12137, 12159, 12160, 12190, 12191, 12194, 12208, 12219, 12221, 12222, 12255, 12256, 12258, 12259, 12266, 12267, 12268, 12271, 12274, 12282, 12287, 12384
Ionopsis sp.: 12132
Ionopsis utricularioides: 5000
Isochilus linearis: 1205, 8245
Jacquiella globosa: 3707, 5250, 5303, 5807, 5882, 5893, 6831, 6888, 7293, 7328, 7386, 8260, 8558, 9973
Kefersteinia sp.: 4945
Koellensteinia graminea: 6037
Koellensteinia sp.: 941, 1045, 5293, 5311, 5343
Lepanthes sp.: 5594, 12047, 12076
Ligeophila clavigera: 1153, 6052, 8301
Liparis nervosa: 5454, 8468
Lockhartia imbricata: 1830, 3264, 4060, 6320, 6615, 6775, 6780, 7483, 7491
Macroclinium wullschlaegelianum: 8562
Malaxis maguirei: 8256, 8396
Malaxis sp.: 5675, 12012
Masdevallia minuta: 4902, 4994
Masdevallia cf. sp.: 12078
Masdevallia vargasii: 7994, 8353
Maxillaria (*Heterotaxis*, s.s.): 11196, 11350
Maxillaria acutifolia: 2029, 7822
Maxillaria alba: 8346
Maxillaria cf. *alpestris*: 11901a
Maxillaria alticola: 5673, 5853
Maxillaria auyantepuiensis: 5276
Maxillaria bolivarensis: 8243, 8968, 8977, 8988, 9842
Maxillaria brachybulbon: 422b, 7257, 9798
Maxillaria caespitifica: 1636
Maxillaria camaridii: 3400, 3497, 3641, 3704, 4054, 6528, 6577, 8869, 11200, 11209
Maxillaria crassifolia: 3487
Maxillaria cf. *discolor*: 948, 7608

- Maxillaria cf. kegelii*: 7251
Maxillaria lasallei: 9185
Maxillaria mapiriensis: 5339, 5351, 5926, 9713, 9735, 12044
Maxillaria meridensis: 5621, 5676, 5924, 11890
Maxillaria nasuta: 5349, 9719, 9752
Maxillaria parkeri: 947, 962, 1420
Maxillaria parviflora: 7387, 8870
Maxillaria pendula: 5252
Maxillaria porrecta: 1915, 4105, 5341, 7261, 7395, 7439, 9724, 9797, 9914, 10911
Maxillaria reichenheimiana: 5892, 8905, 9741
Maxillaria rufescens: 3688
Maxillaria santanae: 7128
Maxillaria sp.: 7391
Maxillaria superflua: 3706, 4965, 6527
Maxillaria uncata: 422a, 1635, 1865, 1868, 2290, 3782, 4053, 6603, 11195
Maxillaria venezuelana: 2639
Maxillaria cf. villosa: 4465
Mesadenella cuspidata: 8141
Microchilus campanulatus: 9678
Myoxanthus aspasicensis: 5355
Myoxanthus parabybunensis: 7707, 7864, 8335
Myoxanthus parvilabius: 2923, 8043, 8523
Myoxanthus sp.: 5679, 11939, 12043, 12058
Myoxanthus trachychlams: 3413
Notylia sp.: 3993
Notylia ? sp. nov.: 1082
Octomeria connellii: 9456
Octomeria cordilabia: 5699, 9569
Octomeria exigua: 9700, 9787, 9912
Octomeria filifolia: 9093, 9257
Octomeria integrilabia: 9820
Octomeria lancipetala: 9865
Octomeria cf. parvifolia: 9539
Octomeria sp.: 5249, 5278, 5279, 5502, 5905, 7396, 9738, 10454, 10564, 10610, 10712, 10786, 10788, 11787, 12051
Octomeria surinamensis: 2856, 3227
Octomeria yauaperyensis: 7053
Odontoglossum naevium: 5632, 5738
Orleanesia amazonica: 360, 385, 395, 1383, 3586, 3599, 4038
Ornithidium aureum: 9228
Otostylis brachystalix: 9888
Palmorchis sp.: 3726, 4147, 4298, 4303, 9646
Pelexia laxa: 1222
Pelexia sp.: 8222
Platystele sp.: 2925
Pleurothallidinae sp.: 9742a
Pleurothallis archidiaconi: 4799, 8750
Pleurothallis consimilis: 4746
Pleurothallis ephemera: 8705
Pleurothallis imraei: 5677
Pleurothallis miqueliana: 2995, 3085
Pleurothallis picta: 1867, 3072
Pleurothallis polygonoides: 3256
Pleurothallis pruinosa: 1866, 4502, 6319
Pleurothallis revoluta: 2921
Pleurothallis ruscifolia: 5193, 5363, 8971, 8986, 10036, 10899, 10934
Pleurothallis sclerophylla: 5833
Pleurothallis sp.: 2819, 3773, 7697, 8283, 11057, 11081, 11087, 11088, 11875, 11901, 11940, 11941, 11942, 12030, 12045, 12057
Pleurothallis spiculifera: 1123, 6039
Pleurothallis stenocardium: 8538
Pleurothallis suspensa: 8906
Pleurothallis tepuiensis: 5636, 8270, 9314
Polycycnis surinamensis: 7357, 7417, 7553, 8247
Polystachya foliosa: 5083, 6522, 6847, 7691, 8302
Polystachya sp.: 2238, 2416, 3474, 4944
Polystachya stenophylla: 2550, 2767, 4826, 9720
Ponthieva ovatilabia: 5469
Prescottia carnosa: 9458
Prescottia stachyodes: 6793, 8111, 9431
Prosthechea aemula: 6770
Prosthechea calamaria: 872, 8872
Prosthechea crassilabia: 8521
Prosthechea pygmaea: 8868
Prosthechea sp.: 5674, 6613
Prosthechea tigrina: 5644
Prosthechea vespa: 356, 3567, 5791, 6531, 6542, 6552, 8255, 8259, 8420
Psilochilus dusenianus: 5547, 9606, 10306
Psilochilus sp.: 12062
Psygmoorchis pusilla: 4825, 5037
Psygmoorchis sp.: 4011
Quekettia sp.: 1514, 3992, 4419
Reichenbachanthus reflexus: 4102, 5302, 8533
Rodriguezia lanceolata: 1307, 1371, 3460, 3669, 3694
Rudolfiella aurantiaca: 2637, 4814, 8550, 8615
Sarcoglottis metallica: 5461, 8258, 9936
Sarcoglottis simplex: 4352
Sarcoglottis sp.: 8664
Scaphosepalum sp.: 11509, 12050, 12077
Scaphyglottis amethystina: 7753
Scaphyglottis bifida: 8267, 8277
Scaphyglottis fusiformis: 3190, 8045

- Scaphyglottis graminifolia*: 9733
Scaphyglottis modesta: 7327, 7388, 7554, 8276, 8524, 9864, 10992
Scaphyglottis sickii: 2676, 4097, 4312, 6617
Scaphyglottis sp.: 415, 784, 944, 2917, 2969, 3248, 5555, 5597, 5760, 5925, 5952, 5984, 6038, 7401, 7586
Scaphyglottis stellata: 3155, 7228
Scaphyglottis violacea: 5304
Selenipedium palmifolium: 4938
Selenipedium steyermarkii: 1068, 5691, 9225, 9620
Sobralia liliastrum: 942, 1037, 6137
Sobralia macrophylla: 8229
Sobralia oliva-estevae: 5747
Sobralia sessilis: 9226
Sobralia sp.: 1923, 5294, 5511, 5812, 6545, 6832, 6973, 7394, 10938
Sobralia suaveolens: 7595, 8294
Sobralia valida: 8286, 9722, 9892, 9901, 11009
Solenidium lunatum: 2989
Solenidium cf. sp.: 2990
Spiranthes sp.: 11696
Stanhopea grandiflora: 4675
Stelis argentata: 4798, 8850
Stelis aviceps: 9614
Stelis guianensis: 9110, 9821
Stelis sp.: 589, 1869, 3255, 3587, 3796, 4204, 4676, 5196, 5310, 5350, 5412, 5562, 5596, 7086, 7609, 7628, 7690, 8351, 9737, 11903, 11967
Stenia pallida: 1179
Trichosalpinx orbicularis: 8747
Trichosalpinx roraimensis: 5749, 5906
Trichosalpinx sp.: 7105, 7358, 8563, 8587, 8666, 8749, 9712, 11902
Trigonidium acuminatum: 2226, 2802, 6573, 6768, 6968, 7606, 8352
Trigonidium sp.: 8867
Vanilla sp.: 1575
Vanilla wrightii: 9263, 9726, 9779
Wulfschlaegelia calcarata: 1432, 1454, 2937, 4662
Xerorchis trichorhiza: 4109
Xylobium sp.: 7524
Zygosepalum labiosum: 3584, 4698, 4993, 7131, 7895, 8864, 11051
Zygosepalum lindeniae: 3705
- Poaceae**
Acroceras zizanioides: 1978, 3874
Andropogon bicornis: 9837
Andropogon leucostachyus: 5277, 12364
Aulonemia nitida: 10808
Axonopus capillaris: 734
Chusquea linearis: 9405, 10619
Cortaderia roraimensis: 11756
Digitaria lanuginosa: 3863
Digitaria laxa: 6706
Echinolaena inflexa: 7881, 12310
Eleusine indica: 2171, 9920
Eragrostis maypurensis: 765, 12365
Ichnanthus breviscrops: 1228
Ichnanthus leiocarpus: 4274
Ichnanthus nemoralis: 2470, 3677, 6003
Ichnanthus pallens: 1272, 3163, 3771, 4249, 4276, 6743, 8779, 9672, 10900, 11458, 11944, 12154
Ichnanthus panicoides: 1301, 2244, 2430, 4478, 7407, 7630, 8836, 10124
Ichnanthus tenuis: 8640
 Indet.: 2377, 6933
Isachne rigens: 10316
Ischaemum guianense: 11011
Lasiacis ligulata: 6666, 7997, 8637
Lasiacis sorghoidea: 5145, 8219, 8495
Leptocoryphium lanatum: 5121
Myriocladus distantiflorus: 9464
Neurolepis angusta: 10627, 10747, 10841
Olyra caudata: 4641
Olyra latifolia: 2128, 2311a, 3883, 4349, 6305, 6693, 6741, 8487, 8642
Olyra longifolia: 1446, 6248, 6674, 11251
Olyra micrantha: 317, 2490, 2873, 5446, 5950, 6761, 6840, 7134, 7272, 8047, 8511, 11401
Oplismenus hirtellus: 6771, 6906
Orthoclada laxa: 6667
Panicum aequivaginum: 1012
Panicum hylaeicum: 3849
Panicum laxum: 3859, 5439, 11053, 11187, 11369
Panicum micranthum: 5117, 12312, 12352, 12357
Panicum nervosum: 12372
Panicum pilosum: 543, 742, 1135, 2124, 4245, 7561, 7879, 11083, 11177, 11278, 11317, 11459
Panicum polycomum: 2115
Panicum polygonatum: 9847
Panicum pycnocladus: 9942, 9979
Panicum pyrularium: 2434, 3860
Panicum rivale: 2552, 12129
Panicum ? sp.: 6094
Panicum stoloniferum: 1475, 4887, 6723, 8080, 11217, 11219
Pariana s.l. *radiciflora*: 2787, 11170
Parodiolyra micrantha: 10126
Paspalum altsonii: 2441, 9848, 9940
Paspalum conjugatum: 2788b

Paspalum decumbens: 2167
Paspalum melanospermum: 766, 3498, 3530, 6567
Paspalum nutans: 5942
Paspalum orbiculatum: 5233
Paspalum petilum: 5440, 9233, 9235, 11557
Paspalum cf. *pilosum*: 9874
Paspalum pulchellum: 5116
Paspalum pumilum: 12131
Pharus latifolius: 6409, 8086
Pharus parvifolius: 3896
Pharus virescens: 8600
Raddiella esenbeckii: 9985, 11012, 12185
Setaria parviflora: 3872
Setaria tenax: 6773
Streptogyna americana: 4688, 6765, 6781
Thrasya scandens: 2551
Trachypogon spicatus: 1664, 2085, 6132

Pontederiaceae
Eichhornia diversifolia: 436
 Indet. ? : 11289

Rapateaceae
Epidryos guayanensis: 9623, 9714, 10016, 10698, 11543
Rapatea fanshawei: 5338
Rapatea paludosa: 1411, 2485, 3241, 9019, 10274, 12198
Saxofridericia regalis: 12218
Spathanthus unilateralis: 9698
Stegolepis angustata: 5561
Stegolepis ayangannae: 9269, 10765
Stegolepis aff. *ferruginea*: 9071, 11734
Stegolepis cf. *guianensis*: 10621
Stegolepis ptaritepuiensis: 5839
Stegolepis steyermarkii: 10243, 10833

Smilacaceae
Smilax domingensis: 580, 5742
Smilax latipes: 4124
Smilax schomburgkiana: 272, 452, 1092, 1319, 1858, 1981, 2528, 4050, 4976, 5107
Smilax sp.: 6041, 6121, 6466, 6837, 6857, 7022, 7383, 7526, 7799, 8360, 8518, 8605, 8698, 9694, 10207, 10465, 10843, 12103
Smilax syphilitica: 681, 3080, 3374

Strelitziaceae
Phenakospermum guyanense: 1424

Thurniaceae

Thurnia sphaerocephala: 201, 5426

Triuridaceae

Sciaphila purpurea: 1910, 2422, 2850, 2994, 3668

Sciaphila sp.: 7229

Xyridaceae

Abolboda acaulis: 11689

Abolboda grandis: 225, 248, 266, 7875, 12307

Abolboda macrostachya var. *robustior*: 935

Abolboda pulchella: 1793

Indet.: 994, 2349, 9326

Orectanthe sceptrum: 5836, 9499, 10625, 10752, 11687, 11774

Orectanthe sp.: 9413

Xyris albescens: 9471, 11701

Xyris guianensis: 929

Xyris involucrata: 245, 1014, 12155a

Xyris jupicai: 498, 1402, 2363, 6989

Xyris malmeana: 7876

Xyris paraensis var. *paraensis*: 1705

Xyris savanensis: 7004, 12336

Xyris surinamensis: 239, 7886

Xyris witsenioides: 11720

Zingiberaceae

Renealmia alpinia: 4007

Renealmia aromatica: 1743

Renealmia floribunda: 211, 1341, 2318, 4377

Renealmia guianensis: 1223, 1956, 5188, 8026

Renealmia monosperma: 4272, 4379, 4518

Renealmia orinocensis: 644, 747, 2488, 5396, 9676, 10041

Renealmia thyrsoidea ssp. *chrysantha*: 4145, 9145

Zingiber purpureum: 6652

INDETERMINED FAMILY**Indetermined**

Indetermined: 1189, 1211, 1676, 1688, 1936, 2067, 3593, 3948, 4423, 5066, 5680, 5741, 6367, 7055, 7256, 7265, 7271, 7620, 7682, 7718, 7732, 7740, 7845, 7891, 7957, 8016, 8145, 8218, 8365, 8379, 8467, 8470, 8554, 8560, 8583, 8599, 8606, 8671, 8745, 9183, 9430, 9656, 9804, 10205, 11479, 11739

No Record

2399, 2401, 3800, 5163, 5164, 5917

PLATES



PLATE 1. A. *Abarema barbouriana* (Standl.) Barneby and J. W. Grimes (Leguminosae-Mimosoideae), Clarke 9601, collected June 2001 on the east face of Mount Ayanganna. B. Regis James from Aishalton (center) and Wapishana workers on the Kwitaro River. C. *Parkia nitida* Miq. (Leguminosae-Mimosoideae), Clarke 4905, collected in the Kamoia Mountains. D. *Dimorphandra macrostachya* Benth. (Leguminosae-Caesalpinioideae), collected near Paruima. E. *Psychotria potaroensis* (Sandwith) Steyererm (Rubiaceae), Clarke 8900, collected along the Upper Potaro River. F. View from the summit of Mount Ayanganna; the ascent route is in foreground and Mount Semang in the background.



PLATE 2. A. David Clarke, James Sose (Wai Wai), Claudius Perry (Wapishana), and Mike Braun (SI) on the summit of an inselberg south of the Sipu River, the highest point of Acarai Mountains. Photo by Mark B. Robbins, University of Kansas, used with permission. B. *Norantea guianensis* Aubl. (Marcgraviaceae), Clarke 3508, collected February 1997 along the Rewa River in the gorge below Great Falls. C. Upper Arabaru River, below the summit of the escarpment, Mount Maringma. D. *Symbolanthus calygonus* (Ruiz and Pav.) Griseb. (Gentianaceae), Clarke 5610, collected near Paruima.




PLATE 3. A. *Fusaea longifolia* (Aubl.) Saff. (Annonaceae), Clarke 4396. B. *Ledothamnus sessiliflorus* (Ericaceae), second collection after type by Schomburgk on Roraima (in Venezuela), summit of Mount Maringma. C. *Psittacanthus* sp. (Loranthaceae), Clarke 4400. D. *Memora schomburgkii* (DC.) Miers (Bignoniaceae), Clarke 435. E. *Epidendrum* cf. *macrocarpum* (Orchidaceae). F. *Passiflora capparidifolia* Killip (Passifloraceae), Clarke 1522.




PLATE 4. A. *Palicourea longiflora* DC. (Rubiaceae), Clarke 4919. B. *Cattleya violacea* (Kunth) Rolfe, Kwitaro Landing at the terminus of the trail from Shea village. C. *Heliconia lourteigiae* (Heliconiaceae) Emygdio and E. Santos, Clarke 4375, collected May 1997 near Kuyuwini River. D. Little Ayanganna, part of the Wokomung Massif as seen from the air en route from Orinduik Falls to Georgetown. E. Mount Maringma, from Wayalayeng Village above the 400-foot waterfall on the Ataro River, near the Brazilian border. F. *Apodanthes caseariae* (Rafflesiaceae), Kassikaityu River.

Index

- Acarai Mountains, 50–51, 300
 collecting localities of, 36, 48
 expeditions to, 37–38, 47, 49
- Acevedo, Pedro, 4
- Adampada Creek, 59
- Adkins, Sally, 31
- Ahti, Ted, 5
- Aikawan Mountains, 35
- Aishalton, 33, 37, 43, 44
- Akawaio, 51–53, 60
- Akromukru Falls, 30
- Albin, Colin, 53, 56
- Allicock, Daniel, 23, 25
- Allicock, Fred, 23–24, 30
- Alouatta* sp., 23
- Alvin, Matthew, 47
- Amazon Rainforest, 37
- Amazon River, 1
- Amazonas, 1
- Amazonian manatee, 39
- American Journal of Botany* (Clarke), 5
- Amerindians, 4, 24, 37–39, 44
- anaconda, 44
- Anauá River, 43, 50
- Anderson, Ivan, 24
- Andrew, Thomas, 50
- Annai, 23–25, 30, 35, 41, 46–47
- Anteater Head Creek Camp, 43
- Apoteri, 35
- Arabarú River, 60, 300
- Arakwai Creek, 33
- arapaima, 30, 39, 47
- Ararata, 45
- Arawak, 53
- Arekuma, 44
- Ataro River, 60
- Ateles* sp., 23
- Atlantic Ocean, 1, 53, 55
- Atorad, 50

- Augustine, Melchoir, 39
 Auratoi Savanna, 46
 Ayaw, Kayanama, 50
 Aymatoi, 29
- Baboon Rapids, 51
 Bamboo Falls, 40
 Bartica, 39, 41, 43, 46, 50
 Bastos, 56
 Bat Mountains, 33
 BDG. *See* Biological Diversity of the Guiana Shield (BDG)
 Bel Air Park, 60
 bellbirds, 29–30
 Bernard, Calvin, 4, 31
 Biloku Rapids, 51
 biodiversity, 1–3
 Biological Diversity of the Guiana Shield (BDG), 53, 56–57
 Clarke's participation in, 3–5
 expeditions made by, 3
 goal of, 1
 in Guyana, 3
 mission of, 3
 publications made by, 3
 purpose of, 1–2
 of Smithsonian Institution, 3, 6, 45
 black and red poison arrow frogs, 24
 black caymans, 47
 BN. *See* Britten Norman (BN)
 Bolívar, 1
 Bolletrie Falls, 57
 Boom, Brian, 55
 Botanical Garden in Berlin, 5
 bottly, 44
Bothrops atrox, 23–24
Bothrops bilineata, 54
Bothrops sp., 45
 Boundary Commission, 41
 Brazil, 1, 3, 43, 50–51
 Braun, Mike, 300
 Britten Norman (BN), 54
 Bureau Waterkracht Werken Camp, 57, 59
 Burro-Burro River, 23–24, 30
 Bush Cow Falls, 40
- Caiman Sula, 59
 Canada, 3
 Canister Falls, 35
 Caribbean, 5
 CEIBA. *See* Conservation of Ecological Interactions and Biotic Associations (CEIBA) Research Centre
 Central America, 5
 Central Suriname Nature Reserve, 5, 57–59
 Centre for the Study of Biological Diversity (CSBD), 3–6
- Chambers, James, 29
 Chan-A-Sue, Malcolm, 23
Checklist of the Fishes of the Guiana Shield (Vari), 3
Checklist of the Plants of the Guiana Shield (Funk et al), 3, 5
Checklist of the Terrestrial Vertebrates of the Guiana Shield (Hollowell and Reynolds), 3
 Cheong, Benny, 50
 Chi Chi Falls, 53
 Chin, Christopher, 4, 45
 Chinapau Village, 53, 55
 Chinowieng Village, 53–54
 Chloranthaceae, 54
 Chodikar Mountains, 36–38
 Chodikar River, 37–38
 Clarke, H. David, 21, 56, 300. *See also* expeditions
 BDG, participation in, 3–5
 career overview of, 3
 collection information by, format of, 5–6
 Guiana Shield expeditions, role in, 3–5
 Clusiaceae, 38, 51, 54
 cock-of-the-rock, 23, 29, 38, 45
 Colombia, 1
 Conservation International Rapid Assessment Program, 5, 39
 Conservation of Ecological Interactions and Biotic Associations (CEIBA) Research Centre, 25
 Coppename River, 57, 59
 Coruna Rapids, 39
 Costa Rica, 5
 cotingas, 29
 Crabwood Creek, 31
Crotalus durissus, 45
 CSBD. *See* Centre for the Study of Biological Diversity (CSBD)
 Cyperaceae, 54
- Dadanawa Ranch, 43, 46
 collecting localities of, 32
 expeditions to, 31, 33, 39, 41, 44
 David, Keith, 4, 45
 David, Myles, 39
 DeFreitas, Duane, 31
 DeFreitas, Justin, 46
 Delta Amaçuro, 1
 Demerara Timbers Ltd., 25
 DePriest, Paula, 4, 29
 Dominican Republic, 5
 Driefoetoe Soela, 59
 Duckla Falls, 24
 Dunari Rapids, 23
- Eira barbata*, 24
 Emeritus, President, 3
- epilithic vegetation, 31
 Ericaceae, 38
 Essequibo River, 25, 35, 39
 collecting localities of, 36
 expeditions to, 23–24, 30, 33, 36–38, 43–44, 49–51
 Euphorbiaceae, 45, 54
 expeditions, 21. *See also* individual places
- fer-de-lance, 43, 46
Field Checklist of the Birds of Guyana (Braun), 3
 French Guiana, 1–2, 41
 Freshwater systems, 3
- GAC. *See* Guyana Airways Corporation (GAC)
 GDF. *See* Guyana Defense Force (GDF)
 Geo Magazine, 5, 50, 51
 Georgetown, 3–5, 24–25, 29, 31, 33, 35, 37–38, 44, 46–47, 53–54, 56
 collecting localities of, 26
 expeditions to, 60
 Gesneriaceae, 25
 gesneriad, 38
 giant anteater, 29
 giant river otter, 33, 39
 Gillespie, Lynn J., 6, 25
 Gittens, Diana, 4–5, 56–57
 Global Positioning System (GPS), 5, 33, 45
 Gold Falls, 23
 Google Maps, 5
 GPS. *See* Global Positioning System (GPS)
 Great Falls, 40
 Griffith, Paulin, 39
 Guiana Shield, 55, 57, 59
 BDG's expeditions to, 3
 Clarke's expeditions to, 3–5
 conservation efforts in, 2
 freshwater systems of, 3
 geographical demographics of, 1
 habitat of, 1–2
 vascular plants in, 3
 vertebrates of, 3
 Guianas, 1–3, 37
 Guianan cock-of-the-rock, 38
 Gunn's Strip, 35, 43, 46
 expeditions to, 33, 36–37, 47, 49–51
 Guyana, 5, 31, 33, 35, 37, 39, 41, 43–45, 46, 49–51, 60
 BDG program in, 3
 biological diversity of, 3
 conservation efforts in, 2, 3
 Environmental Protection Agency of, 56
 National Herbarium of, 4, 6

- National Protected Areas System of, 55
 vegetation map of, 3
- Guyana Airways Corporation (GAC),
 31, 33, 35, 41, 43, 46, 47
- Guyana Defense Force (GDF), 37–38,
 53–54
- harpy eagle, 25, 30
- haymara, 51
- Herald, Scott, 4, 41
- Helsinki, 5
- Henkel, Terry, 51, 53–56
- herbaceous vegetation, 31
- herbaria, 21
- herbarium, 21
- Hoffman, Bruce, 5, 21, 24, 29–30, 51
- Högberg, Öla, 50
- Holitipu, 29, 44
- Hollowell, Tom, 45
- Honey Creek Camp, 43
- Hoplyas macrophthalmus*, 51
- howler monkey, 23, 51
- Humboldt State University, 56
- Hymenophyllaceae, 37
- Iguana Falls, 40
- iguanas, 47
- Illubia Creek, 29, 46
- Illutipu, 29, 45
- Imbaimadai, 53, 60
- Independence Day, 51, 53
- inselberg vegetation, 47
- Ireng Creek, 24, 56
- Iwokrama International Centre for
 Rainforest Conservation and Devel-
 opment, 5
- Iwokrama International Rainforest
 Programme, 5, 21, 50
- Iwokrama International Rainforest
 Reserve expeditions, 5, 21, 24, 29,
 37, 46
- to Akromukru Falls, 30
- to Annai, 41
- to Apoteri, 35
- to Burro-Burro River, 23, 24, 30
- collection localities of, 21–24, 28, 34
- to Dunari Rapids, 23
- to Essequibo River, 23, 24, 30, 33, 35
- to Gold Falls, 23
- to Ireng Creek, 24
- to Iwokrama Mountains, 24–25, 30,
 33, 35, 41
- to Kuratoka Rapids, 23
- to Kurupukari, 23–25, 30, 35, 41
- to Kurupukari-Annai Road, 23–25,
 33, 35, 41
- to Kurupukari-Lethem Road, 30–31
- to Ladysmith Creek, 23, 30
- to Levai Falls, 24
- to Mahdia-Sandstone Road, 30
- to Makarapan Mountain, 35
- to Moco Moco II Creek, 30, 41
- to Pakutau Falls, 24
- to Pakutau Hills, 24
- to Pisham Pisham Rapids, 23
- plant checklists for, 3
- to Post Arinda Inlet, 23
- purpose of, 21
- to Siparuni River, 23, 24, 30
- to Surama, 25, 30–31
- to Tiger Creek, 35
- to Turtle Mountain, 23, 33, 35
- to Turtle Pond, 30
- Iwokrama Mountains, 50
- collecting localities of, 34
- expeditions to, 24–25, 30, 33, 35, 41
- jaguar, 23, 40, 43, 50
- James, Regis, 25, 33, 37, 43, 299
- Jawalla, 60
- Jerry, Isaac, 53
- Joseph, Charles, 53, 56
- Joseph, Edward, 53–54
- Joseph, Linus, 56
- Joseph, Milton, 53
- Joseph, Pedro, 53
- Julianatop, 57
- Kaibarupai, 56
- Kaieteur Falls, 29, 53, 55
- Kaieteur National Park, 3, 55
- Kaikan, 29
- Kamakusa, 55
- Kamarang River, 46
- expeditions to, 25, 29
- Great Falls of, 29, 44, 45
- Kamoa Mountains, 37, 44, 50
- collecting localities of, 36, 42
- expeditions to, 38, 43
- Kamoa River, 37–38, 50
- Kanuku Mountains, 31, 39, 46–47, 50
- Karanang, 55
- Karaudarnau, 43–44
- Karibon Creek, 29
- Karowrieng River, 60
- Kartabo, 37
- Karupukari-Annai Road, 34
- Kassikaityu River, 41, 49
- collecting localities of, 42, 48
- expeditions to, 42–44, 50, 51
- goal of, 41
- Kato, 25, 29
- Kelly, Josh, 4, 5, 53, 56
- king vulture, 40
- Kleinhoonte, 23, 25, 29, 45
- Klum, Mattias, 50
- Kolodokyengtipu, 29
- Konashen Rapids, 38
- Konuktipu, 29, 46
- Kopinang, 44, 55
- Kowatipu, 29, 50
- Kukui River, 60
- Kumarow, 29
- Kuratoka Rapids, 23
- Kurupukari, 23–25, 30, 35, 41
- Kurupukari-Annai Road, 23–25, 33,
 35, 41
- Kurupukari-Lethem Road, 30–31
- Kuyuwini Landing, 33
- Kuyuwini River, 31, 41, 50
- collecting localities of, 32, 42
- expeditions to, 33, 43–44
- goal of, 41
- Kwattamang Landing, 47
- Kwitara Landing, 39, 41, 46–47
- Kwitara River, 38
- collecting localities of, 36, 42
- expeditons to, 39–42, 46–47
- labaria, 23–25
- Ladysmith Creek, 23, 30
- Lauraceae, 51
- Leptopbis* sp., 40
- Lethem, 31, 33, 41, 44, 46
- Levai Falls, 24
- Lim, Burton, 37
- Linker Coppename River, 57–58, 59
- Little Ayanganna, 57, 302
- Mabura Hill, 22, 25–26, 37
- Mabura Hill-Kurupukari Road, 25
- Mabura Hill-Linden Highway, 25
- Macushi, 23, 35, 47
- Maguire, Bassett, 51
- Mahdia-Sandstone Road, 24, 30
- Maikwak, 29
- Makarapan Mountains, 25, 50
- collecting localities of, 42
- expeditions to, 35, 46–47
- Makawatta, 31
- malaria, 24
- Malek Falls, 56–57
- Manaus, 43, 50
- Maparri River, 31–32
- Marawanara, Marifa, 37–38, 43
- Maringma, 44, 302
- Marudi Mountains, 33
- Marunawa, 33, 37, 39, 41, 43, 45–46, 50
- Maruwanaru, Aaron, 50
- Maruwanaru, Yuphon, 50
- Mazaruni River, 25, 45, 53, 60
- McDowell, Tim, 6, 25, 44
- McPherson, Tsitsi, 4
- Melastomataceae, 54
- Meliaceae, 25
- Mexico, 3, 5
- Midden Coppename, 58

- Midden River, 57
 Mingle, Charlie, 43
 Ministry of Amerindian Affairs, 37
 Missouri Botanical Garden, 3
 Moco Moco II Creek, 30, 41
 Monkey Jump, 44
 Monkey Mountains, 29
 Mori, Scott, 4, 41
 Mount Ayanganna, 44, 51, 53–56, 60, 299
 collecting localities of, 52
 expeditions to, 54
 Mount Daniel. *See* Iwokrama Mountains
 Mount Maringma, 5, 52, 60, 302
 Mount Roraima, 45, 51
 Mount Wokomung, 5, 54–55, 60, 302
 collecting localities of, 52
 expeditions to, 56–57
 Mount Yuroban, 29
 Muri River, 25, 50
 Mutchnick, Patrice, 21, 24
 Mutisieae–Asteraceae, 54
 Myrsinaceae, 54
- National Geographic Society, 5
 National Museum of Natural History, 1
 National Protected Areas System of Guyana, 55
 Natun Bush Island, 31, 33
 neotropics, 21, 59
 New Ayanganna, 56–57
 New River Triangle, 37, 44, 50
 New York Botanical Garden, 4, 41
 Newton, Angela, 29
- Ogle Airport, 51, 53–54, 57
 Onoro River, 38
Orchid Digest (Clarke), 5
 Orinduik, 50, 53, 54
 Orinoco River, 1
 oropendulas, 29
 O'Toole, Eamon, 37
- Pacu Falls, 40
 Pakaraima Mountains, 5, 25, 44, 46, 50, 55, 60
 Pakutau Falls, 24
 Pakutau Hills, 24
 Parabara Savanna, 33, 43–44
 Paramakatoi, 25, 28–29
 Paramaktipu, 29
 parrot snake, 40, 54
 Paruima River, 26, 28, 44
 collecting localities of, 27
 expeditions to, 25, 29, 45–46
 Patamona, 53, 55–56
 Paul, Harold, 47
- Pemón, 44
 Pennington, Toby, 21
 Perry, Claudius, 4, 33, 37, 39, 41, 43, 45–46, 50, 53, 56–57, 300
 Peters, Malkie, 39
 petroglyphs, 25
Phyllobates sp., 24
 Pipillipai, 44, 60
 Pipoly, John J., 6, 51
 Pisham Pisham Rapids, 23
Podocnemis sp., 39, 47
 Podostemaceae, 57
 porcupine, 25
 Post Arinda Inlet, 23
 Potaro River, 51, 53
 collecting localities of, 52
 expeditions to, 54, 56–57
Proceedings of the Academy of Natural Sciences, Systematic Botany (Clarke), 5
 Puerto Rico, 5
 puma, 43
- Rafflesiaceae, 51
 Rapateaceae, 54
 rattlesnake, 45
 Raven, Peter H., 3
 Rechter Coppername River, 57–59
 red brocket deer, 23
 Rewa River, 38
 collecting localities of, 36
 expeditions to, 39–41, 46–47
 Great Falls of, 39, 47
 rheophytic vegetation, 24
 Rhodes, Jay, 5, 60
 Rio Casiquiare, 1
 Rio Negro, 1
 riparian vegetation, 24, 38
 river turtles, 39, 47
 Robertson, Charles, 37
 Roraima, 29, 44–45, 51, 60
 Royal Ontario Museum, 4, 37
 Rubiaceae, 25
Rupicola rupicola, 23, 45
 Rupununi River, 39
 collecting localities of, 32
 expeditions to, 31, 47
 Rupununi Savanna, 31, 33, 39, 41, 43, 46, 50
- Sand Creek Village, 31–32
 Savanna Inn, 44
 Schomburgk, Richard, 33, 60
 Shea Rock, 46
 Shea Village, 33, 39, 41, 44, 46, 47
 SI. *See* Smithsonian Institution (SI)
 Sidonkroetoe Sula, 59
 Simon, George, 37
- Singh, Eddie, 33, 35, 43–44, 46–47
 Siparuni River, 23–24, 30, 51, 53
 collecting localities of, 52
 expeditions to, 54, 56–57
 Sipman, Henricus, 5, 29
 Sipu River, 37, 47–49
 Skog, Larry, 4
 Smithsonian Institution (SI), 4, 24, 31, 37
 BDG program of, 3, 6, 45
 Iwokrama Rainforest Programme, contract between, 5, 21
 mission of, 3
 National Museum of Natural History of, 1
 U.S. National Herbarium at, 3, 6
 Soesdyke–Linden Highway, 25
 Sose, James, 300
 Sosé, Bemner, 50
 Sosé, Mark, 37, 44
 South America, 3, 59
 spider monkey, 23
 State University of Utrecht Herbarium, 5
 Stenroos, Solis, 29
 Stern, Stephen, 4, 5, 56–57
 Surama, 23, 25, 30–31, 35
 Suriname, 1–2, 5, 57–58
- Tafelberg, 57
 Takutu River, 33, 49–51
 tanagers, 29
 tapirs, 23, 25, 44
 Tautowan Mountains, 31, 44
 tayra, 24
 termites, 43
 Terra Firme Forest, 57
 Thompson, Adrian, 25, 43, 50–51, 53
 Tiger Creek, 35
 Tillett, Steve, 51
 Timehri Airport, 31, 33, 35, 41, 44, 46–47, 54
 Tonckens Falls, 57
 Tripp, Erin, 4, 5, 53, 56–57
 trogons, 29
 Tropenbos Field Station, 25
 Tschinkel, Henry, 50
 Tulameng, 60
 Turtle Mountains, 23, 33–35
 Turtle Pond, 30
- Uluk Creek, 29
 UNCA. *See* University of North Carolina at Asheville (UNCA)
 U.S. National Herbarium, 3, 4, 6
 University of Guyana, 3–5, 33, 45–46, 56–57
 University of North Carolina at Asheville (UNCA), 3–4, 53, 56
 Utshi River, 29

- vegetation
 epilithic, 31
 herbaceous, 31
 inselberg, 47
 rheophytic, 24
 riparian, 24, 38
 xeric, 31, 33
- Venezuela, 3, 29, 60
- Vochysiaceae, 38
- Waard, Jeanne Florschütz-de, 5
- Wai Wai, 37–38, 43–44, 50–51
- Waimatipu, 29
- Waleliwatipu, 29
- Wapishana, 33, 35, 37, 45–47, 53
- Waramadon, 25
- Warimatipu, 29, 46
- Washington, 6
- Wassari Mountains, 37, 41, 43, 49
 collecting localities of, 48
 expeditions to, 50–51
- Watson, Cynthia, 4, 46
- Watuwau River, 37
- Waukauyengtipu, 29, 44, 60
 collecting localities of, 27
 expeditions to, 45–46
- Wayalayeng Village, 60
- Welle, Ben ter, 44
- white-lipped peccary, 43
- whitewater camp, 53
- Wieland, Johanna, 50
- Wilhelmina Mountains, 57–59
- Williams, Leonard, 53, 56
- Williams, Moses, 53, 56
- Williams, Romeo, 4, 39, 41, 43, 46, 50, 53–54, 56
- Wokomung, 44, 55, 302
- World Heritage List, 55
- Wurdack, John, 4
- xeric vegetation, 31, 33
- Yaymochi, Wachana, 37, 50
- Yowang Mountains, 29
- Zibingatzako Mountains, 38

REQUIREMENTS FOR SMITHSONIAN SERIES PUBLICATION

ALL MANUSCRIPTS ARE REVIEWED FOR ADHERENCE TO THE SISP MANUSCRIPT PREPARATION AND STYLE GUIDE FOR AUTHORS (available on the "Submissions" page at www.scholarlypress.si.edu). Manuscripts not in compliance will be returned to the author. Manuscripts intended for publication in the Contributions Series are evaluated by a content review board and undergo substantive peer review. Accepted manuscripts are submitted for funding approval and scheduling to the Publications Oversight Board.

MINIMUM MANUSCRIPT LENGTH is thirty manuscript pages. If a manuscript is longer than average, an appropriate length will be determined during peer review and evaluation by the Content Review Board. Authors may be asked to edit manuscripts that are determined to be too long.

TEXT must be prepared in a recent version of Microsoft Word; use a Times font in 12 point for regular text; be double spaced; and have 1" margins. Each chapter/section must be saved in a separate file.

REQUIRED ELEMENTS are title page, abstract page, table of contents, main text, and reference section. See the SISP Manuscript Preparation and Style Guide for Authors for the order of all elements.

HEADINGS should be styled so different levels of headings are distinct from each other and so the organization of the manuscript is clear. Insert one line space above and one line space below all headings.

FRONT MATTER should include title page, abstract page, and table of contents. All other sections are optional. Abstracts must not exceed 300 words. Table of contents should include A-, B-, and C-level headings.

TABLES (numbered, with captions, stubs, rules) should be submitted in separate MS Word files; should include footnotes, if appropriate; should have rules only at top, bottom, and beneath column heads. Print outs of each table should accompany the manuscript to ensure correct layout of data. Tabulations within running text should not be numbered or formatted like formal tables, and should be included in the text of the manuscript.

FIGURE CAPTIONS should be provided in a separate MS Word file.

FIGURES (e.g., photographs, line art, maps) should be numbered sequentially (1, 2, 3, etc.) in the order called out; be placed throughout text, not at end of manuscript; have all components of composites lettered with lowercase letters and described in the caption; include a scale bar or scale description, if appropriate; include any legends in or on the figure rather than in a caption.

ART must not be embedded in the main text.

Figures must be original and submitted as individual TIFF or EPS files. Resolution for art files must be at least 300 dpi for grayscale and color images and at least 1200 dpi for line art. Electronic images should measure no more than 100% and no less than 75% of final size when published. JPG files will not be accepted. Color images significantly increase costs so should be included only if required. Funding for color art is subject to approval by SISP and the Publications Oversight Board.

IN-TEXT REFERENCES should be used rather than bibliographic notes and should follow the author-date system in the following format: "(author last name, year)" or ". . . author (year)"; "(author, year:page used within the text)" or ". . . author (year:page)." A full citation should be included in a "References" section.

ENDNOTES are to be used in lieu of footnotes and should be keyed manually into a separate MS Word file, in a section titled "Notes". Notes should not contain bibliographic information. Manually type superscript numerals in text and use full-sized numerals at the beginning of each note in the "Notes" section. SISP will determine the best placement of the notes section, either at the end of each chapter or at the end of the main text.

REFERENCES should be in alphabetical order, and in chronological order for same-author entries. Each reference should be cited at least once in main text. Complete bibliographic information must be included in all citations (e.g., author/editor, title, subtitle, edition, volume, issue, pages, figures). For books, place of publication and publisher are required. For journals, use the parentheses system for volume(number):page-ination [e.g., "10(2):5-9"]. Do not use "et al."; all authors/editors should be included in reference citations. In titles, capitalize first word, last word, first word after colon, and all other words except articles, conjunctions, and prepositions. Examples of the most common types of citations are provided in the SISP Manuscript Preparation and Author Style Guide.

For questions regarding the guidelines, please email SISP at schol.press@si.edu.

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01643 3583